

Directions for use of Parts Catalogue

1. Applicable model of machines

All component and option parts used for SSM72-SZ330 Mower are listed in this parts catalogue.

NOTES: SSM72-SZ330..... FOR SZ330

2. Explanation for head paragraph

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL						I T C	C O L	G R P	REMARKS
				SSM48M	SSM48F	SSM48G	SRM48M	SRM48F	SRM48G				
1	8595-211-001-20	CASE/UPPER	*	1 229									
1A	8657-201-081-00	CASE/UPPER	*	1 230			1						
2	8595-211-002-10	CASE/LOWER	*	1			1						
3	V523-100-801-80	PIN	*	2			2						
4	V211-260-803-00	BOLT, SENS	*	6			6						
			*	2 229									
			*	2 230			2						
			*	2			2						
			*	1			1						

- ① KEY shows the location of parts diagramed in the illustration.
- ② Parts numbers begin with `V` and `W` are standard parts of the market.
- ③ `LH` and `RH` on the parts name are described against the moving direction of the machine or are described on the condition how to install parts on the machines.
- ④ SPC : The following symbol classifies parts to be used for machines.
 - `\*` means standard parts.
 - `T` shows that the parts can be installed as optional parts.
 - `R` shows that the parts can be used as applicable parts to replace originally equipped parts.

- ⑤ Upper column : QTY shows the number of parts to be used for one unit of machine.

`M` is indicated for parts supplied by a meter long.

`l` is indicated for parts supplied by liter.

`AR` is indicated for parts need to be adjusted or regulated.

Lower column : serial number

—229 means serial number up to 229.

230— means serial number 230 and after.

- ⑥ ITC : Interchangeability

`1`...OLD ← NEW

New parts can be used in place of the old parts.

`2`...OLD → NEW

Old parts can be used in place of the new parts.

`3`...OLD →← NEW

Old parts and new parts can not be replaced each other.

- ⑦ COL : Color code

Color is signified with color code number for colored parts.

Please see the color list shown in the next page.

- ⑧ GRP : Parts shown in this column can be replaced by SET parts.

Example : Parts marked ① can be replaced by parts marked ②, and ④ for ③, so the rest follow in the same alphabetical order.

- ⑨ Remarks

* Other maker's part code number is shown in this column.

* When Fig. No. is shown in the Remark column of SET parts or ASSY parts, each of their component parts are listed in said Fig. No.

3. Color :

The following colors are used color parts.

COLOR CODE	COLOR	SPRAY TYPE CODE NUMBER	PAINTS 4K DRUM	PAINTS 16K DRUM
4 L	NEO BLUE	1300-985-001-10	1300-985-003-00	—————
7 F	MIRROR BLACK	1300-954-001-10	1300-954-003-00	1300-954-004-00

NOTE : Color code is signified only for the parts assigned by the maker as color parts.

4. Serial Numbers :

For chassies serial number is shown on the LABEL.


Please see



5. Parts Order

- 1) Parts numbers listed in the parts catalogue are all registered in “ISEKI on-line computer” .
- 2) When you order parts, please make sure of correct numbers.
- 3) When substitute parts is available, the part number ordered will be automatically turned to a new part number.
- 4) Please be sure to use “ISEKI GENUINE PARTS” .

Any other similar parts other than ISEKI parts when used may cause a trouble that makes us unable to repair or guarantee the warrant.



Contents

SSM72

UNIVERSALJOINTSYSTEM	Fig. 1
CASE(BEVEL)SYSTEM	Fig. 2
PULLEYSYSTEM	Fig. 3
BELTSYSTEM	Fig. 4
METALSYSTEM	Fig. 5
BLADESYSTEM	Fig. 6
MOWERDECKSYSTEM	Fig. 7
COVER(DISCHARGE)SYSTEM	Fig. 8
BELTCOVERSYSTEM	Fig. 9
GAUGEWHEELSYSTEM	Fig. 10
LABEL.....	Fig. 11




[illegible]

FIG. 3 PULLEY SYSTEM




8654-202D-0100


[illegible]

[illegible]

This diagram shows an exploded view of a mechanical assembly. The main components are a central housing (12) and two side assemblies (1). The assembly includes various fasteners and seals, numbered 1 through 22. Callouts 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, and 22 point to specific parts. Callout 7-1 points to a bracket. The diagram illustrates the relationship between the parts and their assembly sequence.

[illegible]

[illegible]

[illegible]



[illegible]

FIG. 11 LABEL



8654-901P-0100

[illegible]

Numerical Index

8655-097-200-00

Part Code	Fig. Key	Part Code	Fig. Key	Part Code	Fig. Key
1434-211-004-00	3 3	8654-201-042-00	2 21	V211-261-002-50	5 13
1560-214-003-00	2 13	8654-201-043-00	2 22	V211-560-801-60	10 21
1564-275-007-00	10 4	8654-201-045-10	2 11	V211-661-002-00	2 23
1593-901-015-00	11 7	8654-201-410-10	2 10	V304-260-008-00	3 18
1594-218-001-00	2 7	8654-202-016-00	3 2	V304-260-010-00	2 27
1594-221-001-00	5 4	8654-202-091-00	3 5	V304-260-012-00	8 4
	5 15		3 1	V304-460-016-00	3 8
2500-901-014-30	11 4		3 4		10 14
2500-901-027-00	11 1	8654-202-900-00	3 9	V334-260-012-00	7 3
3100-703-230-10	3 11	8654-301-004-00	5 7	V360-260-012-00	10 24
3621-211-003-00	3 13	8654-301-071-00	5 18	V362-260-008-00	9 4
3673-162-055-00	10 20		5 12	V401-160-010-00	2 26
3737-341-006-00	3 16		5 3	V401-160-012-00	8 5
3737-341-007-00	3 17		5 9	V401-160-016-00	3 7
3746-111-011-00	3 6		5 20		10 15
3805-701-018-00	8 3	8654-403-091-00	7 2	V401-160-020-00	6 5
7955-201-026-00	2 2	8654-406-001-00	8 2	V411-260-010-00	2 28
8595-201-011-00	2 1	8654-406-091-00	8 6	V411-260-014-00	2 25
8595-201-012-00	2 3	8654-406-092-00	8 7		8 8
8595-201-013-00	2 6	8654-407-091-00	9 3	V411-260-020-00	6 6
8595-201-015-00	2 12	8654-501-260-10	10 19	V411-260-022-00	10 11
8595-201-016-00	2 14	8654-501-280-00	10 17	V500-163-002-50	8 9
8595-201-017-00	2 15	8654-501-283-00	10 10	V580-140-804-00	1 10
8595-201-021-00	2 16	8654-501-910-00	10 18	V600-110-600-60	2 18
8595-201-022-00	2 17		10 1	V600-110-690-80	5 5
8595-201-025-00	2 9	8654-501-930-00	10 3	V704-140-016-00	5 16
8595-306-005-00	6 2	8654-501-940-00	10 7		3 14
8595-306-006-00	6 3	8654-501-950-00	10 8		3 12
8595-306-007-00	6 4	8654-901-002-00	11 5		10 5
8595-501-001-10	10 22	8654-901-061-00	11 9		5 6
8595-505-051-30	10 23	8654-901-091-00	11 8	V707-140-055-00	5 17
8595-901-005-00	11 6	8655-203-091-00	4 1		2 19
8595-901-006-00	11 2	8655-306-003-10	6 1		2 8
8595-901-007-00	11 3	8655-403-910-00	7 1		5 10
8597-202-501-00	3 10	8655-406-910-00	8 1		5 21
8597-301-002-00	2 24	8655-407-930-00	9 1	V721-103-108-00	2 5
8654-101-910-00	1 1	8655-407-940-00	9 2	V744-130-551-20	2 20
8654-101-911-00	1 2	8657-301-004-00	5 1	V744-135-520-80	5 8
8654-101-912-00	1 3	8657-301-008-00	5 22	V760-150-000-00	5 19
8654-101-913-00	1 4	8657-501-501-00	10 2		3 15
8654-101-914-00	1 5	8657-501-530-00	10 9		5 11
8654-101-915-00	1 6	8663-501-001-10	10 12		10 6
8654-101-916-00	1 7	8663-501-230-00	10 16		10 13
8654-101-917-00	1 8	V211-260-801-60	2 4	V761-150-000-00	5 14
8654-101-918-00	1 9	V211-261-002-50	5 2		

Alphabetical Index

8655-097-200-00

Description	Fig. Key	Description	Fig. Key	Description	Fig. Key
ARM/TENSION ASSY	3 9	LABEL/DANGER/DISCHAR	11 6	RING/SNAP	2 19
BEARING	5 5	LABEL/GAUGEWHEEL/SZ	11 8		5 10
	5 16	LABEL/MAINTENANCE	11 7		5 21
BEARING, RB 6006	2 18	LABEL/PTO	11 5	ROD, CHAIN TENSION	3 17
BEARING/BALL 6205SH2	5 4	LABEL/WARNING/BELT	11 2	ROLLER ASSY	10 17
	5 15	LABEL/WARNING/HOT	11 3	SEAL, OIL/TC305512	2 20
BEARING/BALL 6305SH2	2 7	METAL/CENTER	5 12	SEAL, OIL/TC35528	5 8
BEARING/BALL/6304SH2	2 13	METAL/SIDE	5 1		5 19
BELT/VC134	4 1	NIPPLE, GREASE	3 15	SEAL/OIL	2 9
BLADE/60X630/C	6 1		5 11		5 7
BLOT/M10X25	2 24		10 6		5 18
BOLT(S) M10X25	5 2		10 13	SHAFT/INPUT	2 6
	5 13	NIPPLE/GREASE	5 14	SHAFT/OUTPUT	2 11
BOLT, SEMS	10 21	NONSLIPSHEET/60	11 9	SHAFT/SIDE	5 3
BOLT, SEMS (S) M8X16	2 4	NUT	2 27	SHIM/0.1	2 14
BOLT/M10X20	2 23		3 18		2 16
BOLT/M12X1.25X45	7 2		7 3	SHIM/0.2	2 15
BUSH/16X18X15	3 10	NUT/M12	8 4		2 17
BUSH/22X25X25	10 10	NUT/M16	3 8	SHIM/1.2	6 3
	10 18		10 14	SLEEVEPIPE	1 6
BUSH/26X30X20	10 2	NUT/M20X1.5	6 4	SNAPRING	1 9
CASE/BEVEL	2 1	NUT/WASHER	9 4	SPLINEYOKE	1 4
CLAMPYOKE	1 3		10 24	SPRING, CHAIN TENSION	3 16
COLLAR/26X36X3	3 3	O-RING/G80	2 5	SPRING/HT024	8 6
COLLAR/BRADE	5 9	ONETOUCHJOINT	1 7	STOPPER/COVER	8 2
	5 20	PIN, SPLIT/3 X25	8 9	WASHER	3 6
COLLER/26X34X15	5 22	PIN, SPRING/8 X40 W	1 10		3 13
COVER/BELT/LH/S COMP	9 1	PIN/08X56 COMP	10 16	WASHER (13X34X05)	8 3
COVER/BELT/RH/S COMP	9 2	PIN/12X117	10 23	WASHER, PL/M14	2 25
COVER/CASE	2 3	PIN/15X245	8 7		8 8
COVER/DISCHARGE COMP	8 1	PIN/22X106	10 12	WASHER, PL/M22	10 11
COVER/UNIVERSAL	9 3	PIN/GAUGE COMP	10 3	WASHER, SP/M10	2 26
DECK/MOWER/72/Z COMP	7 1	PIN/ROLLER/REAR COMP	10 19	WASHER, SP/M12	8 5
FORK/WHEEL/FRON ASSY	10 1	PLATE/L/75X106	2 21	WASHER, SP/M16	3 7
FORK/WHEEL/REAR/LH	10 7		2 22		10 15
FORK/WHEEL/REAR/RH	10 8	PLUG, DRAIN (1/4)	2 2	WASHER, SP/M20	6 5
GEAR/BEVEL/25-2 SET	2 10	PULLEY, TENSION/100	3 11	WASHER/20X60X06	6 2
GREASE NIPPLE	10 20	PULLEY/VC140	3 1	WASHER/27X40X2	10 4
GREASENIPPLE	1 8		3 4	WASHER/45X55X01	2 12
JOINT/UNIVERSAL SET	1 1	RING, SNAP/16 C	3 14	WASHER/M10	2 28
JOINTKIT	1 2	RING, SNAP/20C	3 12	WASHER/M20	6 6
KEY/06X06X28	3 2	RING, SNAP/25 C	10 5	WELDYoke/B	1 5
	3 5	RING, SNAP/52 C	5 6	WHEEL/GAUGE ASSY	10 9
LABEL/CE	11 1		5 17	WHEEL/GAUGE/FRONT	10 22
LABEL/DANGER	11 4	RING/SNAP	2 8		