ISEKI

# Parts Catalogue



## Model TA545

TA545T – SCDE61,SCE61,SE61

TA545F – SBE21,SBE41G,SBE43G,SBE51,SCDE61,
SCE61,SE41,SE41P,SE51,SE61,SE61N,
XRE15

## Type of Machine TRACTOR

# Directions for use of Parts Catalogue

## . Applicable model of machines

All component and option parts used for TA545 Tractors are listed in this parts catalogue.

1) : MODEL TYPE

T:2WD

F:4WD

S : POWER STEERING + SYNCHROMESH + INDEPENDENT PTa

U : POWER STEERING

C: CABIN

2) : AREA CODE

E15 FOR TAIWAN

E21 FOR GERMANY


E41 ..... FOR U. K

E43 ..... FOR U. K

E51 FOR FRANCE

E61 ..... FOR OCEANIA

## 2. Explanation for head paragraph



① KEY shows the location of parts diagramed in the illustration.

② Parts numbers begin with `V´ and `W´ are standard parts of the market.

③ `LH´ and `RH´ on the parts name are described against the moving direction of the machine or are described on the condition how to install parts on the machines.

④ QTY shows the number of parts to be used for one unit of machine.

`M´ is indicated for parts supplied by a meter long.

·ℓ´ is indicated for parts supplied by liter.

`AR´ is indicated for parts need to be adjusted or regulated.

⑤ The following symbol classifies parts to be used for machines.

* means standard parts.

·T´ shows that the parts can be installed as optional parts.

`R´ shows that the parts can be used as applicable parts to replace originally equipped parts.

⑥ Serial number : upper row shows the serial number for the first product and lower row for the last product.

Example : Serial no. 1 through to serial no. 1999.

⑦ ITC : Interchangeability

`1-"'OLD ← NEW

New parts can be used in place of the old parts.

·2´·..0 LD → NEW

Old parts can be used in place of the new parts.

·3´"'OLD —×— NEW

Old parts and new parts can not be replaced each other.

@ COL: Color code

Color is signified with color code number for colored parts.

Please see the color list shown in the next page.

® GRP: Parts shown in this column can be replaced by SET parts.

Exsample : Parts marked ® can be replaced by parts marked Ⓑ, and Ⓓ for Ⓒ, so the rest follow in the same alphabetical order.

⑩ Remarks

*Other maker's part code number is shown in this column.

*When Fig. No. is shown in the Remark column of SET parts or ASSY parts, each of their component parts are listed in said Fig. No.

## 3. Color :


The following colors are used for color parts.

| COLOR CODE | COLOR | SPRAY TYPE CODE NUMBER | PAINTS 4K DRUM | PAINTS 16K DRUM |
|---|---|---|---|---|
| 4G | CRYSTAL BLUE | 1300-957-001-10 | 1300-957-003-00 | 1300-957-004-00 |
| 5 I | SUNSET GRAY | 1300-959-001-10 | 1300-959-003-00 | 1300-959-004-00 |
| 6G | SUMMER WHITE | 1300-958-001-10 | 1300-958-003-00 | 1300-958-004-00 |
| 7F | MIRROR BLACK | 1300-954-001-10 | 1300-954-003-00 | 1300-954-004-00 |

NOTE : Color code is signified only for the parts assigned by the maker as color parts.

## 4. Serial Numbers :

1) For engines serial number is stamped on CYLINDER BLOCK ASSY.
   Please see Fig.No.5 - 1
2) For chassies serial number is shown on the LABEL.
   Please see




## 5. Parts Order

1) Parts numbers listed in the parts catalogue are all registered in "ISEKI on-line computer".
2) When you order parts, please make sure of correct numbers.
3) When substitute parts is available, the part number ordered will be automatically turned to a new part number.
4) Please be sure to use "ISEKI GENUINE PARTS".

Any other similar parts other than ISEKI parts when used may cause a trouble that makes us unable to repair or guarantee the warrant.


P. *** STRUCTURE TABLE OF MODEL ***

| MODEL FIG | TA 5FFFF 4SSSS 5BBBB EEEE 2445 1131 GG | FFFFF SSSSS CCEEE DE445 E6111 61 P 1 | FFFTT SSXSS EERCC 66EDE 111 E6 N561 1 | TSE61 |
|---|---|---|---|---|
| 1 | **** | ***** | ***** | * |
| 2 | | ** * | ***** | * |
| 3 | **** | * * | | |
| 4 | **** | * * | | |
| 5 | | | * | |
| 6 | **** | ***** | ***** | * |
| 7 | **** | *** * | ***** | * |
| 8 | | * | | |
| 9 | TTTT | TTT T | TT TT | T |
| 10 | | *** | ** | * |
| 11 | *** * | | | |
| 12 | | | * | |
| 13 | | ** | ** | |
| 14 | **** | ***** | ** ** | * |
| 15 | **** | ***** | ***** | * |
| 16 | **** | ***** | *** ** | * |
| 17 | | | * | |
| 18 | **** | ***** | ** ** | * |
| 19 | **** | ***** | ***** | * |
| 20 | TTT | TTTT | TTTT | T |
| 21 | T | | | |
| 22 | TTTT | TTT T | TT TT | T |
| 23 | **** | ***** | ***** | * |
| 24 | *** * | ***** | ** ** | * |
| 25 | | | * | |
| 26 | **** | ***** | ***** | * |
| 27 | **** | ***** | ***** | * |
| 28 | **** | ***** | ***** | * |
| 29 | *** * | ** *** | ***** | * |
| 30 | **** | ** *** | *** ** | * |
| 31 | * | | | |
| 32 | **** | ***** | ***** | * |
| 33 | **** | ***** | ***** | * |
| 34 | **** | ***** | ***** | * |
| 35 | **** | ***** | *** | |
| 36 | | | * | |
| 37 | **** | ***** | ** ** | * |
| 38 | TTTT | TTTTT | TTTT | T |
| 39 | **** | ***** | ** ** | * |
| 40 | | | * | |
| 41 | **** | ***** | ***** | * |
| 42 | **** | ***** | ** *** | * |
| 43 | **** | ***** | ** ** | * |
| 44 | | | * | |
| 45 | *** * | **** * | ***** | * |

P. 2 *** STRUCTURE TABLE OF MODEL ***

| MODEL FIG | TA 5FFFF 4SSSS 5BBBB EEEE 2445 1131 GG | FFFFF SSSSS CCEEE DE445 E6111 61 P 1 | FFFTT SSXSS EERCC 66EDE 111E6 N561 1 | TSE61 |
|---|---|---|---|---|
| 46 | **** | ***** | ***** | * |
| 47 | **** | ***** | ***** | * |
| 48 | **** | ***** | ***** | * |
| 49 | **** | ***** | ***** | * |
| 50 | **** | ***** | ***** | * |
| 51 | * | | | |
| 52 | **** | ***** | ***** | * |
| 53 | ** * | ***** | ***** | * |
| 54 | **** | ***** | ***** | * |
| 55 | **** | ***** | ***** | * |
| 56 | **** | ***** | ***** | * |
| 57 | **** | ***** | ***** | * |
| 58 | | | ** | * |
| 59 | | | ** | * |
| 60 | | | ** | * |
| 61 | **** | ***** | *** | |
| 62 | **** | ***** | *** | |
| 63 | **** | ***** | ** | |
| 64 | | | * | |
| 65 | **** | ***** | *** | |
| 66 | **** | ***** | *** | |
| 67 | **** | ***** | *** | |
| 68 | **** | ***** | * | |
| 69 | | | * | |
| 70 | | | * | |
| 71 | **** | *** * | ** ** | * |
| 72 | | * | | |
| 73 | | | * | |
| 74 | **** | ***** | ***** | * |
| 75 | **** | ***** | ***** | * |
| 76 | **** | ***** | ***** | * |
| 77 | **** | *** ** | ** ** | * |
| 78 | **** | ***** | ***** | * |
| 79 | **** | ***** | ** ** | * |
| 80 | **** | *** * | ** ** | * |
| 81 | | * | | |
| 82 | | | * | |
| 83 | | | * | |
| 84 | **** | *** ** | ***** | * |
| 85 | **** | ***** | ***** | * |
| 86 | TTTT | TTT T | IT TT | T |
| 87 | TTTT | ‡‡T‡T | ** ** | * |
| 88 | **** | ***** | ** ** | * |
| 89 | | | * | |
| 90 | **** | *** * | ** ** | * |

P. 3 *** STRUCTURE TABLE OF MODEL ***



P. 4 *** STRUCTURE TABLE OF MODEL ***

| | M | T | | | |
|---|---|---|---|---|---|
| | | A | | | |
| | 0 | 5FFFF | FFFFF | FFFTT | T |
| | | 4SSSS | SSSSS | SSXSS | S |
| | D | 5BBBB | CCEEE | EERCC | E |
| | | EEEE | DE445 | 66EDE | 6 |
| | E | 2445 | E6111 | 111 E6 | 1 |
| | | 1131 | 61 P | N561 | |
| | L | GG | 1 | 1 | |
| | F | | | | |
| | G | | | | |
| 136 | | | ** | ** ** | * |
| 137 | | | | * | |
| 138 | | **** | *** | | |
| 139 | | **** | ***** | ***** | * |
| 140 | | **** | *** | | |
| 141 | | | ** | ** ** | * |
| 142 | | | | * | |
| 143 | | **** | | | |
| 144 | | **** | | | |
| 145 | | | ** | ** | |
| 146 | | | ** | ** | |
| 147 | | | TT | TT | |
| 148 | | | TT | TT | |
| 149 | | | TT | TT | |
| 150 | | **** | ***** | ** ** | * |
| 151 | | **** | ***** | ***** | * |
| 152 | | | ** | ** | |
| 153 | | **** | ** | *** | |
| 154 | | | ** | *** | |
| 155 | | | ** | *** | |
| 156 | | **** | ** | *** | |
| 157 | | | ** | ** | |
| 158 | | | | * | |
| 159 | | | | * | |
| 160 | | | * | * | |
| 161 | | | * | * | |
| 162 | | **** | ** | ** | |
| 163 | | | ** | ** | |
| 164 | | | ** | ** | |
| 165 | | | ** | ** | |
| 166 | | | ** | ** | |
| 167 | | | ** | ** | |
| 168 | | | * | * | |
| 169 | | | * | * | |
| 170 | | | * | * | |
| 171 | | | * | * | |
| 172 | | | * | * | |
| 173 | | | * | * | |
| 174 | | | * | * | |
| 175 | | **** | ***** | ***** | * |
| 176 | | **** | ***** | ***** | * |
| 177 | | **** | ***** | ***** | * |
| 178 | | TTTT | TTT T | TT TT | T |
| 179 | | **** | *** * | ** ** | * |
| 180 | | | * | * | |

P. 5 *** STRUCTURE TABLE OF MODEL ***

| | M O D E L F G | T A 5FFFF 4SSSS 5BBBB EEEE 2445 1131 GG | FFFFF SSSSS CCEEE DE445 E6111 61 P 1 | FFFTT SSXSS EERCC 66EDE III E6 N561 1 | T S E 6 1 |
|---|---|---|---|---|---|
| 181 | | T**T | **T*T | ** ** | * |
| 182 | | | | * | |
| 183 | | | | * | |
| 184 | | | | * | |
| 185 | | | | * | |

# CONTENTS

## TA545

ENGINE (4JA1 – PB,PB01)


CYLINDER HEAD AND OTHER PARTS Fig. 1

CYLINDER BLOCK AND OTHER PARTS Fig. 2

TIMING GEAR CASE AND OTHER PARTS Fig. 3

OIL PAN AND OTHER PARTS Fig. 4

OIL PUMP AND FIXING PARTS Fig. 5

CRAN KSHAFT PISTON CONN. ROD AND FLYWHEEL Fig. 6

VALVE MECHANISM Fig. 7

OIL FILTER AND FUEL FILTER Fig. 8

OIL PIPE AND OTHER PARTS Fig. 9

COOLING SYSTEM (FAN, WATER AND OIL) Fig. 10

AIR INTAKE AND EXHAUST SYSTEM Fig. 11

FUEL SYSTEM Fig. 12

ENGINE FOOT, HANGER AND FIXING PARTS Fig. 13

INJECTION PUMP AND OTHER PARTS Fig. 14

ELECTRICAL PARTS Fig. 15

COMPONENT PARTS FOR 6894 – 476 "" 121 "" 10 / 6897 – 030 "" 187 "" 00 ON Fig.14 Fig. 16

COMPONENT PARTS FOR 6894 - 319 - 381 - 00 / 6897 _ 037 _ 237 _ 00 ON FIg.14 FIg. 17

COMPONENT PARTS FOR 6894 - 122 - 262 - 50 ON Fig.12 Fig. 18

COMPONENT PARTS FOR 6894 – 178 - 843 - 00 ON Fig.14 Fig. 19

COMPONENT PARTS FOR 6894 - 171 - 296 - 30 ON Fig.15 Fig. 20

COMPONENT PARTS FOR 6894 - 338 - 096 - 00 ON Fig.15 Fig. 21

REPAIR KIT PARTS FOR 6587 - 810 - 736 - 60 Fig. 22

# CONTENTS

## CHASSIS


| | |
|---|---|
| FUEL FILTER AND FUEL HOSE SYSTEM | Fig. 1 |
| AIR CLEANER SYSTEM (E61,E41P,E15 TYPE) | Fig. 2 |
| AIR CLEANER SYSTEM (EXCEPT E61,E41P,EI5 TYPE) (F - No.1～408) | Fig. 3 |
| AIR CLEANER SYSTEM (EXCEPT E61,E41P,EI5 TYPE) (F - No.409～) | Fig. 4 |
| PRE CLEANER SYSTEM (E15 TYPE) | Fig. 5 |
| RADIATOR SYSTEM | Fig. 6 |
| MUFFLER SYSTEM (EXCEPT E41P TYPE) | Fig. 7 |
| MUFFLER SYSTEM (E41P TYPE) | Fig. 8 |
| MUFFLER SYSTEM (EXCEPT E41P,E15 TYPE) (OPTION) | Fig. 9 |
| FUEL TANK SYSTEM (EXCEPT B,C,E15 TYPE) | Fig. 10 |
| FUEL TANK SYSTEM (B TYPE) | Fig. 11 |
| FUEL TANK SYSTEM (E15 TYPE) | Fig. 12 |
| FUEL TANK SYSTEM (C TYPE) | Fig. 13 |
| SUB FUEL TANK SYSTEM (EXCEPT E15 TYPE) | Fig. 14 |
| BATTERY BRACKET SYSTEM | Fig. 15 |
| ACCELERATOR SYSTEM | Fig. 16 |
| CLUTCH AND INPUT METAL SYSTEM (E15 TYPE) | Fig. 17 |
| CLUTCH AND INPUT METAL SYSTEM (EXCEPT E15 TYPE) | Fig. 18 |
| CLUTCH PEDAL SYSTEM | Fig. 19 |
| FRONT P.T.O. SET (EXCEPT E21,E41P TYPE) (OPTION) | Fig. 20 |
| FRONT P.T.O. SET (E21 TYPE) (OPTION) | Fig. 21 |
| FRONT THREE POINT LINK SET (EXCEPT E41P,E15 TYPE) (OPTION) | Fig. 22 |
| FRONT TRANSMISSION CASE SYSTEM | Fig. 23 |
| INPUT GEAR AND CHANGE GEAR SYSTEM (EXCEPT E15 TYPE) | Fig. 24 |
| INPUT GEAR AND CHANGE GEAR SYSTEM (E15 TYPE) | Fig. 25 |
| REVERSE CHANGE GEAR SYSTEM | Fig. 26 |
| P.T.O. DRIVE SHAFT SYSTEM | Fig. 27 |
| MAIN CHANGE SYSTEM | Fig. 28 |
| REVERSE CHANGE SYSTEM | Fig. 29 |
| TRANSMISSION CASE (SPACER) SYSTEM | Fig. 30 |

TRANSMISSION CASE (SPACER) SYSTEM (E21 TYPE) Fig. 31

REAR TRANSMISSION CASE SYSTEM Fig. 32

SUB CHANGE GEAR SYSTEM Fig. 33

SUB SHIFT SYSTEM Fig. 34

4WD DRIVE GEAR SYSTEM (F TYPE) Fig. 35

P.T.O. COUNTER GEAR AND P.T.O. CHANGE GEAR SYSTEM (E15 TYPE) Fig. 36

P.T.O. COUNTER GEAR AND P.T.O. CHANGE GEAR SYSTEM (EXCEPT E15 TYPE) Fig. 37

MID P.T.O. SET (OPTION) Fig. 38

P.T.O. SHIFT SYSTEM (EXCEPT E15 TYPE) Fig. 39

P.T.O. SHIFT SYSTEM (E15 TYPE) Fig. 40

SUB SHIFT LEVER SYSTEM Fig. 41

REVERSE LEVER SYSTEM Fig. 42

P.T.O. LEVER AND 4WD LEVER SYSTEM (EXCEPT E15 TYPE) Fig. 43

P.T.O. LEVER AND 4WD LEVER SYSTEM (E15 TYPE) Fig. 44

MAIN SHIFT LEVER SYSTEM Fig. 45

DIFFERENTIAL CASE SYSTEM Fig. 46

REAR AXLE HOUSING SYSTEM Fig. 47

WHEEL SHAFT SYSTEM Fig. 48

BRAKE SYSTEM Fig. 49

BRAKE ROD SYSTEM Fig. 50

PARKING BRAKE SYSTEM (E21 TYPE) Fig. 51

BRAKE PEDAL SYSTEM Fig. 52

REAR WHEEL SYSTEM (EXCEPT E43G TYPE) Fig. 53

STEERING WHEEL SYSTEM Fig. 54

POWER STEERING ASSY Fig. 55

OIL TANK SYSTEM Fig. 56

AXLE BRACKET SYSTEM Fig. 57

FRONT AXLE SYSTEM (O (T TYPE) Fig. 58

FRONT AXLE SYSTEM (2) (T TYPE) Fig. 59

FRONT WHEEL SYSTEM (T TYPE) Fig. 60

FRONT DRIVE SHAFT SYSTEM (F TYPE) Fig. 61

FRONT DIFFERENTIAL CASE SYSTEM (F TYPE) Fig. 62

AXLE HOUSING SYSTEM (F TYPE EXCEPT E15) Fig. 63

AXLE HOUSING SYSTEM (E15 TYPE) Fig. 64
FRONT GEAR CASE SYSTEM (1) (F TYPE) Fig. 65
FRONT GEAR CASE SYSTEM (2) (F TYPE) Fig. 66
KNUCKLE ARM AND TIE ROD SYSTEM (F TYPE) Fig. 67
FRONT WHEEL SYSTEM (F TYPE EXCEPT E61N,E15) Fig. 68
FRONT WHEEL SYSTEM (FE15 TYPE) Fig. 69
FRONT WHEEL SYSTEM (FE61N TYPE) Fig. 70
CYLINDER CASE SYSTEM (EXCEPT E41P,E15 TYPE) Fig. 71
CYLINDER CASE SYSTEM (E41P TYPE) Fig. 72
CYLINDER CASE SYSTEM (E15 TYPE) Fig. 73
LIFT ARM AND RELIEF VALVE SYSTEM Fig. 74
CYLINDER SYSTEM Fig. 75
POSITION LINK SYSTEM Fig. 76
DRAFT LINK SYSTEM (EXCEPT E15 TYPE) Fig. 77
POSITION LEVER SYSTEM Fig. 78
DRAFT LEVER SYSTEM (EXCEPT E15 TYPE) Fig. 79
HYDRAULIC PIPING SYSTEM (1) (EXCEPT E41P,E15 TYPE) Fig. 80
HYDRAULIC PIPING SYSTEM (1) (E41P TYPE) Fig. 81
HYDRAULIC PIPING SYSTEM (1) (E15 TYPE) Fig. 82
HYDRAULIC PIPING SYSTEM (2) (E15 TYPE) Fig. 83
HYDRAULIC PIPING SYSTEM (3) Fig. 84
STACK SYSTEM Fig. 85
TRAILER HITCH SYSTEM (EXCEPT E41P,E15 TYPE) (OPTION) Fig. 86
SWING DRAW - BAR SYSTEM
(E61,E41P TYPE – STANDARD/B,SE41,SE51 TYPE - OPTION) Fig. 87
SHIELD COVER SYSTEM (EXCEPT E15 TYPE) Fig. 88
TRAILER HITCH AND REAR HITCH SYSTEM (E15 TYPE) Fig. 89
THREE POINT LINK SYSTEM (EXCEPT E41P,E15 TYPE) Fig. 90
THREE POINT LINK SYSTEM (E15 TYPE) Fig. 91
LOWER LINK AND LIFT ROD SYSTEM (EXCEPT E15 TYPE) Fig. 92
LOWER LINK AND LIFT ROD SYSTEM (E15 TYPE) Fig. 93
VALVE (REMOTE/I) SET
(E61 TYPE - STANDARD/B,SE41,SE51 TYPE - OPTION) Fig. 94

VALVE (REMOTE/2) SET
(E41G,E43G TYPE - STANDARD/E21,E51,SE41,SE61 TYPE - OPTION) Fig. 95
VALVE (REMOTE/2) SET (E61 TYPE) (OPTION) Fig. 96
VALVE (REMOTE/I) SET (E61 TYPE) (T - No.1～43・F - No.1～335) Fig. 97
VALVE (REMOTE/2) SET
(SE41P TYPE - STANDARD/E41G,E43G TYPE - OPTION) Fig. 98
AUTO LINK SYSTEM (E15 TYPE) Fig. 99
RADARMATIC SYSTEM (1) (E15 TYPE) Fig. 100
RADARMATIC SYSTEM (2) (E15 TYPE) Fig. 101
RADARMATIC SYSTEM (3) (E15 TYPE) Fig. 102
BONNET SYSTEM (1) Fig. 103
BONNET SYSTEM (2) Fig. 104
GRILLE SYSTEM Fig. 105
HOOD FRAME SYSTEM Fig. 106
FAN COVER SYSTEM (EXCEPT E15 TYPE) Fig. 107
FAN COVER SYSTEM (E15 TYPE) Fig. 108
FENDER SYSTEM (EXCEPT B,C,E41P,E15 TYPE) Fig. 109
FENDER SYSTEM (E15 TYPE) Fig. 110
FENDER SYSTEM (B,C TYPE EXCEPT E21) Fig. 111
FENDER SYSTEM (E21 TYPE) Fig. 112
FENDER SYSTEM (E41P TYPE) Fig. 113
LEVER GUIDE SYSTEM Fig. 114
SEAT SYSTEM (EXCEPT E15 TYPE) Fig. 115
SEAT SYSTEM (E15 TYPE) Fig. 116
FRONT MOUNT BRACKET SYSTEM (EXCEPT B,C,E15 TYPE) Fig. 117
FRONT MOUNT BRACKET SYSTEM (B,C,E15 TYPE) Fig. 118
REAR MOUNT BRACKET SYSTEM (C,E15 TYPE) Fig. 119
REAR MOUNT BRACKET SYSTEM (EXCEPT B,C,E15 TYPE) Fig. 120
REAR MOUNT BRACKET SYSTEM (B TYPE) Fig. 121
DASH PANEL AND FLOOR PANEL SYSTEM (EXCEPT B,C,E15 TYPE) Fig. 122
DASH PANEL AND FLOOR PANEL SYSTEM (B TYPE) Fig. 123
DASH PANEL AND FLOOR PANEL SYSTEM (E15 TYPE) Fig. 124
DASH PANEL AND FLOOR PANEL SYSTEM (C TYPE) Fig. 125
FOOT COVER SYSTEM (E15 TYPE) Fig. 126

BATTERY SYSTEM Fig. 127

LAMP SYSTEM Fig. 128

LAMP SYSTEM (E61 TYPE) Fig. 129

LAMP SYSTEM (EXCEPT E61,E15 TYPE) Fig. 130

LAMP SYSTEM (E41P,EI5 TYPE) Fig. 131

LAMP SYSTEM (E15 TYPE) Fig. 132

INSTRUMENT PANEL SYSTEM (EXCEPT E61,E15 TYPE) Fig. 133

INSTRUMENT PANEL SYSTEM (E61 TYPE) Fig. 134

INSTRUMENT PANEL SYSTEM (E15 TYPE) Fig. 135

SWITCH SYSTEM (E61 TYPE) Fig. 136

SWITCH SYSTEM (E15 TYPE) Fig. 137

SWITCH SYSTEM (EXCEPT E61,E15 TYPE) Fig. 138

SWITCH SYSTEM Fig. 139

HARNESS SYSTEM (EXCEPT E61,E15 TYPE) Fig. 140

HARNESS SYSTEM (E61 TYPE) Fig. 141

HARNESS SYSTEM (E15 TYPE) Fig. 142

ELECTRICAL SYSTEM (1) (B TYPE) Fig. 143

ELECTRICAL SYSTEM (2) (B TYPE) Fig. 144

ELECTRICAL SYSTEM (3) (C TYPE) Fig. 145

ELECTRICAL SYSTEM (4) (C TYPE) Fig. 146

ELECTRICAL SYSTEM (5) (C TYPE) (OPTION) Fig. 147

ELECTRICAL SYSTEM (6) (C TYPE) (OPTION) Fig. 148

ELECTRICAL SYSTEM (7) (C TYPE) (OPTION) Fig. 149

ELECTRICAL SYSTEM (8) (EXCEPT E15 TYPE) Fig. 150

REAR VIEW MIRROR SYSTEM Fig. 151

FRONT FRAME SYSTEM (C TYPE) (T - No.1～53・F - No.1～408) Fig. 152

FRONT FRAME SYSTEM (B,C,EI5 TYPE) (T－No.54～・F - No.409～) Fig. 153

FRAME SYSTEM (C,EI5 TYPE) (T - No.1～53・F - No.1～408) Fig. 154

REAR FRAME SYSTEM (C,EI5 TYPE) (T - No.54～・F - No.409～) Fig. 155

SUB FENDER SYSTEM (B,C,EI5 TYPE) Fig. 156

ROOF SYSTEM (C TYPE) Fig. 157

ROOF SYSTEM (E15 TYPE) (F - No.1～408) Fig. 158

ROOF SYSTEM (E15 TYPE) (F - No.409～) Fig. 159

ROOF SYSTEM (D TYPE) (T－No.1～53・F - No.1～408) Fig. 160

ROOF SYSTEM (D TYPE) (T - 54～ • F - 409～) Fig. 161
FRONT GLASS SYSTEM (B,C TYPE) Fig. 162
DOOR SYSTEM (C TYPE) (T - NO.1-53· F - No.1-408) Fig. 163
DOOR SYSTEM (C TYPE) (T - No.54～ • F – No.409-) Fig. 164
DOOR GLASS SYSTEM (C TYPE) Fig. 165
REAR GLASS SYSTEM (C TYPE) Fig. 166
INTERIOR AND COCKPIT SYSTEM (C TYPE) Fig. 167
HEATER SYSTEM (SCE61 TYPE) Fig. 168
HEATER SYSTEM (D TYPE) (T - NO.1-52· F - No.1-39l) Fig. 169
HEATER SYSTEM (D TYPE) (T - No.53～ • F - No.392-) Fig. 170
COOLER SYSTEM (D TYPE) (T – NO.1-52· F - No.1-39l) Fig. 171
COOLER SYSTEM (D TYPE) (T - No.53～ • F - No.392-) Fig. 172
COMPRESSOR BRACKET SYSTEM (1) (D TYPE) Fig. 173
COMPRESSOR BRACKET SYSTEM (2) (D TYPE) Fig. 174
MARK (1) Fig. 175
MARK (2) Fig. 176
TOOLS Fig. 177
COMPONENT PARTS FOR K185-020-000-00 ON Fig.22 Fig. 178
COMPONENT PARTS FOR K211-009-000-00. 10 ON Fig.75 Fig. 179
COMPONENT PARTS FOR K211-013-000-00. 10 ON Fig.75 Fig. 180
COMPONENT PARTS FOR K211-005-000-10 ON Fig.94-98 Fig. 181
COMPONENT PARTS FOR 1564-519-200-20 ON Fig.lOO (F - No.1-138) Fig. 182
COMPONENT PARTS FOR K221-002-000-00 ON Fig.lOO (F - No.1-138) Fig. 183
COMPONENT PARTS FOR K200-020-000-00 ON Fig.lOO (F - No.139-) Fig. 184
COMPONENT PARTS FOR K185-006-000-00. 10 ON Fig.lOO Fig. 185


)

# ENGINE

## 4JA1 - PB···TA545
## 4JA1 - **PB01 ...T**A545FX

)


# FIG. 1 CYLINDER HEAD AND OTHER PARTS




1569 - 1100

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | 4JA1 PB01 | LEGATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 431 - 523 - 00 | HEAD,CYLINDER ASSY | 1 | * | * | | | | |
| 2 | 6109 - 600 - 005 - 10 | CUP,SEALING | 1 | | | | | | |
| 3 | 6511 - 129 - 006 - 00 | SEALING,CAP | 3 | | | | | | |
| 4 | 6109 - 600 - 011 - 20 | CUP,SEALING | 7 | | | | | | |
| 5 | 6509 - 600 - 013 - 00 | CAP,SEALING | 5 | | | | | | |
| 6 | 6511 - 219 - 015 - 00 | CUP,SEALING | 2 | | | | | | |
| 7 | 6894 - 130 - 558 - 00 | SEAT,VALVE | 4 | | | | | | |
| 8 | 6511 -721 -016-00 | GUIDE,VALVE | 8 | | | | | | |
| 9 | 6894 - 130 - 559 - 00 | SEAT,INSERT VALVE | 4 | | | | | | |
| 10 | 6512 - 569 - 006 - 00 | SEAL,VALVE | 8 | | | | | | |
| 11 | 6512-563-001-00 | SEAT,SPRING | 8 | | | | | | |
| 12 | 6894 - 332 - 327 - 00 | GASKET,CYLINDER HEAD | 1 | | | | | | |
| 13 | 6894 - 247 - 355 - 10 | BOLT | 18 | | | | | | |
| 14 | 6894 - 476 - 696 - 00 | COVER,CYLINDER HEAD | 1 | | | | | | |
| 15 | 6894 - 250 - 172 - 00 | VENTILATOR | 1 | | | | | | |
| 16 | 6903 - 910 - 408 - 00 | SCREW | 4 | | | | | | |
| 17 | 6894 - 250 - 615 - 10 | PIPE,BREATHER | 1 | | | | | | |
| 18 | 6894 - 133 - 207 - 50 | CAP,OIL FILLER | 1 | | | | | | |
| 19 | 6894 - 123 - 623 - 10 | PACKING,OIL CAP | 1 | | | | | | |
| 20 | 6894 - 129 - 381 - 10 | HOSE,RUBBER | 1 | **-9306 | **-9306 | | | | |
| 20A | 6897 - 031 - 729 - 00 | HOSE,RUBBER | | **9307- | **9307- | | | | |
| 21 | 6894 - 142 - 941 - 00 | CLIP,HOSE | 1 | | | | | | |
| 22 | 6894 - 121 - 113 - 00 | CLIP,HOSE | 2 | | | | | | |
| 23 | 6020 - 800 - 814 - 00 | BOLT,CLIP | 1 | | | | | | |
| 24 | 6909 - 150 - 508 - 00 | WASHER | 1 | | | | | | |


# FIG. 1 CYLINDER HEAD AND OTHER PARTS




1569 1100

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOI | ITC | COL | GAP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 6894 – 247 - 903 - 10 | PACKING,HEAD COVER | 1 | * | * | | | | |
| 26 | 6894 - 173 - 430 - 00 | NUT,SPECIAL | 3 | * | * | | | | |
| 27 | 6894 - 153 – 051 – 00 | PACKING | 3 | ● | ● | | | | |


# FIG. 2 CYLINDER BLOCK AND OTHER PARTS




1569-1200


| KEY | PART CODE | DESCRIPTION | ory | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 438 - 404 - 40 | CYLINDER BLOCK ASSY | 1 | * | * | | | | |
| 2 | 6894 - 462 - 130 - 00 | L1NER,CYL | 4 | * | * | | | | |
| 3 | 6894 - 432 - 642 - 00 | BOLT | 10 | * | * | | | | |
| 4 | 6894 - 427 - 196 - 10 | METAL KIT STD | 1 | * | * | | | | |
| 5 | 6894 - 427 - 198 - 10 | METAL KIT UN =0.5 | 1 | R | R | | | | |
| 6 | 6894 - 427 - 200 - 10 | METAL KIT UN =1.00 | 1 | R | R | | | | |
| 7 | 6909 - 664 - 001 - 00 | PLUG WATER DRAIN 1/4 | 1 | * | * | | | | |
| 8 | 6511 - 219 - 018 - 00 | CUP,SEARING | 1 | * | * | | | | |
| 9 | 6511 - 219 - 017 - 00 | CUP CYL | 1 | * | * | | | | |
| 10 | 6511 - 219 - 008 - 00 | CUP,SEALING | 3 | * | * | | | | |
| 11 | 6109 - 600 - 005 - 10 | CUP,SEALING | 3 | * | * | | | | |
| 12 | 6509 - 600 - 013 - 00 | CAP,SEALING | 1 | * | * | | | | |
| 13 | 6511 - 219 - 015 - 00 | CUP,SEALING | 2 | * | * | | | | |
| 14 | 6894 - 471 - 358 - 00 | DUCT,WATER | 1 | * | * | | | | |
| 15 | 6894 - 250 - 514 - 00 | CUP,SEALING | 1 | * | * | | | | |
| 16 | 6511 - 219 - 018 - 00 | CUP,SEARING | 3 | * | * | | | | |
| 17 | 6511 - 129 - 006 - 00 | SEALING,CAP | 2 | * | * | | | | |
| 18 | 6511 - 129 - 003 - 00 | GAUGE,LEVEL | 1 | * | * | | | | |
| 19 | 6509 - 605 - 019 - 20 | PLUG,TAPPER | 2 | * | * | | | | |
| 20 | 6999 - 202 - 314 - 00 | PLUG | 1 | * | * | | | | |
| 21 | 6909 - 571 - 414 - 00 | GASKET | 1 | * | * | | | | |
| 22 | 6999 - 202 - 316 - 00 | PLUG | 2 | * | * | | | | |
| 23 | 6909 - 571 - 416 - 00 | PACKING | 2 | * | * | | | | |
| 24 | 6897 - 016 - 473 - 00 | COVER | 1 | * | * | | | | |
| 25 | 6894 - 235 - 369 - 00 | SEAL,OIL | 1 | * | * | | | | |

# FIG. 2 CYLINDER BLOCK AND OTHER PARTS




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PB01 | ITC | COL | GRp | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 6894 - 130 - 021 - 10 | NIPPLE,INJ.PUMP | 1 | * | * | | | | |
| 27 | 6909 - 572 - 008 - 00 | PACKING | 1 | * | * | | | | |
| 28 | 6909 - 878 - 597 - 00 | PIN,CYL.BODY | 2 | * | * | | | | |
| 29 | 6894 - 453 - 344 - 00 | DOWEL | 2 | * | * | | | | |
| 30 | 6908 - 151 - 020 - 00 | PIN | 1 | * | * | | | | |
| 31 | 6908 - 151 - 050 - 00 | PIN | 1 | * | * | | | | |
| 32 | 6894 - 170 - 108 - 50 | PLATE | 1 | * | * | | | | |
| 33 | 6894 - 365 - 670 - 00 | PACKING | 1 | * | * | | | | |
| 34 | 6911 - 229 - 058 - 00 | DOWEL | 1 | * | * | | | | |
| 35 | 6509 - 300 - 062 - 00 | STUD,CASE COVER/L = 68 | 1 | * | * | | | | |
| 36 | 6050 - 040 - 870 - 00 | BOLT L= 70 | 7 | * | * | | | | |
| 37 | 6513 - 721 - 043 - 10 | PIPE,WATER DRAIN | 1 | * | * | | | | |
| 38 | 6908 - 161 - 032 - 00 | PIN,STRAIGHT | 1 | * | * | | | | |
| 39 | 6909 - 606 - 535 - 00 | BOLT/L = 43 | 1 | * | * | | | | |
| 40 | 6894 - 170 - 107 - 30 | PLATE,REAR | 1 | **-9005 | **-9005 | | | | |
| 4DA | 6897 - 028 - 906 - 00 | PLATE,REAR | 1 | **9006- | **9006- | | | | |
| 41 | 6894 - 175 - 276 - 00 | BOLT L= 25 | 3 | * | * | | | | |
| 42 | 6902 - 061 - 030 - 00 | BOLT,REAR PLATE FIX | 3 | * | * | | | | |
| 43 | 6909 - 150 - 810 - 00 | WSHER; SPA. | 3 | * | * | | | | |
| 44 | 6902 - 361 - 236 - 00 | BOLT | 2 | * | * | | | | |
| 45 | 6909 - 150 - 812 - 00 | WASHER,SPRING | 5 | * | * | | | | |
| 46 | 6908 - 161 - 022 - 00 | PIN,STRAIGHT | 2 | * | * | | | | |
| 47 | 6909 - 110 - 410 - 00 | NUT/M10 | 1 | * | * | | | | |
| 48 | 6909 - 150 - 510 - 00 | WASHER,SP/M 10 | 1 | * | * | | | | |
| 49 | 6894 - 411 - 001 - 00 | STUD LI = 40 | 2 | * | * | | | | |


# FIG. 3 TIMING GEAR CASE AND OTHER PARTS




1569 1300

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBDI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 440 - 383 - 30 | CASE,TIMING GEAR | 1 | * | * | | | | |
| 2 | 6894 - 434 - 729 - 00 | PACKING,GEAR CASE | 1 | | | | | | |
| 3 | 6894 - 311 - 165 - 00 | SEAL,OIL | 1 | | | | | | |
| 4 | 6511 - 321 - 009 - 00 | COVER | 2 | | | | | | |
| 5 | 6111 - 282-013-00 | PACKING | 2 | **-9410 | **-9410 | | | | |
| 5A | 6897 - 11 8 - 698 - 00 | PACKING,CHECK COVER | 2 | **9411- * | **9411- | | | | |
| 6 | 6050 - 040 - 614 - 00 | BOLT | 4 | | | | | | |
| 7 | 6904 - 11 0 - 822 - 00 | STUD | 3 | | | | | | |
| 8 | 6904 - 110 - 840 - 00 | STUD/M8X40 | 1 | | | | | | |
| 9 | 6909 - 110 - 408 - 00 | NUT/M8 | 4 | | | | | | |
| 10 | 6909 - 150 - 508 - 00 | WASHER | 4 | | | | | | |
| 11 | 6010-806-270-00 | BOLT | 1 | | | | | | |
| 12 | 6909 - 150 - 512 - 00 | WASHER,SP/M12 | 1 | * | | | | | |
| 13 | 6509 - 030 - 020 - 00 | BOLT L= 70 | 7 | | | | | | |
| 14 | 6050 - 040 - 845 - 00 | BOLT | 2 | | | | | | |
| 15 | 6050 - 040 - 845 - 00 | BOLT,GEAR CASE - BODY | 2 | | | | | | |
| 16 | 6894 - 170 - 111 - 00 | SPACER | 1 | | | | | | |
| 17 | 6894 - 170 - 112 - 00 | PACKING | 1 | | | | | | |
| 18 | 6909 - 110 - 408 - 00 | NUT/M8 | 1 | | | | | | |
| 19 | 6909 - 150 - 508 - 00 | WASHER | 1 | | | | | | |
| 20 | 6994 - 41 1 - 025 - 00 | STUD | 2 | | | | | | |
| 21 | 6909 - 110 - 41 0 - 00 | NUT/MI0 | 2 | | | | | | |
| 22 | 6909 - 150 - 510 - 00 | WASHER,SP/MI0 | 2 | | | | | | |
| 23 | 6512 - 525 - 01 3 - 00 | GEAR,HYDRAULIC | 1 | | | | | | |
| 24 | 6894 - 170 - 113 - 00 | SHAFT | 1 | | | | | | |


# FIG. 3 TIMING GEAR CASE AND OTHER PARTS




1569-1300

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 6509 - 810 - 013 - 10 | BEARING,IDLE GEAR | 2 | * | * | | | | |
| 26 | 6894 - 401 - 798 - 00 | GEAR,PTa PUMP DRIVE | 1 | * | * | | | | |
| 27 | 6894 - 170 - 114 - 00 | SHAFT,PTa GEAR | 1 | * | * | | | | |
| 28 | 6900 - 090 - 657 - 00 | BALL,BEARING | 2 | * | * | | | | |
| 29 | 6511 - 321 - 035 - 00 | COVER,PUMP | 1 | * | * | | | | |
| 30 | 6894 - 370 - 840 - 00 | PACKING,COVER | 1 | * | * | | | | |
| 31 | 6511 - 321 - 100 - 00 | COVER,PTa PUMP | 1 | **-B603 | | | | | |
| 32 | 6511 - 322 - 043 - 10 | PACKING,COVER | 1 | **-8603 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 4 OIL PAN AND OTHER PARTS




1569-1400

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 – 170 – 120 – 60 | OIL PAN ASSY | 1 | ● | ● | | | | |
| 2 | 6894 - 419 - 086 – 00 | COVER | 1 | ● | ● | | | | |
| 3 | 6894 - 419 - 087 - 00 | PACKING,OIL PAN | 1 | ● | ● | | | | |
| 4 | 6050 - 040 - 818 – 00 | BOLT | 30 | ● | ● | | | | |
| 5 | 6909 - 662 – 012 - 00 | PLUG,OIL DRAIN | 1 | ● | ● | | | | |
| 6 | 6909 - 920 – 651 – 00 | PACKING | 1 | ● | ● | | | | |
| 7 | 6894 - 147 - 529 – 00 | PACKING,OIL PAN | 1 | ● | ● | | | | |
| 8 | 6897 – 014 - 416 - 00 | PACKING | 1 | ● | • | | | | |
| 9 | 6909 - 804 – 180 - 00 | BOLT | 11 | ● | * | | | | |
| 10 | 6909 - 150 - 508 - 00 | WASHER | 11 | ● | * | | | | |
| 11 | 6050 - 040 - 840 – 00 | BOLT L= 40 | 7 | ● | * | | | | |
| 12 | 6050 - 040 - 825 - 00 | BOLT,OIL PAN L= 25 | 2 | ● | * | | | | |
| 13 | 6050 - 040 - 830 - 00 | BOLT,OIL PAN L= 30 | 2 | ● | * | | | | |
| 14 | 6894 - 429 - 925 – 00 | FILLER,OIL | 1 | ● | * | | | | |
| 15 | 6111 - 750 - 020 - 00 | CAP | 1 | ● | * | | | | |
| 16 | 6894 - 388 - 326 - 00 | GUIDE TUBE | 1 | ● | ● | | | | |
| 17 | 6894 - 429 - 998 - 00 | GAUGE,OIL LEVEL ASSY | 1 | ● | ● | | | | |


# FIG. 5 OIL PUMP AND FIXING PARTS




1565-1500

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 – 170 - 122 - 40 | PUMP,OIL ASSY | 1 | * | * | | | | |
| 2 | 6913 - 113 - 077 - 10 | COYER,OIL PUMP | 1 | * | * | | | | |
| 3 | 6897 - 044 - 349 - 00 | STRAINER ASSY | 1 | * | * | | | | |
| 4 | 6901 – 900 - 825 – 00 | BOLT,COYER,FIX L = 25 | 4 | * | * | | | | |
| 5 | 6050 - 140 - 825 - 00 | BOLT | 2 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 6 CRANK SHAFT PISTON CONN. ROD AND FLY WHEEL




1569-1600

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 – 168 - 553 - 00 | METAL KIT STD | 1 | * | * | | | | |
| 2 | 6894 - 417 - 854 - 00 | METAL KIT UN = 0.50 | 1 | R | R | | | | |
| 3 | 6894 - 417 - 856 - 00 | METAL KIT UN = 1.00 | 1 | R | R | | | | |
| 4 | 6894 – 454 – 604 – 00 | THRUST METAL SET | 1 | * | * | | | | |
| 5 | 6894 - 441 - 964 – 10 | PISTON | 4 | **-8903 | **-8903 | | | | |
| 5A | 6894 - 369 - 281 - 00 | PISTON | 4 | **8904- | **8904- | | | | |
| 6 | 6894 - 247 - 867 - 10 | RING,PISTON SET | 4 | * | * | | | | |
| 7 | 6894 - 333 - 119 - 00 | ROD,CONN ASSY | 4 | * | * | | | | |
| 8 | 6894 - 419 - 729 - 10 | BOLT | 8 | **-9408 | **-9408 | | | | |
| 8A | 6512 - 235 - 009 - 00 | BOLT,CONN ROD | 8 | **9409- | **9409- | | | | |
| 9 | 6509 - 409 - 016 - 00 | NUT | 8 | * | * | | | | |
| 10 | 6894 - 419 - 455 - 00 | BUSH | 4 | * | * | | | | |
| 11 | 6894 - 324 - 159 - 00 | METAL SET | 4 | * | * | | | | |
| 12 | 6894 - 247 - 970 - 00 | PIN,PISTON ID = 18 | 4 | **-9108 | **-9108 | | | | |
| 12A | 6894 - 454 - 479 - 00 | PIN,PISTON D = 16 | 4 | **9109- | **9109- | | | | |
| 13 | 6894 - 133 - 969 - 00 | RING,SNAP | 8 | * | * | | | | |
| 14 | 6894 - 123 - 350 - 50 | CRANK SHAFT | 1 | **-9001 | **-9001 | | | | |
| 14A | 6894 - 455 – 240 – 10 | CRANK SHAFT | 1 | **9002- | **9002- | | | | |
| 15 | 6894 - 170 - 115 - 00 | FLYWHEEL ASSY | 1 | **-9103 | **-9103 | | | | |
| 15A | 6897 - 047 - 872 - 00 | FLYWHEEL ASSY | 1 | **9104- | **9104- | | | | |
| 16 | 6894 - 171 - 290 - 00 | GEAR,RING | 1 | * | * | | | | |
| 17 | 6894 - 433 - 991 - 00 | BOLT | 8 | **-9312 | **-9312 | | | | |
| 17A | 6897 - 065 - 984 - 10 | BOLT,FLYWHEEL | 8 | **9401- | **9401- | | | | |
| 18 | 6894 - 142 - 156 - 10 | WASHER,WLYWHEEL | 1 | * | * | | | | |
| 19 | 6900 - 090 - 679 - 00 | BEARING | 1 | * | * | | | | |


# FIG. 6 CRANK SHAFT PISTON CONN. ROD AND FLY WHEEL




1565-1EGO

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 20 | 6894 - 448 - 889 - 10 | KEY,FEATHER | 1 | * | * | | | | |
| 21 | 6894 - 172 - 365 - 00 | GEAR,CRANK SHAFT | 1 | * | * | | | | |
| 22 | 6894 - 376 - 186 - 20 | PULLEY | 1 | * | * | | | | |
| 23 | 6894 - 314 - 068 - 00 | BOLT | 1 | * | * | | | | |
| 24 | 6509 - 503 - 127 - 00 | WASHER | 1 | * | * | | | | |
| 25 | 6894 - 173 - 951 - 00 | SPACER | 1 | * | * | | | | |
| 26 | 6908 - 150 - 825 - 00 | PIN,STRAIGHT | 3 | * | * | | | | |
| 27 | 6894 - 319 - 331 - 00 | BUSH | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 7 VALVE MECHANISM




15E9 1700

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 127 - 797 - 40 | SHAFT,CAM | 1 | * | * | | | | |
| 2 | 6894 - 402 - 005 - 00 | GEAR,CAM ASSY | 1 | * | * | | | | |
| 3 | 6894 - 334 - 770 - 00 | PLATE,TACHO SENSOR | 2 | * | * | | | | |
| 4 | 6902 - 050 - 612 - 00 | BOLT | 4 | * | * | | | | |
| 5 | 6909 - 150 - 506 - 00 | WASHER,SP/M6 | 4 | * | * | | | | |
| 6 | 6908 - 000 - 718 - 00 | KEY | 1 | * | * | | | | |
| 7 | 6509 - 000 - 069 - 00 | BOLT | 1 | * | * | | | | |
| 8 | 6512 - 519 - 002 - 10 | WASHER | 1 | * | * | | | | |
| 9 | 6894 - 110 - 480 - 10 | PLATE,THRUST | 1 | * | * | | | | |
| 10 | 6050 - 040 - 816 - 00 | BOLT | 2 | * | * | | | | |
| 11 | 6894 - 170 - 117 - 00 | SHAFT,IDLE GEAR A | 1 | * | * | | | | |
| 12 | 6894 - 402 - 004 - 00 | GEAR | 1 | * | * | | | | |
| 13 | 6894 - 171 - 289 - 00 | COLLAR,THRUST | 1 | * | * | | | | |
| 14 | 6509 - 503 - 082 - 00 | WASHER,THRUST | 2 | * | * | | | | |
| 15 | 6901 - 065 - 860 - 00 | BOLT,CASE FIX | 2 | * | * | | | | |
| 16 | 6909 - 150 - 808 - 00 | WASHER,SPR | 2 | * | * | | | | |
| 17 | 6894 - 129 - 326 - 00 | SHAFT,IDLE GEAR B | 1 | * | * | | | | |
| 18 | 6894 - 170 - 118 - 00 | GEAR | 1 | * | * | | | | |
| 19 | 6894 - 129 - 384 - 00 | BOLT | 1 | * | * | | | | |
| 20 | 6894 - 129 - 380 - 00 | WASHER | 1 | * | * | | | | |
| 21 | 6894 - 133 - 275 - 10 | VALVE,INLET | 4 | * | * | | | | |
| 22 | 6894 - 247 - 875 - 10 | VALVE,EXH. | 4 | * | * | | | | |
| 23 | 6894 - 252 - 536 - 10 | SPRING,VALVE | 8 | * | * | | | | |
| 24 | 6894 - 133 - 731 - 20 | SEAT,SPRING VALVE | 8 | * | * | | | | |
| 25 | 651 2 - 565 - 004 - 00 | COLLAR,SPLIT | 16 | * | * | | | | |


# FIG. 7 VALVE MECHANISM




1569 1700

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI P8 | TYPE OF MODEL 4JAI P801 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 6894 - 438 - 305 - 00 | TAPPET | 8 | * | * | | | | |
| 27 | 6894 - 143 - 203 - 00 | ROD,PUSH | 8 | * | * | | | | |
| 28 | 6894 - 152 - 344 - 00 | ARM,ROCKER | 8 | * | * | | | | |
| 29 | 6894 - 152 - 283 - 00 | SCREW,ADJUST | 8 | * | * | | | | |
| 30 | 6909 - 111 - 508 - 00 | NUT | 8 | * | * | | | | |
| 31 | 6894 - 152 - 346 - 00 | SHAFT,ROCKER ARM | 1 | * | * | | | | |
| 32 | 691 2 - 626 - 005 - 00 | PLUG | 2 | * | * | | | | |
| 33 | 6894 - 152 - 345 - 10 | BRACKET,ROCKER SHAFT | 4 | * | * | | | | |
| 34 | 6894 - 433 - 303 - 00 | SPRING | 3 | * | * | | | | |
| 35 | 6909 - 180 - 019 - 00 | RING,SNAP | 2 | * | • | | | | |
| 36 | 6894 - 433 - 304 - 00 | BOLT | 3 | * | * | | | | |
| 37 | 6909 - 164 - 010 - 00 | WASHER,PLAIN | 4 | * | * | | | | |
| 38 | 6894 - 433 - 302 - 00 | BOLT | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 8 OIL FILTER AND FUEL FILTER




1569-1800


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PO | TYPE OF MODEL 4JA1 POOl | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 420 - 529 - 00 | FILTER,OIL ASSY | 1 | **-9110 | **-9110 | | | | |
| IA | 6897 - 021 - 553 - 00 | FILTER,OIL ASSY | 1 | **9111- | **9111- | | | | |
| 2 | 6894 – 167 - 882 – 00 | VALVE ASSY | 1 | * | * | | | | |
| 3 | 6894 - 167 - 883 – 00 | PLUG | 1 | * | * | | | | |
| 4 | 6894 – 428 - 931 – 00 | CARTRIDGE KIT | 1 | **-9110 | **-9110 | | | | |
| 4A | 6894 - 360 - 426 - 00 | CARTRIDGE KIT | 1 | **9111- | **9111- | | | | |
| 5 | 6894 - 167 - 884 - 00 | a-RING | 1 | * | * | | | | |
| 6 | 6894 – 167 - 885 - 00 | a-RING | 1 | * | * | | | | |
| 7 | 6894 - 167 - 886 - 00 | a-RING | 1 | * | * | | | | |
| 8 | 6899 - 425 – 298 - 00 | PACKING | 1 | **-9410 | **-9410 | | | | |
| 8A | 6897 - 065 - 983 – 00 | PACKING | 1 | **9411- | **9411- | | | | |
| 9 | 6901 - 970 - 830 - 00 | BOLT | 4 | * | * | | | | |
| 10 | 6894 - 143 - 477 – 10 | FILTER,FUEL ASSY | 1 | * | * | | | | |
| 11 | 6513 - 212 - 075 - 10 | COVER,FUEL FILTER | 1 | * | * | | | | |
| 12 | 6913 - 260 – 056 - 20 | VALVE,OVER FLOW ASSY | 1 | * | * | | | | |
| 13 | 6909 - 572 - 014 - 00 | PACKING | 2 | * | * | | | | |
| 14 | 6894 - 143 - 479 - 00 | ELEMENT KIT FUEL | 1 | * | * | | | | |
| 15 | 6894 - 429 - 670 – 20 | BRACKET | 1 | **-9306 | **-9306 | | | | |
| 15A | 6894 - 410 - 404 - 00 | BRACKET | 1 | **9307- | **9307- | | | | |
| 16 | 6904 - 41 1 - 020 – 00 | STUD | 2 | * | * | | | | |
| 17 | 6050 - 041 - 032 - 00 | BOLT | 2 | * | * | | | | |
| 18 | 6909 – 150 - 510 - 00 | WASHER,SP/MIO | 2 | * | * | | | | |
| 19 | 6909 - 110 – 510 – 00 | NUT | 2 | * | * | | | | |

# FIG. 9 OIL PIPE AND OTHER PARTS




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOl | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 434 - 827 - 10 | PIPE,OIL ASSY | 1 | * | * | | | | |
| 2 | 6509 - 623 - 002 - 00 | PACKING | 1 | * | * | | | | |
| 3 | 6894 - 170 - 123 - 10 | PIPE,OIL ASSY | 1 | * | * | | | | |
| 4 | 6509 – 675 - 018 - 10 | BOLT | 1 | * | * | | | | |
| 5 | 6909 - 572 – 008 - 00 | PACKING | 2 | * | * | | | | |
| 6 | 6901 - 900 - 612 - 00 | BOLT,SEMS/M6X12 | 1 | * | * | | | | |
| 7 | 6894 – 170 - 124 – 00 | PIPE ASSY | 1 | * | * | | | | |
| 8 | 6894 - 171 - 944 - 00 | BOLT,JOINT | 1 | * | * | | | | |
| 9 | 6909 - 571 - 408 - 00 | PACKING,PIPE JOINT | 2 | * | * | | | | |
| 10, | 6902 – 050 - 812 - 00 | BOLT | 1 | * | * | | | | |
| 11 | 6909 - 150 - 508 - 00 | WASHER | 1 | * | * | | | | |


# FIG. 10 COOLING SYSTEM (FAN, WATER AND OIL)




1569-2000


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI P8 | TYPE OF MODEL 4JAI P80I | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 170 - 125 - 30 | PUMP,WATER ASSY | 1 | **-9402 | "-9402 | | | | |
| IA | 6894 - 335 - 957 - 20 | PUMP,WATER ASSY | 1 | "9403- | "9403- | | | | |
| 2 | 6897 - 028 - 597 - 00 | REPAIR KIT/WATERPUMP | 1 | * | * | | | | |
| 3 | 6894 - 170 – 127 - 00 | COVER | 1 | * | * | | | | |
| 4 | 6894 - 170 - 128 - 00 | PACKING | 1 | * | * | | | | |
| 5 | 6894 - 114 - 727 - 00 | IMPELLER | 1 | * | * | | | | |
| 6 | 6894 - 110 - 560 - 00 | BEARING UNIT | 1 | * | * | | | | |
| 7 | 6894 - 226 - 008 - 00 | SEAL UNIT | 1 | * | * | | | | |
| 8 | 651 3 - 642 - 064 - 00 | FAN,CENTER | 1 | * | * | | | | |
| 9 | 691 3 - 639 - 001 - 00 | THROWER,BEARING UNIT | 1 | * | * | | | | |
| 10 | 6894 - 111 - 615 - 00 | JOINT | 1 | * | * | | | | |
| 11 | 6909 - 814 - 014 - 10 | SCREW | 1 | * | * | | | | |
| 12 | 6909 - 150 - 508 - 00 | WASHER | 1 | * | * | | | | |
| 13 | 6903 - 065 - 816 - 00 | SCREW | 3 | * | * | | | | |
| 14 | 6509 - 605 - 005 - 00 | PLUG | 1 | * | * | | | | |
| 15 | 6894 - 422 - 429 - 00 | PACKING | 1 | "-9410 | "-9410 | | | | |
| 15A | 6897 - 095 - 51 2 - 00 | PACKING,PUMP | 1 | **9411- | "9411- | | | | |
| 16 | 6509 - 000 - 084 - 10 | BOLT L= 55 | 2 | * | * | | | | |
| 17 | 6050 - 040 - 840 - 00 | BOLT L=40 | 1 | * | * | | | | |
| 18 | 6909 - 110 - 408 - 00 | NUT/M8 | 3 | * | * | | | | |
| 19 | 6909 - 150 - 508 - 00 | WASHER | 3 | * | * | | | | |
| 20 | 6894 - 152 - 595 – 00 | PIPE,OUTLET WATER | 1 | * | * | | | | |
| 21 | 6894 - 362 - 202 - 00 | PACKING,OUTLET PIPE | 1 | **-9402 | **-9402 | | | | |
| 21A | 6894 - 365 - 674 – 00 | PACKING,OUTLET PIPE | 1 | **9403- | **9403- | | | | |
| 22 | 6894 - 382 - 546 - 00 | THERMOSTAT | 1 | * | * | | | | |

# FIG. 10 COOLING SYSTEM (FAN, WATER AND OIL)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOl | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | 6894 - 170 - 129 - 20 | HOUSING ASSY | 1 | * | * | | | | |
| 24 | 6909 - 661 - 005 - 00 | PLUG,THERMOMETER | 1 | * | * | | | | |
| 25 | 6894 - 170 - 140 - 10 | HOSE,RUBBER | 1 | * | * | | | | |
| 26 | 6894 - 413 - 822 - 00 | CLIP,BY PASS | 2 | * | * | | | | |
| 27 | 6894 - 171 - 294 - 00 | PACKING | 1 | **-9410 | **-9410 | | | | |
| 27A | 6897 - 090 - 879 - 00 | PACKING | 1 | **9411- | **9411- | | | | |
| 28 | 6050 - 040 - 835 - 00 | BOLT | 2 | * | * | | | | |
| 29 | 6050 - 040 - 820 - 00 | BOLT | 2 | * | * | | | | |
| 30 | 6894 - 149 - 359 - 10 | PULLEY | 1 | * | * | | | | |
| 31 | 6913 - 642 - 076 - 10 | SPACER | 1 | * | * | | | | |
| 32 | 6913 - 642 - 079 - 00 | SPACER,FAN T=59.5 | 1 | * | * | | | | |
| 33 | 6894 - 408 - 079 - 00 | FAN,BLADE D=380 ASSY | 1 | * | * | | | | |
| 34 | 6894 - 338 - 193 - 00 | PLATE | 1 | * | * | | | | |
| 35 | 6050 - 040 - 822 - 00 | BOLT | 2 | * | * | | | | |
| 36 | 6509 - 030 - 042 - 10 | BOLT | 4 | * | * | | | | |
| 37 | 6513 - 671 - 100 - 00 | BELT,COOLING B=1130 | 1 | * | * | | | | |
| 38 | 6909 - 110 - 508 - 00 | NUT/M8 | 2 | * | * | | | | |
| 39 | 6909 150 - 508 - 00 | WASHER | 2 | * | * | | | | |
| 40 | 6909 - 571 - 316 - 00 | PACKING,THERMOMETER | 1 | * | * | | | | |
| 41 | 6909 - 661 - 005 - 00 | PLUG,THERMOMETER | 1 | * | * | | | | |
| 42 | 6094 - 110 - 840 - 00 | STUD | 3 | * | * | | | | |
| 43 | 6909 - 903 - 631 - 00 | PIPE,HEATER | 1 | **9403- | **9403- | | | | |
| 44 | 6894 - 414 - 688 - 00 | CAP,HEATER PIPE | 1 | **9403- | **9403- | | | | |
| 45 | 6909 - 915 - 642 - 20 | CLIP,CAP | 1 | **9403- | **9403- | | | | |


# FIG. 11 AIR INTAKE AND EXHAUST SYSTEM




1569 I loa


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 364 - 098 - 00 | MANIFOLD,INLET | 1 | **8811- -**9306 | **-9306 | | | | |
| IA | 6897 - 031 - 699 - 00 | MANIFOLD,INLET | 1 | **9307- | **9307- | | | | |
| 2 | 6894 - 142 - 159 - 00 | PACKING,INJ.MANIFOLD | 1 | **-9209 | **-9209 | | | | |
| 2A | 6894 - 139 - 738 - 00 | PACKING,INL,MANIFOLD | 1 | **92io:" -**9406 | **9210~ **-9406 | | | | |
| 28 | 6897 - 066 - 741 -10 | PACKING,INL,MANIFOLD | 1 | **9407- | **9407- | | | | |
| 3 | 6050 - 040 - 825 - 00 | BOLT,OIL PAN L= 25 | 6 | * | * | | | | |
| 4 | 6904 - 110 - 825 - 00 | STUD | 2 | * | * | | | | |
| 5 | 6909 - 110 - 508 - 00 | NUT/M8 | 2 | * | * | | | | |
| 6 | 6909 - 150 - 508 - 00 | WASHER | 2 | * | * | | | | |
| 7 | 6894 - 468 - 231 - 00 | MANIFOLD,EXH. | 1 | * | * | | | | |
| 8 | 6894 - 449 - 463 - 00 | STUD | 2 | * | * | | | | |
| 9 | 6894 - 139 - 526 - 10 | GASKET,EXH.MANIFOLD | 1 | * | * | | | | |
| 10 | 6050 - 040 - 835 - 00 | BOLT | 6 | * | * | | | | |
| 11 | 6904 - 110 - 835 - 00 | STUD/M8X40 | 2 | * | * | | | | |
| 12 | 6909 - 110 - 408 - 00 | NUT/M8 | 6 | * | * | | | | |
| 13 | 6909 - 150 - 508 - 00 | WASHER | 2 | * | * | | | | |
| 14 | 6894 - 447 - 967 - 10 | PROTECTOR,HEAT | 1 | * | * | | | | |
| 15 | 6894 - 142 - 160 - 20 | MANIFOLD,INLET | 1 | **-8810 | | | | | |
| 16 | 6894 - 250 - 615 - 10 | PIPE | 1 | **-8810 | | | | | |
| 17 | 6909 - 630 - 020 - 00 | STUD,INLET PIPE | 2 | **9301- | **9307- | | | | |
| 18 | 6897 - 035 - 883 - 00 | PACKING,INLET PIPED | 1 | **9307- | **9307- | | | | |

# FIG. 12 FUEL SYSTEM




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAl PB | TYPE OF MODEL 4JAI PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 – , 77 - 886 – 00 | PIPE ASSY NO.1 | 1 | **-9306 | **-9306 | | | | |
| 1A | 6897 - 017 - 795 - 'O | PIPE ASSY NO.1 | 1 | **9307- | **9307- | | | | |
| 2 | 6894 - , 77 - 887 - 00 | PIPE ASSY NO.2 | 1 | ** -9306 | **-9306 | | | | |
| 2A | 6897 - O' 7 - 796 – 'O | PIPE ASSY NO.2 | 1 | **9307- | **9307- | | | | |
| 3 | 6894 – 177 - 888 - 00 | PIPE ASSY NO.3 | 1 | ** -9306 | **-9306 | | | | |
| 3A | 6897 - O'7 - 797 - 'O | PIPE ASSY NO.3 | 1 | **9307- | **9307- | | | | |
| 4 | 6894 - , 77 - 889 - 00 | PIPE ASSY NO.4 | 1 | **-9306 | **-9306 | | | | |
| 4A | 6897 - 017 - 798 - 'O | PIPE ASSY NO.4 | 1 | **9307- | **9307- | | | | |
| 5 | 6894 - 122 - 262 - 50 | NOZZLEASSY INJ FIG 18 | 4 | * | * | | | | |
| 6 | 6894 - 326 - 721 - 00 | PIPE,FUEL | 1 | * | * | | | | |
| 7 | 6894 - 326 - 439 - 00 | O - RING,NOZZLE HOLDER | 4 | * | * | | | | |
| 8 | 6894 - 125 - 859 - 10 | PACKING | 4 | * | * | | | | |
| 9 | 6894 - 433 - 427 – 00 | BRACKET,HOLDER | 4 | * | * | | | | |
| 10 | 6894 - 152 - 353 - 00 | HOSE,FUEL | 3 | * | * | | | | |
| 11 | 6894 - 473 - 967 – 00 | CAP | 1 | * | * | | | | |
| 12 | 6894 - 238 - 61 0 – 00 | CLIP,RUBBER HOSE | 9 | * | * | | | | |
| 13 | 6909 - 906 - 325 - 10 | BOLT,JOINT | 2 | * | * | | | | |
| 14 | 6909 - 572 - 014 - 00 | PACKING | 4 | * | * | | | | |
| 15 | 6515 - 411 - 223 – 10 | PIPE,FUEL ASSY | 1 | * | * | | | | |
| 16 | 6894 - 152 - 989 - 10 | HOSE,FUEL | 1 | * | * | | | | |
| 17 | 6894 - 428 - 807 – 00 | PIPE,FUEL | 1 | * | * | | | | |
| 18 | 6909 - 906 - 314 - 10 | BOLT,JOINT | 1 | * | * | | | | |
| 19 | 6909 - 571 – 408 - 00 | PACKING,PIPE JOINT | 2 | * | * | | | | |
| 20 | 6894 - 170 - 133 - 00 | PIPE ASSY | 1 | * | * | | | | |
| 21 | 6894 - 170 – 132 - 10 | PIPE ASSY | 1 | * | * | | | | |


# FIG. 12 FUEL SYSTEM






1569 2200


| KEY | PART CODE | DESCRIPTION | Q'TY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | 6909 - 572 - 014 - 00 | PACKING | 2 | ● | ● | | | | |
| 23 | 6109 - 707 – 011 - 10 | CUP,HOSE | 2 | ● | ● | | | | |
| 24 | 6894 - 433 - 717 – 10 | BOLT | 4 | ● | ● | | | | |
| 25 | 6894 - 327 – 563 - 10 | PIPE,FILTER ASSY | 1 | ● | ● | | | | |
| 26 | 6894 - 430 – 000 – 00 | cUP,uP | 1 | ● | ● | | | | |
| 27 | 6894 - 430 – 001 - 00 | CUP,LOW | 1 | ● | ● | | | | |
| 28 | 6050 - 140 - 818 – 00 | BOLT | 1 | ● | ● | | | | |
| 29 | 6113 - 260 - 001 - 10 | VALVE,OVER FLOW | 1 | ● | ● | | | | |
| 30 | 6109 - 468 - 002 - 10 | NUT,CAP | 1 | ● | ● | | | | |
| 31 | 6001 - 109 - 120 – 00 | HOSE,OVER FLOW | 1 | ● | * | | | | |


# FIG. 13 ENGINE FOOT, HANGER AND FIXING PARTS
















| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 – 408 - 206 – 00 | HANGER,ENGINE FRONT | 1 | * | * | | | | |
| 2 | 6894 - 311 – 168 - 10 | HANGER,ENGINE RH | 1 | **-8908 | **-8908 | | | | |
| 2A | 6897 - 018 - 534 - 00 | HANGER,ENGINE REAR | 1 | **8909- | **8909- | | | | |
| 3 | 6050 - 041 - 035 - 00 | BOLT | 1 | * | * | | | | |
| 4 | 6050 - 040 - 825 - 00 | BOLT,OIL PAN L=25 | 1 | * | * | | | | |
| 5 | 6050 – 040 - 81 8 - 00 | BOLT | 2 | * | * | | | | |
| 6 | 6050 - 051 - 228 - 00 | BOLT | 2 | * | * | | | | |
| 7 | 6909 - 800 - 997 - 10 | BOLT L=103 | 1 | **-9408 | **-9408 | | | | |
| 7A | 6909 – 801 - 079 – 10 | BOLT L= 110 | 1 | **9409- | **9409- | | | | |
| 8 | 6909 - 110 - 408 - 00 | NUT/M8 | 1 | * | * | | | | |
| 9 | 6909 - 150 - 508 - 00 | WASHER | 1 | * | * | | | | |
| 10 | 6909 - 160 - 508 - 00 | WASHER,PL/M8 | 1 | * | * | | | | |
| 11 | 6050 - 040 - 822 - 00 | BOLT | 1 | * | * | | | | |
| 12 | 6909 - 164 - 708 - 00 | WASHER,PL/M8 | 1 | * | * | | | | |
| 13 | 6894 - 337 - 863 - 00 | BRACKET,GENERATOR | 1 | * | * | | | | |
| 14 | 6050 - 040 - 835 – 00 | BOLT | 2 | * | * | | | | |
| 15 | 6050 - 040 - 850 - 00 | BOLT | 1 | * | * | | | | |
| 16 | 6909 – 916 - 755 - 00 | CLIP | 1 | * | * | | | | |
| 17 | 6109 – 700 - 160 - 00 | HARNESS,CLIP | 1 | * | * | | | | |
| 18 | 6902 - 040 - 610 - 00 | BOLT/M6XI0 | 1 | * | * | | | | |
| 19 | 6909 - 160 - 506 – 00 | WASHER | 1 | * | * | | | | |
| 20 | 6894 - 448 - 191 - 30 | BRACKET | 1 | * | * | | | | |
| 21 | 6894 - 446 - 900 – 00 | ROD,L1NK | 1 | * | * | | | | |
| 22 | 6050 - 140 - 61 6 - 00 | BOLT | 2 | * | * | | | | |
| 23 | 6909 – 185 - 404 – 00 | RING,SNAP | 2 | * | * | | | | |

# FIG. 13 ENGINE FOOT, HANGER AND FIXING PARTS








1569 2300


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBD1 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | 6909 − 110 - 506 - 00 | NUT | 2 | * | * | | | | |
| 25 | 6909 - 150 - 506 - 00 | WASHER,SP/M6 | 2 | * | * | | | | |
| 26 | 6909 - 160 - 505 - 00 | WASHER,PL | 2 | * | * | | | | |
| 27 | 6050 - 051 - 225 - 00 | BOLT | 2 | * | * | | | | |
| 28 | 6909 - 160 - 606 - 00 | WASHER | 4 | * | * | | | | |
| 29 | 6894 - 447 - 982 - 00 | CLIP,SOLENOID | 1 | * | * | | | | |
| 30 | 6050 - 040 - 612 - 00 | BOLT | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 14 INJECTION PUMP AND OTHER PARTS




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PB01 | JTC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 476 - 121 - 10 | PUMP ASSY INJ FIG 16 | 1 | * | | | | | |
| 2 | 6894 - 319 - 381 - 00 | GOVERNOR ASSY FIG 17 | 1 | * | | | | | |
| 3 | 6894 - 178 - 843 - 00 | PUMP,ASM FEED FIG 19 | 1 | * | * | | | | |
| 4 | 6894 - 171 - 295 - 00 | GEAR | 1 | * | * | | | | |
| 5 | 6894 - 167 - 803 - 00 | COUPLING | 1 | * | * | | | | |
| 6 | 6894 - 457 - 517 - 00 | BOLT | 6 | * | * | | | | |
| 7 | 651 5 - 61 9 - 048 - 00 | WASHER | 1 | * | * | | | | |
| 8 | 6988 - 410 - 502 - 00 | NUT,COUPLING | 1 | * | * | | | | |
| 9 | 6894 - 440 - 286 - 00 | LOCK PLATE | 1 | * | * | | | | |
| 10 | 6909 - 662 - 007 - 00 | BOLT | 1 | * | * | | | | |
| 11 | 6894 - 129 - 348 - 10 | PACKING | 1 | * | * | | | | |
| 12 | 6509 - 000 - 158 - 00 | BOLT | 4 | * | * | | | | |
| 13 | 6509 - 030 - 013 - 10 | BOLT L = 95 | 1 | * | * | | | | |
| 14 | 6050 - 040 - 825 - 00 | BOLT,OIL PAN L= 25 | 1 | * | * | | | | |
| 15 | 6894 - 152 - 905 - 10 | BRACKET | 1 | * | * | | | | |
| 16 | 6050 - 040 - 820 - 00 | BOLT | 2 | * | * | | | | |
| 17 | 6050 - 141 - 025 - 00 | BOLT | 1 | * | * | | | | |
| 18 | 6897 - 030 - 187 - 00 | PUMP ASSY INJ FIG.16 | 1 | | * | | | | |
| 19 | 6897 - 037 - 237 - 00 | GOVERNOR ASSY FIG.17 | 1 | | * | | | | |
| | | | | | | | | | |


# FIG. 15 ELECTRICAL PARTS




1569-2500

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | 4JA1 PB01 | LEG TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 – 171 - 296 - 30 | STARTER FIG20 ASSY | | * | * | | | | |
| 2 | 6894 - 338 - 096 - 00 | GENERATOR FIG.21ASSY | | | | | | | |
| 3 | 6894 - 133 - 759 - 60 | PLUG,GLOW | 4 | | | | | | |
| 4 | 6894 – 153 - 723 - 10 | CONNECTOR | | | | | | | |
| 5 | 6182 - 41 0 - 033 - 00 | SWITCH,OIL PRESSURE | | | | | | | |
| 6 | 6894 - 426 - 566 - 10 | UNIT,THERMO METER | | | | | | | |
| 7 | 6894 - 446 - 623 - 10 | SOLENOID,ENG,STOP | | | | | | | |
| 8 | 6894 - 126 - 822 - 00 | SENSOR.TACHO METER | | | | | | | |
| 9 | 6894 - 248 - 161 - 00 | RELAY | | | | | | | |
| 10 | 6109 – 630 - 085 - 00 | PACKING | | | | | | | |


# FIG. 16 COMPONENT PARTS FOR 6894-476-121-10 6897_030-187-00 ON Flg.14




1632-1600

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6897-021-499-00 | PUMP,HOUSING | 1 | * | * | | | | |
| 2 | 6981-215-115-00 | STUD | 3 | * | * | | | | |
| 3 | 6981-235-017-00 | ADAPTER | 1 | * | * | | | | |
| 4 | 6515-619-044-00 | ADAPTER | 1 | * | * | | | | |
| 5 | 6115-619-024-00 | BOLT,SET | 1 | * | * | | | | |
| 6 | 6894-171-109-00 | COVER | 1 | * | * | | | | |
| 7 | 6894-386-596-00 | GADKET | 1 | * | * | | | | |
| 8 | 6115-619-003-00 | SCREW | 2 | * | * | | | | |
| 9 | 6981-215-144-00 | GASKET | 2 | * | * | | | | |
| 10 | 6515-619-136-00 | PLUG | 4 | * | * | | | | |
| 11 | 6894-171-110-00 | NUT | 3 | * | * | | | | |
| 12 | 6109-623-013-00 | O-RING | 1 | * | * | | | | |
| 13 | 6894-167-784-00 | PLUNGER ASSY | 4 | * | * | | | | |
| 14 | 6894-167-785-00 | VALVE,DELIVERY ASSY | 4 | * | * | | | | |
| 15 | 6515-643-001-00 | SPRING | 4 | * | * | | | | |
| 16 | 6115-649-001-00 | GASKET | 4 | * | * | | | | |
| 17 | 6515-644-017-00 | HOLDER | 4 | * | * | | | | |
| 18 | 6515-625-001-00 | PLATE | 2 | * | * | | | | |
| 19 | 6109-623-052-00 | O-RING | 4 | * | * | | | | |
| 20 | 6981-221-223-00 | TAPPET | 4 | * | * | | | | |
| 21 | 6981-222-220-00 | PIN | 4 | * | * | | | | |
| 22 | 6115-622-003-00 | ROLLER | 4 | * | * | | | | |
| 23 | 6115-629-001-00 | BUSH | 4 | * | * | | | | |
| 24 | 6515-619-041-00 | GUIDE | 4 | * | * | | | | |
| 25 | 6515-619-034-00 | SHIM T= 0.30 | AR | * | * | | | | |


# FIG. 16 COMPONENT PARTS FOR 6894 - 476 - 121 - lOON 6897 - 030 -187 - 00 Fig.14




1632-1 600

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOt | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 6515 - 61 9 - 035 - 00 | SHIM T = 0.40 | AR | * | * | | | | |
| 27 | 6515 - 619 - 036 - 00 | SHIM T= 0.50 | AR | * | * | | | | |
| 28 | 6515-619 - 001 - 00 | SHIM T= 0.60 | AR | * | * | | | | |
| 29 | 6515 - 619 - 002 - 00 | SHIM T= 0.70 | AR | * | * | | | | |
| 30 | 6515 - 619 - 003 - 00 | SHIM T= 0.80 | AR | * | * | | | | |
| 31 | 6515 - 619 - 004 - 00 | SHIM T= 0.90 | AR | * | * | | | | |
| 32 | 6515 - 619 - 005 - 00 | SHIM T = 1.00 | AR | * | * | | | | |
| 33 | 6515 - 619 - 007 - 00 | SHIM T = 1.10 | AR | * | * | | | | |
| 34 | 651 5 - 61 9 - 008 - 00 | SHIM T= 1.20 | AR | * | * | | | | |
| 35 | 6515 - 619 - 009 - 00 | SHIM T = 1.30 | AR | * | * | | | | |
| 36 | 651 5 - 61 9 - 01 0 - 00 | SHIM/T= 1.40 | AR | * | * | | | | |
| 37 | 6515 - 619 - 011 - 00 | SHIM T= 0.55 | AR | * | * | | | | |
| 38 | 651 5 - 61 9 - 01 2 - 00 | SHIM T= 0.65 | AR | * | * | | | | |
| 39 | 651 5 - 61 9 - 01 3 - 00 | SHIM T= 0.75 | AR | * | * | | | | |
| 40 | 6515 - 619 - 015 - 00 | SHIM T= 0.85 | AR | * | * | | | | |
| 41 | 6981 - 235 - 042 - 00 | SHIM/T = 0.95 | AR | * | * | | | | |
| 42 | 6981 - 235 - 043 - 00 | SHIM/T = 1.05 | AR | * | * | | | | |
| 43 | 6981 - 235 - 044 - 00 | SHIM/T = 1.15 | AR | * | * | | | | |
| 44 | 6981 - 235 - 045 - 00 | SHIM/I.25 | AR | * | * | | | | |
| 45 | 651 5 — 61 9 - 106 - 00 | SHIM T = 1.50 | AR | * | * | | | | |
| 46 | 6515 - 61 9 - 107 - 00 | SHIM T = 1.60 | AR | * | * | | | | |
| 47 | 6515 - 61 9 - 025 - 00 | SHIM T= 0.20 | AR | * | * | | | | |
| 48 | 6515 - 61 9 - 026 - 00 | SHIM T= 0.25 | AR | * | * | | | | |
| 49 | 6515 - 619 - 027 - 00 | SHIM T= 0.35 | AR | * | * | | | | |
| 50 | 6515 - 619 - 037 — 00 | SHIM T=0.45 | AR | * | * | | | | |


# FIG. 16 COMPONENT PARTS FOR 6894 - 476 - 121 - 10 / 6897 _ 030 - 187 - 00 ON Flg.14




1632 IEee

| KEY | PART CODE | DESCRIPTION | OTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PB01 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 51 | 651 5 - 619 - 108 - 00 | SHIM,TAPPET/1.35 | AR | * | * | | | | |
| 52 | 651 5 – 619 – 109 - 00 | SHIM,TAPPET/1.45 | AR | * | * | | | | |
| 53 | 6515 – 619 – 110 - 00 | SHIM,TAPPET/1.55 | AR | * | * | | | | |
| 54 | 651 5 - 643 – 009 - 00 | SPRING | 4 | * | * | | | | |
| 55 | 6981 - 235 - 01 5 - 00 | SEAT,SPRING | 4 | * | * | | | | |
| 56 | 6981 - 235 - 021 - 00 | SEAT,SPRING | 4 | * | * | | | | |
| 57 | 6515 – 637 - 002 - 00 | RACK | 1 | * | * | | | | |
| 58 | 61 15 - 639 - 003 - 00 | SCREW | 1 | * | * | | | | |
| 59 | 6981 - 225 - 057 - 00 | PINION | 4 | * | * | | | | |
| 60 | 6981 - 225 - 058 - 00 | SLEEVE | 4 | * | * | | | | |
| 61 | 6981 - 235 – 003 – 00 | SCREW | 4 | * | * | | | | |
| 62 | 6897 - 021 - 500 - 00 | SHAFT,CAM | 1 | * | * | | | | |
| 63 | 6900 – 090 - 677 - 00 | BEARING,RB/MR30203J | 1 | * | * | | | | |
| 64 | 6509 - 800 - 038 - 00 | BEARING,RB | 1 | * | * | | | | |
| 65 | 6900 - 090 - 677 – 00 | BEARING,RB/MR30203J | 1 | * | * | | | | |
| 66 | 6509 - 800 - 380 - 00 | BEARING | 1 | * | * | | | | |
| 67 | 6981 - 225 - 047 - 00 | RING | 1 | * | * | | | | |
| 68 | 6981 - 225 - 047 - 00 | RING | 1 | * | * | | | | |
| 69 | 651 5 - 629 - 01 5 - 00 | SHIM T= 0.10 | AR | * | * | | | | |
| 70 | 6515 - 629 - 016 - 00 | SHIM T= 0.12 | AR | * | * | | | | |
| 71 | 6515 - 629 - 017 - 00 | SHIM 0.14 | AR | * | * | | | | |
| 72 | 651 5 – 629 - 018 - 00 | SHIM 0.16 | AR | * | * | | | | |
| 73 | 6515 - 629 - 019 - 00 | SHIM 0.18 | AR | * | * | | | | |
| 74 | 6515 - 629 - 020 - 00 | SHIM 0.50 | AR | * | * | | | | |
| 75 | 6515 - 629 - 038 - 00 | SHIM 1.00 | AR | * | * | | | | |


# FIG. 16 COMPONENT PARTS FOR 6894-476-121 -10 6897 - 030 - 187 _ 00 ON Flg.14




1632-1600

| KEY | PART CODE | DESCRIPTION | OTY | TYPE OF MODEL 4JA1 PH | TYPE OF MODEL 4JAI PBOI | ITC | C0L | GRp | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 76 | 6981 - 225 - 033 - 00 | SHIM 0.30 | AR | ● | * | | | | |
| 77 | 651 5 - 619 - 039 - 00 | SHIM T= 0.70 | AR | ● | ● | | | | |
| 78 | 6515 - 629 - 090 - 00 | SHIM T= 1.40 | AR | ● | * | | | | |
| 79 | 61 15 - 639 – 088 - 00 | SHIM T = 2.40 | AR | ● | * | | | | |
| 80 | 6515 - 629 - 015 - 00 | SHIM T=O.I | AR | ● | ● | | | | |
| 81 | 6515 – 629 - 016 - 00 | SHIM 0.12 | AR | ● | ● | | | | |
| 82 | 6515 - 629 - 017 - 00 | SHIM 0.14 | AR | ● | * | | | | |
| 83 | 6515 - 629 - 01 8 - 00 | SHIM 0.16 | AR | * | * | | | | |
| 84 | 6515 - 629 - 019 - 00 | SHIM 0.18 | AR | ● | ● | | | | |
| 85 | 6515 - 629 - 020 - 00 | SHIM 0.50 | AR | * | * | | | | |
| 86 | 6515 - 629 - 038 - 00 | SHIM 1.00 | AR | * | * | | | | |
| 87 | 6981 - 225 - 033 - 00 | SHIM 0.30 | AR | * | ● | | | | |
| 88 | 6515 - 619 - 039 - 00 | SHIM 0.70 | AR | * | * | | | | |
| 89 | 6515 - 629 - 090 - 00 | SHIM T = 1.40 | AR | * | ● | | | | |
| 90 | 61 15 - 639 - 088 - 00 | SHIM 2.40 | AR | * | * | | | | |
| 91 | 6894 - 167 - 786 - 00 | COVER | 1 | * | ● | | | | |
| 92 | 6901 - 900 - 614 - 00 | OOLT | 4 | ● | * | | | | |
| 93 | 651 9 – 619 - 049 - 00 | KEY | 1 | ● | * | | | | |
| 94 | 61 15 - 61 9 - 082 - 00 | BOLT | 1 | * | ● | | | | |
| 95 | 61 15 – 759 - 001 - 00 | GASKET | 2 | * | * | | | | |
| 96 | 6894 - 167 - 787 – 00 | BRACKET | 1 | * | ● | | | | |
| 97 | 6904 - 101 - 030 – 00 | STUD | 4 | * | * | | | | |
| 98 | 6515 - 619 – 156 – 00 | O-RING | 1 | * | * | | | | |
| 99 | 6909 - 164 - 510 - 00 | WASHER | 4 | * | ● | | | | |
| 100 | 6909 - 150 - 61 0 - 00 | WASHER,SP | 4 | * | ● | | | | |


# FIG. 16 COMPONENT PARTS FOR 6894 - 476 - 121 - 10 6897 _ 030 - 187 _ 00 ON Flg.14




163HECC

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 101 | 6515 - 639 – 002 - 00 | NUT | 4 | * | * | | | | |
| 102 | 6897 - 012 - 836 - 00 | BOLT,EYE | 1 | | | | | | |
| 103 | 6909 - 572 - 01 0 - 00 | GASKETG | 2 | | | | | | |
| 104 | 6515 - 629 - 045 – 00 | STOPPER | 4 | | | | | | |


# FIG. 17 COMPONENT PARTS FOR 6894 - 319 - 381 - 00 6897 - 037 - 237 _ 00 ON Flg.14




1565-2700


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 61 15 - 721 - 030 - 00 | HOUSING | 1 | * | * | | | | |
| 2 | 6115 - 729 - 015 - 00 | a - RING | 1 | * | * | | | | |
| 3 | 6115 - 729 - 038 - 00 | PLUG | 1 | * | * | | | | |
| 4 | 6981 - 315 - 065 - 00 | ADAPTER | 1 | * | * | | | | |
| 5 | 6901 - 900 - 818 - 00 | BOLT | 1 | * | * | | | | |
| 6 | 6981 - 325 - 397 - 00 | PLATE | 1 | * | * | | | | |
| 7 | 6515 - 729 - 027 - 00 | BOLT | 6 | * | * | | | | |
| 8 | 6515 - 729 - 123 - 00 | SCREW | 1 | * | * | | | | |
| 9 | 6981 - 325 - 237 - 00 | NUT | 2 | * | * | | | | |
| 10 | 6115 - 721 - 014 - 00 | COVER,GOV. | 1 | * | * | | | | |
| 11 | 6981 - 325 - 429 - 00 | BUSH | 1 | * | * | | | | |
| 12 | 61 15 - 729 - 172 - 00 | SCREW | 1 | * | * | | | | |
| 13 | 6981 - 325 - 081 - 00 | NUT | 1 | * | | | | | |
| 13-1 | 61 15 - 779 - 040 - 00 | NUT | 1 | | * | | | | |
| 14 | 6515 - 729 - 053 - 00 | PLUG | 2 | * | * | | | | |
| 15 | 6515 - 729 - 054 - 00 | BOLT | 2 | * | * | | | | |
| 16 | 6981 - 325 - 177 - 00 | SCREW | 1 | * | * | | | | |
| 17 | 6515 - 729 - 033 - 00 | BOLT | 4 | * | * | | | | |
| 18 | 6894 - 167 - 792 - 00 | CAP | 1 | * | * | | | | |
| 19 | 6894 - 167 - 793 - 00 | COVER | 1 | * | * | | | | |
| 20 | 6515 - 729 - 167 - 00 | BOLT | 1 | * | * | | | | |
| 21 | 6515 - 729 - 167 - 00 | BOLT | 1 | * | * | | | | |
| 22 | 61 15 - 619 - 282 - 00 | BOLT | 1 | * | * | | | | |
| 23 | 6901 - 900 - 61 6 - 00 | BOLT | 1 | * | * | | | | |
| 24 | 6115 - 722 - 017 - 00 | FLY WEIGHT ASSY | 1 | * | * | | | | |

# FIG. 17 COMPONENT PARTS FOR 6894 - 319 - 381 - 00 / 6897 _ 037 - 237 - 00 ON Flg.14




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 6515 - 619 - 049 - 00 | KEY | 1 | * | * | | | | |
| 26 | 6515 - 729 - 034 - 00 | WASHER,SP | 1 | * | * | | | | |
| 27 | 6981 - 325 - 086 - 00 | NUT | 1 | * | * | | | | |
| 28 | 6115 - 729 - 372 - 00 | SLEVE | 1 | * | | | | | |
| 28-1 | 6515 - 729 - 372 - 00 | SLEVE | 1 | | * | | | | |
| 29 | 6981 - 325 - 088 - 00 | SHIM | AR | * | * | | | | |
| 30 | 6981 - 325 - 551 - 00 | SHIM | AR | * | * | | | | |
| 31 | 6981 - 325 - 552 - 00 | SHIM | AR | * | * | | | | |
| 32 | 6981 - 325 - 553 - 00 | SHIM | AR | * | * | | | | |
| 33 | 6515 - 729 - 286 - 00 | SHIM | AR | * | * | | | | |
| 34 | 6515 - 729 - 287 - 00 | SHIM | AR | * | * | | | | |
| 35 | 6115 - 729 - 891-00 | SHIM T= 2.0 | AR | | * | | | | |
| 36 | 6115 - 729 - 892 - 00 | SHIM T= 3.0 | AR | | * | | | | |
| 37 | 6115 - 729 - 893 - 00 | SHIM T= 4.0 | AR | | * | | | | |
| 38 | 6115 - 723 - 146 - 00 | SPRING,GOVERNOR | 1 | * | * | | | | |
| 39 | 6981 - 322 - 235 - 00 | SPRING | 1 | * | * | | | | |
| 40 | 61 15 - 723 - 073 - 00 | SPRING,CAP | 1 | * | | | | | |
| 40-1 | 6894 - 427 - 848 - 00 | CAPSULE,SPRING | 1 | | ● | | | | |
| 41 | 6515 - 729 - 209 - 00 | NUT | 1 | * | | | | | |
| 41-1 | 6115 - 729 - 689 - 00 | NUT | 1 | | * | | | | |
| 42 | 6894 - 144 - 588 - 00 | GASKET | 2 | * | ● | | | | |
| 43 | 6115 - 729 - 092 - 00 | NUT,CAP | 1 | * | ● | | | | |
| 44 | 6115 - 729 - 279 - 00 | SPRING,CAPSULE | 1 | | * | | | | |
| 45 | 6988 - 410 - 037 - 00 | NUT | 1 | ● | | | | | |
| 45-1 | 6900 - 813 - 023 - 00 | NUT | 1 | | * | | | | |


# FIG. 17 COMPONENT PARTS FOR 6894 - 319 - 381 - 00 6897 _ 037 _ 237 _ 00 ON Fig.14




1569-2700


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 46 | 6981 - 321 - 749 - 00 | LEVER | 1 | ● | ● | | | | |
| 47 | 6115 - 729 - 293 - 00 | BUSH | 2 | ● | ● | | | | |
| 48 | 6981 - 321 - 205 - 00 | a-RING | 2 | ● | ● | | | | |
| 49 | 6909 – 185 – 415 - 00 | RING,SNAP | 2 | ● | ● | | | | |
| 50 | 6115 - 729 – 098 - 00 | SEAL,OIL | 1 | ● | * | | | | |
| 51 | 6115 – 729 – 099 - 00 | SHIM, T = 0.50 | 1 | * | * | | | | |
| 52 | 6981 – 325 - 097 - 00 | SHIM | AR | * | * | | | | |
| 53 | 6981 - 325 - 318 - 00 | PLUG | 1 | * | * | | | | |
| 54 | 6981 – 325 – 030 - 00 | KEY | 1 | * | * | | | | |
| 55 | 6115-729-301 - 00 | COLLAR | 1 | * | * | | | | |
| 56 | 6981 - 325 - 488 - 00 | WASHER | AR | * | * | | | | |
| 57 | 6115 - 725 – 015 - 00 | LEVER ASM,GUIDE | 1 | * | * | | | | |
| 58 | 6115-725-011 - 00 | LINK | 1 | * | * | | | | |
| 59 | 6909 - 185 - 404 - 00 | RING,SNAP | 1 | * | * | | | | |
| 60 | 6515 - 725 - 017 - 00 | LEVER,TENSION | 1 | * | ● | | | | |
| 61 | 6981 - 325 - 062 - 00 | PIN,TENSION LEVER | 1 | ● | ● | | | | |
| 62 | 6894 - 321 - 213 – 00 | LEVER | 1 | ● | | | | | |
| 62-1 | 6897 - 033- 115 - 00 | LEVER | 1 | | * | | | | |
| 63 | 6894 - 321 - 214 - 00 | LEVER | 1 | ● | * | | | | |
| 64 | 6901 - 900 - 61 6 - 00 | BOLT | 1 | ● | ● | | | | |
| 65 | 6115 - 723 - 219 - 00 | SPRING | 1 | * | * | | | | |
| 66 | 6981 – 391 - 906 - 00 | a-RING | 1 | ● | * | | | | |
| 67 | 6981 - 325 - 210 - 00 | CAP | 1 | ● | ● | | | | |
| 68 | 6115 - 725 - 017 - 00 | LEVER ASM | 1 | * | * | | | | |
| 69 | 6894 - 321 -215-00 | SPRING | 1 | * | * | | | | |

# FIG. 17 COMPONENT PARTS FOR 6894-319-381-00 6897 _ 037 _ 237 _ 00 ON Fig.14




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBDI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 70 | 6115 - 729 - 294 - 00 | SHIM/T = 0.20 | AR | * | * | | | | |
| 71 | 6115 - 729 - 295 - 00 | SHIM/T = 0.25 | AR | * | * | | | | |
| 72 | 6115 - 729 - 296 - 00 | SHIM/T = 0.30 | AR | * | * | | | | |
| 73 | 6115 - 729 - 297 - 00 | SHIM | AR | * | * | | | | |
| 74 | 6115 - 792 - 298 - 00 | SHIM T= 0.4 | AR | * | * | | | | |
| 75 | 6115 - 729 - 299 - 00 | SHIM/T = 0.50 | AR | * | * | | | | |
| 76 | 6115-729-001-00 | GASKET | 1 | * | | | | | |
| 76-1 | 6515 - 729 - 000 - 10 | GASKET | 1 | | * | | | | |
| 77 | 6115 - 729 - 002 - 00 | GASKET | 1 | * | * | | | | |
| 78 | 6981-391-907-00 | O-RING | 1 | * | * | | | | |
| 79 | 6515 - 723 - 136 - 00 | CAPSULE,SPRING | 1 | * | * | | | | |
| 80 | 6900 - 813 - 023 - 00 | NUT | 1 | * | * | | | | |
| 81 | 6515 - 729 - 099 - 00 | PACKING | 2 | * | * | | | | |
| 82 | 6115 - 729 - 093 - 00 | NUT,CAP | 1 | * | * | | | | |
| 83 | 6894 - 167 - 798 - 00 | BRACKET | 1 | * | * | | | | |
| 84 | 6894 - 321 - 211 - 00 | BRACKET | 1 | * | * | | | | |
| 85 | 6894 - 171 - 163 - 00 | BOLT | 1 | * | * | | | | |
| 86 | 6894 - 321 - 212 - 00 | BOLT | 1 | * | * | | | | |
| 87 | 6909 - 150 - 605 - 00 | WASHER,SP/M5 | 1 | * | | | | | |
| 87-1 | 6183 - 539 - 044 - 00 | WASHER,SP/M5 | 1 | | * | | | | |


# FIG. 18 COMPONENT PARTS FOR 6894 - 122 - 262 - 50 ON Fig.12




1569 - 2200


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOl | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 122 - 264 - 20 | NOZZLE FUEL INJ | 4 | * | * | | | | |
| 2 | 6894 - 122 - 263 - 30 | HOLDER,NOZZLE ASSY | 4 | * | * | | | | |
| 3 | 6894 - 174 - 139 - 00 | PIN | 8 | * | * | | | | |
| 4 | 6894 - 174 - 140 - 00 | SEAT,SPRING | 4 | **-9308 | **-9308 | | | | |
| 4A | 6894 - 312 - 723 - 00 | SEAT,SPRING | 4 | **9309- | **9309- | | | | |
| 5 | 6894 - 174 - 141 - 00 | SPRING | 4 | * | * | | | | |
| 6 | 6894 - 174 - 142 - 00 | SHIM T =0.500 | AR | * | * | | | | |
| 7 | 6894 - 174 - 143 - 00 | SHIM T =0.525 | AR | * | * | | | | |
| 8 | 6894 - 174 - 144 - 00 | SHIM T =0.550 | AR | * | * | | | | |
| 9 | 6894 - 174 - 145 - 00 | SHIM T =0.575 | AR | * | * | | | | |
| 10 | 6894 - 174 - 146 - 00 | SHIM T =0.600 | AR | * | * | | | | |
| 11 | 6894 - 174 - 147 - 00 | SHIM T =0.625 | AR | * | * | | | | |
| 12 | 6894 - 174 - 148 - 00 | SHIM T =0.650 | AR | * | * | | | | |
| 13 | 6894 - 174 - 149 - 00 | SHIM T =0.675 | AR | * | * | | | | |
| 14 | 6894 - 174 - 150 - 00 | SHIM T =0.700 | AR | * | * | | | | |
| 15 | 6894 - 174 - 151 - 00 | SHIM T =0.725 | AR | * | * | | | | |
| 16 | 6894 - 174 - 152 - 00 | SHIM T =0.750 | AR | * | * | | | | |
| 17 | 6894 - 174 - 153 - 00 | SHIM T =0.775 | AR | * | * | | | | |
| 18 | 6894 - 174 - 154 - 00 | SHIM T =0.800 | AR | * | * | | | | |
| 19 | 6894 - 174 - 155 - 00 | SHIM T =0.825 | AR | * | * | | | | |
| 20 | 6894 - 174 - 156 - 00 | SHIM T =0.850 | AR | * | * | | | | |
| 21 | 6894 - 174 - 157 - 00 | SHIM T =0.875 | AR | * | * | | | | |
| 22 | 6894 - 174 - 158 - 00 | SHIM T =0.900 | AR | * | * | | | | |
| 23 | 6894 - 174 - 159 - 00 | SHIM T =0.925 | AR | * | * | | | | |
| 24 | 6894 - 174 - 160 - 00 | SHIM T =0.950 | AR | * | * | | | | |

# FIG. 18 COMPONENT PARTS FOR 6894 - 122 - 262 - 50 ON Fig.12




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JAI PBDI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 6894 - 174 - 161 - 00 | SHIM T = 0.975 | AR | * | * | | | | |
| 26 | 6894 - 174 - 162 - 00 | SHIM T = 1.000 | AR | * | * | | | | |
| 27 | 6894 - 174 - 163 - 00 | SHIM T = 1.025 | AR | * | * | | | | |
| 28 | 6894 - 174 - 164 - 00 | SHIM T = 1.050 | AR | * | * | | | | |
| 29 | 6894 - 174 - 165 - 00 | SHIM T = 1.075 | AR | * | * | | | | |
| 30 | 6894 - 174 - 166 - 00 | SHIM T=1.100 | AR | * | * | | | | |
| 31 | 6894 - 174 - 167 - 00 | SHIM T = 1.125 | AR | * | * | | | | |
| 32 | 6894 - 174 - 168 - 00 | SHIM T=1.150 | AR | * | * | | | | |
| 33 | 6894 - 174 - 169 - 00 | SHIM T=1.175 | AR | * | * | | | | |
| 34 | 6894 - 174 - 170 - 00 | SHIM T = 1.200 | AR | * | * | | | | |
| 35 | 6894 - 174 - 171 - 00 | SHIM T = 1.225 | AR | * | * | | | | |
| 36 | 6894 - 174 - 172 - 00 | SHIM T = 1.250 | AR | * | * | | | | |
| 37 | 6894 - 174 - 173 - 00 | SHIM T = 1.275 | AR | * | * | | | | |
| 38 | 6894 - 174 - 174 - 00 | SHIM T = 1.300 | AR | * | * | | | | |
| 39 | 6894 - 174 - 175 - 00 | SHIM T = 1.325 | AR | * | * | | | | |
| 40 | 6894 - 174 - 176 - 00 | SHIM T = 1.350 | AR | * | * | | | | |
| 41 | 6894 - 174 - 177 - 00 | SHIM T = 1.375 | AR | * | * | | | | |
| 42 | 6894 - 174- 178 - 00 | SHIM T= 1.40 | AR | * | * | | | | |
| 43 | 6894 - 174 - 179 - 00 | SHIM T = 1.425 | AR | * | * | | | | |
| 44 | 6894 - 174 - 180 - 00 | SHIM T = 1.450 | AR | * | * | | | | |
| 45 | 6894 - 174 - 181 - 00 | SHIM T = 1.475 | AR | * | * | | | | |
| 46 | 6894 - 174 - 182 - 00 | SHIM T = 1.500 | AR | * | * | | | | |
| 47 | 6897 - 027 - 432 - 00 | SHIM T = 0.1 | AR | * | * | | | | |
| 48 | 6897 - 027 - 433 - 00 | SHIM T= 0.2 | AR | * | * | | | | |
| 49 | 6897 - 027 - 434 - 00 | SHIM T= 0.3 | AR | * | * | | | | |


# FIG. 18 COMPONENT PARTS FOR 6894 - 122 - 262 - 50 ON Fig.12




1569-2900

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 50 | 6897 - 027 – 435 - 00 | SHIM T= 0.4 | AA | ● | ● | | | | |
| 51 | 6897 - 027 - 436 - 00 | SHIM T= 0.5 | AA | ● | ● | | | | |
| 52 | 6897 - 027 – 437 - 00 | SHIM T= 0.52 | AA | ● | ● | | | | |
| 53 | 6897 - 027 – 438 - 00 | SHIM T= 0.54 | AA | ● | ● | | | | |
| 54 | 6897 - 027 – 439 - 00 | SHIM T= 0.56 | AA | ● | ● | | | | |
| 55 | 6897 – 027 – 440 - 00 | SHIM T= 0.58 | AA | ● | ● | | | | |
| 56 | 6894 - 174 – 183 – 00 | SPACER | 4 | ● | ● | | | | |
| 57 | 6894 - 174 – 184 - 00 | NUT,BEARING | 4 | ● | ● | | | | |


# FIG. 19 COMPONENT PARTS FOR 6894 - 178 - 843 - 00 ON Fig.14




1569-2800

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 651 5 - 751 - 01 2 - 00 | HOUSING,PUMP | 1 | * | * | | | | |
| 2 | 6981 - 351 - 205 - 00 | PISTON | 1 | * | * | | | | |
| 3 | 6981 – 351 - 303 - 00 | SPRING | 1 | * | * | | | | |
| 4 | 6894 – 171 – 185 - 00 | PLUG | 1 | * | * | | | | |
| 5 | 6981 - 355 - 035 - 00 | GASKET,CHAMBER | 1 | * | * | | | | |
| 6 | 6515 - 754 - 001 - 00 | TAPPET | 1 | * | * | | | | |
| 7 | 6981 - 351 - 403 - 00 | ROLLER | 1 | * | * | | | | |
| 8 | 6981 - 351 - 41 0 - 00 | PIN,ROLLER | 1 | * | * | | | | |
| 9 | 6115 - 759 - 002 - 00 | GUIDE | 2 | * | * | | | | |
| 10 | 6981 - 351 – 602 - 00 | VALVE,CHECK | 2 | * | * | | | | |
| 11 | 6981 - 351 - 702 - 00 | SPRING,CHECK VALVE | 2 | * | * | | | | |
| 12 | 6115 - 759 - 003 - 00 | ADAPTER,CHECK VALVE | 1 | * | * | | | | |
| 13 | 6109 - 623 - 016 - 00 | O-RING | 1 | * | * | | | | |
| 14 | 6109 - 623 - 016 - 00 | O-RING | 1 | * | * | | | | |
| 15 | 6981 - 355 - 025 - 00 | RING,TAPPET SNAP | 1 | * | * | | | | |
| 16 | 6894 - 131 – 130 - 00 | PUMP ASSY | 1 | * | * | | | | |
| 17 | 6515 - 759 - 027 - 00 | BOLT | 1 | * | * | | | | |
| 18 | 6115 - 619 - 082 - 00 | BOLT | 1 | * | * | | | | |
| 19 | 6115 - 759 - 001-00 | GASKET | 2 | * | * | | | | |
| 20 | 6115 - 759 - 001-00 | GASKET | 2 | * | * | | | | |


# FIG. 20 COMPONENT PARTS FOR 6894 - 171 - 296 - 30 ON Fig.15




1569-3000

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6181 - 129 - 040 - 00 | PIN,LEVER | 1 | * | * | | | | |
| 2 | 6581 - 129 - 022 - 00 | SEAL,WASHER | 2 | * | * | | | | |
| 3 | 6894 - 178 - 017 - 00 | SHAFT,LEVER ASSY | 1 | * | * | | | | |
| 4 | 6509 - 400 - 025 - 00 | NUT | 1 | * | * | | | | |
| 5 | 6894 - 321 - 686 - 00 | SWITCH ASSY | 1 | * | * | | | | |
| 6 | 6894 - 178 - 026 - 00 | BOLT | 2 | * | * | | | | |
| 7 | 6894 - 178 - 027 - 00 | WIRE,READ ASSY | 1 | * | * | | | | |
| 8 | 6894 - 178 - 028 - 00 | TERMINAL ASSY | 1 | * | * | | | | |
| 9 | 6988 - 120 - 125 - 00 | WASHER | 1 | * | * | | | | |
| 10 | 6894 - 178 - 029 - 00 | BUSH,INSULATOR | 1 | * | * | | | | |
| 11 | 6894 - 178 - 030 - 00 | SEAT,INSULATOR | 1 | * | * | | | | |
| 12 | 6894 - 178 - 031 - 00 | BUSH,GUM | 1 | * | * | | | | |
| 13 | 6894 - 178 - 032 - 00 | SEAT,INSULATOR | 1 | * | * | | | | |
| 14 | 6894 - 178 - 033 - 00 | RIVET | 1 | * | * | | | | |
| 15 | 6894 - 340 - 444 - 00 | BRACKET,REAR ASSY | 1 | * | * | | | | |
| 16 | 6894 - 178 - 034 - 00 | BRACKET,REAR | 1 | * | * | | | | |
| 17 | 6894 - 178 - 035 - 00 | BOLT | 2 | * | * | | | | |
| 18 | 6894 - 178 - 047 - 00 | BRUSH,SPRING | 4 | * | * | | | | |
| 19 | 6894 - 178 - 048 - 00 | HOLDER,BRUSH ASSY | 1 | * | * | | | | |
| 20 | 6894 - 438 - 877 - 00 | BRACKET,FRONT ASSY | 1 | * | * | | | | |
| 21 | 6894 - 178 - 037 - 00 | METAL | 1 | * | * | | | | |
| 22 | 6894 - 178 - 038 - 00 | RING,CLIP | 1 | * | * | | | | |
| 23 | 6894 - 178 - 039 - 00 | PISTON,STOPPER | 1 | * | * | | | | |
| 24 | 6894 - 438 - 878 - 00 | CLUTCH ASSY | 1 | * | * | | | | |
| 25 | 6894 - 178 - 041 - 00 | BRACKET,CENTER ASSY | 1 | * | * | | | | |


# FIG. 20 COMPONENT PARTS FOR 6894 - 171 - 296 - 30 ON Fig.15




1569 3000

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JAI PB | TYPE OF MODEL 4JAI PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 6894 - 178 - 042 - 00 | METAL | 1 | * | * | | | | |
| 27 | 6894 - 178 - 043 - 00 | WASHER,INSULATOR | 1 | * | * | | | | |
| 28 | 6894 - 178 - 044 - 00 | SHAFT | 1 | * | * | | | | |
| 29 | 6581 - 129 - 160 - 00 | WASHER | 1 | * | * | | | | |
| 30 | 6581 - 129 - 159 - 00 | WASHER | AR | * | * | | | | |
| 31 | 6581 - 129 - 158 - 00 | WASHER,INSULATE | 1 | * | * | | | | |
| 32 | 6894 - 178 - 045 - 00 | BRACKET,CENTER | 1 | * | * | | | | |
| 33 | 6894 - 178 - 046 - 00 | BOLT | 2 | * | * | | | | |
| 34 | 6581 - 129 - 024 - 00 | SCREW | 4 | * | * | | | | |
| 35 | 6894 - 178 - 049 - 00 | BOLT | 2 | * | * | | | | |
| 36 | 6581 - 129 - 156 - 00 | WASHER | AR | * | * | | | | |
| 37 | 6894 - 418 - 867 - 00 | ARMATURE ASSY | 1 | * | * | | | | |
| 38 | 6894 - 418 - 848 - 00 | BEARING,BALL | 1 | * | * | | | | |
| 39 | 6894 - 418 - 866 - 00 | BEARING,BALL | 1 | * | * | | | | |
| 40 | 6894 - 178 - 052 - 00 | COIL,FIELD ASSY | 1 | * | * | | | | |
| 41 | 6894 - 178 - 053 - 00 | BRUSH,- | 2 | * | * | | | | |
| 42 | 6894 - 178 - 054 - 00 | BRUSH, + | 2 | * | * | | | | |
| 43 | 6894 - 178 - 055 - 00 | KIT,SEAL | 1 | * | * | | | | |


# FIG. 21 COMPONENT PARTS FOR 6894 - 338 - 096 - 00 ON Fig.15




1569 3100


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PR | TYPE OF MODEL 4JA1 PRO1 | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 389 - 245 - 00 | ROTOR ASSY | 1 | * | * | | | | |
| 2 | 6894 - 389 - 242 - 00 | BEARING | 1 | * | * | | | | |
| 3 | 6894 - 389 - 246 - 00 | STARTOR ASSY | 1 | * | * | | | | |
| 4 | 6894 - 389 - 232 - 00 | COVER,REAR ASSY | 1 | * | * | | | | |
| 5 | 6894 - 389 - 233 - 00 | COVER,REAR | 2 | * | * | | | | |
| 6 | 6894 – 389 - 234 - 00 | REGULATOR ASSY | 1 | * | * | | | | |
| 7 | 6894 - 462 - 850 - 00 | BUSH ASSY | 2 | * | * | | | | |
| 8 | 6894 - 389 - 235 - 00 | GUIDE,FAN | 1 | * | * | | | | |
| 9 | 6894 - 389 - 236 - 00 | DIODE ASSY | 1 | * | * | | | | |
| 10 | 6894 - 389 - 237 - 00 | CONDENSER ASSY | 1 | * | * | | | | |
| 11 | 6894 – 389 – 243 – 00 | BOLT | 1 | * | * | | | | |
| 12 | 6894 - 389 - 244 - 00 | BOLT | 1 | * | * | | | | |
| 13 | 6894 - 389 - 238 - 00 | COVER,FRONT ASSY | 1 | * | * | | | | |
| 14 | 6894 - 389 - 239 – 00 | RACKET,RETAINER | 1 | * | * | | | | |
| 15 | 6894 – 389 - 241 - 00 | BEARING,BALL | 1 | * | * | | | | |
| 16 | 6894 - 41 0 - 345 - 00 | KIT,SCREW | 1 | * | * | | | | |
| 17 | 6894 - 389 - 240 - 00 | PULLEY ASSY | 1 | * | * | | | | |
| 18 | 6581 - 219 - 189 – 00 | BOLT,THROUGH | 2 | * | * | | | | |
| 19 | 6894 - 424 - 373 - 00 | BOLT,THROUGH | 1 | * | * | | | | |
| 20 | 6894 - 41 0 - 344 - 00 | NUT,PULLEY | 1 | * | * | | | | |

# FIG. 22 REPAIR KIT PARTS FOR 6587 - 810 - 736 - 60




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOI | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 6894 - 332 - 327 - 00 | GASKET,CYLINDER HEAD | 1 | * | * | | | | |
| 2 | 6894 – 247 - 903 - 10 | PACKING,HEAD COVER | 1 | * | * | | | | |
| 3 | 6894 - 153 - 051 - 00 | PACKING | 3 | * | * | | | | |
| 4 | 6909 - 571 - 414 - 00 | GASKET | 1 | * | * | | | | |
| 5 | 6909 - 571 – 41 6 - 00 | PACKING | 1 | * | * | | | | |
| 6 | 6894 - 171 – 898 - 00 | PACKING,WATER INLET | 1 | * | * | | | | |
| 7 | 6894 - 235 - 369 - 00 | SEAL,OIL | 1 | * | * | | | | |
| 8 | 6894 - 365 - 670 - 00 | PACKING,FRT,PLATE | 1 | * | * | | | | |
| 9 | 6909 - 572 - 008 - 00 | PACKING,NIPPLE | 3 | * | * | | | | |
| 10 | 6894 - 434 – 729 – 00 | PACKING,GEAR CASE | 1 | * | * | | | | |
| 11 | 6894 - 311 – 165 - 00 | SEAL,OIL | 1 | * | * | | | | |
| 12 | 6894 - 370 – 837 - 00 | PACKING,CHECK COVER | 2 | * | * | | | | |
| 13 | 6894 - 370 - 840 - 00 | PACKING COVER | 1 | * | * | | | | |
| 14 | 6894 - 170 – 112 – 00 | PACKING | 1 | * | * | | | | |
| 15 | 6894 - 419 – 087 - 00 | PACKING,OIL PAN | 1 | * | * | | | | |
| 16 | 6909 - 920 – 651 - 00 | PACKING | 1 | * | * | | | | |
| 17 | 6894 - 147 – 529 - 00 | PACKING,OIL PAN | 1 | * | * | | | | |
| 18 | 6897 - 014 - 416 - 00 | PACKING | 1 | * | * | | | | |
| 19 | 6897 - 065 - 983 - 00 | PACKING,OIL FILTER | 1 | * | * | | | | |
| 20 | 6509 - 623 - 002 - 00 | PACKING.OIL PUMP | 1 | * | * | | | | |
| 21 | 6897 - 095 - 512 - 00 | PACKING,WOTER PUMP | 1 | * | * | | | | |
| 22 | 6894 - 365 - 674 – 00 | PACKING,OUTLET PIPE | 1 | * | * | | | | |
| 23 | 6897 – 090 - 897 - 00 | PACKING,HOUSING | 1 | * | * | | | | |
| 24 | 6894 - 142 - 159 - 00 | PACKING,INJ.MANIFOLD | 1 | * | * | | | | |
| 25 | 6897 – 109 - 216 - 10 | GASKET,EXH.MANIFOLD | 1 | * | * | | | | |

# FIG. 22 REPAIR KIT PARTS FOR 6587 - 810 - 736 - 60




1569 2100

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 4JA1 PB | TYPE OF MODEL 4JA1 PBOt | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 6909 – 572 – 014 - 00 | PACKING | 12 | * | * | | | | |
| 27 | 6894 - 129 – 348 – 10 | PACKING | 1 | * | * | | | | |
| 28 | 6909 - 571 – 408 - 00 | PACKING,PIPE JOINT | 4 | * | * | | | | |
| 29 | 6894 - 326 - 439 - 00 | a - RING,NOZZLE HOLDER | 4 | * | * | | | | |
| 30 | 6894 - 125 – 859 – 10 | PACKING | 4 | * | * | | | | |
| 31 | 6512 - 569 - 006 - 00 | SEAL,VALVE STEM | 8 | * | * | | | | |
| 32 | 6511 - 322 – 043 - 10 | PACKING,COVER | 1 | * | * | | | | |
| 33 | 6897 - 035 – 883 - 00 | PACKING,INL PIPE | 1 | * | * | | | | |
| 34 | 6514 - 149 - 079 - 00 | PACKING COVER | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


)

)

# CHASSIS

)


# FIG. 1 FUEL FILTER AND FUEL HOSE SYSTEM




1597 101

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 2 | * | * | | | | |
| 2 | VIII - 166 - 002 - 00 | SCREW/M6X20 | 2 | * | * | | | | |
| 3 | 1444 - 601 - 009 - 00 | RUBBER,CUSHION | 2 | * | * | | | | |
| 4 | 1568 - 101 - 310 - 00 | CABLE ASSY | 1 | | * | | | | |
| 5 | 1421 - 621 - 007 - 00 | NUT/M14 | 1 | | * | | | | |
| 6 | 1421 - 621 - 008 - 10 | KNOB | 1 | | * | | | | |
| 7 | V300 - 260 - 005 - 00 | NUT/M 5 | 1 | | * | | | | |
| 8 | V360 - 260 - 006 - 00 | NUT/M6 | 2 | | * | | | | |
| 9 | 1564 - 101 - 303 - 00 | COVER,OUTER | 1 | | * | | | | |
| 10 | 1564 - 101 - 310 - 00 | HOLDER ASSY | 1 | | * | | | | |
| 11 | V420 - 160 - 014 - 00 | WASHER/M14 | 1 | | * | | | | |
| 12 | 1572 - 102 - 210 - 00 | FILTER,FUEL ASSY | 1 | * | * | | | | |
| 13 | 1444 - 102 - 202 - 00 | LEVER | 1 | * | * | | | | |
| 14 | 1415 - 102 - 007 - 00 | SPRING,VALVE | 1 | * | * | | | | |
| 15 | V720 - 102 - 401 - 00 | O- RING/PI OA | 1 | * | * | | | | |
| 16 | 1415 - 102 - 008 - 00 | VIS | 1 | * | * | | | | |
| 17 | 1440 - 103 - 201 - 00 | CAP | 1 | * | * | | | | |
| 18 | 1444 - 102 - 204 - 00 | NUT,RING | 1 | * | * | | | | |
| 19 | V720 - 101 - 004 - 40 | O-RING/P44 | 1 | * | * | | | | |
| 20 | 1417 - 102 - 009 - 00 | ELEMENT | 1 | * | * | | | | |
| 21 | 1415 - 102 - 012 - 00 | PLUG,BREATHING | 2 | i--50 | i--511 | | | | |
| 21A | 1572 - 102 - 003 - 00 | BOLT/M6X8 | 2 | si- | 512- | | | | |
| 22 | 1415 - 102 - 013 - 00 | PACKING | 2 | * | * | | | | |
| 23 | 1444 - 102 - 206 - 00 | JOINT,L TYPE | 2 | * | * | | | | |
| 24 | 1568 - 102 - 220 - 00 | BRACKET COMP | 1 | * | * | | | | |


# FIG. 1 FUEL FILTER AND FUEL HOSE SYSTEM




1568-1C2A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1568 – 102 - 002 - 10 | HOSE/250 | 1 | * | * | | | | |
| 26 | J061 - 210 - 012 - 00 | CLAMP,WIRE/10 - 12 | 1 | * | * | | | | |
| 27 | J061-108-016-00 | CLAMP,WORM/8 - 16 | 1 | * | * | | | | |
| 28 | V201 - 260 - 806 - 50 | SOLT/M8X12 | 1 | * | * | | | | |
| 29 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 1 | * | * | | | | |
| 30 | V211-360-802-50 | SOLT,SEMS/M8X25 | 2 | * | * | | | | |
| 31 | 6894 - 248 161 - 00 | RELAV,PLUG,GLOW | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 2 AIR CLEANER SYSTEM (E61 ,E41 P,E15 TYPE)




1597-103

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 103 - 200 - 00 | CLEANER,AIR ASSY | 1 | I--34 | I--238 | | | | |
| IA | 1596 - 103 - 200 - 10 | CLEANER,AIR ASSY | 1 | 35--52 | 239--391 | | | | |
| 18 | 1596 - 103 - 230 - 00 | CLEANER.AIR ASSY | 1 | 53- | 392- | | | | |
| 2 | 1554 - 101 - 222 - 10 | ELEMENT,OUTER ASSY | 1 | * | * | | | | |
| 3 | 1524 - 102 - 222 - 00 | PACKING | 1 | * | * | | | | |
| 4 | 1524 - 102 - 232 - 00 | PACKING | 1 | * | * | | | | |
| 5 | 1596 - 103 - 211 - 00 | LABEL,CAUTION | 1 | * | * | | | | |
| 6 | 1554 - 101 - 223 - 00 | ELEMENT/IN | 1 | * | * | | | | |
| 7 | 1524 - 102 - 242 - 00 | PACKING | 1 | I--54 | I--424 | | | | |
| 8 | 1442 - 101 - 238 - 00 | NUT,WING | 1 | I--54 | I--511 | | | | |
| 8A | 1596 - 103 - 232 - 00 | NUT,WING/MI0 | 1 | 55- | 512- | | | | |
| 9 | 1442 - 101 - 239 - 00 | NUT | 1 | * | * | | | | |
| 10 | 1416 - 101 - 011 - 00 | PACKING ASSY | 2 | I--54 | i--511 | | | | |
| IOA | 1596 - 103 - 233 - 00 | PACKING ASSY | 2 | 55- | 512- | | | | |
| 11 | 1524 - 102 - 252- 10 | VALVE | 1 | * | * | | | | |
| 12 | 1568 - 103 - 002 - 00 | HOSE | 1 | I--48 | I--366 | | | | |
| 12A | 1632 - 103 - 001 - 00 | HOSE | 1 | 49--52 | 367--391 | | | | |
| 13 | 1440 - 101 - 014 - 00 | CLiP/82 | 1 | I--52 | I--391 | | | | |
| 14 | 1564 - 103 - 003 - 10 | PIPE,INLET | 1 | 1--52 | 1--391 | | | | |
| 14A | 1635 - 103 - 001 - 00 | PIPE,INLET | 1 | 53- | 392- | | | | |
| 15 | 1599 - 103 - 230 - 00 | PIPE,INLET COMP | 1 | * | * | | | | |
| 16 | V334 - 260 - 010 - 00 | NUT/MI0 | 2 | * | * | | | | |
| 17 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 2 | * | * | | | | |
| 18 | J061 - 252 - 063 - 00 | CLAMP,WIRE/52 - 63 | 1 | * | * | | | | |
| 19 | J061 - 259 - 070 - 00 | CLAMP,WIRE/59 - 70 | 1 | * | * | | | | |


# FIG. 2 AIR CLEANER SYSTEM (E61,E41 P,E15 TYPE)




1597 103

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 20 | V21 1 - 260 - 801 – 60 | 8OLT,SEMS (S) M8X16 | 4 | * | * | | | | |
| 21 | 1564 - 103 – 240 - 30 | STAY,PLATE caMP | 1 | i- -34 | 1- -238 | | | | |
| 21A | 1599 - 103 - 210 - 10 | STAY COMP | 1 | 35- - 52 | 239- -391 | | | | |
| 218 | 1599 - 782 - 700 - 00 | BRACKET,UPDER caMP | 1 | 53- | 392- | | | | |
| 22 | 1599 - 103 - 220 - 10 | PLATE COMP | 1 | i- -52 | i- -391 | | | | |
| 22A | 1599 - 103 - 300 - 00 | PLATE caMP | 1 | 53- | 392- | | | | |
| 23 | V21 1 - 260 - 801 - 60 | 8OLT,SEMS (S) M8X16 | 4 | * | * | | | | |
| 24 | 1644 - 103 - 003 - 00 | SPACER,I/19X120 | 2 | | * | | | | |
| 25 | V21 1 - 260 - 802 - 50 | 8OLT/S | 4 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 3 AIR CLEANER SYSTEM (EXCEPT E61,E41 P,E15 TYPE) (F -No.1 ~408)




1568-103A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL | GROUP | REMARKS |
|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 103 - 210 - 20 | CLEANER,AIR ASSY | 1 | | 1--408 | | | |
| 2 | 1568 - 103 - 212 - 00 | ELEMENT,PAPER ASSY | 1 | | 1--408 | | | |
| 3 | 1432 - 101 - 283 - 00 | BOLT,CENTER ASSY | | | 1--408 | | | |
| 4 | 1419 - 101 - 010 - 00 | PACKING,BOLT.WING | | | 1--408 | | | |
| 5 | 1544 - 104 - 205 - 00 | VALVE | | | 1--408 | | | |
| 6 | 1568 - 103 - 002 - 00 | HOSE | | | 1--366 | | | |
| 6A | 1632 - 103 - 001 - 00 | HOSE | | | 367--408 | | | |
| 7 | 1440 - 101 - 014 - 00 | CLIP/82 | | | 1--408 | | | |
| 8 | 1564 - 103 - 003 - 10 | PIPE,INLET | | | 1--408 | | | |
| 9 | 3621 - 304 - 001 - 00 | CLIP | | | 1--408 | | | |
| 10 | 1519 - 101 - 004 - 00 | CLIP/70 | 1 | | 1--408 | | | |
| 11 | V211-260-801-60 | BOLT,SEMS (S) M8XI6 | 4 | | 1--408 | | | |
| 12 | 1564 - 103 - 240 - 30 | STAY,PLATE COMP | | | 1--408 | | | |
| 13 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | | 1--408 | | | |


# FIG. 4 AIR CLEANER SYSTEM (EXCEPT E61,E41P,E15 TYPE) (F – No. 409~)




1599 IC3

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1599 - 103 - 250 - 00 | CLEANER,AIR ASSY | 1 | | 409- | | | | |
| 2 | 1568 - 103 - 21 2 – 00 | ELEMENT,PAPER ASSY | 1 | | 409- | | | | |
| 3 | 1524 - 102 - 222 - 00 | PACKING | 1 | | 409- | | | | |
| 4 | 1524 - 103 - 222 - 00 | PACKING | 1 | | 409- | | | | |
| 5 | 1596 - 103 - 211 - 00 | LABEL,CAUTION | 1 | | 409- | | | | |
| 6 | 1544 - 104 - 205 - 00 | VALVE | 1 | | 409- | | | | |
| 7 | 141 9 - 101 - 01 0 - 00 | PACKING,BOLT,WING | 1 | | 409- | | | | |
| 8 | 1432 - 101 - 283 - 00 | BOLT,CENTER ASSY | 1 | | 409- | | | | |
| 9 | 1635 - 103 - 001 - 00 | PIPE,INLET | 1 | | 409- | | | | |
| 1D | 1599 – 103 - 230 - 00 | PIPE,INLET COMP | 1 | | 409- | | | | |
| 11 | V334 - 260 - 010 - 00 | NUT/M10 | 2 | | 409- | | | | |
| 12 | V401 - 160 - 010 - 00 | WASHER,SP/M 10 | 2 | | 409- | | | | |
| 13 | J061 - 252 - 063 - 00 | CLAMP,WIRE/52 - 53 | 1 | | 409- | | | | |
| 14 | J061 - 259 - 070 - 00 | CLAMP,WIRE/59 - 70 | 1 | | 409- | | | | |
| 15 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X15 | 4 | | 409- | | | | |
| 16 | 1599 - 782 – 700 - 00 | BRACKET,UPDER COMP | 1 | | 409- | | | | |
| 17 | 1599 - 103 - 300 - 00 | PLATE COMP | 1 | | 409- | | | | |
| 18 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X15 | 4 | | 409'- | | | | |


# FIG. 5 PRE CLEANER SYSTEM (E15 TYPE)




1597-1 038

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1426 - 153 - 310 - 00 | CYCLONE ASSY | 1 | | 1--366 | | | | |
| 2 | 1426 - 153 - 311 - 00 | COYER | 1 | | 1--366 | | | | |
| 3 | 1426 - 153 - 313 - 00 | COYER,LW | 1 | | 1--366 | | | | |
| 4 | 1643 - 103 - 220 - 00 | CYLONE ASSY | 1 | | 367- | | | | |
| 5 | 1426 - 153 - 311 - 00 | COYER | 1 | | 367- | | | | |
| 6 | 1426 - 153 - 313 - 00 | COYER,LW | 1 | | 367- | | | | |
| 7 | 1643 - 103 - 221 - 00 | NUT,WING | 1 | | 367- | | | | |
| 8 | 1643 - 103 - 222 - 00 | GUIDE | 1 | | 367- | | | | |
| 9 | 1597 - 103 - 210 - 00 | PIPE,INLET COMP | 1 | | 1--238 | | | | |
| 9A | 1597 - 103 - 210 - 10 | PIPE,INLET COMP | 1 | | 239--348 | | | | |
| 9B | 1597 - 103 - 210 - 20 | PIPE,INLET COMP | 1 | | 349--408 | | | | |
| 9C | 1644 - 103 - 210 - 00 | PIPE,INLET COMP | 1 | | 409- | | | | |
| 10 | 1597 - 103 - 220 - 00 | STAY COMP | 1 | | 1--238 | | | | |
| IOA | 1597 - 103 - 220 - 10 | STAY COMP | 1 | | 239--348 | | | | |
| IOB | 1597 - 103 - 220 - 20 | STAY COMP | 1 | | 349--391 | | | | |
| 10C | 1644 - 103 - 220 - 00 | STAY COMP | 1 | | 392--421 | | | | |
| 100 | 1644 - 103 - 220 - 10 | STAY COMP | 1 | | 422- | | | | |
| 11 | 1597 - 103 - 240 - 00 | STAY,PLATE COMP | 1 | | I--408 | | | | |
| IIA | 1597 - 103 - 240 - 10 | STAY,PLATE COMP | 1 | | 409- | | | | |
| 12 | V211 - 660 - 802 - 00 | BOLT/8X20 | 3 | | * | | | | |
| 13 | V210 - 260 - 601 - 60 | BOLT,SEMS (S) | 2 | | 1--408 | | | | |
| 14 | 1524 - 103 - 001 - 00 | SEAL/74 | 1 | | 1--408 | | | | |
| 14A | 1644 - 103 - 002 - 00 | SEAL/53 | 1 | | 409- | | | | |
| 15 | 1597 - 103 - 001 - 00 | HOSE,LOWER | 1 | | I--408 | | | | |
| 16 | J061 - 269 - 080 - 00 | CLAMP,WIRE/59 - 80 | 1 | | * | | | | |


# FIG. 5 PRE CLEANER SYSTEM eE15 TYPE)




1644-1C3A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 17 | 1597 - 103 - 002 - 00 | HOSE,UPPER | 1 | | * | | | | |
| 18 | 1597 – 103 - 230 - 00 | PIPE COMP | 1 | | 1-408 | | | | |
| 19 | JOB1 - 259 - 070 - 00 | CLAMP,WIRE/59 - 70 | 1 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 6 RADIATOR SYSTEM




1568 104B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | Cal | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 – 104 - 270 - 10 | RADIATOR ASSY | 1 | * | * | | | | |
| 2 | 1421 – 101 - 313 - 00 | CAP | 1 | * | * | | | | |
| 3 | 1513 - 102 - 205 – 00 | HOSE,UP/RUBBER | 1 | * | * | | | | |
| 4 | 1564 – 104 - 272 - 10 | SHROUD | 1 | * | * | | | | |
| 5 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | * | * | | | | |
| 6 | 1564 - 104 – 203 - 30 | NET | 2 | * | * | | | | |
| 7 | V272 – 260 – 601 – 20 | BOLT,WING/M6X12 | 4 | * | * | | | | |
| 8 | 1560 – 104 - 206 – 40 | WASHER | 4 | * | * | | | | |
| 9 | 1597 - 104 - 200 - 00 | RADIATOR ASSY | 1 | * | * | | | | |
| 10 | 1421 - 101 - 31 3 – 00 | CAP | 1 | * | * | | | | |
| 11 | 1513 – 102 - 205 - 00 | HOSE,UP/RUBBER | 1 | * | * | | | | |
| 12 | 1564 - 104 - 272 - 10 | SHROUD | 1 | * | * | | | | |
| 13 | V211 – 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | * | * | | | | |
| 14 | 1564 - 104 - 203 - 30 | NET | 2 | * | * | | | | |
| 15 | V272 - 260 - 601 - 20 | BOLT,WING/M6X12 | 4 | * | * | | | | |
| 16 | 1560 - 104 - 206 - 40 | WASHER | 4 | * | * | | | | |
| 17 | 1568 – 104 - 005 - 00 | HOSE,RADIATOR/INLET | 1 | * | * | | | | |
| 18 | 1568 - 104 - 006 – 00 | HOSE,RADIATOR/OUTLET | 1 | * | * | | | | |
| 19 | J061 - 238 - 046 – 00 | CLAMP,WIRE/38 - 46 | 1 | * | * | | | | |
| 20 | J061 - 238 - 046 - 00 | CLAMP,WIRE/38 - 46 | 2 | * | * | | | | |
| 21 | J061 - 240 - 048 - 00 | CLAMP,WIRE/40 - 48 | 1 | * | * | | | | |
| 22 | 1564 – 104 - 01 7 - 00 | CLIP | 1 | * | * | | | | |
| 23 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 1 | * | * | | | | |
| 24 | 1560 - 104 - 01 0 - 40 | CONNECTOR | 1 | * | * | | | | |
| 25 | 1424 - 101 - 203 - 00 | PLUG | 1 | * | * | | | | |


# FIG. 6 RADIATOR SYSTEM




1568-104B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1424-101-204-00 | PACKING | 1 | * | * | | | | |
| 27 | 1568-104-240-00 | STAY,PLATE/LH COMP | 1 | * | * | | | | |
| 28 | V211-260-801-60 | BOLT,SEMS (S) M8X16 | 2 | * | * | | | | |
| 29 | V211-360-802-00 | BOLT (SP) M8X20 | 1 | * | * | | | | |
| 30 | 1568-104-003-20 | HOSE/330 | 1 | * | * | | | | |
| 31 | 1508-102-007-00 | TUBE/250 | 1 | * | * | | | | |
| 32 | 1568-104-004-30 | HOSE/210 | 1 | * | * | | | | |
| 33 | J061-210-015-00 | CLAMP,WIRE/10-15 | 4 | * | * | | | | |
| 34 | 1564-104-240-20 | BRACKET,RADIATOR/LH | 1 | I--33 | I--202 | | | | |
| 34A | 1564-104-240-40 | BRACKET,RADIATOR/LH | 1 | 34- | 203- | | | | |
| 35 | 1564-104-250-20 | BRACKET,RADIATOR/RH | 1 | I--33 | I--202 | | | | |
| 35A | 1564-104-250-30 | BRACKET,RADIATOR/RH | 1 | 34- | 203- | | | | |
| 36 | V211-260-801-60 | BOLT,SEMS (S) M8X16 | 6 | * | * | | | | |
| 37 | V210-360-601-60 | BOLT (SP) /M6X16 | 4 | * | * | | | | |
| 38 | V211-560-801-60 | BOLT,SEMS | 6 | * | * | | | | |
| 39 | 1599-104-002-00 | INSULATOR,RADIATOR | 4 | * | I--202 | | | | |
| 40 | 1599-104-003-00 | COLLAR/9X11X8 | 6 | * | 1--202 | | | | |
| 41 | 1599-104-004-00 | PIPE | 6 | * | 1--202 | | | | |
| 42 | 3560-201-015-00 | WASHER,BINDING SHAFT | 6 | * | I--202 | | | | |
| 43 | 1564-104-013-10 | INSULATOR | 1 | * | * | | | | |
| 44 | 1564-104-005-20 | INSULATOR | 2 | * | * | | | | |
| 45 | 1568-626-002-00 | INSULATOR | 2 | * | * | | | | |
| 46 | 1607-104-003-10 | INSULATOR | 1 | 1--54 | I--511 | | | | |
| 47 | 1642-104-001-00 | INSULATOR | 2 | * | * | | | | |
| 48 | V211-560-802-50 | BOLT,SEMS/M8X25 IT | 6 | * | * | | | | |

# FIG. 7 MUFFLER SYSTEM (EXCEPT E41 P TYPE)





(KEY 4 lor EI5 TYPE )
(KEY 6 ~ II EXCEPT E15 TYPE)
(KEY II lor EXCEPT E21, E51, SE41 TYPE - STANDARD/E21, E51, SE41 TYPE-OPTION)

1568 105A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | 1568 - 105 - 230 - 10 | MUFFLER caMP | 1 | 1-33 | 1-203 | | | | |
| 1A | 1569 - 105 – 200 - 00 | MUFFLER caMP | 1 | 34- | 204- | | | | |
| 2 | 1596 - 105 - 001 - 00 | GASKET | | | | | | | |
| 3 | V333 – 500 - 01 0 - 00 | NUT M10 | 2 | | | | | | |
| 4 | 1564 - 105 - 240 - 10 | PIPE,TAIL/UPPER caMP | 1 | T | | | | | |
| 5 | 1564 - 105 – 002 - 10 | PIPE | 1 | | | | | | |
| 6 | 1444 - 101 – 440 - 00 | CLAMP caMP | 1 | | | | | | |
| 7 | V201 - 261 – 006 - 50 | BOLT/MI0X65 | 1 | | | | | | |
| 8 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 1 | | | | | | |
| 9 | V41 1 – 260 – 010 - 00 | WASHER/MI0 | 2 | | | | | | |
| 10 | V304 - 260 - 010 - 00 | NUT | | | | | | | |
| 11 | 1596 - 105 - 200 – 00 | PIPE,TAIL/UPPER COMP | | | T | | | | |


# FIG. 8 MUFFLER SYSTEM (E41 P TYPE)




1597 105A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 – 105 – 230 – 10 | MUFFLER COMP | 1 | | * | | | | |
| 2 | 1596 – 105 - 001 - 00 | GASKET | 1 | | * | | | | |
| 3 | V333 – 500 - 010 – 00 | NUT MI0 | 2 | | * | | | | |
| 4 | V335 - 500 - 01 0 - 00 | NUT MI0 | 2 | | * | | | | |
| 5 | 1564 - 105 – 002 - 10 | PIPE | 1 | | 1--347 | | | | |
| 5A | 1642 - 105 - 004 - 00 | PIPE | 1 | | 348- | | | | |
| 6 | 1444 - 101 – 440 - 00 | CLAMP COMP | 3 | | * | | | | |
| 7 | V201 - 261 - 006 - 50 | BOLT/MI0X65 | 3 | | * | | | | |
| 8 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 3 | | * | | | | |
| 9 | V411 - 260 - 010-00 | WASHER/M1O | 6 | | * | | | | |
| 10 | V304 - 260 - 010 - 00 | NUT | 3 | | * | | | | |
| 11 | 1564 - 105 - 260 - 00 | PIPE,TAIL/UNDER COMP | 1 | | * | | | | |
| 12 | 1564 – 105 - 270 - 00 | PIPE,TAIL/UNDER COMP | 1 | | * | | | | |
| 13 | 1342 - 402 – 006 - 00 | BAND,WIRE/250 | 1 | | * | | | | |
| 14 | 1564 - 105 - 005 - 00 | PLATE | 1 | | 1--347 | | | | |
| 14A | 1564 - 105 - 280 - 10 | PLATE,L/174X120 COMP | 1 | | 348- | | | | |
| 15 | 1560 - 669 - 503 - 00 | COLLAR/1OX15X14 | 1 | | 1--347 | | | | |
| 16 | V203 - 261 - 003 – 00 | BOLT/MI OX30 | 1 | | * | | | | |
| 17 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 1 | | * | | | | |
| 18 | V411 - 260 - 010 - 00 | WASHER/MI0 | 1 | | * | | | | |
| 19 | 1564 - 105 - 004 - 00 | CAP,HOOD | 1 | | 1--511 | | | | |
| 19A | 1564 - 105 - 004 - 10 | CAP,HOOD | 1 | | 512- | | | | |
| 20 | VIII-163-001-00 | SCREW/M3XO.5X10 | 1 | | 1--347 | | | | |
| 21 | V300 - 260 - 003 - 00 | NUT/M 3 | 1 | | 1--347 | | | | |
| 22 | V401 -160-003-00 | WASHER,SP/M 3 | 1 | | 1--347 | | | | |


# FIG. 8 MUFFLER SYSTEM (E41 P TYPE)




1597 - 105A


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | V411 – 260 - 003 - 00 | WASHER/M3 | 2 | | 1--347 | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 9 MUFFLER SYSTEM (EXCEPT E41 P,E15 TYPE) (OPTION)





| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 – 105 - 250 - 00 | PIPE,TAIL/UNDER SET | 1 | T | T | | | | |
| 2 | 1564 - 105 - 260 - 00 | PIPE,TAIL/UNDER caMP | 1 | T | T | | | | |
| 3 | 1564 - 105 - 270 - 00 | PIPE,TAIL/UNDER caMP | 1 | T | T | | | | |
| 4 | 1444 - 101 - 440 - 00 | CLAMP caMP | 1 | T | T | | | | |
| 5 | V201 - 261 – 006 - 50 | SOLT/M 1OX65 | 1 | T | T | | | | |
| 6 | V401 - 160 - 010-00 | WASHER,SP/M 10 | 1 | T | T | | | | |
| 7 | V411 - 260 - 010 00 | WASHER/M1O | 2 | T | T | | | | |
| 8 | V304 - 260 - 01 0 – 00 | NUT | 1 | T | T | | | | |
| 9 | V111 - 163 - 001 - 00 | SCREW/M3XO.5X 10 | 1 | T | T | | | | |
| 10 | V300 - 260 - 003 – 00 | NUT/M 3 | 1 | T | T | | | | |
| 11 | V401 - 160 - 003 - 00 | WASHER,SP/M 3 | 1 | T | T | | | | |
| 12 | V411 - 260 - 003 - 00 | WASHER/M3 | 2 | T | T | | | | |
| 13 | 1564 - 105 - 004 - 10 | CAP,HooD | 1 | T | T | | | | |
| 14 | 1342 – 402 - 006 - 00 | BAND,WIRE/250 | 1 | T | T | | | | |
| 15 | 1564 - 105 - 280 - 10 | PALTE/174X120 COMP | 1 | T | T | | | | |
| 16 | V203 - 261 - 003 - 00 | SOLT/M 1OX30 | 1 | T | T | | | | |
| 17 | V401 - 160 - 010 – 00 | WASHER,SP/M 10 | 1 | T | T | | | | |
| 18 | V41 1 - 260 - 01 0 - 00 | WASHER/M1O | 1 | T | T | | | | |
| 19 | 1564 - 105 - 002 - 10 | PIPE | 1 | T | T | | | | |
| 20 | 1444 - 101 - 440 - 00 | CLAMP COMP | 1 | T | T | | | | |
| 21 | V201 - 261-006-50 | SOLT/M 1OX65 | 1 | T | T | | | | |
| 22 | V401 - 160 - 010 - 00 | WASHER,SP/M1O | 1 | T | T | | | | |
| 23 | V411 - 260 - 010 - 00 | WASHER/M1O | 2 | T | T | | | | |
| 24 | V304 – 260 - 01 0 - 00 | NUT | 1 | T | T | | | | |

# FIG. 10 FUEL TANK SYSTEM (EXCEPT B,C,E15 TYPE)




(EG) TYPE)





(KEY 9 lor EXCEPT N TYPE)

1597-111

| KEY | PART CODE | DESCRIPTION | an | TYPE OF MODEL | | I T C | C 0 L | G R P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 1 | 1568 – 111 - 310 - 30 | TANK,FUEL/MAIN COMP | 1 | I--52 53- | I--392 393- | | | | |
| 1A | 1568 - 111 - 310 - 40 | TANK,FUEL/MAIN COMP | 1 | | | | | | |
| 2 | V211 – 260 – 801 - 60 | BOLT,SEMS (S) M8X16 | 8 | • | • | | | | |
| 3 | 1554 – 111 - 210 - 00 | CAP ASSY | 1 | * | * | | | | |
| 4 | 1575 - 61 2 - 223 - 00 | PACKING,CAP | 1 | * | * | | | | |
| 5 | 1513 - 11 1 – 009 - 00 | STRAINER | 1 | * | * | | | | |
| 6 | 1560 - 111 - 003 - 20 | COVER | 1 | • | • | | | | |
| 7 | 1564 - 111 - 220 - 30 | BRACKET/LH COMP | 1 | • | * | | | | |
| 8 | 1564 - 111 - 230 - 30 | BRACKET/RH COMP | 1 | • | * | | | | |
| 9 | 1596 - 111 - 200- 10 | BRACKET,REAR TANK | 1 | * | * | | | | |
| 10 | 1564 - 111 - 380 - 00 | BRACKET,REAR TANK | 1 | * | • | | | | |
| 11 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 8 | * | • | | | | |
| 12 | 1407 – 111 - 001 - 00 | WASHER/8X12X2 | 1 | * | • | | | | |
| 13 | V201 - 260 - 801 - 20 | BOLT/M 8X12 | 1 | * | • | | | | |
| 14 | 1518 - 111 - 006 - 00 | CAP (10) | 1 | • | • | | | | |
| 15 | 3768 - 164 - 008 - 00 | BAND/14 | 1 | * | * | | | | |

# FIG. 11 FUEL TANK SYSTEM (8 TYPE)





(KEY 14～18 for E2I,EII,E5I TYPE!

1567 IIIC


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL T545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 11 1 - 31 0 – 30 | TANK,FUEL/MAIN CaMP | 1 | I--52 53- | I--392 393- | | | | |
| 1A | 1568 - 111 – 310 – 40 | TANK,FUEL/MAIN CaMP | 1 | | * | | | | |
| 2 | V211 - 660 - 802 - 00 | BOLT/8X20 | 8 | | * | | | | |
| 3 | 1554 - 111 - 210 – 00 | CAP ASSY | 1 | | * | | | | |
| 4 | 1575 - 612 - 223 – 00 | PACKING,CAP | 1 | | * | | | | |
| 5 | 1564 – 111 - 220 - 30 | BRACKET/LH CaMP | 1 | | * | | | | |
| 6 | 1564 - 111 - 230 - 30 | BRACKET/RH CaMP | 1 | | * | | | | |
| 7 | 1596 - 111 - 500 - 10 | BRACKET,REAR TANK | 1 | | * | | | | |
| 8 | V211 - 660 - 801 - 60 | BOLT/M8X16 | 8 | | * | | | | |
| 9 | 1518 - 111 - 006 - 00 | CAP (10) | 1 | | * | | | | |
| 10 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | | * | | | | |
| 11 | 1407 - 111 - 001 - 00 | WASHER/8X12X2 | 1 | | * | | | | |
| 12 | V201 - 260 - 801 - 20 | BOLT/M 8X12 | 1 | | * | | | | |
| 13 | 1518 – 616 - 001 - 00 | RUBBER, CUSHION | 1 | | * | | | | |
| 14 | 1568 - 111 - 101 - 00 | HOSE,FUEL | 1 | | * | | | | |
| 15 | 3621 – 304 - 001 - 00 | CLIP | 1 | | * | | | | |
| 16 | 1440 - 101 - 014 - 00 | CLiP/82 | 1 | | * | | | | |
| 17 | 1568 - 111 - 102 - 00 | HOSE/450 | 1 | | * | | | | |
| 18 | 3768 - 164 - 008 - 00 | BAND/14 | 2 | | * | | | | |

# FIG. 12 FUEL TANK SYSTEM (E15 TYPE)




| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 111 - 310 - 30 | TANK,FUEL/MAIN COMP | 1 | 1--52 53- | 1--392 393- | | | | |
| 1A | 1568 - 111 - 310 - 40 | TANK,FUEL/MAIN COMP | 1 | | | | | | |
| 2 | V211 - 260 - 801 - 60 | 8OLT,SEMS (S) M8X16 | 8 | | * | | | | |
| 3 | 1554 - 111 - 210 - 00 | CAP ASSY | 1 | | * | | | | |
| 4 | 1575 - 612 - 223 - 00 | PACKING,CAP | 1 | | * | | | | |
| 5 | 1564 - 111 - 220 - 30 | BRACKET/LH COMP | 1 | | * | | | | |
| 6 | 1564 - 111 - 230 - 30 | BRACKET/RH COMP | 1 | | * | | | | |
| 7 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | | * | | | | |
| 8 | 1566 - 111 - 500 - 10 | STAY,TANK COMP | 1 | | * | | | | |
| 9 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 4 | | * | | | | |
| 10 | 1407 - 111 - 001 - 00 | WASHER/8XI2X2 | 1 | | * | | | | |
| 11 | V201 - 260 - 801 - 20 | BOLT/M 8X12 | 1 | | * | | | | |
| 12 | 1518 - 616 - 001 - 00 | RUBBER, CUSHION | 1 | | * | | | | |
| 13 | 1568 - 111 - 101 - 00 | HOSE,FUEL | 1 | | * | | | | |
| 14 | J061 - 252 - 063 - 00 | CLAMP,WIRE/52 - 63 | 1 | | * | | | | |
| 15 | J061 - 269 - 080 - 00 | CLAMP,WIRE/69 - 80 | 1 | | * | | | | |
| 16 | 1568 - 111 - 102 - 00 | HOSE/450 | 1 | | * | | | | |
| 17 | J061 - 210 - 015 - 00 | CLAMP,WIRE/10 - 15 | 2 | | * | | | | |
| 18 | 1518 - 111 - 007 - 00 | CAP/6 | 1 | | * | | | | |
| 19 | J061 - 208 - 010 - 00 | CLAMP,WIRE/8X1a | 1 | | * | | | | |
| 20 | 1564 - 111 - 361 - 00 | HOSE/1200 | 1 | | * | | | | |
| 21 | 1597 - 111 - 200 - 00 | PIPE COMP | 1 | | * | | | | |
| 22 | J061 - 222 - 026 - 00 | CLAMP,WIRE/22 - 26 | 2 | | * | | | | |
| 23 | 1568 - 111 - 320 - 00 | HOSE,FUEL/1150 ASSY | 1 | | * | | | | |
| 24 | J061 - 108 - 016 - 00 | CLAMP,WORM/8X16 | 2 | | * | | | | |


# FIG. 12 FUEL TANK SYSTEM (E15 TYPE)




1567 111A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1568 - 111 - 220 - 30 | HOSE,FUEL/2750 ASSY | 1 | | * | | | | |
| 26 | J061 - 210 - 015 - 00 | CLAMP,WIRE/10 - 15 | 2 | | * | | | | |
| 27 | 1421 - 621 -038 - 00 | BAND,WIRE/170 | 2 | | * | | | | |
| 28 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 1 | | * | | | | |
| 29 | 1525 - 102 - 004 - 00 | CLAMP,RADIATOR HOSE | 2 | | * | | | | |
| 30 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | | * | | | | |
| 31 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 13 FUEL TANK SYSTEM (C TYPE)




1568-111X

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 111 - 310 - 30 | TANK,FUEL/MAIN caMP | 1 | 1- -52 53- | i- -392 393- | | | | |
| IA | 1568 - 111 - 310 - 40 | TANK,FUEL/MAIN caMP | 1 | | | | | | |
| 2 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8XI6 | 8 | * | * | | | | |
| 3 | 1554 - 111 - 210 - 00 | CAP ASSY | 1 | * | * | | | | |
| 4 | 1575 - 612 - 223 - 00 | PACKING,CAP | 1 | * | * | | | | |
| 5 | 1564 - 111 - 220 - 30 | BRACKET/LH COMP | 1 | * | * | | | | |
| 6 | 1564 - 11 1 - 230 - 30 | BRACKET/RH caMP | 1 | * | * | | | | |
| 7 | 1566 - 111 - 500 - 10 | STAY,TANK COMP | 1 | * | * | | | | |
| 8 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 4 | * | * | | | | |
| 9 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | * | * | | | | |
| 10 | 1407 - 111 - 001 - 00 | WASHER/8XI2X2 | 1 | * | * | | | | |
| 11 | V201 - 260 - 801 - 20 | BOLT/M 8XI2 | 1 | * | * | | | | |
| 12 | 1518 - 616 - 001 - 00 | RUBBER, CUSHION | 1 | * | * | | | | |
| 13 | 1568 - 111 - 101 - 00 | HOSE,FUEL | 1 | * | * | | | | |
| 14 | J061 - 252 - 063 - 00 | CLAMP,WIRE/52 - 63 | 1 | * | * | | | | |
| 15 | J061 - 269 - 080 - 00 | CLAMP,WIRE/69 - 80 | 1 | * | * | | | | |
| 16 | 1568 - 111 - 102 - 00 | HOSE/450 | 1 | * | * | | | | |
| 17 | J061 - 108 - 016 - 00 | CLAMP,WORM/8XI6 | 2 | * | * | | | | |

# FIG. 14 SUB FUEL TANK SYSTEM (EXCEPT E15 TYPE)





1566 1118

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 111 - 31 0 20 | TANK,FUEL/SUB COMP | 1 | ● | ● | | | | |
| 2 | J061 - 108 - 016 - 00 | CLAMP,WORM/8X 16 | 4 | ● | * | | | | |
| 3 | J061 - 222 - 026 - 00 | CLAMP,WIRE/22 - 26 | 2 | ● | ● | | | | |
| 4 | J061 - 210 - 012 - 00 | CLAMP,WIRE/10 - 12 | 2 | ● | ● | | | | |
| 5 | 1407 - 111 - 001 - 00 | WASHER/8X 12X2 | 1 | ● | ● | | | | |
| 6 | V201 - 260 - 801 - 20 | BOLT/M 8X12 | 1 | ● | * | | | | |
| 7 | 1568 - 111 - 003 - 20 | INSULATOR | 2 | ● | * | | | | |
| 8 | 1564 - 111 - 370 - 20 | BRACKET,SUB TANK/F | 1 | * | * | | | | |
| 9 | V21 1 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | * | ● | | | | |
| 10 | 1568 - 111 - 270 - 10 | STAY COMP | 1 | ● | * | | | | |
| 11 | V201 - 260 - 802 - 50 | BOLT/M 8X25 | 4 | * | * | | | | |
| 12 | V411 260 - 008 - 00 | WASHER,PL/M 8 | 4 | * | * | | | | |
| 13 | V304 - 260 - 008 - 00 | NUT/M 8 | 8 | ● | ● | | | | |
| 14 | 1568 - 111 - 220 - 30 | HOSE,FUEL/2750 ASSY | 1 | ● | * | | | | |
| 15 | 1564 - 111 - 361 - 00 | HOSE/1200 | 1 | 1--53 | 1--408 | | | | |
| 16 | 1568 - 111 - 280 - 00 | HOSE.FUEL/1600 ASSY | 1 | 1--53 | 1--408 | | | | |
| 16A | 1564 - 111 - 360 - 10 | HOSE,FUEL ASSY | 1 | 54- | 409- | | | | |
| 17 | 1564 111 - 283 - 00 | BAND | 2 | 54- | 409- | | | | |
| 18 | 1568 111 - 320 - 00 | HOSE,FUEL/1150 ASSY | 1 | * | * | | | | |
| 19 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 3 | * | * | | | | |
| 20 | 1525 102 - 004 - 00 | CLAMP,RADIATOR HOSE | 2 | * | * | | | | |
| 21 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | * | * | | | | |
| 22 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | * | * | | | | |

# FIG. 15 BATTERY BRACKET SYSTEM

(KEY 1, 1A. 18 for EXCEPT C. N. E15 TYPE)
(KEY 2. 2A. 28 for EI5 TYPE) (KEY 3.4 for EXCEPT C. N TYPE)





1564 1I2A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOR C | TOR L | TOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 112 - 260 - 50 | BRACKET,BATTERY caMP | 1 | 1--34 | 1--238 | | | | |
| 1A | 1564 - 112 - 260 - 60 | BRACKET,BATTERY caMP | 1 | 35--53 | 239--408 | | | | |
| 18 | 1597 - 12 - 200 - 30 | BRACKET,BATTERY COMP | 1 | 54- | 409- | | | | |
| 2 | 1597 - 12 - 200 - 10 | BRACKET,BATTERY COMP | 1 | 1--34 | 1--238 | | | | |
| 2A | 1597 - 112 - 200 - 20 | BRACKET,BATTERY caMP | 1 | 35--53 | 239--408 | | | | |
| 28 | 1597 - 112 - 200 - 30 | BRACKET,BATTERY CaMP | 1 | 54- | 409- | | | | |
| 3 | V211 - 560 - 801 - 60 | BOLT,SEMS | 4 | 1--53 | 1--408 | | | | |
| 4 | 1564 - 11 2 - 004 - 30 | SEAL | 1 | 1--53 | 1--408 | | | | |
| 5 | 1599 - 112 - 200 - 20 | BRACKET.BATTERY caMP | 1 | 1--34 | 1--238 | | | | |
| 5A | 1599 - 112 - 200 - 30 | BRACKET,BATTERY caMP | | 35--53 | 239--408 | | | | |
| 58 | 1597 - 112 - 200 - 30 | BRACKET,BATTERY caMP | | 54--54 | 409--419 | | | | |
| 5C | 1599 - 112 - 300 - 00 | BRACKET,BATTERY caMP | | | 420--424 | | | | |
| 5D | 1599 - 112 - 300 - 10 | BRACKET,BATTERY CaMP | | | 425--460 | | | | |
| 5E | 1599 - 112 - 300 - 20 | BRACKET,BATTERY caMP | | 55- | 461- | | | | |
| 6 | V211 -560-801-60 | BOLT,SEMS | 4 | | | | | | |
| 7 | 1564 - 112 - 004 - 30 | SEAL | 1 | 1--53 | 1--408 | | | | |
| 7A | 1518 - 112 - 003 - 00 | PLATE,RUBBER | 2 | 54--54 | 409--460 | | | | |
| 78 | 1599 - 112 - 003 - 00 | INSULATOR | 2 | 55- | 461- | | | | |
| 8 | 1599 - 112 - 201 - 20 | PALTE,L/306X21 | 1 | 1--53 | 1--408 | | | | |
| 8A | 1599 - 11 2 - 001 - 00 | SEAL | 1 | 54- | 409- | | | | |
| 9 | V211 - 360 - 801 - 20 | BOLT,SEAL/SP | 2 | 1--53 | 1--408 | | | | |
| 9A | V120 - 366 - 001 - 20 | SCREW | 2 | 54--54 | 409--460 | | | | |
| 98 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 1 | 55- | 461- | | | | |
| 10 | 1599 - 112 - 310 - 00 | PLATE,SEAL/RH caMP | 1 | | | | | | |
| 11 | 1599 - 112 - 002 - 00 | PLATE,L/22X37 | 1 | i--54 | 1--460 | | | | |

# FIG. 15 BATTERY BRACKET SYSTEM

(KEY 1. 1A. 18 for EXCEPT C. N. E15 TYPE)
(KEY 2. 2A. 28 for E15 TYPE) (KEY 3, 4 for EXCEPT C. N TYPE)





1599-112

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 11A | 1342 - 402 - 006 - 00 | BAND.WIRE/250 | 1 | 55- | 461- | | | | |
| 12 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 16 ACCELERATOR SYSTEM

(KEY 12, 12A, 128 ror E15 TYPE)





1597 116

| KEY | PART CODE | DESCRIPTION | OTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 – 11 6 - 250 - 50 | LEVER COMP | 1 | * | * | | | | |
| 2 | 1600 - 505 - 007 - 00 | L1NING/13X50X3 | 1 | * | * | | | | |
| 3 | 1600 – 505 - 007 - 00 | L1NING/13X50X3 | 1 | * | * | | | | |
| 4 | 3610 - 440 - 01 8 - 00 | WASHER | 1 | * | * | | | | |
| 5 | V411 - 260 - 010-00 | WASHER/MI0 | 1 | * | * | | | | |
| 6 | 1404 – 117 - 008 - 00 | SPRING,PRESS/22 | 1 | * | * | | | | |
| 7 | V328 – 261 - 110 - 00 | NUT/MI0XI.25 | 1 | * | * | | | | |
| 8 | V500 – 162 - 502 - 00 | PIN,SPLIT/2.5X20 | 1 | * | * | | | | |
| 9 | 1544 - 117 - 005 - 10 | CRIP/I0XI15 | 1 | * | * | | | | |
| 10 | 1568 - 116 - 230 - 00 | CABLE ASSY | 1 | 1--44 | 1--336 | | | | |
| IOA | 1568 - 116 - 230 - 10 | CABLE,THROTTEL ASSY | 1 | 45- | 337- | | | | |
| 11 | 1599 - 116 - 200 - 00 | BRACKET caMP | 1 | I--45 46- | I--347 348- | | | | |
| IIA | 1599 - 116 - 200 - 10 | BRACKET caMP | 1 | | | | | | |
| 12 | 1599 - 116 - 200 - 00 | BRACKET caMP | 1 | | 1--347 | | | | |
| 12A | 1599 - 116 - 200 – 10 | BRACKET caMP | 1 | | 348--408 | | | | |
| 128 | 1635 - 116 - 001 – 00 | BRACKET | 1 | | 409- | | | | |
| 13 | V211 – 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | * | * | | | | |
| 14 | 1564 - 116 - 001 - 30 | GUIDE | 1 | * | * | | | | |
| 15 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | * | * | | | | |
| 16 | V411-260-010-00 | WASHER/MI0 | 1 | * | * | | | | |
| 17 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 1 | * | * | | | | |
| 18 | 1560 – 11 6 - 230 - 50 | ARM caMP | 1 | * | * | | | | |
| 19 | 1560 - 116 - 008 - 30 | PIN/6X16 | 1 | * | * | | | | |
| 20 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 21 | V500 - 163 - 002 - 00 | PIN,SPLIT/3 X20 | 1 | * | * | | | | |

# FIG. 16 ACCELERATOR SYSTEM


(KEY 12. t2A. 128 for E15 TYPE)




1567 116

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | V500 - 162 - 002 - 00 | PIN.SPLIT/2 X20 | 1 | * | * | | | | |
| 23 | 1568 - 116 - 002 - 00 | ARM.PLATE | 1 | 1--45 46- | I--347 348- | | | | |
| 23A | 1365 - 121 - 005 - 00 | WASHER/I0X20X2 | 2 | | | | | | |
| 24 | 1568 - 116 - 210 - 00 | PEDAL ASSY | 1 | * | * | | | | |
| 25 | V120 - 366 - 002 - 00 | SCREW,SEMS | 2 | * | * | | | | |
| 26 | 1560 - 116 - 280 - 60 | CABLE,AXLE ASSY | 1 | I--45 46- | I--347 348- | | | | |
| 26A | 1635 - 116 - 210 - 00 | CABLE,AXLE/1695 ASSY | 1 | | | | | | |
| 27 | 1560 - 116 - 008 - 30 | PIN/6X16 | 1 | * | * | | | | |
| 28 | V41 1 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 29 | V500 - 162 - 002 - 00 | PIN.SPLIT/2 X20 | 1 | * | ● | | | | |
| 30 | V500 - 163 - 002 - 00 | PIN,SPLIT/3 X20 | 1 | ● | * | | | | |
| 31 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 1 | * | * | | | | |
| 32 | 1414 - 31 2 - 002 - 00 | SPRING.TENSION/53 | 1 | * | * | | | | |
| 33 | 1432 - 651 - 021 - 00 | CAP,RUBBER (20) | 1 | * | * | | | | |
| 34 | 1566 - 116 - 200 - 30 | BRACKET COMP | 1 | I--52 | I--385 | | | | |
| 34A | 1560 - 116 - 340 - 10 | BRACKET COMP | 1 | 53- | 386- | | | | |
| 35 | V211 - 260 - 802 - 00 | SOLT,S/M8X20 | 3 | ● | ● | | | | |
| 36 | 1560 - 116 - 330 - 30 | ROD COMP | 1 | * | * | | | | |
| 37 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 38 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 2 | * | * | | | | |


# FIG. 17 CLUTCH AND INPUT METAL SYSTEM (E15 TYPE)




1597 - 120


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1513 - 120 - 210 - 00 | COVER,CLUTCH ASSY | | | | | | | |
| 2 | 1513 - 120 - 211 - 00 | COVER,CLUTCH ASSY | | | | | | | |
| 3 | 1513 - 121 - 212 - 00 | PLATE,PRESSURE | | | | | | | |
| 4 | 1513 - 121 - 213 - 00 | LEVER,REVEASE | 3 | | * | | | | |
| 5 | 1513 - 121 - 214 - 00 | SPRING,PRESSURE | 9 | | | | | | |
| 6 | 1432 - 120 - 214 - 00 | CUP,SPRING | 9 | | | | | | |
| 7 | 1513 - 121 - 215 - 00 | SPRING,RETURN | 3 | | | | | | |
| 8 | 1432 - 120 - 216 - 00 | BOLT,LEVER | 3 | | | | | | |
| 9 | 1432 - 120 - 217 - 00 | NUT,LEVER | 3 | | | | | | |
| ID | V500 - 152 - 002 - 00 | PIN,SPLIT/2 X20 | 3 | | | | | | |
| 11 | 1597 - 120 - 210 - 00 | DISK,CLUTCH/260 COMP | 1 | | 1--366 367- | | | | |
| 11A | 1597 - 120 - 210 - 10 | DISK,CLUTCH/260 COMP | 1 | | | | | | |
| 12 | 1567 -120 - 201 - 20 | FACING | 2 | | 1--366 | | | | |
| 12A | 1567-120-201-30 | FACING | 2 | | 367- | | | | |
| 13 | 1513 - 121 - 223 - 00 | RIVET | 36 | | 1--366 | | | | |
| 13A | 1561 - 121 - 212 - 40 | RIVET | 36 | | 367- | | | | |
| 14 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 9 | | | | | | |
| 15 | 1597 - 120 - 001 - 00 | METAL,INPUT | 1 | | | | | | |
| 16 | V211 - 560 - 802 - 00 | BOLT/M8X20 | 7 | | 1--421 | | | | |
| 17 | V304 - 460 - 008 - 00 | NUT/M8 | 8 | | | | | | |
| 18 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 8 | | | | | | |
| 19 | 1564 - 120 - 003 - 00 | GASKET | 1 | | | | | | |
| 20 | 1513 - 120 - 001 - 00 | SLEEVE | 1 | | 1--238 239- | | | | |
| 20A | 1567 - 120 - 001 - 00 | SLEEVE | 1 | | | | | | |
| 21 | 1415 - 120 - 004 - 00 | BEARING,RELEASE | | | | | | | |

# FIG. 17 CLUTCH AND INPUT METAL SYSTEM (E15 TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | 1432 - 120 - 004 - 00 | SPRING,TENSION/31 | 2 | | * | | | | |
| 23 | 1597 - 120 - 002 - 00 | METAL,SLEEVE | 1 | | * | | | | |
| 24 | V211 - 660 - 802 - 00 | BOLT/aX20 | 3 | | * | | | | |
| 25 | V721 - 103 - 106 - 00 | O-RING/G60 | 1 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 18 CLUTCH AND INPUT METAL SYSTEM (EXCEPT E15 TYPE)




1597-121

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | Cal | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 151 3 - 121 - 21 0 - 00 | COVER,CLUTCH ASSY | 1 | * | * | | | | |
| 2 | 151 3 - 121 - 21 1 - 00 | COVER,CLUTCH SUB | 1 | * | * | | | | |
| 3 | 151 3 - 121 - 21 2 - 00 | PLATE,PRESSVER | 1 | * | * | | | | |
| 4 | 151 3 - 121 - 21 3 - 00 | LEVER,REVEASE | 3 | * | * | | | | |
| 5 | 151 3 - 121 - 21 4 - 00 | SPRING,PRESSURE | 9 | * | * | | | | |
| 6 | 1432 - 120 - 214 - 00 | CUP,SPRING | 9 | * | * | | | | |
| 7 | 151 3 - 121 - 21 5 - 00 | SPRING,RETURN | 3 | * | * | | | | |
| 8 | 1432 - 120 - 216 - 00 | BOLT,LEVER | 3 | * | * | | | | |
| 9 | 1432 - 120 - 21 7 - 00 | NUT,LEVER | 3 | * | * | | | | |
| 10 | V500 - 152 - 002 - 00 | PIN,SPLIT/2 X20 | 3 | * | * | | | | |
| 11 | 1596 - 121 - 210 - 00 | DISK,CLUTCH COMP | 1 | 1--42 43- | 1--329 330- | | | | |
| 11A | 1596 - 121 - 210 - 20 | DISK,CLUTCH COMP | 1 | | | | | | |
| 12 | 1596 - 121 - 211 - 00 | FACING | 2 | I--42 43- | 1--329 330- | | | | |
| 12A | 1596 - 121 - 21 1 - 10 | FACING | 2 | | | | | | |
| 13 | 1561 - 121 - 212 - 40 | RIVET | 36 | * | * | | | | |
| 14 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 9 | * | * | | | | |
| 15 | 1564 - 121 - 001 - 50 | METAL,INPUT | 1 | * | * | | | | |
| 16 | V211 - 560 - 802 - 00 | BOLT/M8X20 | 7 | I--54 | I--421 | | | | |
| 17 | V304 - 460 - 008 - 00 | NUT/M8 | 8 | * | * | | | | |
| 18 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 8 | * | * | | | | |
| 19 | V707 - 140 - 062 - 00 | RING,SNAP | 1 | * | * | | | | |
| 20 | 1564 - 120 - 003 - 00 | GASKET | 1 | * | * | | | | |
| 21 | 1567 - 121 - 001 - 10 | METAL,SLEEVE | 1 | * | * | | | | |
| 22 | V211 - 660 - 802 - 00 | BOLT/8X20 | 3 | * | * | | | | |
| 23 | V721 - 103 - 107 - 00 | O-RING/G70 | 1 | * | * | | | | |


# FIG. 18 CLUTCH AND INPUT METAL SYSTEM (EXCEPT E15 TYPE)




1567 111

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | 1513 - 120 - 001 - 00 | SLEEVE | 1 | I-238 | I-34 | | | | |
| 24A | 1567 – 120 - 001 - 00 | SLEEVE | 1 | 239- | 35- | | | | |
| 25 | 1415 - 120 - 004 - 00 | BEARING,RELEASE | 1 | * | * | | | | |
| 26 | 1432 – 120 – 004 – 00 | SPRING,TENSION/31 | 2 | * | * | | | | |


# FIG. 19 CLUTCH PEDAL SYSTEM




1565 130

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | IeG TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1565 - 130 - 200 - 20 | BAR SET | 1 | 1--51 | 1--366 | | | | |
| 1A | 1565 - 130 - 200 - 30 | BAR SET | 1 | 52- | 367- | | | | |
| 2 | 1560 - 130 - 001 - 00 | PIN | 1 | | | | | | |
| 3 | V590 - 131 - 215 - 00 | WIRE/1.2X150 | 1 | * | * | | | | |
| 4 | V763 - 150 - 000 - 00 | NIPPLE,GREASE/PTI/8 | 1 | | | | | | |
| 5 | V764 - 150 - 000 - 00 | NIPPLE,GREASE | 1 | | | | | | |
| 6 | 1568 - 132 - 200 - 00 | ROD COMP | 1 | 1--54 | 1--511 | | | | |
| 6A | 1565 - 132 - 200 - 00 | ROD COMP | 1 | 55- | 512- | | | | |
| 7 | 1568 - 132 - 210 - 00 | ROD COMP | 1 | | | | | | |
| 8 | 1564 - 132 - 230 - 00 | PEDAL ASSY | 1 | 1--43 | i--335 | | | | |
| 8A | 1634 - 132 - 200 - 00 | PEDAL,CLUTCH ASSY | | 44- | 336- | | | | |
| 9 | 1564 - 132 - 002 - 00 | BUSH/30X34X20 | 2 | | | | | | |
| 10 | 1524 - 122 - 001 - 00 | PAD | 1 | | | | | | |
| 11 | V201 - 260 - 803 - 00 | BOLT/M 8X30 | 1 | | | | | | |
| 12 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | | | | | |
| 13 | V201 - 260 - 802 - 00 | BOLT/M 8X20 | | | * | | | | |
| 14 | V304 - 260 - 008 - 00 | NUT/M 8 | | | | | | | |
| 15 | 1432 - 242 - 001 - 00 | PIN | 2 | | | | | | |
| 16 | V411 - 260 - 008 - 00 | WASHER,PI/M 8 | 2 | | | | | | |
| 17 | V500 - 162 - 502 - 00 | PIN,SPLIT/2.5X20 | 2 | | * | | | | |
| 18 | 1444 - 122 - 002 - 00 | TURNBUCKLE/M8 | 1 | | | | | | |
| 19 | 1560 - 132 - 007 - 30 | NUT/M8 | 1 | * | | | | | |
| 20 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | | | | | |
| 21 | 1404 - 120 - 008 - 00 | SPRING,CLUTCH | 1 | | | | | | |
| 22 | 1560 - 132 - 001 - 10 | TUBE | 1 | | | | | | |


# FIG. 19 CLUTCH PEDAL SYSTEM




1634-132

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRp | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | 1544 - 123 - 005 - 00 | ROD | 1 | * | * | | | | |
| 24 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 1 | * | * | | | | |
| 25 | V411 - 260 - 006 - 00 | WASHER / M6 | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 20 FRONT P.T.O. SET (EXCEPT E21 ,E41 P TYPE) (OPTION)





9

1597-146

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 146 - 200 - 00 | PTO FRONT SET | 1 | T | T | | | | |
| 2 | 1596 - 146 - 210 - 00 | JOINT ASSY | 1 | T | T | | | | |
| 3 | 7967 - 161 - 201 - 00 | YOKE,SPLINE | 2 | T | T | | | | |
| 4 | 1596 - 146 - 211 - 00 | SLEEVE,YOKE | 1 | T | T | | | | |
| 5 | 1596 - 146 - 212 - 00 | SHAFT,YOKE | 1 | T | T | | | | |
| 6 | 7918 - 101 - 250 - 00 | JOIN,CROSSE SET | 2 | T | T | | | | |
| 7 | 7918 - 101 - 252 - 00 | NIPPLE B,1/4-28 | 2 | T | T | | | | |
| 8 | 7967 - 101 - 303 - 00 | RING,SNAP | 8 | T | T | | | | |
| 9 | 7918 - 101 - 240 - 00 | PIN/14X73 | 1 | T | T | | | | |
| 10 | 7918 - 101 - 242 - 00 | SPRING/ HCI2X38 | 1 | T | r | | | | |
| 11 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 1 | T | T | | | | |
| 12 | V500 - 162 - 501 - 50 | PIN,SPLIT/2.5X15 | 1 | T | T | | | | |
| 13 | 1597 - 146 - 001 - 00 | SHAFT/ PTO | 1 | T | T | | | | |
| 14 | 1596 - 146 - 002 - 00 | METAL/PTO/FRONT | 1 | r | T | | | | |
| 15 | 1596 - 146 - 003 - 00 | METAL/PTO/REAR | 1 | r | r | | | | |
| 16 | 1596 - 146 - 004 - 00 | BOLT,SET/M 12X45 | 4 | T | T | | | | |
| 17 | 1594 - 146 - 005 - 00 | BEARING | 2 | T | T | | | | |
| 18 | 1444 - 314 - 009 - 10 | CAP,PTO SHAFT | 1 | T | T | | | | |
| 19 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 2 | T | r | | | | |
| 20 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 4 | T | T | | | | |


# FIG. 21 FRONT P.T.O. SET (E21 TYPE) (OPTION)




1597-146A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 146 - 300 - 00 | PTO,FRONT/E21 SET | 1 | | T | | | | |
| 2 | 1596 - 146 - 310 - 00 | JOINT ASSY | 1 | | T | | | | |
| 3 | 7967 – 161 – 201 - 00 | YOKE,SPLINE | 2 | | T | | | | |
| 4 | 1596 - 146 - 21 1 - 00 | SLEEVE,YOKE | 1 | | T | | | | |
| 5 | 1596 - 146 - 21 2 - 00 | SHAFT,YOKE | 1 | | T | | | | |
| 6 | 7918 - 101 - 250 – 00 | JOINT,CROSS SET | 2 | | T | | | | |
| 7 | 7918 - 101 - 252 - 00 | NIPPLE B,I/4 - 28 | 2 | | T | | | | |
| 8 | 7967 - 101 - 303 - 00 | RING,SNAP | 8 | | T | | | | |
| 9 | 7918 – 101 – 240 - 00 | PIN/14X73 | 1 | | T | | | | |
| 10 | 7918 - 101 - 242 - 00 | SPRING/HCI2X38 | 1 | | T | | | | |
| 11 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 1 | | T | | | | |
| 12 | V500 - 162 - 501 - 50 | PIN,SPLIT/2.5X15 | 1 | | T | | | | |
| 13 | 1596 - 146 - 31 1 - 00 | COVER,OUTER | 1 | | T | | | | |
| 14 | 1596 - 146 - 312 - 00 | COVER,INNER | 1 | | T | | | | |
| 15 | 7927 - 101 - 205 - 00 | BEARING | 2 | | T | | | | |
| 16 | 7982 - 101 - 230 - 00 | CHAIN ASSY | 2 | | T | | | | |
| 17 | 7927 – 101 - 204 - 00 | BAND,COVER | 2 | | t | | | | |
| 18 | 1597 - 146 - 001 - 00 | SHAFT/PTO | 1 | | t | | | | |
| 19 | 1596 - 146 - 002 - 00 | METAL/PTO/FRONT | 1 | | t | | | | |
| 20 | 1596 - 146 - 003 - 00 | METAL/PTO/REAR | 1 | | T | | | | |
| 21 | 1596 - 146 - 004 - 00 | SOLT,SET/M 12X45 | 4 | | T | | | | |
| 22 | V401 - 160 - 012-00 | WASHER,SP/M 12 | 4 | | T | | | | |
| 23 | 1594 - 146 - 005 - 00 | BEARING | 2 | | T | | | | |
| 24 | 1444 - 314 - 009 - 10 | CAP,PTO SHAFT | 1 | | T | | | | |
| 25 | V210 - 360 - 601 - 60 | SOLT (SP) /M6X16 | 2 | | T | | | | |


# FIG. 21 FRONT P.T.O. SET (E21 TYPE) (OPTION)




1597 146A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1597 - 146 - 002 - 00 | COLLAR/68X70X385 | 1 | | r | | | | |
| 27 | 1596 - 146 - 006 - 10 | COVER,SEALED | 1 | | r | | | | |
| 28 | V211 – 360 - 801 - 60 | BOLT,SEMS (SP) | 1 | | r | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 22 FRONT THREE POINT LINK SET (EXCEPT E41 P,E15 TYPE) (OPTION)




1597 147

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 147 - 200 - 10 | L1NK,3P/FRONT SET | 1 | T | T | | | | |
| 2 | 1597 - 147 - 230 - 10 | BRACKET ASSY | 1 | T | T | | | | |
| 3 | 1564 - 433 - 212 - 10 | BUSH/55X60X50 | 1 | t | T | | | | |
| 4 | 1560 - 433 - 212 - 00 | BUSH/45X50X25 | 1 | T | T | | | | |
| 5 | V201 - 361 - 203 - 50 | BOLT/MI2X35 | 6 | T | T | | | | |
| 6 | V401 - 160 - 012 - 00 | WASHER,SP/MI2 | 6 | T | T | | | | |
| 7 | V304 - 460 - 012 - 00 | NUT/MI2 | 6 | T | T | | | | |
| 8 | V201 - 361 - 403 - 00 | BOLT/MI4X30 | 6 | T | t | | | | |
| 9 | V401 - 160 - 014-00 | WASHER,SP/MI4 | 6 | T | T | | | | |
| 10 | V304 - 460 - 014 - 00 | NUT/M14 | 2 | T | T | | | | |
| 11 | 1597 - 147 - 300 - 00 | STAY caMP | 2 | T | T | | | | |
| 12 | V201 - 361 - 202 - 50 | BOLT/M 12X25 | 4 | T | T | | | | |
| 13 | V201-361-204-00 | BOLT/M 12X40 | 2 | T | T | | | | |
| 14 | V401 - 160 - 01 2 - 00 | WASHER,SP/M 12 | 6 | T | T | | | | |
| 15 | 1596 - 147 - 001 - 00 | SHAFT,L1FT | 1 | T | T | | | | |
| 16 | V763 - 150 - 000 - 00 | NIPPLE,GREASE/PTI/8 | 2 | T | T | | | | |
| 17 | 1596 - 147 - 250 - 00 | ARM,L1FT caMP | 1 | T | T | | | | |
| 18 | V706 - 140 - 055 - 00 | RING,SNAP | 2 | T | T | | | | |
| 19 | 1596 - 147 - 260 - 00 | ARM,L1FT caMP | 1 | T | T | | | | |
| 20 | K185 - 020 - 000 - 00 | CYLINDER ASSY | 1 | T | T | | | | FIG.178 |
| 21 | 1518 - 938 - 016 - 00 | PIN/28X153 | 1 | T | T | | | | |
| 22 | 1421 - 502 - 002 - 00 | PIN,L1NK | 1 | T | T | | | | |
| 23 | 1510 - 317 - 005 - 10 | PIN/25X77 | 1 | T | T | | | | |
| 24 | 1432 - 520 - 004 - 00 | PIN,HAIR | 1 | T | T | | | | |
| 25 | 1596 - 147 - 270 - 00 | ROD,L1FT/LH COMP | 1 | T | T | | | | |


# FIG. 22 FRONT THREE POINT LINK SET (EXCEPT E41 P,E15 TYPE) (OPTION)




1597-147

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1421 - 502 - 002 - 00 | PIN,L1NK | 4 | T | T | | | | |
| 27 | 1596 - 147 - 280 - 10 | ROD,FORK COMP | 1 | T | T | | | | |
| 28 | 1596 - 147 - 290 - 10 | ROD,L1FT/RH caMP | 1 | T | T | | | | |
| 29 | 1596 - 147 - 230 - 10 | L1NK,LOWER COMP | 2 | T | T | | | | |
| 30 | 1600 - 515 - 001 - 00 | PIN/16X73 | 2 | T | T | | | | |
| 31 | 1427 - 431 - 003 - 00 | WASHER/13X32X3 | 2 | T | T | | | | |
| 32 | V303 - 460 - 012 - 00 | NUT/M8 | 4 | T | T | | | | |
| 33 | 1594 - 147 - 003 - 00 | HOSE/1600 | 2 | T | T | | | | |
| 34 | 151 8 - 938 - 018 - 00 | CANNECTOR (A) | 2 | T | t | | | | |
| 35 | 1560 - 104 - 005 - 50 | CLIP | 2 | T | T | | | | |
| 36 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 5 | T | T | | | | |
| 37 | 1596 - 147 - 240 - 00 | SCREW/M20 caMP | 1 | T | T | | | | |
| 38 | 7900 - 611 - 200 - 00 | L1NK,TOP caMP | 1 | t | T | | | | |
| 39 | V305 - 260 - 020 - 00 | NUT/M20 | 1 | T | T | | | | |
| 40 | 7927 - 601 - 001 - 00 | PIN/19X77 | 2 | T | r | | | | |
| 41 | 1444 - 514 - 005 - 10 | PIN,HAIR (19) | 2 | T | T | | | | |
| 42 | 1560 - 140 - 330 - 00 | CHAIN,CHECK caMP | 2 | T | r | | | | |
| 43 | 7963 - 611 - 230 - 00 | CHAIN,CHECK caMP | 2 | T | T | | | | |
| 44 | 1560 - 140 - 002 - 00 | BUCKLE,TURN/M16 | 2 | T | T | | | | |
| 45 | V305 - 260 - 01 6 - 00 | NUT/M8 | 2 | T | T | | | | |
| 46 | V411 - 260 - 01 6 - 00 | WASHER / M16 | 2 | T | T | | | | |
| 47 | V401 - 160 - 016 - 00 | WASHER,SP/MI6 | 2 | T | T | | | | |
| 48 | V304 - 260 - 01 6 - 00 | NUT/M16 | 2 | T | T | | | | |
| 49 | 7963 - 611 - 003 - 00 | PIN/12X48 | 2 | T | t | | | | |
| 50 | V500 - 163 - 002 - 50 | PIN,SPLIT/3 X25 | 2 | T | T | | | | |

# FIG. 23 FRONT TRANSMISSION CASE SYSTEM





(KEY 15 lor T TYPE)

1568-201

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1565 - 201 - 001 - 60 | CASE,TRANSMISSION | 1 | I--41 42- | I--327 328- | | | | |
| IA | 1634 - 201 - 001 - 20 | CASE,TRANSMISSION | 1 | * | * | | | | |
| 2 | V251 - 341 - 203 - 20 | SOLT/M 12X32 | 1 | * | * | | | | |
| 3 | V304 - 460 - 012 - 00 | NUT/M12 | 4 | * | * | | | | |
| 4 | V201 - 361 - 204 - 50 | SOLT/M 12X45 | 3 | * | * | | | | |
| 5 | V201 - 361 - 203 - 50 | SOLT/M12X35 | 3 | * | * | | | | |
| 6 | V401 - 160 - 012 - 00 | WASHER,SP/M 12 | 10 | * | * | | | | |
| 7 | 1432 - 621 - 011 - 00 | CAP,BLANK/M 16 | 4 | * | * | | | | |
| 8 | 1326 - 706 - 002 - 10 | PLUG,DRAIN | 1 | * | * | | | | |
| 9 | V251 - 260 - 802 - OC | STUD/M 8X20 | 2 | * | * | | | | |
| 10 | V520 - 101 - 002 - 20 | PIN,ST/1 OX22 | 6 | * | * | | | | |
| 11 | V251 - 260 - 802 - OC | STUD/M 8X20 | 1 | * | * | | | | |
| 12 | V251 - 341 - 203 - 50 | SOLT,STUD/M 12X35 | 2 | * | * | | | | |
| 13 | V251 - 440 - 803 - 5C | STUD,SEAL/M8X35 | 2 | * | * | | | | |
| 14 | V251 - 440 - 802 - 5C | SOLT,STUD,SEAL | 6 | * | * | | | | |
| 15 | 1564 - 201 - 003 - 00 | CAP,SEAL/47 | 1 | * | | | | | |


# FIG. 24 INPUT GEAR AND CHANGE GEAR SYSTEM (EXCEPT E15 TYPE)




1568-217

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL GRP | REMARKS |
|---|---|---|---|---|---|---|---|
| 1 | 1567 - 207 - 001 - 20 | GEAR,HERICAl/21 | 1 | | | | |
| 2 | 1568 - 206 - 001 - 00 | BEARING,RB | 1 | | | | |
| 3 | V704 - 140 - 035 - 00 | RING,SNAP/35 C | 1 | | | | |
| 4 | V744 - 135 - 500 - 80 | SEAL,OIL/TC355008 | 1 | * | | | |
| 5 | 1561 - 207 - 004 - 10 | SEAL,OIL | 1 | | | | |
| 6 | 1599 - 207 - 002 - 00 | GEAR/2IT | 1 | 1-34 | 1-238 | | |
| 6A | 1599 - 207 - 002 - 10 | GEAR/21T | 1 | 35- | 239- | | |
| 7 | 1560 - 206 - 003 - 00 | BEARING/6206SH2 | 1 | * | | | |
| 8 | V704 - 140 - 030 - 00 | RING,SNAP/30 C | 1 | | | | |
| 9 | V744 - 130 - 450 - 80 | SEAL,OIL/TC30458 | 1 | * | | | |
| 10 | 1560 - 206 - 002 - 30 | PLATE | 1 | | | | |
| 11 | V211 - 560-801-60 | BOLT,SEMS | 2 | * | | | |
| 12 | 1596 - 209 - 001 - 10 | GEAR,HERICAL/17 | 1 | | * | | |
| 13 | 1596 - 209 - 008 - 00 | RING,SNAP | 1 | | | | |
| 14 | V600 - 110 - 630 - 50 | BEARING,RB/6305 | 1 | | | | |
| 15 | 1596 - 209 - 007 - 00 | BEARING,RB | 1 | | | | |
| 16 | 1444 - 314 - 004 - 10 | COLLAR (35X50X2) | 1 | | | | |
| 17 | V704 - 140 - 035 - 00 | RING,SNAP/35 C | 1 | * | * | | |
| 18 | 1564 - 216 - 004 - 10 | WASHER/30X46X03 | 1 | | * | | |
| 19 | 1596 - 209 - 009 - 00 | BEARING,NR | 1 | | | | |
| 20 | 1596 - 209 - 002 - 00 | GEAR,HERICAl/35 | 1 | | | | |
| 21 | V654 - 432 - 372 - 30 | BEARING,KT/323723 | 1 | | | | |
| 22 | 1560 - 208 - 009 - 30 | BUSH/28X32X31 | 1 | * | | | |
| 23 | 1564 - 208 - 009 - 00 | WASHER/25X46X05 | 1 | * | | | |
| 24 | 1568 - 209 - 002 - 00 | HUB | 1 | * | | | |


# FIG. 24 INPUT GEAR AND CHANGE GEAR SYSTEM (EXCEPT E15 TYPE)




1596 2C9A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1560 - 208 - 022 - 40 | COUPLING/51 X68X 18 | 1 | * | * | | | | |
| 26 | 1596 - 209 - 003 - 00 | GEAR,HERICAL/32 | 1 | * | * | | | | |
| 27 | V654 - 432 - 372 - 30 | BEARING,KT/323723 | 1 | * | * | | | | |
| 28 | 1560 - 208 - 009 - 30 | BUSH/28X32X31 | 1 | * | * | | | | |
| 29 | 1564 - 208 - 002 - 20 | WASHER/28X46X05 | 1 | * | * | | | | |
| 30 | V706 - 140 - 050 - 00 | RING,SNAP | 2 | * | * | | | | |
| 31 | 1596 - 209 - 004 - 00 | GEAR,HERICAL/30 | 1 | * | * | | | | |
| 32 | V654 - 432 - 372 - 30 | BEARING,KT/323723 | 1 | * | * | | | | |
| 33 | 1560 - 208 - 009 - 30 | BUSH/28X32X31 | 1 | * | * | | | | |
| 34 | 1568 - 209 - 002 - 00 | HUB | 1 | * | * | | | | |
| 35 | 1524 - 209 - 200 - 00 | CYNCHRONIZER ASSY | 1 | * | * | | | | |
| 36 | 1488 - 209 - 242 - 00 | CUP,SYNCHRO | 2 | * | * | | | | |
| 37 | V706 - 140 - 050 - 00 | RING,SNAP | 2 | * | * | | | | |
| 38 | 1596 - 209 - 005 - 00 | GEAR,HERICAL/25 | 1 | * | * | | | | |
| 39 | V654 - 430 - 352 - 40 | BEARING,NR/KT303524 | 1 | * | * | | | | |
| 40 | 1596 - 21 3 - 001 - 00 | GEAR,HERICAL/24 | 1 | * | * | | | | |
| 41 | V600 - 110 - 620 - 70 | BEARING,RB/6207 | 1 | * | * | | | | |
| 42 | 1560 - 206 - 003 - 00 | BEARING/6206SH2 | 1 | * | * | | | | |
| 43 | V704 - 140 - 035 - 00 | RING,SNAP/35 C | 3 | * | * | | | | |
| 44 | 1596 - 213 - 002 - 00 | GEAR,HERICAL/27 | 1 | * | * | | | | |
| 45 | 1596 - 213 - 003 - 00 | GEAR,HERICAL/29 | 1 | * | * | | | | |
| 46 | 1596 - 213 - 004 - 00 | GEAR,HERICAL/34 | 1 | * | * | | | | |


# FIG. 25 INPUT GEAR AND CHANGE GEAR SYSTEM (E15 TYPE)




1597 206

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 1 | 1597 - 206 - 001 - 00 | GEAR,HERICAL/21 | 1 | | * | | | | |
| 2 | 1560 - 206 - 003 - 00 | BEARING/6206SH2 | 1 | | * | | | | |
| 3 | V704 - 140 - 030 - 00 | RING,SNAP/30 C | 1 | | * | | | | |
| 4 | 1597 - 206 - 002 - 00 | GEAR,HERICAL/21 | 1 | | * | | | | |
| 5 | 1594 - 218 - 001 - 00 | BEARING/6305SH2 | 1 | | * | | | | |
| 6 | V744 - 125 - 400 - 70 | SEAL,OIL | 1 | | * | | | | |
| 7 | 1560 - 206 - 002 - 30 | PLATE | 1 | | * | | | | |
| 8 | V211 - 560 - 801 - 60 | BOLT,SEMS | 2 | | * | | | | |
| 9 | 1564 - 208 - 001 - 50 | GEAR,HERICAL/14 | 1 | | * | | | | |
| 10 | 1564 - 208 - 008 - 00 | RING,SNAP | 1 | | * | | | | |
| 11 | V600 - 110 - 630 - 50 | BEARING,RB/6305 | 1 | | * | | | | |
| 12 | 1596 - 209 - 007 - 00 | BEARING,RB | 1 | | * | | | | |
| 13 | 1444 - 314 - 004 - 10 | COLLAR (35X50X2) | 1 | | * | | | | |
| 14 | V704 - 140 - 035 - 00 | RING,SNAP/35 C | 1 | | * | | | | |
| 15 | 1564 - 216 - 004 - 10 | WASHER/30X46X03 | 1 | | * | | | | |
| 16 | 1566 - 209 - 001 - 30 | GEAR,HERICAL/40 | 1 | | * | | | | |
| 17 | V654 - 432 - 372 - 30 | BEARING,KT/323723 | 1 | | * | | | | |
| 18 | 1560 - 208 - 009 - 30 | BUSH/28X32X3I | 1 | | * | | | | |
| 19 | 1564 - 208 - 009 - 00 | WASHER/25X46X05 | 1 | | * | | | | |
| 20 | 1568 - 209 - 002 - 00 | HUB | 1 | | * | | | | |
| 21 | 1560 - 208 - 022 - 40 | COUPLING/51X68X18 | 1 | | * | | | | |
| 22 | 1564 - 208 - 006 - 20 | GEAR/36T | 1 | | * | | | | |
| 23 | V654 - 432 - 372 - 30 | BEARING,KT/323723 | 1 | | * | | | | |
| 24 | 1560 - 208 - 009 - 30 | BUSH/28X32X3I | 1 | | * | | | | |
| 25 | 1564 - 208 - 002 - 20 | WASHER/28X46X05 | 1 | | * | | | | |


# FIG. 25 INPUT GEAR AND CHANGE GEAR SYSTEM (E15 TYPE)




1568-2C5A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V706 - 140 - 050 - 00 | RING,SNAP | 2 | | * | | | | |
| 27 | 1566 - 209 - 002 - 20 | GEAR/3IT | 1 | | * | | | | |
| 28 | V654 – 432 - 372 - 30 | BEARING,KT/323723 | 1 | | * | | | | |
| 29 | 1560 - 208 - 009 - 30 | BUSH/28X32X31 | 1 | | * | | | | |
| 30 | 1568 - 209 - 002 - 00 | HUB | 1 | | * | | | | |
| 31 | 1524 - 209 - 200 - 00 | CYNCHRONIZER ASSY | 1 | | * | | | | |
| 32 | 1488 - 209 - 242 - 00 | CUP,SYNCHRO | 2 | | * | | | | |
| 33 | V706 - 140 - 050 - 00 | RING,SNAP | 2 | | * | | | | |
| 34 | 1566 - 209 – 003 – 20 | GEAR/27T | 1 | | * | | | | |
| 35 | V654 - 430 - 352 - 40 | BEARING,NR/KT303524 | 1 | | * | | | | |
| 36 | 1566 - 213 - 001 - 20 | GEAR,HERICAL/lg | 1 | | * | | | | |
| 37 | V600 - 110 - 620 - 70 | BEARING,RB/6207 | 1 | | * | | | | |
| 38 | 1560 - 206 - 003 - 00 | BEARING/6206SH2 | 1 | | * | | | | |
| 39 | V704 - 140 - 035 - 00 | RING,SNAP/35 C | 3 | | * | | | | |
| 40 | 1564 – 212 - 003 - 10 | GEAR/24T | 1 | | * | | | | |
| 41 | 1566 - 213 - 002 - 10 | GEAR/28T | 1 | | * | | | | |
| 42 | 1566 - 213 - 003 - 10 | GEAR/32T | 1 | | * | | | | |

# FIG. 26 REVERSE CHANGE GEAR SYSTEM





1568-214

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 214 - 001 - 10 | GEAR/30T | | | | | | | |
| 2 | 1564 - 214 - 002 - 30 | SHAFT | | | | | | | |
| 3 | 1594 - 218 - 001 - 00 | BEARING/6305SH2 | | | | | | | |
| 4 | V600 - 110 - 600 - 40 | BEARING.RB/6004 | | | | | | | |
| 5 | 1564 - 217 - 001 - 20 | SHAFT,REVERSE | | | | | | | |
| 6 | V600 - 110 - 630 - 50 | BEARING,RB/6305 | 1 | | | | | | |
| 7 | V600 - 110 - 630 - 60 | BEARING.RB/6306 | 1 | | | | | | |
| 8 | 1564 - 216 - 002 - 20 | GEAR/26T | 1 | | | | | | |
| 9 | V654 - 432 - 371 - 70 | BEARING,NR/KT323717 | 2 | | | | | | |
| 10 | 1560 - 216 - 008 - 30 | WASHER/25X46X3 | 1 | | | | | | |
| 11 | 1524 - 209 - 200 - 00 | CYNCHRONIZER ASSY | 1 | | | | | | |
| 12 | 1488 - 209 - 242 - 00 | CUP,SYNCHRO | 2 | | | | | | |
| 13 | V706 - 140 - 050 - 00 | RING.SNAP | 2 | | | | | | |
| 14 | 1564 - 216 - 003 - 20 | GEAR/25T | 1 | | | | | | |
| 15 | V654 - 432 - 371 - 70 | BEARING,NR/KT323717 | 2 | | | | | | |
| 16 | 1564 - 216 - 004 - 10 | WASHER/30X46X03 | 1 | | | | | | |
| 17 | 1564 - 218 - 001 - 20 | GEAR/33- 29T | 1 | 1--34 | 1--238 | | | | |
| 17A | 1599 - 218 - 001 - 00 | GEAR,HERICAL/33 - 29 | 1 | 35- | 239- | | | | |
| 18 | 1597 - 218 - 001 - 00 | BEARING.RB | 2 | | | | | | |

# FIG. 27 P.T.O. DRIVE SHAFT SYSTEM


IE 15 TYPE)




IEXCEPT E15 TYPE)

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 221 - 001 - 20 | GEAR,HERICAL/33 | 1 | * | * | | | | |
| 2 | 1564 - 221 - 002 - 40 | SHAFT,IDLE | 1 | * | * | | | | |
| 3 | 1597 - 218 - 001 - 00 | BEARING,RB | 2 | * | * | | | | |
| 4 | 1564 - 221 - 003 - 20 | SHAFT,PTO | 1 | 1--33 34- | 1--272 273- | | | | |
| 4A | 1564 - 221 - 005 - 00 | SHAFT,PTO | 1 | | | | | | |
| 5 | V600 - 110 - 630 - 50 | BEARING,RB/6305 | 1 | * | * | | | | |
| 6 | V600 - 110 - 600 - 50 | BEARING,RB/6005 | 2 | * | * | | | | |
| 7 | V600 - 110 - 620 - 50 | BEARING,RB/6205 | 1 | * | * | | | | |
| 8 | 1599 - 221 - 003 - 00 | GEAR/31T | 1 | 1--33 34- | 1--272 273- | | | | |
| 8A | 1564 - 221 - 006 - 00 | GEAR/31T | 1 | | | | | | |
| 9 | 1561 - 221 - 007-40 | WASHER/25X46X4 | 1 | * | * | | | | |
| 10 | 1561 - 221 - 008 - 40 | WASHER/26X35X03 | 1 | 1--41 42- | 1--327 328- | | | | |
| IOA | 1593 - 307 - 052 - 10 | COLLAR/26X35X03 | 1 | | | | | | |
| 11 | 1596 - 221 - 200 - 00 | CLUTCH,PTO ASSY | 1 | 1--33 | 1--272 | | | | |
| 12 | 1596 - 221 - 201 - 00 | COVER ASSY | 1 | 1--33 | 1--272 | | | | |
| 13 | 1446 - 216 - 202 - 10 | PISTON | 1 | 1--33 | 1--272 | | | | |
| 14 | 1446 - 21 6 - 21 6 - 00 | RING,SEAL (A) SET | 1 | 1--33 | 1--272 | | | | |
| 15 | 1596 - 221 - 202 - 00 | PLATE,DISK SET | 1 | 1--33 | 1--272 | | | | |
| 16 | 1446 - 216 - 207 - 10 | PLATE,BACK | 1 | 1--33 | 1--272 | | | | |
| 17 | V705 - 140 - 095 - 00 | RING,SNAP/95 C | 1 | 1--33 | 1--272 | | | | |
| 18 | 1446 - 216 - 208 - 00 | SPRING,RETURN | 1 | 1--33 | 1--272 | | | | |
| 19 | 1446 - 216 - 209 - 00 | WASHER | 1 | 1--33 | 1--272 | | | | |
| 20 | V704 - 140 - 036 - 00 | RING,SNAP/36 C | 1 | 1--33 | 1--272 | | | | |
| 21 | 1446 - 21 6 - 21 3 - 10 | PLATE,RETURN | 1 | 1--33 | 1--272 | | | | |
| 22 | 1594 - 221 - 203 - 00 | DISK BRAKE | 1 | 1--33 | 1--272 | | | | |


# FIG. 27 p.T.a. DRIVE SHAFT SYSTEM




1597 221

| KEY | PART CODE | DESCRIPTION | OTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | 1446 - 21 6 - 21 8 - 00 | RING,SEAL (B) SET | 1 | I--33 | I--272 | | | | |
| 24 | 1564 - 221 - 200 - 20 | CLUTCH ASSY | 1 | I--34 | I--238 | | | | |
| 24A | 1564 - 221 - 200 - 30 | CLUTCH ASSY | 1 | 35- | 239- | | | | |
| 25 | 1564 – 221 - 201 - 00 | CASE | 1 | * | * | | | | |
| 26 | 1564 - 221 - 202 - 00 | PISTON | 1 | * | * | | | | |
| 27 | 1564 - 221 - 208 - 00 | RING,SEAL/A SET | 1 | * | * | | | | |
| 28 | 1564 - 221 - 205 - 00 | DISC,PLATE SET | 1 | * | * | | | | |
| 29 | 1564 – 221 - 203 - 00 | PLATE ASSY | 1 | * | * | | | | |
| 30 | V705 - 140 - 095 - 00 | RING.SNAP/95 C | 1 | * | * | | | | |
| 31 | 1564 – 221 - 204 - 00 | SPRING | 4 | ● | * | | | | |
| 32 | 1564 - 221 - 206 - 00 | PLATE | 1 | * | ● | | | | |
| 33 | 1564 – 221 – 207 - 00 | DISC,BRAKE | 1 | * | * | | | | |
| 34 | 1446 - 216 - 218 - 00 | RING,SEAL (B) SET | 1 | * | * | | | | |
| 35 | 1568 - 220 - 001 - 10 | SHAFT,PTO | 1 | * | * | | | | |
| 36 | 1414 – 120 - 006 - 00 | COUPLING/36X62 | 2 | I--51 | I--385 | | | | |
| 36A | 1560 - 220 - 004 - 00 | COUPLING/36X62 | 2 | 52- | 386- | | | | |
| 37 | 1564 - 221 - 001 – 20 | GEAR,HERICAL/33 | 1 | | ● | | | | |
| 38 | 1564 - 221 - 002 - 40 | SHAFT,IDLE | 1 | | ● | | | | |
| 39 | 1597 – 218 - 001 - 00 | BEARING.RB | 2 | | * | | | | |
| 40 | 1564 – 220 - 001 - 20 | SHAFT,PTO | 1 | | ● | | | | |
| 41 | 1594 - 21 8 - 001 - 00 | BEARING/6305SH2 | 1 | | * | | | | |
| 42 | V600 - 11 0 - 600 - 50 | BEARING,RB/6005 | 2 | | * | | | | |
| 43 | 1599 - 220 - 001 - 00 | GEAR.HERICAL/31 | 1 | | * | | | | |
| 44 | 1568 – 220 - 001 - 10 | SHAFT.PTa | 1 | | * | | | | |
| 45 | 1414 - 120 - 006 - 00 | COUPLING/36X62 | 2 | | 1--385 | | | | |


# FIG. 27 P.T.D. DRIVE SHAFT SYSTEM




1567-220

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 45A | 1560 - 220 - 004 - 00 | COUPLING/36X62 | 2 | | 386- | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 28 MAIN CHANGE SYSTEM




1566 223

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | TOR C | TOR L | TOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 223 - 005 - 00 | STAY,SHIFT/1ST | | | | | | | |
| 2 | 1564 - 223 - 006 - 00 | STAY,SHIFT/3RD | | | | | | | |
| 3 | V580 - 140 - 602 - 50 | PIN,SPRING/6 X25 W | 2 | | | | | | |
| 4 | V590 - 131 - 015 - 00 | WIRE/I.OX150 | 2 | | | | 1 | | |
| 5 | 1302 - 225 - 003 - 00 | SPRING,SHIFTER | 2 | | | | | | |
| 6 | V682 - 200 - 001 - 00 | BALL,STEEL/5/16 | 2 | | | | | | |
| 7 | 1564 - 223 - 003 - 30 | LINK | 1 | | | | | | |
| 8 | 1564 - 223 - 004 - 30 | LINK | 1 | | | | | | |
| 9 | 1560 - 223 - 016 - 00 | 8OLT/M8X16 | 2 | | | | | | |
| 101560-223-012-40 | | PIN | 1 | | | | | | |
| 11 | V710 - 140 - 007 - 00 | RING,SNAP/7 E | | | | | | | |
| 12 | 1560 - 223 - 007 - 40 | GUIDE | 1 | | | | | | |
| 13 | V211 - 560 - 801 - 60 | 8OLT,SEMS | 2 | | | | | | |
| 14 | 1561 - 223 - 002 - 50 | METAL,MAIN | 1 | | | | | | |
| 15 | V201 - 360 - 805 - 00 | 8OLT/M8X50 | 2 | | | | | | |
| 16 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | | | | | |
| 17 | 1560 - 223 - 008 - 50 | SEAL | 1 | | | | | | |
| 18 | V201 - 360 - 805 - OB | BOLT/M8X50 | 1 | | | | | | |
| 19 | 1560 - 223 - 001 - 60 | FORK,MAIN SHIFT | 1 | I--34 35--43 44- | I--238 239--335 336- | | | | |
| 19A | 1560 - 223 - 001 - 70 | FORK,SHIFT/MAIN | 1 | | | | | | |
| 19B | 1560 - 223 - 001 - 80 | FORK,SHIFT/MAIN | 1 | | | | | | |
| 20 | 1560 - 223 - 002 - 50 | FORK,MAIN/SHIFT | 1 | I--34 35- | I--238 239- | | | | |
| 20A | 1560 - 223 - 002 - 60 | FORK,SHIFT/MAIN | | | | | | | |


# FIG. 29 REVERSE CHANGE SYSTEM




1564 226A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 225 - 001 - 50 | METAL | 1 | * | * | | | | |
| 2 | V211 - 360 - 802 - 00 | BOLT (SP) M8X20 | 4 | * | * | | | | |
| 3 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | * | * | | | | |
| 4 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | * | * | | | | |
| 5 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | * | * | | | | |
| 6 | 1560 - 225 - 002 - 30 | STAY | 1 | I--43 44--52 53- | I--335 336--391 392- | | | | |
| 6A | 1560 - 225 - 002 - 40 | STAY,SHIFT/REVERSE | 1 | | | | | | |
| 6B | 1560 - 225 - 002 - 50 | STAY,SHIFT/REVERSE | 1 | | | | | | |
| 7 | V211 - 560 - 802 - 50 | SOLT,SEMS/M8X25 7T | 2 | I--43 44- | I--335 336- | | | | |
| 7A | 1415 - 121 - 009 - 00 | BOLT,REAMER/M8X25 | 2 | | | | | | |
| 8 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | * | * | | | | |
| 9 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | * | * | | | | |
| 10 | 1564 - 226 - 001 - 20 | FORK,SHIFT/REVERSE | 1 | I--34 35- | I--238 239- | | | | |
| 10A | 1564 - 226 - 001 - 30 | FORK,SHIFT/REVERSE | 1 | | | | | | |
| 11 | 1302 - 225 - 003 - 00 | SPRING,SHIFTER | 1 | * | * | | | | |
| 12 | V682 - 200 - 001 - 00 | BALL,STEEL/5/16 | 1 | * | * | | | | |
| 13 | 1560 - 225 - 220 - 00 | ARM | 1 | * | * | | | | |
| 14 | V51 1 - 100 - 603 - 60 | PIN/6X30 | 1 | * | * | | | | |
| 15 | V744 - 114 - 250 - 70 | SEAL,OIL/TC14257 | 1 | * | * | | | | |
| 16 | 1366 - 701 - 202 - 00 | WASHER/14X32X2 | 1 | * | * | | | | |


# FIG. 30 TRANSMISSION CASE (SPACER) SYSTEM




1568 230

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 230 - 001 - 70 | CASE,TRANSMISSION | 1 | * | * | | | | |
| 2 | V251 - 341 - 208 - 00 | SOLT,STUD/M 1OX25 | 1 | * | * | | | | |
| 3 | V201 - 361 - 404 - 00 | SOLT/MI4X40 | 5 | * | * | | | | |
| 4 | V201 - 361 - 404 - 50 | SOLT/MI4X45 | 1 | * | * | | | | |
| 5 | V201 - 361 - 405 - 00 | SOLT,MI4X50,7T | 1 | | * | | | | |
| 6 | V304 - 460 - 012 - 00 | NUT/M12 | 3 | * | * | | | | |
| 7 | V401 - 160 - 01 4 - 00 | WASHER,SP/M 14 | 6 | * | * | | | | |
| 8 | V201 - 361 - 204 - 00 | SOLT/M 12X40 | 2 | * | * | | | | |
| 9 | V201 - 361 - 204 - 00 | SOLT/M 12X40 | 1 | | * | | | | |
| 10 | V201 - 361 - 205 - 00 | SOLT/M 12X50 | 1 | | * | | | | |
| 11 | V401 - 160 - 012-00 | WASHER,SP/MI2 | 5 | * | * | | | | |
| 12 | V520 - 101 - 002 - 20 | PIN,ST/1 OX22 | 4 | * | * | | | | |
| 13 | V251 - 260 - 802 - 00 | STUD/M 8X20 | 2 | * | * | | | | |
| 14 | V251 - 260 - 802 - OC | STUD/M 8X20 | 2 | * | * | | | | |
| 15 | V781 - 100 - 000 - 80 | PLUG | 1 | * | * | | | | |
| 16 | V781 - 160 - 000 - 88 | PLUG/PTI/2 | 1 | * | * | | | | |
| 17 | V781 - 160 - 000 - 80 | PLUG/PT1/2 | 1 | * | * | | | | |
| 18 | V781 - 160 - 000 - 88 | PLUG/PTI/2 | 1 | * | * | | | | |
| 19 | V201 - 361 - 404 - 00 | SOLT/M 14X40 | 2 | * | * | | | | |
| 20 | V304 - 460 - 014 - 00 | NUT/MI4 | 2 | * | * | | | | |
| 21 | V201 - 361 - 210 - 00 | SOLT/MI2XI00 | 2 | * | * | | | | |
| 22 | V201 - 361 - 203 - 50 | SOLT/MI2X35 | 2 | * | * | | | | |
| 23 | V304 - 460 - 01 2 - 00 | NUT/MI2 | 2 | * | * | | | | |
| 24 | V401 - 160 - 01 2 - 00 | WASHER,SP/MI2 | 6 | * | * | | | | |
| 25 | V401 - 160 - 014 - 00 | WASHER,SP/M 14 | 4 | * | * | | | | |


# FIG. 30 TRANSMISSION CASE (SPACER) SYSTEM




1560 230A

| KEY | PART CODE | DESCRIPTION | ory | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRp | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1560 - 230 - 002 - 00 | COVER | 1 | * | | | | | |
| 27 | 1444 - 301 – 004 - 00 | PACKING,COVER | 1 | * | | | | | |
| 28 | V211 – 360 - 801 - 60 | BOLT,SEMS (SP) | 2 | * | | | | | |
| 29 | V304 - 260 008 – 00 | NUT/M 8 | 2 | * | | | | | |
| 30 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | * | | | | | |
| 31 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | * | | | | | |
| 32 | 1564 - 233 - 201 - 60 | METAL,REVERSE | 1 | * | * | | | | |
| 33 | V707 - 140 - 062 - 00 | RING,SNAP | 1 | * | * | | | | |
| 34 | V707 - 140 - 072 - 00 | RING,SNAP | 1 | * | * | | | | |
| 35 | V720 - 112 - 401 - 40 | O-RING/P14 | 1 | * | * | | | | |
| 36 | V201 - 261 - 203 – 00 | BOLT/M 12X30 | 4 | * | * | | | | |
| 37 | V401 - 160 - 012 - 00 | WASHER,SP/M 12 | 4 | * | * | | | | |
| 38 | 1326 - 706 - 002 - 10 | PLUG,DRAIN | 1 | * | * | | | | |


# FIG. 31 TRANSMISSION CASE (SPACER) SYSTEM (E21 TYPE)





1597 230

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 1 | 1596 - 230 - 001 - 00 | CASE,TRANSMISSION | 1 | | * | | | | |
| 2 | V251 - 341 - 208 - 00 | BOLT,STUD/M10X25 | 1 | | * | | | | |
| 3 | V201 - 361-404-00 | BOLT/M14X40 | 5 | | * | | | | |
| 4 | V201 - 361 - 404 - 50 | BOLT/M14X45 | 1 | | * | | | | |
| 5 | V304 - 460 - 01 2 - 00 | NUT/M12 | 3 | | * | | | | |
| 6 | V401 - 160-014-00 | WASHER,SP/M 14 | 6 | | * | | | | |
| 7 | V201-361 - 204-00 | BOLT/M 12X40 | 2 | | * | | | | |
| 8 | V401-160 - 012 - 00 | WASHER,SP/M12 | 5 | | * | | | | |
| 9 | V520 - 101 - 002 - 20 | PIN,ST/1 OX22 | 4 | | * | | | | |
| 10 | V251 - 260 - 802 - 00 | STUD/M 8X20 | 2 | | * | | | | |
| 11 | V781 - 100 - 000 - 80 | PLUG | 1 | | * | | | | |
| 12 | V781 -160 - 000-88 | PLUG/PT1/2 | 1 | | * | | | | |
| 13 | V781 - 160 - 000 - 80 | PLUG/PT1/2 | 1 | | * | | | | |
| 14 | V781 - 160 - 000 - 88 | PLUG/PT1/2 | 1 | | * | | | | |
| 15 | V201 - 361 - 404 - 00 | BOLT/M 14X40 | 2 | | * | | | | |
| 16 | V304 - 460 - 014 - 00 | NUT/M14 | 2 | | * | | | | |
| 17 | V201-361 - 210-00 | BOLT/M12X100 | 2 | | * | | | | |
| 18 | V201 - 361 - 203 - 50 | BOLT/M 12X35 | 2 | | * | | | | |
| 19 | V304 - 460 - 01 2 - 00 | NUT/M12 | 2 | | * | | | | |
| 20 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 6 | | * | | | | |
| 21 | V401 - 160 - 014 - 00 | WASHER,SP/M14 | 4 | | * | | | | |

# FIG. 32 REAR TRANSMISSION CASE SYSTEM




IE 15 TYPE)





(KEY 7,8,9 ror EXCEPT EI5 TYPE)
(KEY 11 , 12,13 ror EXCEPT E61. E41P EI5 TYPE)

1597-240A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 240 - 001 - 00 | CASE,TRANSMISSION | 1 | I--41 42- | I--329 330- | | | | |
| 1A | 1597 - 240 - 001 - 10 | CASE,TRANSMISSION | 1 | | | | | | |
| 2 | 1568 - 240 - 001 - 50 | CASE,TRANSMISSION | 1 | | I--327 328- | | | | |
| 2A | 1634 - 240 - 001 - 00 | CASE,TRANSMISSION | 1 | | | | | | |
| 3 | V251 - 341 - 403 - 20 | BOLT,STUD/M14X32 | 2 | * | * | | | | |
| 4 | V251 - 341 - 203 - 20 | BOLT/M12X32 | 2 | * | * | | | | |
| 5 | V520 - 101 - 002 - 20 | PIN,ST/1 OX22 | 8 | * | * | | | | |
| 6 | 1425 - 433 - 018 - 00 | CAP,BLANK/72 | 1 | * | * | | | | |
| 7 | 1444 - 314 - 009 - 10 | CAP,PTO SHAFT | 1 | * | * | | | | |
| 8 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 2 | * | * | | | | |
| 9 | 1427 - 317 - 004 - 00 | CAP,BLANK/M14 | 4 | * | * | | | | |
| 10 | 1427 - 317 - 004 - 00 | CAP,BLANK/M14 | 8 | | * | | | | |
| 11 | 1596 - 240 - 200 - 00 | BRACKET COMP | 1 | | * | | | | |
| 12 | V211 - 260 - 802 - 50 | BOLT/S | 1 | | * | | | | |
| 13 | V21 1 - 260 - 802 - 00 | BOLT,S/M8X20 | 1 | | * | | | | |
| 14 | 1596 - 240 - 001 - 00 | PLATE | 1 | * | * | | | | |
| 15 | 1596 - 240 - 002 - 00 | GASKET | 1 | * | * | | | | |
| 16 | V211 - 261 - 002 - 50 | BOLT (S) M10X25 | 6 | * | * | | | | |


# FIG. 33 SUB CHANGE GEAR SYSTEM




1564-243

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 1 | 1564-243-001-30 | GEAR,SPAR/16 | 1 | * | * | | | | |
| 2 | V654-430-351-70 | BEARING,NR/KT253525 | 2 | * | * | | | | |
| 3 | 1564-243-002-10 | COLLAR/30X34X10 | 1 | * | * | | | | |
| 4 | 1564-243-003-20 | WASHER/30X50X04 | 1 | * | * | | | | |
| 5 | 1564-243-004-20 | GEAR,SPAR/41 | 1 | * | * | | | | |
| 6 | 1564-243-011-00 | HUB/30X62X19 | 1 | * | * | | | | |
| 7 | 1524-236-005-00 | COUPLING,SIDE | 1 | * | * | | | | |
| 8 | V704-140-030-00 | RING,SNAP/30 C | 1 | * | * | | | | |
| 9 | 1564-243-005-30 | SHAFT | 1 | * | * | | | | |
| 10 | V600-110-620-70 | BEARING,RB/6207 | 2 | * | * | | | | |
| 11 | 1564-243-006-20 | GEAR/24T | 1 | * | * | | | | |
| 12 | V706-140-040-00 | RING,SNAP | 1 | * | * | | | | |
| 13 | 1596-243-001-00 | GEAR,HERICAL/36 | 1 | * | * | | | | |
| 14 | 1564-243-007-30 | GEAR,HERICAL/39 | 1 | | * | | | | |
| 15 | V654-445-501-70 | BEARING,KT455017 | 1 | * | * | | | | |
| 16 | 1560-243-013-40 | BUSH/40X58X29 | 1 | * | * | | | | |
| 17 | 1560-243-015-40 | COLLAR/46X50X8 | 1 | * | * | | | | |
| 18 | 1560-243-017-30 | HUB | 1 | * | * | | | | |
| 19 | 1524-236-005-00 | COUPLING,SIDE | 1 | * | * | | | | |
| 20 | 1564-243-008-20 | GEAR/40T | 1 | * | * | | | | |
| 21 | V654-445-501-70 | BEARING,KT455017 | 1 | * | * | | | | |
| 22 | 1560-243-013-40 | BUSH/40X58X29 | 1 | * | * | | | | |
| 23 | 1560-243-015-40 | COLLAR/46X50X8 | 1 | * | * | | | | |
| 24 | 1596-250-001-00 | GEAR/32-11 | 1 | * | * | | | | |
| 25 | 1564-250-001-20 | GEAR/35-11 | 1 | | * | | | | |


# FIG. 33 SUB CHANGE GEAR SYSTEM




1566 250

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 26 | V600 - 110 - 620 - 50 | BEARING,RB/6205 | 1 | * | * | | | | |
| 27 | 1560 - 214 - 003 – 00 | BEARING/6304SH2 | 1 | * | * | | | | |
| 28 | 1569 - 262 - 004 - 00 | GEAR/27T | 1 | * | * | | | | |


# FIG. 34 SUB SHIFT SYSTEM




1564-259

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 259 - 001 - 30 | STAY,SHIFT/SUB | 1 | * | * | | | | |
| 2 | 1564 - 259 - 002 - 30 | FORK,SHIFT/SUB | 1 | I--34 | I--238 | | | | |
| 2A | 1564 - 259 - 002 - 40 | FORK,SHIFT/SUB | 1 | 35- | 239- | | | | |
| 3 | 1564 - 259 - 003 - 30 | FORK,SHIFT/SUB | 1 | 1--34 | 1--238 | | | | |
| 3A | 1564 - 259 - 003 - 40 | FORK,SHIFT/SUB | 1 | 35- | 239- | | | | |
| 4 | 1302 - 225 - 003 - 00 | SPRING,SHIFTER | 2 | * | * | | | | |
| 5 | V682 - 200 - 001 - 00 | BALL,STEEL | 2 | * | * | | | | |
| 6 | 1560 - 259 - 01 2 - 30 | GUIDE | 1 | * | * | | | | |
| 7 | V211 - 261 - 002 - 00 | BOLT,SEMS | 2 | * | * | | | | |
| 8 | 1560 - 259 - 001 - 40 | METAL | 1 | * | * | | | | |
| 9 | V211 - 660 - 802 - 50 | BOLT/M8X25 | 2 | * | * | | | | |
| 10 | V201 - 360 - 806 - 50 | SOLT/M8X65 7T | 2 | * | * | | | | |
| 11 | V401 -160 - 008-00 | WASHER,SP/M 8 | 2 | * | * | | | | |
| 12 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | * | * | | | | |


# FIG. 35 4WD DRIVE GEAR SYSTEM (F TYPE)




1565 262A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 261 - 004 - 00 | SHAFT | 1 | | * | | | | |
| 2 | V600 - 110 - 600 - 50 | BEARING,RB/6005 | 1 | | * | | | | |
| 3 | 1564 - 263 - 002 - 00 | BEARING,RB62052RDC3 | 1 | | * | | | | |
| 4 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | 2 | | * | | | | |
| 5 | V744 - 125 - 470 - 80 | SEAL,OIL/TC25478 | 1 | | * | | | | |
| 6 | 1569 - 262 - 005 - 00 | GEAR/25T | 1 | | * | | | | |
| 7 | V705 - 140 - 047 - 00 | RING,SNAP/47 C | 1 | | * | | | | |
| 8 | 1560 - 265 - 002 - 00 | METAL | 1 | | 1- -202 | | | | |
| 8A | 1560 - 265 - 002 - 10 | METAL,SHIFT | 1 | | 203- | | | | |
| 9 | 1302 - 225 - 003 - 00 | SPRING,SHIFTER | 1 | | * | | | | |
| 10 | V682 - 200 - 001 - 00 | BALL,STEEL | 1 | | * | | | | |
| 11 | V21 1 - 260 - 802 - 00 | SOLT,S/M8X20 | 2 | | * | | | | |
| 12 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | * | | | | |
| 13 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | * | | | | |
| 14 | 1560 - 265 - 220 - 20 | ARM COMP | 1 | | * | | | | |
| 15 | V720 - 102 - 401 - 40 | O-RING/P14 | 1 | | * | | | | |
| 16 | 1560 - 265 - 230 - 00 | ARM,PLATE COMP | 1 | | * | | | | |
| 17 | V580 - 140 - 602 - 50 | PIN,SPRING/6 X25 W | 1 | | * | | | | |


# FIG. 36 P.T.O. COUNTER GEAR AND P.IO CHANGE GEAR SYSTEM (E15 TYPE)




1597-270A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 270 - 001 - 00 | GEAR,HERICAL | 1 | | * | | | | |
| 2 | 1568 - 270 - 001 - 00 | BEARING,SNAP RING | 1 | | * | | | | |
| 3 | 1568 - 270 - 002 - 00 | BEARING,RB/6306 | 1 | | * | | | | |
| 4 | 1597 - 273 - 001 - 00 | SHAFT,PTO | 1 | | * | | | | |
| 5 | 1568 - 270 - 001 - 00 | BEARING,SNAP RING | 1 | | * | | | | |
| 6 | 1568 - 273 - 001 - 00 | BEARING,RB62052RDC3 | 1 | | 1--238 | | | | |
| 6A | 3653 - 108 - 007 - 00 | BEARING,RB | 1 | | 239- | | | | |
| 7 | 1597 - 273 - 002 - 00 | GEAR,HERICAL/36 | 1 | | 1--238 | | | | |
| 7A | 1597 - 273 - 002 - 10 | GEAR,HERICAL/36 | 1 | | 239- | | | | |
| 8 | V654 - 435 - 402 - 60 | BEARING,NR/KT354026 | 1 | | * | | | | |
| 9 | 1564 - 273 - 008 - 20 | WASHER/35X55X03 | 1 | | * | | | | |
| 10 | 1564 - 273 - 005 - 20 | HUB/35X62X20 | 1 | | * | | | | |
| 11 | 1524 - 236 - 005 - 00 | COUPLING,SIDE | 1 | | | | | | |
| 12 | 1597 - 273 - 003 - 00 | GEAR,HERICAL/33 | 1 | | * | | | | |
| 13 | V654 - 440 - 452 - 70 | BEARING,NR/KT404527 | 1 | | * | | | | |
| 14 | 1564 - 273 - 008 - 20 | WASHER/35X55X03 | 1 | | * | | | | |
| 15 | 1564 - 273 - 007 - 20 | BUSH/35X40X37 | 1 | | * | | | | |
| 16 | 1597 - 273 - 004 - 00 | GEAR,HERICAL/28 | 1 | | * | | | | |
| 17 | V654 - 440 - 452 - 70 | BEARING,NR/KT404527 | 1 | | * | | | | |
| 18 | 1564 - 273 - 003 - 20 | BUSH/35X56X30 | 1 | | * | | | | |
| 19 | 1597 - 273 - 005 - 00 | HUB/35X64X41 | 1 | | * | | | | |
| 20 | 1524 - 236 - 005 - 00 | COUPLING,SIDE | 1 | | * | | | | |
| 21 | V744 - 145 - 600 - 90 | SEAL,OIL/TC45609 | 1 | | * | | | | |
| 22 | 1596 - 273 - 200 - 10 | METAL,SEAL COMP | 1 | | * | | | | |
| 23 | 1560 - 273 - 003 - 00 | METAL | 1 | | I--138 | | | | |

# FIG. 36 P.T.O. COUNTER GEAR AND P.T.O CHANGE GEAR SYSTEM (E15 TYPE)





1507 273A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23A | 1632 - 273 - 200 - 00 | SEAL,OIL ASSY | 1 | | 139- | | | | |
| 24 | 1524 - 244 - 005 - 00 | a-RING | 1 | | 1- -138 | | | | |
| 25 | 1426 - 258 - 200 - 10 | SEAL ASSY | 1 | | 1- -138 | | | | |
| 26 | 7964 - 201 - 007 - 00 | SHIM C T= 0.5 | 1 | | 1- -335 | | | | |
| 27 | 7964 - 201 - 008 - 00 | SHIM B T=0.198 | 1 | | * | | | | |
| 28 | 1632 - 273 - 003 - 00 | SHIM/O.5 | 1 | | * | | | | |
| 29 | 1632 - 273 - 004 - 00 | COVER,PLATE | 1 | | * | | | | |
| 30 | V211 - 260 - 801 - 60 | SOLT,SEMS (S) M8X16 | 2 | | * | | | | |
| 31 | 7964 - 201 - 008 - 00 | SHIM B T=O.198 | 1 | | T | | | | |
| 32 | 1632 - 273 - 003 - 00 | SHIM/O.5 | 1 | | T | | | | |
| 33 | V707 - 140 - 072 - 00 | RING,SNAP | 1 | | * | | | | |

# FIG. 37 P.T.O. COUNTER GEAR AND PIO. CHANGE GEAR SYSTEM (EXCEPT E15 TYPE)

(KEY 20,21 lor P TYPE)





1597-270B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1595 - 270 - 001 - 00 | GEAR,HERICAL/18 - 12 | 1 | I--16 17- | I--138 139- | | | | |
| 1A | 1532 - 270 - 001 - 00 | GEAR/18 - 12T | 1 | | | | | | |
| 2 | 1597 - 270 - 002 - 00 | BEARING/6305 | 1 | I--34 35- | I--238 239- | | | | |
| 2A | 1558 - 270 - 001 - 00 | BEARING,SNAP RING | 1 | | | | | | |
| 3 | 7932 - 201 - 002 - 00 | BEARING,RB/6306SH2 | 1 | I--34 | I--238 | | | | |
| 3A | 1568 - 270 - 002 - 00 | BEARING,RB/6306 | 1 | 35- | 239- | | | | |
| 4 | 1595 - 273 - 001 - 00 | SHAFT,PTa | 1 | I--16 17- | I--138 139- | | | | |
| 4A | 1532 - 273 - 001 - 00 | SHAFT,PTO | 1 | | | | | | |
| 5 | 1597 - 270 - 002 - 00 | BEARING/6305 | 1 | I--34 35- | I--238 239- | | | | |
| 5A | 1568 - 270 - 001 - 00 | BEARING,SNAP RING | 1 | | | | | | |
| 6 | 1568 - 273 - 001 - 00 | BEARING | 1 | * | * | | | | |
| 7 | 1596 - 273 - 002 - 00 | GEAR/30T | 1 | * | * | | | | |
| 8 | V654 - 440 - 452 - 70 | BEARING,NR/KT404527 | 1 | * | * | | | | |
| 9 | 1554 - 273 - 007 - 20 | BUSH/35X40X37 | 1 | I--34 35- | I--238 239- | | | | |
| 9A | 1564 - 273 - 004 - 20 | BUSH/35X40X29 | 1 | | | | | | |
| 10 | 1554 - 273 - 008 - 20 | WASHER/35X55X03 | 1 | * | * | | | | |
| 11 | 1554 - 273 - 005 - 20 | HUB/35X62X20 | 1 | * | * | | | | |
| 12 | 1524 - 235 - 005 - 00 | COUPLING,SIDE | 1 | * | * | | | | |
| 13 | 1595 - 273 - 005 - 00 | GEAR,HERICAL/36 | 1 | I--16 17- | I--138 139- | | | | |
| 13A | 1532 - 273 - 002 - 00 | GEAR/36T | 1 | | | | | | |
| 14 | V554 - 435 - 402 - 50 | BEARING,NR/KT354026 | 1 | * | * | | | | |
| 15 | 1554 - 273 - 008 - 20 | WASHER/35X55X03 | 1 | * | * | | | | |
| 16 | 1596 - 273 - 003 - 00 | COLLAR/49X35X62 | 1 | * | * | | | | |
| 17 | 1550 - 273 - 003 - 00 | METAL | 1 | I--16 17- | I--138 139- | | | | |
| 17A | 1532 - 273 - 200 - 00 | SEAL,OIL ASSY | 1 | | | | | | |

# FIG. 37 Pla. COUNTER GEAR AND P.T.O. CHANGE GEAR SYSTEM (EXCEPT E15 TYPE)


(KEY 20,21 [or P TYPE)




1567 2738

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 18 | 1524 - 244 - 005 - 00 | O-RING | 1 | I--16 | I--138 | | | | |
| 19 | 1426 - 258 - 200 - 10 | SEAL ASSY | 1 | I--16 | I--138 | | | | |
| 20 | 1632 - 273 - 004 - 00 | COVER,PLATE | 1 | | * | | | | |
| 21 | V21 1 - 360 - 801 - 60 | BOLT,SEMS (SP) | 2 | | * | | | | |
| 22 | V707 - 140 - 072 - 00 | RING,SNAP/72C | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 38 MID P.T.O. SET (OPTION)




1596-272

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | REMARKS |
|---|---|---|---|---|---|---|
| 1 | 1596-272-200-00 | PTO,MID SET | 1 | | | |
| 2 | 1596-272-001-00 | CASE,PTO/MID | 1 | | | |
| 3 | V211-261-003-00 | BOLT (S) M10X30 | 6 | | | |
| 4 | V520-101-002-20 | PIN,ST/10X22 | 2 | | | |
| 5 | V707-140-072-00 | RING,SNAP/72C | 1 | | | |
| 6 | V781-160-000-68 | NIPPLE/PT3/8 | 1 | | | |
| 7 | 1596-272-005-00 | SHAFT,PTO/MID | 1 | | | |
| 8 | 1596-272-004-00 | GEAR,HERICAL/30 | 1 | | | |
| 9 | V600-110-620-70 | BEARING,RB/6207 | 2 | | | |
| 10 | 1560-273-003-00 | METAL | 1 | | | |
| 11 | 1524-244-005-00 | O-RING | | | | |
| 12 | 1426-258-200-10 | SEAL ASSY | | | | |
| 13 | 1596-272-002-00 | GEAR,HERICAL/33 | 1 | | | |
| 14 | 1596-272-003-00 | SHAFT | 1 | | | |
| 15 | V607-110-630-50 | R.B.B | 2 | | | |
| 16 | 1435-203-001-00 | COLLAR/25X46X3 | | | | |
| 17 | 1594-272-006-00 | PLATE | | | | |
| 18 | V211-560-801-60 | BOLT,SEMS | 2 | | | |
| 19 | 1444-314-009-10 | CAP,PTO SHAFT | 1 | | | |
| 20 | V211-360-801-60 | BOLT,SEMS (SP) | 2 | | | |


# FIG. 39 p.T.a. SHIFT SYSTEM (EXCEPT E15 TYPE)




1597-275

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 275 – 001 - 00 | STAY,SHIFT/PTO | | | | | | | |
| 2 | V720 - 102 - 401 - 00 | O- RING/PI0A | | | | | | | |
| | 31560 - 223 - 016 - 00 | BOLT/M8X16 | | | | | | | |
| 4 | 1564 - 275 – 003 - 20 | FORK,SHIFT/PTO | | | | | | | |
| 4A | 1564 - 275 - 003 - 30 | FORK,SHIFT/PTO | | | | | | | |
| 5 | 1302 - 225 - 003 - 00 | SPRING,SHIFTER | 1 | | | | | | |
| 6 | V682 - 200 - 001 – 00 | BALL,STEEL | 1 | | | | | | |
| 7 | 1597 - 275 - 001 - 00 | PLATE | 1 | | | | | | |
| 8 | V500 - 163 - 002 - 50 | PIN,SPLIT/3 *X25* | 1 | | | | | | |
| 9 | V500 - 162 - 502 - 00 | PIN,SPLIT/2.5X20 | 2 | | | | | | |
| 10 | 1564 – 275 - 210 - 30 | ARM CaMP | | | | | | | |
| 11 | 1560 - 223-016-00 | BOLT/M8X16 | | | | | | | |
| 12 | 1596 - 275 - 200 - 00 | ARM COMP | | | | | | | |
| 13 | V720 - 102 - 402 - 10 | O- RING/P21 | | | | | | | |
| 14 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | | | | | | | |


# FIG. 40 P.T.D. SHIFT SYSTEM (E15 TYPE)




1597-275A

| KEY | PART CODE | DESCRIPTION | | QTY | TYPE OF MODEL TA545T | TA545F | TORQUE C | TORQUE L | TORQUE P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 275 - 002 - 00 | STAY.SHIFT/PTO | | | | | | | | |
| 2 | V720 - 102 - 401 - 00 | O- RING/P10A | | | | * | | | | |
| 3 | 1560 - 223 - 016 - 00 | BOLT/M8X16 | | 1 | | * | | | | |
| 4 | 1564 - 275 - 002 - 20 | FORK,SHIFT/PTO | | 1 | | 1--238 | | | | |
| 4A | 1564 - 275 - 002 - 30 | FORK,SHIFT/PTO | | 1 | | 239- | | | | |
| 5 | 1564 - 275 - 003 - 20 | FORK.SHIFT/PTO | | 1 | | 1--238 | | | | |
| 5A | 1564 - 275 - 003 - 30 | FORK,SHIFT/PTO | | 1 | | 239- | | | | |
| 6 | 1302 - 225 - 003 - 00 | SPRING.SHIFTER | | 2 | | | | | | |
| 7 | V682 - 200 - 001 - 00 | BALL,STEEL/5/16 | | 2 | | * | | | | |
| 8 | 1568 - 275 - 001 - 20 | PLATE | | 1 | | | | | | |
| 9 | 1597 - 275 - 003 - 00 | PLATE/1ST | | 1 | | | | | | |
| 10 | V500 - 163 - 002 - 50 | PIN,SPLIT/3 X25 | | 2 | | | | | | |
| 11 | V500 - 162 - 502 - 00 | PIN,SPLIT/2.5X20 | | 4 | | * | | | | |
| 12 | 1564 - 275 - 200 - 20 | ARM | COMP | 1 | | * | | | | |
| 13 | 1564 - 275 - 210 - 30 | ARM | COMP | 1 | | | | | | |
| 14 | 1560 - 223 - 016 - 00 | BOLT/M8X16 | | | | | | | | |
| 15 | 1597 - 275 - 200 - 00 | LINK | COMP | | | | | | | |
| 16 | 1564 - 275 - 006 - 30 | PIN/I0 | | | | | | | | |
| 17 | V710 - 140 - 008 - 00 | RING,SNAP/8 E | | | | | | | | |
| 18 | V201 - 360 - 802 - 50 | BOLT.SEAL/M8X25 | | | | | | | | |
| 19 | 1564 - 275 - 260 - 30 | ARM | ASSY | 1 | | | | | | |
| 20 | 3646 - 102 - 011 - 10 | BISH/14X16X20 | | 2 | | * | | | | |
| 21 | 1444 - 307 - 011 - 00 | SEAL,OIL | | 1 | | * | | | | |
| 22 | V720 - 102 - 402 - 10 | O- RING/P21 | | 1 | | * | | | | |
| 23 | 1564 - 275 - 240 - 50 | ARM | COMP | 1 | | | | | | |


# FIG. 40 P.T.O. SHIFT SYSTEM (E15 TYPE)




1587-275A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | V580 - 140 - 602 - 80 | PIN SPLIT W 6.0X16 | 1 | | | | | | |
| 25 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | 1 | | | | | | |
| 26 | 1564 - 275 - 270 - 30 | LINK COMP | 1 | | | | | | |
| 27 | 3646 - 102 - 011 - 10 | BISH/14X16X20 | 1 | | | | | | |
| 28 | 1560 - 285 - 008 - 40 | SPRING | | | | | | | |
| 29 | V201 - 261 - 005 - 00 | BOLT/M10X50 | 1 | | | | | | |
| 30 | V411 - 260 - 010 - 00 | WASHER/M10 | 2 | | | | | | |
| 31 | V305 - 260 - 010 - 00 | NUT/M10 | 2 | | | | | | |
| 32 | 1564 - 275 - 007 - 00 | WASHER/27X40X2 | 1 | | | | | | |


# FIG. 41 SUB SHIFT LEVER SYSTEM




1560-280

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MOOEL TA545T | TA545F | TORQUE C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | V201 - 260 - 801 - 20 | BOLT/M 8X12 | 1 | | | | | | |
| 2 | V705 - 140 - 032 - 00 | RING,SNAP/32 C | 1 | | | | | | |
| 3 | 1560 - 223 - 008 - 50 | SEAL | 1 | | | | | | |
| 4 | 560 - 290 - 006 - 30 | SPRING | 1 | | | | | | |
| 5 | V520 - 100 - 601 - 60 | PIN,ST/6X16 | 1 | | | | | | |
| 6 | 1560 - 280 - 004 - 40 | BOOT | 1 | | | | | | |
| 7 | V590 - 131 - 007 - 00 | WIRE/1.0X70 | 1 | | | | | | |
| 8 | 1560 - 281 - 007 - 40 | GRIP/14X82 | 1 | 1--51 | 1--366 | | | | |
| 8A | 1560 - 281 - 007 - 50 | GRIP/14X82 | 1 | 52- | 367- | | | | |
| 9 | V580 - 140 - 602 - 00 | PIN,SPRING | 1 | * | | | | | |
| 10 | 1596 - 281 - 200 - 00 | LEVER/BAR/16 COMP | 1 | | | | | | |
| 11 | 1596 - 281 - 210 - 00 | LEVER/BAR/16 COMP | 1 | * | | | | | |
| 12 | V201 - 360 - 803 - 50 | BOLT/M8X35 | 1 | * | | | | | |
| 13 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | | | | | |
| 14 | 1568 - 281 - 001 - 00 | LEVER/BAR/16 | 1 | | | | | | |


# FIG. 42 REVERSE LEVER SYSTEM




1566-283

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL GRP | REMARKS |
|---|---|---|---|---|---|---|---|
| 1 | 1566 - 283 - 200 - 30 | LEVER/14 COMP | 1 | • | • | | |
| 2 | V704 - 140 – 014 – 00 | RING.SNAP/14 C | 1 | | | | |
| 3 | 1427 - 601 - 003 - 00 | WASHER/15X24X2 | 2 | | | | |
| 4 | 1544-117 - 005 - 10 | CRIP/I0XI15 | 1 | • | | | |
| 5 | V580 - 140 - 301 - 60 | PIN,SPRING/3 *X16* W | 1 | | | | |
| 6 | 1566 – 284 - 200 - 20 | CABLE,REVERSE ASSY | 1 | 1--43 | 1--335 | | |
| 6A | 1566 - 284 – 200 - 30 | CABLE,REVERSE ASSY | 1 | 44- | 336- | | |
| 7 | 1432 - 242 - 001 - 00 | PIN | 1 | • | • | | |
| 8 | V411 - 260 – 008 – 00 | WASHER,PVM 8 | 2 | | | | |
| 9 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 *X20* | 2 | | | | |
| 10 | V211 - 560 - 801 - 60 | BOLT,SEMS | 1 | | | | |
| 11 | 1566 - 284 - 001 - 40 | PLATE | 1 | | | | |
| 12 | V211 - 660 - 801-60 | BOLT/M8X16 | 2 | | • | | |


# FIG. 43 p.T.a. LEVER AND 4WD LEVER SYSTEM (EXCEPT E15 TYPE)




1556-285

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 285 - 001 - 00 | ROD,PTO | 1 | -53 | -408 | | | | |
| 1A | 1596 – 285 – 001 – 10 | ROD,PTO | 1 | 54- | 409- | | | | |
| 1B | 1597 – 285 – 001 – 00 | ROD,PTO | 1 | -54 55- | -460 461- | | | | |
| 2 | V411 – 260 – 010 – 00 | WASHER/M10 | 1 | | | | | | |
| 3 | V500 – 162 – 002 – 00 | PIN,SPLIT/2 X20 | 1 | | | | | | |
| 4 | 3640 - 220 - 004 – 00 | L - BALL RH | 1 | -34 | -Z04 | | | | |
| 4A | 1560 – 695 – 021 – 00 | JOINT,BALL/M08/RH | 1 | 35- | 205- | | | | |
| 5 | V304 - 260 - 008 – 00 | NUT/M 8 | 2 | - | • | | | | |
| 6 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | | — | — | | | | |
| 7 | 1596 - 285 - 200 - 00 | BRACKET COMP | | * | * | | | | |
| 8 | V211 - 260-801 - 60 | 8OLT,SEMS (S) M8X15 | 4 | | | | | | |
| S | 1596 – 285 – 210 – 00 | LEVER,BAR/12 ASSY | "1 | * | • | | | | |
| io | 3646 – 102 – 011 – 10 | BISH/14X16X20 | 2 | * | • | | | | |
| 11 | V704 – 140 – 014 – 00 | RING,SNAP/14 C | j | | • | | | | |
| i2 | 1427 – 601 – 003 - 00 | WASHER/15X24X2 | j | | • | | | | |
| 13 | 1544 - 21 9 - 005 - 00 | KNOB,LEVER/12 | 1 | | | | | | |
| 14 | 1594 - 285 – 220 - 10 | LEVER COMP | | — | — | | | | |
| 15 | 1564 – 275 - 270 - 30 | LINK COMP | | — | — | | | | |
| 16 | 3646 - 102 - 011 - 10 | BISH/14X15X20 | | — | — | | | | |
| 17 | 1594 - 285 - 003 - 00 | WASHER/14X24X5 | | — | — | | | | |
| 18 | V201 - 261-005-00 | I3OLT/MI0X50 | 1 | | | | | | |
| 19 | 1564 - 275 - 007 - 00 | WASHER/27X40X2 | 1 | | | | | | |
| 20 | V304 - 260 - 010 - 00 | NUT | | 2 | — | | | | |
| 21 | 1544 - 21 8 - 005 - 00 | TUBE/50 | | — | — | | | | |
| 22 | 1544 - 21 9 - 005 - 00 | KNOB,LEVER/12 | 1 | | | | | | |


# FIG. 43 P.T.D. LEVER AND 4WD LEVER SYSTEM (EXCEPT E15 TYPE)




1596-265B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | 1596 – 285 - 230 - 00 | ARM ASSY | 1 | | | | | | |
| 24 | 3646 - 102 – 011 - 10 | BISH/14X16X20 | 2 | | | | | | |
| 25 | 1560 - 285 - 008 - 40 | SPRING | | | | | | | |
| 26 | 1427 - 601 - 003 - 00 | WASHER/15X24X2 | | | | | | | |
| 27 | V704 - 140 - 014 - 00 | RING,SNAP/14 C | | | | | | | |
| 28 | 1594 - 287 - 200 - 00 | LEVER/12 ASSY | 1 | | | | | | |
| 29 | 1560 - 287 - 002 - 30 | BUSH/16X24X16 | 2 | | | | | | |
| 30 | 3621 - 211 - 003 – 00 | WASHER | 1 | | | | | | |
| 31 | V704 - 140 - 016 – 00 | RING,SNAP/16 C | 1 | | | | | | |
| 32 | 1544 - 219 – 005 - 00 | KNOB,LEVER/12 | 1 | | | | | | |
| 33 | 1596 - 288 – 001 - 00 | ROD,PTO | 1 | | | | | | |
| 34 | V411 - 260 - 010 - 00 | WASHER/MI0 | 2 | | | | | | |
| 35 | V500 – 162 - 002 - 00 | PIN,SPLIT/2 X20 | 2 | | | | | | |


# FIG. 44 p.T.a. LEVER AND 4WD LEVER SYSTEM (E15 TYPE)




1597-285

| KEY | PART CO0E | OESCRIPTION | OTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 2 | 1564 - 285 - 200 - 50 | LEVER/BAR/12 COMP | 1 | | | | | | |
| | 1565 – 285 – 210 – 20 | LEVER/BAR/12 COMP | 1 | | | | | | |
| 3 | 1560-223-016-00 | BOLT/M8X16 | 1 | | — | | | | |
| 4 | V304 – 260 – 008 – 00 | NUT/M 8 | 1 | | | | | | |
| 5 | 544 – 219 – 005 – 00 | KNOB,LEVER/1 | 1 | | | | | | |
| 6 | 1565 - 285 - 001 - 30 | GUIDE | 1 | | 1-238 239- | | | | |
| 6A | 565 – 285 – 220 – 00 | GUIDE COMP | 1 | | | | | | |
| 7 | V211 – 261 – 002 – 00 | BOLT,SEMS | 2 | | | | | | |
| 8 | 1564 - 287 - 200 - 20 | BRACKET COMP | 1 | | | | | | |
| 9 | V211 – 260 – 801 – 60 | BOLT,SEMS (S) M8X16 | 4 | | | | | | |
| 10 | 3621-211-003-00 | WASHER | 1 | | | | | | |
| 11 | V704-140-016-00 | RING,SNAP/16C | 1 | | | | | | |
| 12 | 1564 – 287 – 220 – 40 | LEVER,BAR/12 ASSY | 1 | | | | | | |
| 13 | 1560 - 287 - 002 - 30 | BUSH/16X24X16 | 2 | | | | | | |
| 14 | 1544 – 218 – 005 – 00 | TUBE/60 | 1 | | | | | | |
| 15 | 1544 - 219 - 006 - 00 | KNOB/12 | 1 | | | | | | |
| 16 | 1565 – 288 – 201 – 30 | ROD | 1 | | | | | | |
| 17 | V411 – 260 010 – 00 | WASHER/M10 | 2 | | | | | | |
| 18 | V500 – 162 – 002 – 00 | PIN,SPLIT/2 X20 | | | | | | | |
| 19 | 3640 - 220 - 004 - 00 | L - BALL RH | 1 | | 1-204 205- | | | | |
| 19A | 1560 - 695 - 021 - 00 | JOINT,BALL/M08/RH | 1 | | | | | | |
| 20 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | — | | | | |
| 21 | V401 – 160 - 008 - 00 | WASHER,SP/M 8 | 1 | | | | | | |


# FIG. 45 MAIN SHIFT LEVER SYSTEM




1560-290

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | LOCATOR C | LOCATOR L | LOCATOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | V201 - 260 - 801 - 20 | BOLT/M 8X12 | | | | | | | |
| 2 | V705 - 140 - 032 - 00 | RING,SNAP/32 C | | | | | | | |
| 3 | 1560 - 223 - 008 - 50 | SEAL | | | | | | | |
| 4 | V520 - 100 - 601 - 60 | PIN,ST/6X16 | | | * | | | | |
| 5 | 1560 - 290 - 006 - 30 | SPRING | | | * | | | | |
| 6 | 1444 - 218 - 009 - 00 | BOOT,CHANGE LEVER | 1 | • | t | | | | |
| 7 | V590 - 131 - 018 - 00 | WIRE/1.0X180 | 1 | | | | | | |
| 8 | V590 - 131 - 007 - 00 | WIRE/I.OX70 | 1 | | * | | | | |
| 9 | 1560 - 281 - 007 - 40 | GRIP/14X82 | 1 | 1-51 52- | 1--366 367- | | | | |
| 9A | 1560-281-007-50 | GRIP/14X82 | | | | | | | |
| 10 | V580 - 140 - 602 - 00 | PIN,SPRING | 1 | | | | | | |
| 11 | 1596-291-200-00 | LEVER/BAR/16 caMP | 1 | | | | | | |
| 12 | 1596 - 291 - 210 - 00 | LEVER/BAR/16 caMP | 1 | | | | | | |
| 13 | V201 - 360 - 803 - 50 | BOLT/M8X35 | 1 | * | | | | | |
| 14 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | * | | | | |
| 15 | 1566 - 291-200-00 | LEVER,BAR/16 caMP | | | | | | | |
| 16 | 1568-291-200-10 | LEVER/BAR/16 CaMP | | | 1--237 238- | | | | |
| 16A | 1568 - 291 - 210 - 10 | LEVER/BAR/16 CaMP | | | * | | | | |
| 17 | V201 - 360 - 803 - 50 | BOLT/M8X35 | | | | | | | |
| 18 | V304 - 260 - 008 - 00 | NUT/M 8 | | | | | | | |


# FIG. 46 DIFFERENTIAL CASE SYSTEM




1561-302

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | GEAR TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568-302-200-30 | GEAR/IIX48 SET | 1 | | | | | | |
| 2 | 1564-301-001-20 | GEAR/29T | 1 | | | | | | |
| 3 | 1564-301-002-10 | NUT/M36XI.5 | 1 | | | | | | |
| 4 | 1564-301-003-10 | BEARING,TAPER ROLLAR | 2 | | | | | | |
| 5 | 1568-302-001-00 | BEARING,NR/KT253224E | 1 | | | | | | |
| 6 | 1564-301-004-30 | METAL,PINION | 1 | | | | | | |
| 7 | V211-561-002-50 | 8OLT/M10X25 | 4 | | | | | | |
| 8 | 1564-301-005-20 | SHiM T = 0.2 | 4 | | | | | | |
| 9 | 1564-301-006-20 | SHIM T=O.I | 4 | | | | | | |
| 10 | 1513-301-001-10 | CASE,DIFF/LH | 1 | 1--34 | 1--238 | | | | |
| IOA | 1599-303-003-00 | CASE,DIFF/LH | 1 | 35--43 **44-** | 239--335 **336-** | | | | |
| IOB | 1599-303-003-20 | CASE,DIFF/LH | 1 | | | | | | |
| 11 | 1513-301-002-00 | CASE,DIFF/RH | 1 | 1--34 | 1--238 | | | | |
| IIA | 1599-303-006-00 | CASE,DIFF/RH | 1 | 35- | *i39-* | | | | |
| 12 | V401-160-012-00 | WASHER,SP/M12 | 8 | | | | | | |
| 13 | 1524-301-001-00 | BOLT/MI 2X65,S = 15 | 8 | 1--54 **55-** | 1--421 **422-** | | | | |
| 13A | 1599-303-007-00 | BOLT/SM/MI2X1.25X65 | 6 | | | | | | |
| 14 | V304-460-012-00 | NUT/M12 | 8 | 1--54 | 1--421 | | | | |
| 14A | 1599-303-009-00 | NUT,SM/MI2X1.25 | 8 | 55- * | **422-** | | | | |
| 15 | 1599-303-008-00 | BOLT,REAMER | 2 | | | | | | |
| 16 | 1506-301-004-00 | PINION,DIFF;(I2) | 4 | | | | | | |
| 17 | 1513-301-005-00 | COLLAR,PINIONTHRUST | 4 | 1--51 | 1--385 | | | | |
| 17A | 1568-303-003-00 | COLLAR,PINION | 4 | 52- | **386-** | | | | |
| 18 | 1513-301-006-10 | GEAR,DIFF SIDE/20 LH | | I--34 **35-** | I--238 **239-** | | | | |
| IBA | 1599-303-004-00 | GEAR/20T | | | | | | | |


# FIG. 46 DIFFERENTIAL CASE SYSTM




1568-303

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TIC | OIL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 19 | 1513 - 301 - 013 - 00 | GEAR,DIFF SIDE/20 RH | 2 | 1-34 | 1-238 | | | | |
| 19A | 1599 - 303 - 005 - 00 | GEAR,BEVEL/20 | 1 | 35-43 | 239-335 | | | | |
| 19B | 1599 - 303 - 005 - 10 | GEAR/20T | 2 | 44- | 336- | | | | |
| 20 | 1506 - 301 - 007 - 00 | COLLAR,THRUST | 1 | • | • | | | | |
| 21 | 1513 - 301 - 007 - 10 | SHAFT,DIFF PINION | 4 | • | • | | | | |
| 22 | 1568 - 303 - 001 - 20 | METAL,DIFF/LH | 1 | | | | | | |
| 23 | 1568 - 303 - 002 - 20 | METAL,DIFF/RH | 1 | | | | | | |
| 24 | 1513 - 301 - 011 - 00 | SHIM (A) | 8 | | | | | | |
| 25 | 1513 - 301 - 012 - 00 | SHIM (B) | 2 | | | | | | |
| 26 | V211 - 056 - 003 - 00 | BOLT/M10X30 | 12 | • | • | | | | |
| 27 | V600 - 110 - 621 - 40 | BEARING RB 6214 | 2 | | | | | | |
| 28 | 1513 - 302 - 001 - 10 | CLUTCH,DIFF LOCK | 1 | • | • | | | | |
| 29 | 1488 - 302 - 002 - 10 | SHIFTER,DIFF LOCK | 1 | | | | | | |
| 30 | 1568 - 303 - 200 - 10 | CAM COMP | 1 | • | • | | | | |
| 31 | V720 - 102 - 401 - 60 | O-RING/P16 | 1 | • | • | | | | |
| 32 | 1488 - 302 - 003 - 00 | PIN | | | | | | | |


# FIG. 47 REAR AXLE HOUSING SYSTEM




1568-304

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MOOEL TA545T | TA545F | GEAR TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 304 - 001 - 30 | HOUSING,AXLE/LH | 1 | | • | | | | |
| 2 | 1568 - 304 – 002 - 30 | HOUSING,AXLE/RH | 1 | • | | | | | |
| 3 | V201 - 361 - 005 - 50 | BOLT/M10X55 | 2 | | | | | | |
| 4 | V201 - 361 - 006 - 00 | BOLT/M10X60 | 17 | | | | | | |
| 5 | V201 - 361 - 007 - 50 | BOLT/M10X75 | 10 | | | | | | |
| 6 | V201 - 361 - 015 - 50 | 8OLT/M10X155 | 6 | | | | | | |
| 7 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 35 | | | | | | |
| 8 | 1568 - 304 - 003 - 00 | RING,SNAP/CH120 | 2 | | | | | | |
| 9 | 1560 - 304 - 003 - 00 | COLLAR/6XI4X40 | 1 | | | | | | |
| 10 | 1564 - 304 - 003 - 00 | GAUGE,OIL LEVEL | 1 | | | | | | |
| 11 | 1632 - 304 - 001 - 00 | GUIDE,GAUGE | 1 | | | | | | |
| 12 | 1632 - 304 - 002 - 00 | GAUGE,OIL | 1 | | | | | | |
| 13 | V201 - 361 - 006 - 00 | 8OLT/M10X60 | 1 | | | | | | |
| 14 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 1 | | | | | | |
| 15 | 1568 - 316 - 200 – 10 | PEDAL COMP | 1 | | • | | | | |
| 16 | 1560 - 316 - 210 - 00 | PEDAL COMP | 1 | | | | | | |
| 17 | V211-261-002-50 | BOLT(S) M10X25 | 2 | | | | | | |
| 18 | 1564 – 316 – 002 - 00 | SPRING/HT034 | 1 | | | | | | |


# FIG. 48 WHEEL SHAFT SYSTEM




| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1513 - 306 - 001 - 10 | PINION,WHEEL (10) (L) | 1 | | | | | | |
| 2 | 1513 – 306 - 002 - 10 | PINION,WHEEL (10) (R) | | | | | | | |
| 3 | V600 – 110 - 631 - 00 | BEARING,RB/6310 | 2 | | | | | | |
| 4 | 1513 - 306 – 004 - 00 | COLLAR,THRUST/45X68 | 2 | | | | | | |
| 5 | V706 - 140 - 045 - 00 | RING,SNAP | 2 | | | | | | |
| 6 | 1568 - 307 - 001 - 10 | SHAFT,WHEEL | 2 | | | | | | |
| 7 | 1568 - 307 - 002 - 20 | GEAR/55T | 2 | | | | | | |
| 8 | 1568 - 307 - 003 - 10 | COLLAR/66X76X248 | 2 | | | | | | |
| 9 | 1568 - 307 - 200 - 20 | SEAL,OIL | 2 | 1--52 | 1--391 | | | | |
| 9A | 1568 - 307 - 200 - 30 | SEAL,OIL/UNITISE | 2 | 53- | 392- | | | | |
| 10 | V670 - 200 - 011 - 00 | NUT.ADAPTO ANI I | 2 | | | | | | |
| 11 | V671 - 400 - 011 - 00 | WASHER.ADAPTOR AWII | 2 | | | | | | |
| 12 | 1597 - 307 - 001 - 00 | BEARING,RB | 2 | | | | | | |
| 13 | V600 - 110 - 631 - 10 | R.B.B | 2 | | | | | 1 | |
| 14 | V600 - 110 - 621 - 30 | BEARING RB 6213 | 2 | | | | | | |
| 15 | 1443 - 316 - 011 - 10 | BOLT,HUB/M22X62 | 16 | | | | | | |
| 16 | 1581 - 307 - 005 - 00 | RING,HUB/22 | 2 | | | | | | |
| 17 | V333 - 460 - 022 - 00 | NUT/MIO | 16 | | | | | | |
| 18 | V401 – 160 – 022 - 00 | WASHER,SP/M22 | 16 | | | | | | |
| | | | | | | | | | |

# FIG. 49 BRAKE SYSTEM


(KEY 6-10. 12. 18 lor EI5 TYPE)




1597 310

| KEY | PART CODE | DESCRIPTION | alY | TYPE OF MODEL IA545T | TYPE OF MODEL IA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 31 0 - 210 - 20 | BRAKE ASSY | 2 | ● | ● | | | | |
| 2 | 1444 - 327 - 203 - 00 | SPRING,RETURN | 6 | ● | * | | | | |
| 3 | V682 - 200 - 001 - 90 | BALL,STEEL | 12 | * * | * | | | | |
| 4 | 1564 - 310 - 261 - 10 | DISC,BRAKE | 12 | | * | | | | |
| 5 | 1513 - 310 - 202 - 00 | PLATE,SEPARATE | 8 | * | * | | | | |
| 6 | 1568 - 310 - 220 - 00 | BRAKE ASSY | 2 | | * | | | | |
| 7 | 1444 - 327 - 203 - 00 | SPRING,RETURN | 6 | | * | | | | |
| 8 | V682 - 200 - 001 - 90 | BALL,STEEL | 12 | | * | | | | |
| 9 | 1564 - 310 - 261 - 10 | DISC,BRAKE | 10 | | * | | | | |
| 10 | 1513 - 310 - 202 - 00 | PLATE.SEPARATE | 6 | | * | | | | |
| 11 | 151 3 - 31 0 - 001 - 00 | METAL,BRAKE | 2 | * | * | | | | |
| 12 | 1568 - 310 - 001 - 00 | METAL,BRAKE | 2 | | * | | | | |
| 13 | 1506 - 310 - 002 - 00 | PIN TORQUE | 2 | * | * | | | | |
| 14 | V706 - 140 - 045 - 00 | RING,SNAP | 2 | * | * | | | | |
| 15 | V211 - 561 - 002 - 50 | BOLT/M 1OX25 | 16 | * | * | | | | |
| 16 | V707 - 140 - 110 - 00 | RING,SNAP | 2 | * | * | | | | |
| 17 | 1597 - 310 - 200 - 00 | ROD,FORK COMP | 2 | * | * * | | | | |
| 18 | 1488 - 310 - 220 - 00 | ROD,BRAKE COMP | 2 | | | | | | |
| 19 | 1444 - 327 - 003 - 00 | PIN (15X30) | 2 | * | * | | | | |
| 20 | V500 - 163 - 002 - 00 | PIN,SPLIT/3 X20 | 2 | * | * | | | | |
| 21 | 1560 - 310 - 003 - 40 | BOOT | 2 | * | * | | | | |
| 22 | J061 - 210 - 015 - 00 | CLAMP,WIRE/10 - 15 | 2 | * | * | | | | |
| 23 | 1560 - 310 - 004 - 40 | PLATE | 2 | * | * | | | | |
| 24 | V211 - 260 - 801 - 60 | BOLT.SEMS (S) M8X16 | 8 | * | * | | | | |

# FIG. 50 BRAKE ROD SYSTEM





(KEY 13 lor E15 TYPE)

1568' 3108

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TTC | OIL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 310 - 210 - 30 | PIN COMP | 1 | | * | | | | |
| 2 | 1560 - 310 – 210 - 40 | PIN COMP | 1 | | | | | | |
| 3 | V211 - 260 - 802 - 00 | OOLT,S/M8X20 | 4 | | | | | | |
| 4 | V763 - 150 – 000 - 00 | NIPPLE,GREASE/PTI/8 | 2 | | | | | | |
| 5 | 1564 - 310 – 220 – 20 | ARM/LH COMP | 1 | | | | | | |
| 6 | 1564 - 310 - 230 - 20 | ARM/RH COMP | 1 | | | | | | |
| 7 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | 4 | • | | | | | |
| a | 1404 - 312 - 006 - 00 | PIN,YOKE A | 2 | | | | | | |
| 9 | V41 1 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | • | | | | | |
| 10 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 *X20* | 2 | | * | | | | |
| 11 | 1596 - 310 - 210 - 00 | ROD.FPRK COMP | 2 | | | | | | |
| 12 | 1596 - 31 0 – 220 – 00 | ROD,FORK COMP | 2 | | | | | | |
| 13 | 1568 - 310 - 200 - 30 | ROD,FORK COMP | 2 | | | | | | |
| 14 | 1444 - 122 - 002 - 00 | TURNBUCKLE/M8 | 2 | | | | | | |
| 15 | V304 – 260 – 008 – 00 | NUT/M 8 | 2 | | | | | | |
| 16 | 1560 - 132 - 007 - 30 | NUT/M8 | 2 | | | | | | |
| 17 | 1596 - 312 - 003 - 00 | BUCKLE,TURN/M8 | 1 | | | | | | |
| 1a | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | | | | | |
| 19 | 1560 - 132 - 007 - 30 | NUT/M8 | 2 | | | | | | |
| 20 | 1594 - 312 - 003 - 10 | TURN - BUCKLE | 1 | | | | | | |
| 21 | 1594 - 312 - 004 - 00 | NUT/M14 | 1 | | | | | | |
| 22 | V304 - 260 - 014 - 00 | NUT/M14 | 1 | | | | | | |


# FIG. 51 PARKING BRAKE SYSTEM (E21 TYPE)




1597-312A

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | MOTOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 312 - 300 - 00 | ARM,BRAKE SET | 1 | | | | | | |
| 2 | V511 - 100 - 805 - 00 | PIN,TAPER/8X50 | 1 | | | | | | |
| 3 | 1597 - 312 - 330 - 10 | HOLDER ASSY | 1 | | | | | | |
| 4 | 3664 - 540 - 001 - 00 | BUSH/22X25X20 | 2 | | | | | | |
| 5 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 4 | | | | | | |
| 6 | V763 - 150 - 000 - 00 | NIPPLE,GREASE/PTI/8 | 1 | | | | | | |
| 7 | 1596 - 312 - 350 - 00 | PIN COMP | 1 | | | | | | |
| 8 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 2 | | | | | | |
| 9 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | 2 | | | | | | |
| 10 | V763 - 150 - 000 - 00 | NIPPLE,GREASE/PTI/8 | 1 | | | | | | |
| 11 | 1597 - 312 - 250 - 00 | ARM,PARKING COMP | | | | | | | |
| 12 | 1596-312-270-00 | PIN COMP | | | | | | | |
| 13 | 1594 - 312 - 001 - 10 | PIN/24X60 | | | | | | | |
| 14 | 2120 - 409 - 004 - 00 | PIN | | | | | | | |
| 15 | V411 - 260 - 010 - 00 | WASHER/MI0 | | | | | | | |
| 16 | V500 - 163 - 002 - 50 | PIN,SPLIT/3 X25 | | | | | | | |
| 17 | 1594 - 312 - 005 - 00 | CONNECTOR | | | | | | | |
| 18 | 1442 - 313 - 200 - 10 | BRAKE,PARKING ASSY | | | | | | | |
| 19 | 1442 - 313 - 201 - 00 | LEVER,PARKING | | | | | | | |
| 20 | 1442 - 313 - 202 - 00 | ROD | | | | | | | |
| 21 | 1444 - 328 - 273 - 00 | SPRING | | | | | | | |
| 22 | 1444 - 328 - 272 - 00 | BUTTON | | | | | | | |
| 23 | 1442 - 313 - 203 - 00 | GRIP | | | | | | | |
| 24 | 1596 - 314 - 300 - 00 | BRACKET COMP | 1 | | | | | | |
| 25 | V211 - 261 - 002 - 00 | BOLT,SEMS | 2 | | | | | | |

# FIG. 51 PARKING BRAKE SYSTEM (E21 TYPE)





1596-314C

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V211 - 260 - 802 - 00 | SOLT,S/M8X20 | 2 | | | | | | |
| 27 | 1594 – 314 - 001 - 00 | ROD/gO RH | 1 | | | | | | |
| 28 | 1594 – 314 - 002 - 00 | ROD/gO LH | 1 | | | | | | |
| 29 | 1444 - 122 - 002 - 00 | TURNBUCKLE/M8 | 1 | | | | | | |
| 30 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | | | | | |
| 31 | 1560 – 132 - 007 - 30 | NUT/M8 | 1 | | | | | | |
| 32 | V411 – 260 – 008 - 00 | WASHER,PL/M 8 | 2 | | | | | | |
| 33 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 2 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 52 BRAKE PEDAL SYSTEM

(KEY 19～24 ror EXCEPT E21 TYPE)





1566 314A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | LEGEND C | LEGEND L | LEGEND P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 314 - 240 - 10 | PEDAL/LH SET | | | | | | | |
| 2 | V511 - 100 - 805 - 00 | PIN,TAPER/8X50 | | | | | | | |
| 3 | 1564 - 314 - 240 - 20 | PEDAL/RH ASSY | | | | | | | |
| 4 | 3670 - 703 - 008 - 00 | BUSH/20X23X20 | 2 | * | | | | | |
| 5 | 1524 - 122 - 001 - 00 | PAD | 2 | | | | | | |
| 6 | V411 - 260 - 020 - 00 | WASHER/M20 | | | | | | | |
| 7 | V704 - 140 - 020 - 00 | RING,SNAP/20 C | | | | | | | |
| 8 | 1560 - 314 - 250 - 30 | ROD COMP | 2 | | | | | | |
| 9 | 1432 - 242 - 001 - 00 | PIN | 4 | | | | | | |
| 10 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 4 | | | | | | |
| 11 | V500 - 162 - 502 - 00 | PIN,SPLIT/2.5X20 | 4 | | | | | | |
| 12 | 1404 - 120 - 008 - 00 | SPRING,CLUTCH | 2 | | | | | | |
| 13 | 1560 - 132 - 001 - 10 | TUBE | 2 | | | | | | |
| 14 | 1564 - 314 - 300 - 10 | FRAME ASSY | 1 | 1--34 | 1--238 | | | | |
| 14A | 1564 - 314 - 300 - 20 | FRAME ASSY | | 35--51 | 239--366 | | | | |
| 14B | 1564 - 314 - 300 - 30 | FRAME ASSY | 1 | 52--52 | 367--391 | | | | |
| 14C | 1564 - 314 - 300 - 40 | FRAME ASSY | 1 | 53- | 392- | | | | |
| 15 | 3670 - 703 - 008 - 00 | "-SUSH/20X23X20 | 2 | • | * | | | | |
| 16 | 1560 - 314 - 291 - 00 | BUSH/16X 18X15 | 1 | * | * | | | | |
| 17 | V211 - 260-801-60 | BOLT,SEMS (S) M8X16 | 4 | | | | | | |
| 18 | V211 - 360-801-60 | BOLT,SEMS (SP) | 2 | | | | | | |
| 19 | 1564 - 314 - 320 - 20 | PEDAL,PARKING COMP | | | | | | | |
| 20 | V580 - 140 - 402 - 50 | PIN,SPRING/ 4 X25 | | | | | | | |
| 21 | 1560 - 314 - 001 - 00 | INSULATOR | 1 | | | | | | |
| 22 | 1560 - 314 - 360 - 10 | ARM COMP | | 1--34 | 1--238 | | | | |

# FIG. 52 BRAKE PEDAL SYSTEM


(KEY 19～24 lor EXCEPT E21 TYPE)




1596-314A

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22A | 1560 - 314 - 360 - 20 | ARM,PARKING | 1 | 35- | 239- | | | | |
| 23 | V580 - 140 - 602 - 50 | PIN,SPRING/6 X25 W | | | | | | | |
| 24 | 1432 - 120 - 004 - 00 | SPRING,TENSION/31 | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 53 REAR WHEEL SYSTEM (EXCEPT E43G TYPE)




1569-320

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1432 - 318 - 210 - 20 | RIM,WHEEL/1 41 - 32 | 1 | | * | | | | |
| 2 | 1569 - 320 - 211 - 00 | DISK,WHEEL/32 | 1 | | * | | | | |
| 3 | V240 - 461 - 608 - 50 | SOLT/M 16X85 | 8 | | * | | | | |
| 4 | V300 - 460 - 016 - 00 | NUT/M16 | 8 | | * | | | | |
| 5 | V302 - 460 - 01 6 - 00 | NUT/M16 | 8 | | * | | | | |
| 6 | V401 - 160 - 016 - 00 | WASHER,SP/M 16 | 8 | | * | | | | |
| 7 | V888 - 260- 113 - 20 | TIRE | 1 | | * | | | | |
| 8 | 1525 - 317 - 211 - 00 | TIRE | 1 | | * | | | | |
| 9 | V889 - 000- 113 - 20 | TUBE | 1 | | * | | | | |
| 10 | V999 - 300 - 001 - 00 | CAP,TIRE VALVE | 1 | | * | | | | |
| 11 | 1432 - 318 - 210 - 20 | RIM,WHEEL/11 - 32 COMP | 1 | | * | | | | |
| 12 | 1569 - 320 - 211 - 00 | DISK,WHEEL/32 | 1 | | * | | | | |
| 13 | V240 - 461 - 608 - 50 | SOLT/M 16X85 | 8 | | * | | | | |
| 14 | V300 - 460 - 01 6 - 00 | NUT/M16 | 8 | | * | | | | |
| 15 | V302 - 460 - 016 - 00 | NUT/M16 | 8 | | * | | | | |
| 16 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 8 | | * | | | | |
| 17 | V888 - 260 - 113 - 20 | TIRE | 1 | | * | | | | |
| 18 | 1525 - 317 - 211 - 00 | TIRE | 1 | | * | | | | |
| 19 | V889 - 000- 113 - 20 | TUBE | 1 | | * | | | | |
| 20 | V999 - 300 - 001 - 00 | CAP,TIRE VALVE | 1 | | * | | | | |
| 21 | V888 - 261 - 492 - 80 | TIRE/14.9/13 - 28 - 8 | 1 | * | * | | | | |
| 22 | V889 - 000 - 132 - 80 | TUBE/ 13- 28 | 1 | * | * | | | | |
| 23 | V999 - 300 - 001 - 00 | CAP,TIRE VALVE | 1 | * | * | | | | |
| 24 | 1522 - 317 - 210 - 00 | WHEEL (13- 28) COMP | 1 | * | * | | | | |
| 25 | 1568 - 320 - 211 - 00 | DISK,WHEEL/28 | 1 | * | * | | | | |

# FIG. 53 REAR WHEEL SYSTEM (EXCEPT E43G TYPE)





1526-317

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V240 - 461 - 608 - 50 | BOLT/M16X85 | 6 | | | | | | |
| 27 | V303 - 460 - 016 - 00 | NUT/M8 | 6 | | | | | | |
| 28 | V302 - 460 - 016 - 00 | NUT/M16 | 6 | * | | | | | |
| 29 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 6 | | | | | | |
| 30 | V888 - 261 - 492 - 80 | TIRE/14.9/13 - 28 - 8 | 1 | | | | | | |
| 31 | V889 - 000 - 132 - 80 | TUBE/ 13 - 28 | 1 | | | | | | |
| 32 | V999 - 300 - 001 - 00 | CAP,TIRE VALVE | 1 | | | | | | |
| 33 | 1522 - 317 - 210 - 00 | WHEEL (13 - 28) COMP | 1 | | | | | | |
| 34 | 1568 - 320 - 211 - 00 | DISK,WHEEL/28 | 1 | | | | | | |
| 35 | V240 - 461 - 608 - 50 | BOLT/M16X85 | 6 | | | | | | |
| 36 | V303 - 460 - 016 - 00 | NUT/M8 | 6 | | | | | | |
| 37 | V302 - 460 - 016 - 00 | NUT/M16 | 6 | | | | | | |
| 38 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 6 | | | | | | |

# FIG. 54 STEERING WHEEL SYSTEM

(KEY 26.27.28.32 [Dr E15 TYPE)
(KEY 29 [Dr EXCEPT E15 TYPE)





1560-401A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | TOOL C | TOOL L | GROUP P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 401 - 200 - 30 | WHEEL.STEERING ASSY | 1 | | | | | | |
| 2 | 1560 - 401 - 202 - 30 | COVER | 1 | | | | | | |
| 3 | 1560-401-004 - 40 | BOLT/M5X16 | 2 | | | | | | |
| 4 | V328 - 262 - 110 - 00 | NUT/MI0X1.25 | 1 | | | | | | |
| 5 | V500 - 162 - 002 - 50 | PIN.SPLIT/2 X25 | 1 | | | | | | |
| 6 | V411 - 260 - 010 - 00 | WASHER/MI0 | 1 | | | | | | |
| 7 | 1560 - 401 - 002 - 50 | COVER F | 1 | | | | | | |
| 8 | 1560 - 401 - 005 - 00 | COVER R | 1 | 1--34 35- | 1--238 239- | | | 0 | |
| 8A | 1560 - 401 - 006 - 00 | COVER.COLUMN/REAR | 1 | | | | | | |
| 9 | V120 - 368 - 002 - 00 | OOLT/M8X20 | 5 | | | | | | |
| 10 | 1564 - 402 - 211 - 00 | SHAFT,STEERING | | | | | | | |
| 11 | 1564 - 402 - 212 - 00 | SHAFT,STEERING | | | | | | | |
| 12 | 1596 - 402 - 200 - 00 | SHAFT.STEERING COMP | | | | | | | |
| 13 | 1564 - 402 - 203 - 40 | SHAFT.STEERING COMP | | | | | | | |
| 14 | V704 - 140 - 017 - 00 | RING.SNAP/17 C | | | | | | | |
| 15 | V211 - 560 - 803 - 00 | BOLT/M8X30 | 2 | | | | | | |
| 16 | 1560 - 402 - 210 - 30 | HOLDER COMP | 1 | | | | | | |
| 17 | 1560 - 402 - 220 - 30 | HOLDER COMP | | | | | | | |
| 18 | 1525 - 406 - 250 - 00 | BALL,SHAFT HOLDER | | I--48 49- | I--364 365- | | | | |
| 18A | 1444 - 406 - 001 - 00 | BUSH | 2 | | | | | | |
| 19 | 1560 - 402 - 001 - 00 | BALL | 1 | I--34 | I--204 | | | | |
| 20 | 1634 - 403 - 001 - 00 | INSULATOR | 2 | * | * | | | | |
| 21 | 1444 - 406 - 002 - 00 | SEAL,OIL | 2 | 1--34 | I--204 | | | | |
| 22 | V211 - 260 - 802 - 00 | BOLT.S/M8X20 | 2 | * | * | | | | |
| 23 | 1596 - 404 - 200 - 00 | COLUM ASSY | 1 | | | | | | |

# FIG. 54 STEERING WHEEL SYSTEM


(KEY 26,27. 28.32 for EIS TYPE)
(KEY 29 lor EXCEPT EIS TYPE)




1596 4C4

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | 3646 - 102 - 011 – 10 | BISH/14X1SX20 | 2 | • | • | | | | |
| 25 | 1432 - 406 - 007 – 00 | BUSH,STEERING | 1 | • | • | | | | |
| 26 | 1564 - 404 – 200 - 10 | COLUM ASSY | 1 | | • | | | | |
| 27 | 3646 – 102 - 011 - 10 | BISH/14X1SX20 | 2 | | • | | | | |
| 28 | 1432 – 406 - 007 - 00 | BUSH,STEERING | 1 | | • | | | | |
| 29 | V411 - 260-010-00 | WASHER/MI0 | 1 | • | • | | | | |
| 30 | V600 - 130 - 600 - 30 | BEARING,RB/SOO3ZZ | 1 | • | • | | | | |
| 31 | V705 - 140 - 035 – 00 | RING,CIRCLiP | 1 | • | • | | | | |
| 32 | 1566 - 404 - 001 - 00 | BOOT | 1 | | • | | | | |
| 33 | 1560 - 404 - 21 0 - 10 | PIN/1SX23 COMP | 2 | • | • | | | | |
| 34 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X1S | 2 | • | • | | | | |
| 35 | 1560 - 404 - 001 – 00 | PLATE | 1 | • | • | | | | |
| 36 | 1518 - 406 - 008 – 00 | PLATE,GUIDE | 1 | * | • | | | | |
| 37 | V211 - 560 - 802 – 50 | BOLT,SEMS/M8X25 IT | 1 | • | • | | | | |
| 38 | V201 - 360 - 804 - 00 | BOLT/M8X40 | 1 | • | • | | | | |
| 39 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | * | * | | | | |
| 40 | 1568 - 404 - 220 – 20 | PEDAL COMP | 1 | * | * | | | | |
| 41 | 1518 - 406 - 006 - 00 | COVER,PEDAL | 1 | * | * | | | | |
| 42 | 1560 – 404 - 002 – 30 | SPRING | 1 | • | * | | | | |


# FIG. 55 POWER STEERING ASSY




156S-407A


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL TC | TOOL OL | TOOL RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568-407-260-30 | STEERING,POWER ASSY | 1 | | | | | | |
| 2 | 1444-408-316-00 | NRB (HJ243316) | 1 | * | | | | | |
| 3 | 1444-408-317-00 | PACKING,U | 1 | | | | | | |
| 4 | 1444-408-318-00 | SEAL,OIL | 1 | * | | | | | |
| 5 | 1444-408-332-00 | PLUG PT 1/4 | 1 | * | | | | | |
| 6 | 1513-408-213-00 | RING,TEFRON | 1 | * | | | | | |
| 7 | 1444-408-301-00 | RING | 1 | | | | | | |
| 8 | 1444-408-303-00 | RING | 1 | | | | | | |
| 9 | V721-103-107-50 | O-RING/G75 | 3 | | | | | | |
| 10 | 1444-408-302-00 | O-RING | 3 | | | | | | |
| 11 | V723-102-002-50 | O-RING | 1 | | | | | | |
| 12 | V723-102-003-60 | O-RING/S36 | 1 | * | | | | | |
| 13 | 1444-408-306-00 | NRB | 1 | | | | | | |
| 14 | 1560-407-292-40 | SEAL,OIL | 1 | | | | | | |
| 15 | V705-140-032-00 | RING,SNAP/32 C | 1 | | | | | | |
| 16 | 1444-408-308-00 | SEAL,OIL | | | | | | | |
| 17 | 1568-407-292-00 | O-RING | | | | | | | |
| 18 | 1550-408-326-00 | NUT | | * | * | | | | |
| 19 | 1513-408-217-00 | POPPET | | | | | | | |
| 20 | 1560-407-293-40 | SPRING | | | | | | | |
| 21 | 1550-408-324-00 | O-RING | | | | | | | |
| 22 | 1550-408-325-00 | BOLT | | | | | | | |
| 23 | 1550-408-321-00 | PLUG,PT1/8 | | | | | | | |
| 24 | 1444-408-316-00 | NRB (HJ243316) | | | | | | | |
| 25 | 1444-408-317-00 | PACKING,U | | | | | | | |

# FIG. 55 POWEER STEERING ASSY




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1568 – 407 – 302 - 00 | BREATHER | | | | | | | |
| 27 | 1568 - 407 – 303 - 00 | CAP | | | | | | | |
| 28 | 1568 – 407 – 292 – 00 | O– RING | 1 | * | | | | | |
| 29 | 1432 – 406 – 301 - 00 | NUT M14 | 1 | * | | | | | |
| 30 | V720 - 101 - 900 – 80 | O– RING/P 8 | | | | | | | |
| 31 | 1513 – 408 - 223 - 00 | BEARING,TB | | | | | | | |
| 32 | 1444 - 408 - 325 - 00 | COLLAR | | | * | | | | |
| 33 | 1444 - 408 - 326 – 00 | COLLAR | | | | | | | |
| 34 | 1444 – 408 – 327 – 00 | BEARING,NR | | | | | | | |
| 35 | 1568 - 407 – 261 – 00 | COVER,END | | | | | | | |
| 36 | V723 - 102 - 005 – 30 | O-RING | | | | | | | |
| 37 | 1444 - 408 - 331 – 00 | NUT | | | | | | | |
| 38 | V201 - 461 - 203 - 00 | BOLT/MI2X30 | 4 | | | | | | |
| 39 | 1568 - 407 – 262 - 00 | BOLT,SM/M12X1.5X22 | 6 | | | | | | |
| 40 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 10 | | | | | | |
| 41 | 1568 - 407 - 201 - 00 | ARM,PITMAN | | | | | | | |
| 42 | 1444 - 408 - 202 - 00 | NUT,CASTLE/M27X1.5 | | | | | | | |
| 43 | V500 - 105 – 005 - 00 | PIN,SPLIT/5 X50 | | | * | | | | |


# FIG. 56 OIL TANK SYSTEM




15i8' 40IA

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | V203 - 371 - 604 - 00 | BOLT/MI0X25 | 6 | | | | | | |
| 2 | V401 - 170 - 016 - 00 | WASHER,SP/M16 | 6 | * | * | | | | |
| 3 | 1560 - 406 - 001 - 00 | JOINT | 1 | | * | | | | |
| 4 | V211 - 560 - 803 - 00 | BOLT/M8X30 | 1 | * | | | | | |
| 5 | 1564 - 407 - 003 - 00 | SEAL | 1 | • | • | | | | |
| 6 | 1564 - 407 - 004 - 00 | SEAL | 1 | | | | | | |
| 7 | K135 - 018 - 000 - 00 | PUMP,GEAR ASSY | 1 | | * | | | | |
| 8 | K135 - 015 - 002 - 00 | COVER,PUMP | 1 | | | | | | |
| 9 | V744 - 114 - 280 - 70 | SEAL,OIL | 1 | * | | | | | |
| 10 | V721 - 113 - 105 - 00 | a-RING HS90 G50 | 1 | | * | | | | |
| 11 | V720 - 112 - 402 - 20 | O-RING/P22 | 4 | | * | | | | |
| 12 | V720 - 111 - 900 - 60 | O-RING P6 HS90 | 1 | | | | | | |
| 13 | K135 - 002 - 009 - 00 | BOLT/M8X28 11T | 6 | * | | | | | |
| 14 | V401 - 170 - 008 - 00 | S.W | 6 | * | | | | | |
| 15 | 1404 - 503 - 006 - 00 | PACKING,OIL PUMP | 1 | | | | | | |
| 16 | V304 - 260 - 008 - 00 | NUT/M 8 | 4 | | | | | | |
| 17 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 4 | * | | | | | |
| 18 | 1564 - 407 - 280 - 10 | TANK,OIL COMP | 1 | | | | | | |
| 19 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 1 | | * | | | | |
| 20 | V211 - 360 - 803 - 50 | BOLT W SEMS M8X35 | 2 | * | * | | | | |
| 21 | 151 8 - 407 - 240 - 00 | CAP,OIL (B) ASSY | 1 | | | | | | |
| 22 | 151 8 - 306 - 203 - 00 | PACKING | 1 | * | | | | | |
| 23 | 1326 - 706 - 002 - 10 | PLUG,DRAIN | 1 | | | | | | |
| 24 | 1564 - 407 - 220 - 00 | FILTER,SUCTION ASSY | | | | | | | |
| 25 | V720 - 103 - 503 - 10 | a - RING P31 | | | * | | | | |


# FIG. 56 OIL TANK SYSTEM




1166 407A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V720 - 102 - 401 - 20 | 0 - RING/PI2 | 1 | | | | | | |
| 27 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 1 | * | * | | | | |
| 28 | 1488 - 408 - 002 - 00 | 0 - RING | 1 | | | | | | |
| 29 | 1564 - 407 - 290 - 00 | HOSE/280 ASS | 1 | | | | | | |
| 30 | 1564 - 407 - 001 - 00 | CONNECTOR | 1 | | | | | | |
| 31 | V720 - 112 - 402 - 00 | 0 - RING/P20 | 1 | | | | | | |
| 32 | V210 - 260 - 603 - 00 | BOLT (S) M6X30 | 3 | | | | | | |
| 33 | 3768 - 185 - 022 - 10 | ADAPTER (90· /PUMP) | 1 | 1--54 | 1--421 | | | | |
| 33A | 3631 - 350 - 201 - 10 | ADAPTER,45· | 1 | 55- | 422- | | | | |
| 34 | 1564 - 407 - 300 - 10 | PIPE,OIL COMP | 1 | | | | | | |
| 35 | 1415 - 505 - 014 - 00 | BOLT,CONNECTOR | 1 | | | | | | |
| 36 | V720 - 112 - 401 - 80 | O-RING/PI8 | 2 | | | | | | |
| 37 | 1560 - 407 - 003 - 00 | HOSE | 1 | | | | | | |
| 38 | J061 - 116 - 025 - 00 | CLAMP,WORM/16-25 | 2 | | | | | | |
| 39 | 1568 - 407 - 320 - 00 | PIPE,OIL COMP | 1 | | | | | | |
| 40 | V720 - 112 - 402 - 00 | 0 - RING/P20 | 1 | | | | | | |
| 41 | V210-260-603-00 | BOLT(S) M6X30 | 3 | | | | | | |
| 42 | 1513 - 408 - 002 - 00 | HOSE,OIL | 1 | | | | | | |
| 43 | J061 - 116 - 025 - 00 | CLAMP,WORM/16 - 25 | 1 | * | | | | | |
| 44 | J061 - 108 - 016 - 00 | CLAMP,WORM/8XI6 | 1 | | | | | | |
| 45 | 3737 - 172 - 009 - 00 | CLAMP,MAIN HARNESS | | | | | | | |


# FIG. 57 AXLE BRACKET SYSTEM




1568-410A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 410 - 220 - 30 | BRACKET/AXLE COMP | 1 | 1-16 | 1-138 | | | | |
| 1A | 1568 - 410 - 220 - 40 | BRACKET/AXLE COMP | 1 | 17-43 | 139-335 | | | | |
| 1B | 1568 - 410 - 220 - 50 | BRACKET,AXLE COMP | 1 | 44- | 336- | | | | |
| 2 | V201 - 371 - 604 - 50 | OOLT/M16X45 | 12 | * | * | | | | |
| 3 | V201 - 371 - 605 - 50 | OOLT/M16X55 | 1 | | | | | | |
| 4 | V201 - 371 - 606 - 50 | OOLT/M16X65 | 1 | | | | | | |
| 5 | V401 - 170 - 016 - 00 | WASHEA,SP/M16 | 14 | * | | | | | |
| 6 | 1568 - 410 - 001 - 30 | BRACKET | | | | | | | |
| 7 | V201 - 371 - 403 - 00 | 8OLT/M14X30 | 6 | | | | | | |
| 8 | 1560 - 406 - 003 - 00 | WASHER,SP/14 | 6 | | | | | | |

# FIG. 58 FRONT AXLE SYSTEM (1) (T TYPE)





(KEY 11 ror TSE61 TYPE)

1597-412

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 41 2 - 200 - 10 | AXLE COMP | 1 | * | | | | | |
| 2 | 1596 - 433 - 210 - 00 | METAL,PIVOT/FRONT | 1 | * | | | | | |
| 3 | 1564 - 433 - 212 - 10 | BUSH/55X60X50 | 1 | * | | | | | |
| 4 | 1597 - 412 - 200 - 00 | METAL,PIVOT/REARASSY | 1 | * | | | | | |
| 5 | 1564 - 433 - 212 - 10 | BUSH/55X60X50 | 1 | * | | | | | |
| 6 | 1427 - 201 - 016 - 00 | CAP,BLANK/M12 | 4 | * | | | | | |
| 7 | V742 - 155 - 700 - 60 | SEAL.OIL/VC55706 | 2 | * | | | | | |
| 8 | V761 - 150 - 000 - 00 | NIPPLE,GREASE/BM6F | 2 | * | | | | | |
| 9 | 1513 - 402 - 001 - 00 | BOLT | 1 | * | | | | | |
| 10 | 1513 - 402 - 002 - 00 | SPACER | 1 | * | | | | | |
| 11 | 1513 - 402 - 003 - 00 | WASHER,SEAL | 1 | I-34 | | | | | |
| 12 | V304 - 260 - 020 - 00 | NUT/M20 | 1 | * | | | | | |
| 13 | 1488 - 41 2 - 003 - 00 | COLLAR,THRUST | 1 | * | | | | | |
| 14 | V201 - 261 - 203 - 50 | BOLT/M 12X35 | 4 | * | | | | | |
| 15 | V401 - 160 - 012 - 00 | WASHER,SP/M 12 | 4 | * | | | | | |
| 16 | V520 - 101 - 002 - 20 | PIN,ST/10X22 | 2 | * | | | | | |
| 17 | V201 - 361 - 404 - 00 | BOLT/M14X40 | 4 | * | | | | | |
| 18 | V401 - 160 - 014 - 00 | WASHER,SP/M 14 | 4 | * | | | | | |
| 19 | 1568 - 413 - 200 - 10 | AXLE (LH) ASSY | 1 | * | | | | | |
| 20 | 1564 - 413 - 201 - 10 | BUSH/35X40X35 | 2 | * | | | | | |
| 21 | 1568 - 41 3 - 220 - 10 | AXLE (RH) ASSY | 1 | * | | | | | |
| 22 | 1564 - 41 3 - 201 - 10 | BUSH/35X40X35 | 2 | * | | | | | |
| 23 | V761 - 150 - 000 - 00 | NIPPLE,GREASE/BM6F | 2 | * | | | | | |
| 24 | 1426 - 402 - 001 - 10 | BOLT/M 16X87 | 4 | * | | | | | |
| 25 | V304 - 460 - 01 6 - 00 | NUT/M16 | 4 | * | | | | | |

# FIG. 58 FRONT AXLE SYSTEM (1) (T TYPE)





(KEY II lor TSE61 TYPE)

1568-413


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V401 - 160-016 - 00 | WASHER,SP/M16 | 4 | | | | | | |
| 27 | 1404 - 401 – 017 - 00 | WASHER,B/M16 | 4 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 59 FRONT AXLE SYSTEM (2) (T TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1488 - 404 - 200 - 00 | SPINDLE,KNUCKLE COMP | 2 | * | | | | | |
| 2 | 1426 - 423 - 001 - 00 | COLLAR,OIL SEAL | 2 | * | | | | | |
| 3 | V720 - 103 - 503 - 50 | O - RING/P35 | 2 | * | | | | | |
| 4 | 1426 - 428 - 001 - 00 | BOSS,FWHEEL | 2 | * | | | | | |
| 5 | V634 - 113 - 020 - 40 | BEARING,TR | 2 | * | | | | | |
| 6 | V634 - 113 - 200 - 70 | BEARING,TR | 2 | * | | | | | |
| 7 | 1426 - 423 - 003 - 00 | SHIM | 2 | * | | | | | |
| 8 | V744 - 148 - 650 - 90 | SEAL,OIL/TC48659 | 2 | * | | | | | |
| 9 | V742 - 148 - 650 - 70 | SEAL,OIL/VC48657 | 2 | * | | | | | |
| 10 | V327 - 262 - 220 - 00 | NUT/M20X1.5 | 2 | * | | | | | |
| 11 | V500 - 164 - 004 - 00 | PIN,SPLIT/ 4 X40 | 2 | * | | | | | |
| 12 | 1426 - 423 - 002 - 00 | BEARING,TB/40TAG11A | 2 | * | | | | | |
| 13 | V744 - 150 - 680 - 90 | SEAL,OIL/TC50689 | 2 | * | | | | | |
| 14 | 1425 - 433 - 031 - 00 | SEAL,OIL | 2 | * | | | | | |
| 15 | 1411 - 411 - 002 - 00 | CAP,WHEEL | 2 | * | | | | | |
| 16 | 1411 - 411 - 003 - 00 | PACKING | 2 | * | | | | | |
| 17 | V210 - 260 - 601 - 20 | BOLT,SEMS | 6 | * | | | | | |
| 18 | 151 3 - 404 - 001 - 00 | ARM,DRAG L.H. | 1 | * | | | | | |
| 19 | 1513 - 404 - 002 - 00 | ARM,DRAG R.H | 1 | * | | | | | |
| 20 | 1326 - 708 - 005 - 00 | KEY,ROTARY TOP SHAFT | 2 | * | | | | | |
| 21 | 1404 - 401 - 017 - 00 | WASHER,B/MI6 | 2 | * | | | | | |
| 22 | 1405 - 401 - 006 - 00 | WASHER/M16 | 2 | * | | | | | |
| 23 | V334 - 260 - 016 - 00 | NUT/M6XI.5 | 2 | * | | | | | |
| 24 | 1568 - 415 - 001 - 10 | ROD,TIE | 1 | * | | | | | |
| 25 | 1564 - 41 5 - 001 - 10 | ROD,TIE | 1 | * | | | | | |


# FIG. 59 FRONT AXLE SYSTEM (2) (T TYPE)




1597-415

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1564 - 415 - 230 - 10 | ROD,TIE COMP | 2 | * | | | | | |
| 27 | V333 - 260 - 020 - 00 | NUT/M20 | 2 | * | | | | | |
| 28 | 1426 - 426 - 002 - 00 | NUT,LH THREAD/M20 | 2 | * | | | | | |
| 29 | 1432 - 403 - 006 - 10 | CLAMP | 2 | * | | | | | |
| 30 | 1432 - 403 - 007 - 10 | WASHER | 4 | * | | | | | |
| 31 | V201 - 361 - 006 - 50 | SOLT/M10X65 | 2 | * | | | | | |
| 32 | V304 - 460 - 010 - 00 | NUT/MI0 | 2 | * | | | | | |
| 33 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 2 | * | | | | | |
| 34 | 1425 - 433 - 200 - 00 | END,ROD L.L ASSY | 1 | * | | | | | |
| 35 | 1426 - 426 - 212 - 00 | COVER,DUST | 1 | * | | | | | |
| 36 | V327 - 262 - 214 - 00 | NUT/M14XI.5 | 1 | * | | | | | |
| 37 | V500 - 153 - 003 - 00 | PIN,SPLIT/3 X30 | 1 | * | | | | | |
| 38 | V767 - 400 - 000 - 00 | NIPPLE,GREASE/M6F | 1 | * | | | | | |
| 39 | 1524 - 413 - 210 - 00 | JOINT,BALL/RH ASSY | 1 | * | | | | | |
| 40 | 1426 - 426 - 212 - 00 | COVER,DUST | 1 | * | | | | | |
| 41 | V327 - 262 - 214 - 00 | NUT/M14X1.5 | 1 | * | | | | | |
| 42 | 1432 - 406 - 212 - 00 | NIPPLE,GREASE/BM6F | 1 | * | | | | | |
| 43 | 1524 - 413 - 200 - 00 | JOINT,BALL/LH ASSY | 1 | * | | | | | |
| 44 | 1426 - 426 - 212 - 00 | COVER,DUST | 1 | * | | | | | |
| 45 | V327 - 262 - 214 - 00 | NUT/M14X1.5 | 1 | * | | | | | |
| 46 | 1432 - 406 - 21 2 - 00 | NIPPLE,GREASE/BM6F | 1 | * | | | | | |
| 47 | 1426 - 426 - 220 - 00 | END,ROD LH RH ASSY | 1 | * | | | | | |
| 48 | 1426 - 426 - 21 2 - 00 | COVER,DUST | 1 | * | | | | | |
| 49 | V327 - 262 - 214 - 00 | NUT/M14X1.5 | 1 | * | | | | | |
| 50 | V500 - 153 - 003 - 00 | PIN,SPLIT/3 X30 | 1 | * | | | | | |


# FIG. 59 FRONT AXLE SYSTEM (2) (T TYPE)




1597-415


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 51 | V767 - 400 - 000 - 00 | NIPPLE,GREASE/M6F | | | | | | | |
| 52 | V411 - 260 - 014 - 00 | WASHER,PL/M14 | 4 | | | | | | |
| 53 | V500 - 163 - 003 - 00 | PIN,SPLIT/3 X30 | 2 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG. 60 FRONT WHEEL SYSTEM (T TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1526 - 416 - 220 - 10 | WHEEL/S.SOFX16 COMP | 2 | | | | | | |
| 2 | 1526 - 416 - 211 - 00 | TIRE | 2 | * | | | | | |
| 3 | V889-007 - 501 - 60 | TUBE/7S0-16 | 2 | | | | | | |
| 4 | V999 - 300 - 001 - 00 | CAP.TIRE VALVE | 2 | • | | | | | |
| 5 | V201 - 461 - 203 - 00 | BOLT/MI2X30 | 12 | | | | | | |
| 6 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 12 | | | | | | |


# FIG. 61 FRONT DRIVE SHAFT SYSTEM (F TYPE)




1568 431

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 – 431 – 001 – 10 | SHAFT | 1 | | * | | | | |
| 2 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | 2 | | * | | | | |
| 3 | 1425 – 132-015 - 00 | COUPLING | 2 | | * | | | | |
| 4 | 1488 - 410 - 200 - 00 | PIPE (A) COMP | 1 | | * | | | | |
| 5 | 1568 – 431 - 200 - 10 | TUBE COMP | 1 | | * | | | | |
| 6 | V720 – 103 – 503 - 80 | O- RING/P38 | 1 | | * | | | | |
| 7 | V720 – 103 - 504 - 10 | O-RING /P41 | 1 | | * | | | | |
| 8 | 1488 - 410 - 003 - 00 | CLAMP | 1 | | * | | | | |
| 9 | V211 – 260 - 803 - 00 | BOLT,SEMS | 1 | | * | | | | |
| 1D | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | * | | | | |
| 11 | V211 – 260 – 801 – 60 | BOLT,SEMS (S) M8X16 | 1 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 62 FRONT DIFFERENTIAL CASE SYSTEM (F TYPE)




1568-432

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 432 - 200 - 10 | GEAR SET | 1 | 2 | | | | | |
| 2 | 1502 - 432 - 002 - 00 | SUPPORT,SHAFT | 1 | | * | | | | |
| 3 | 1568 - 432 - 002 - 10 | NUT/M28X1.5 | 1 | | • | | | | |
| 4 | V744 - 140 - 651 - 20 | SEAL,OIL/TC406512 | 1 | | | | | | |
| 5 | 1415 - 403 - 006 - 00 | SLEEVE | 2 | | | | | | |
| 6 | 1425 - 431 - 008 - 00 | SHIM,A | 1 | | | | | | |
| 7 | 1415 - 205 - 016 - 00 | SHIM,B | 1 | | | | | | |
| 8 | 1568 - 432 - 001 - 20 | CASE | 1 | | | | | | |
| 9 | 1568 - 432 - 004 - 10 | WASHER/85X98X05 | 1 | | | | | | |
| 10 | 1444 - 411 - 003 - 00 | METAL,DIFFERENTIAL | 1 | | | | | | |
| 11 | 1568 - 432 - 005 - 10 | METAL | 1 | | | | | | |
| 12 | 1444 - 411 - 004 - 00 | SHIM (A) | 8 | | | | | | |
| 13 | 1444 - 411 - 005 - 00 | SHIM (B) | 8 | | | | | | |
| 14 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 8 | | | | | | |
| 15 | 1550 - 432 - 002 - 00 | CASE,FRONT DIFF | 1 | | * | | | | |
| 16 | 1568 - 432 - 006 - 00 | PIN/14X94 | 1 | | | | | | |
| 17 | 1560 - 432 - 002 - 30 | PINION,BEVEL/11 | 2 | | * | | | | |
| 18 | 1427 - 301 - 005 - 00 | COLLAR,PINION THRUST | 2 | | | | | | |
| 19 | 1560 - 432 - 003 - 30 | GEAR,BEVEL/16 | 2 | | | | | | |
| 20 | 1427 - 432 - 005 - 00 | COLLAR,THRUST | 2 | | * | | | | |
| 21 | 1550 - 432 - 004 - 00 | PIN,ST A/8X28 | 1 | | | | | | |
| 22 | 1550 - 432 - 003 - 00 | PIN,ST A/8X14 | 1 | | * | | | | |
| 23 | 1544 - 304 - 006 - 10 | BOLT/M8X25 | 6 | | * | | | | |
| 24 | V600 - 110 - 600 - 80 | BEARING,RB/6008 | 2 | | • | | | | |


# FIG. 63 AXLE HOUSING SYSTEM (F TYPE EXCEPT E15)




(KEY 15 lor EXCEPT C, P, N TYPE)

| KEY | PART CODE | DESCRIPTION | OTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 433 - 200 – 30 | HOUSING,AXLE COMP | 1 | | | | | | |
| 2 | V521 - 101 - 002 - 00 | PIN,STB/I0X20 | 2 | | | | | | |
| 3 | 1518 – 306 - 200 - 00 | CAP,OIL ASSY | 1 | | | | | | |
| 4 | 1518 - 306 - 203 – 00 | PACKING | 1 | | | | | | |
| 5 | V251 - 341 – 002 - 5C | BOLT/M12X25 | 12 | | | | | | |
| 6 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 12 | | | | | | |
| 7 | V304 - 460 - 01 0 – 00 | NUT/MI0 | 12 | | | | | | |
| 8 | W201 - 361 - 609 – 00 | BOLT/M16X90 | 2 | | | | | | |
| 9 | V302 – 460 - 016 - 00 | NUT/M16 | 2 | | | | | | |
| 10 | 1596 - 433 - 210 - 00 | METAL,PIVOT/FRONT | 1 | | | | | | |
| 11 | 1564 - 433 - 21 2 - 10 | BUSH/55X60X50 | 1 | | | | | | |
| | 121513 - 402 - 002 - 00 | SPACER | 1 | | | | | | |
| 13 | V742 – 155 - 700 - 60 | SEAL.OIL/VC55706 | 1 | | 1 | | | | |
| 14 | 1513 – 402 – 001 - 00 | BOLT | 1 | | * | | | | |
| 15 | 1513 - 402 - 003 - 00 | WASHER,SEAL | 1 | | 1--204 | | | | |
| 16 | V305 - 260 - 020 – 00 | NUT/M20 | 1 | | | | | | |
| 17 | 1597 - 433 – 200 – 10 | METAL,PIVOT/REAR | | | – | | | | |
| 18 | 1568 - 433 - 212 - 10 | BUSH/85X90X40 | 1 | | | | | | |
| 19 | 1427 – 201 – 016 – 00 | CAP,BLANK/M12 | 4 | | | | | | |
| 20 | 1568 - 433 - 001 - 20 | SEAL,OIL | | | – | | | | |
| 21 | V720 - 105 - 707 - 50 | 0 - RING/P75 | 1 | | | | | | |
| 22 | V720 - 103 - 504 - 00 | 0 – RING/P40 | 1 | | | | | | |
| 23 | V761 - 150 - 000 - 00 | NIPPLE,GREASE/BM6F | 2 | | * | | | | |
| 24 | V520 - 101 - 002 - 20 | PIN,ST/10X22 | 2 | | * | | | | |
| 25 | V201 - 261 - 203 - 50 | BOLT/MI2X35 | 4 | | | | | | |

# FIG. 63 AXLE HOUSING SYSTEM (F TYPE EXCEPT E15)





(KEY 15 lor EXCEPT C, P, N TYPE)

1597-433A

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | leG TC | OR L | R P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V401 - 160-012 - 00 | WASHER,SP/M12 | 4 | | | | | | |
| 27 | V201 - 361 - 404 - 00 | BOLT/MI4X40 | 4 | | | | | | |
| 28 | V401 - 160-014 - 00 | WASHER,SP/M14 | 4 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | 1 | | | | | | |


# FIG. 64 AXLE HOUSING SYSTEM eE15 TYPE)




1568-433

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 – 433 - 200 - 30 | HOUSING,AXLE COMP | 1 | | * | | | | |
| 2 | V521 - 101 - 002 - 00 | PIN,ST B/I0X20 | 2 | | * | | | | |
| 3 | 1518 - 306 - 200 - 00 | CAP,OIL ASSY | 1 | | * | | | | |
| 4 | 151 8 – 306 - 203 - 00 | PACKING | 1 | | * | | | | |
| 5 | V251 - 341 - 002 – 5C | BOLT/M 12X25 | 12 | | * | | | | |
| 6 | V401 - 160 - 010 - 00 | WASHER,SP/M1O | 12 | | * | | | | |
| 7 | V304 - 460 - 010 - 00 | NUT/MI0 | 12 | | * | | | | |
| 8 | W201 – 361 - 609 - 00 | BOLT/ MI6X90 | 2 | | * | | | | |
| 9 | V302 - 460 - 01 6 – 00 | NUT/MI6 | 2 | | * | | | | |
| 10 | 1564 - 433 - 210 - 10 | METAL,PIVOT ASSY | 1 | | 1--204 | | | | |
| IOA | 1564 - 433 - 210 - 20 | METAL,PIVOT ASSY | 1 | | 205- | | | | |
| 11 | 1564 – 433 - 21 2 - 10 | BUSH/ 55X60X50 | 1 | | * | | | | |
| 12 | 1513 - 402 - 002 - 00 | SPACER | 1 | | * | | | | |
| 13 | V742 – 155 - 700 - 60 | SEALOIL/VC55706 | 1 | | * | | | | |
| 14 | 151 3 - 402 - 001 - 00 | BOLT | 1 | | * | | | | |
| 15 | 1513 - 402 - 003 - 00 | WASHER,SEAL | 1 | | i--204 | | | | |
| 16 | V305 - 260 - 020 – 00 | NUT/M20 | 1 | | * | | | | |
| 17 | 1568 – 433 - 210 - 20 | METAL,PIVOT ASSY | 1 | | * | | | | |
| 18 | 1568 – 433- 212 - 10 | BUSH/85X90X40 | 1 | | * | | | | |
| 19 | 1568 – 433 - 001 - 20 | SEAL,OIL | 1 | | * | | | | |
| 20 | V720 – 105 - 707 - 50 | O– RING/P75 | 1 | | * | | | | |
| 21 | V720 – 103 - 504 – 00 | O-RING/P40 | 1 | | * | | | | |
| 22 | V761 – 150 – 000 - 00 | NIPPLE,GREASE/BM6F | 2 | | * | | | | |
| 23 | V520 – 101 - 002 - 20 | PIN,ST/I0X22 | 2 | | * | | | | |
| 24 | V201 – 261 - 203 - 50 | BOLT/M 12X35 | 4 | | * | | | | |


# FIG. 64 AXLE HOUSING SYSTEM (E15 TYPE)




1568-433


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | V401 – 160 - 012 - 00 | WASHER,SP/M12 | 4 | | • | | | | |
| 26 | V201 – 361 – 404 – 00 | BOLT/M14X40 | 4 | | • | | | | |
| 27 | V401 - 160 - 014 - 00 | WASHER,SP/M14 | 4 | | • | | | | |

# FIG. 65 FRONT GEAR CASE SYSTEM (1)(F TYPE)




| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | GEAR CASE C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 – 434 - 001 - 20 | CASE | 2 | | | | 1 | | |
| 2 | 1444 - 413 – 002 - 10 | GEAR,BEVEL/13T | 2 | | | | | | |
| 3 | 1568 - 434 – 002 – 20 | COLLAR/62X76X21 | 2 | | * | | | | |
| 4 | V600 - 110 - 620 - 70 | BEARING,RB/6207 | 2 | | | | | | |
| 5 | V721 – 103 - 109 - 50 | O-RING/G95 | 2 | | * | | | | |
| 6 | 7963 - 201 - 003 - 00 | PIN,KNOK | 4 | | * | | | | |
| 7 | V201 – 361 - 203 – 50 | BOLT/MI2X35 | 14 | | | | | | |
| 8 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 14 | | | | | | |
| 9 | 1444 - 413 - 004 - 10 | GEAR.BEVEL /17T | 2 | | | | | | |
| 10 | V600 - 110 - 601 – 00 | BEARING,RB/6010 | 2 | | | | | | |
| 11 | 1568 - 434 - 003 - 10 | COVER | 2 | | | | | | |
| 12 | V211 - 560 - 802 - 00 | 8OLT/M8X20 | 12 | | | | | | |
| 13 | 1568 - 434 - 200 - 20 | CASE/LH ASSY | | | 1-335 336– | | | | |
| 13A | 1568 - 434 - 200 - 30 | CASE,FINAL/LH ASSY | | | | | | | |
| 14 | 1568 - 434 - 202 - 10 | BUSH/55X60X40 | | | | | | | |
| | 151568-434-210-20 | CASE/RH ASSY | 1 | | 1-335 336- | | | | |
| 15A | 1568 - 434 - 210 - 30 | CASE,FINAL/RH ASSY | 1 | | | | | | |
| 16 | 1568 - 434 - 202 - 10 | BUSH/55X60X40 | 1 | | | | | | |
| 17 | V610 – 595 – 110 – 70 | BEARING,TB/51107 | 2 | | | | | 1 | |
| 18 | 1564 - 434 - 004 - 10 | SEAL,OIL | 2 | | | | | | |
| 19 | 1568 - 434 - 004 - 10 | SHAFT | 2 | | | | | | |
| 20 | 1568 - 434 - 005 - 20 | GEAR/18T | 2 | | | | | | |
| 21 | V600 - 110 – 630 – 50 | BEARING,RB/6305 | 2 | | | | | | |
| 22 | V704 - 140 - 025 - 00 | RING,SNAP/25 C | 2 | | | | | | |
| 23 | V704 - 140 - 030 - 00 | RING,SNAP/30 C | 2 | | | | | | |


# FIG. 65 FRONT GEAR CASE SYSTEM (1)(F TYPE)




1568-434


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | V707 - 140 - 062 - 00 | RING,SNAP | 2 | | | | | | |
| 25 | 1444 - 314 - 008 - 00 | SEAL (52) | 2 | | 1--391 | | | | |
| 25A | 3640 - 547 - 007 - 00 | CAP,BLANK/52X5 | 2 | | 392- | | | | |
| 26 | V781 - 160 - 000 - 68 | NIPPLE/PT3/8 | 4 | | | | | | |
| 27 | 1568 - 435 - 001 - 10 | SHAFT | 1 | | | | | | |
| 28 | 1568 - 435 - 002 - 10 | SHAFT | | | | | | | |

# FIG. 66 FRONT GEAR CASE SYSTEM (2) (F TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1506 - 413 - 011 - 00 | SEAL.OIL | 2 | | | | | | |
| 2 | V761 - 150 - 000 - 00 | NIPPLE.GREASE | 2 | | | | | | |
| 3 | V520 - 101 - 002 - 20 | PIN,ST/I0X22 | 4 | | | | | | |
| 4 | V401 - 160 - 012 - 00 | WASHER.SP/M12 | 8 | | | | | | |
| 5 | V201 - 361 - 203 - 00 | BOLT/MI2X30 | 8 | | — | | | | |
| 6 | 1568 - 434 - 006 - 20 | SHAFT,WHEEL | 2 | | 1--335 | | | | |
| 6A | 1568 - 434 - 006 - 30 | SHAFT,WHEEL | 2 | | 336- | | | | |
| 7 | 1502 - 433 - 012 - 20 | RING, HUB (170) | 2 | | | | | | |
| 8 | 1568 - 434 - 007 - 20 | GEAR/41 - 29T | 2 | | | | | | |
| 9 | 1568 - 434 - 008 - 30 | WASHER/45X66X03 | 2 | | — | | | | |
| 10 | 1568 - 434 - 009 - 10 | COLLAR/60X69X05 | 2 | | | | | | |
| 11 | 1568 - 434 - 011 - 20 | WASHER/55X69X03 | 2 | | | | | | |
| 12 | 1568 - 434 - 012 - 20 | RING | 2 | | 1--366 | | | | |
| 12A | 1568 - 434 024 - 00 | RING | 4 | | 367- | | | | |
| 13 | 1521 - 433 - 018 - 00 | SEAL.UNITISE A | 2 | | 1--391 | | | | |
| 13A | 1568 - 433 - 018 - 00 | SEAL,OIL/UNITISE | 2 | | 392-460 | | | | |
| 13B | 1521 - 433 - 01S - 00 | SEAL,UNITISE A | 2 | | 461- | | | | |
| 14 | V600 - 10 - 620 - 90 | BEARING,RB/6209 | 2 | | | | | | |
| 15 | V600 - 10 - 601 - 60 | BEARING,RB/6016 | 2 | | | | | | |
| 16 | V654 - 452 - 581 - 70 | NEEDLE,GAUGE | 4 | | | | | | |
| 17 | 1568 - 434 - 013 - 30 | HOUSING | 2 | | | | | | |
| 18 | 1568 - 434 - 014 - 10 | GEAR/19T | 6 | | | | | | |
| 19 | 1568 - 434 - 015 - 10 | PIN/22X40 | 6 | | | | | | |
| 20 | V654 - 422 - 291 - 80 | BEARING,NR/KT222918 | 6 | | | | | | |
| 21 | 1568 - 434 016 - 20 | WASHER/90X102X05 | 2 | | | | | | |


# FIG. 66 FRONT GEAR CASE SYSTEM (2) (F TYPE)




1568-434


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | 1568 - 434 - 017 - 20 | GEAR/67T | 2 | | | | | | |
| 23 | V520 - 101 - 202 - 50 | PIN,ST/12X25 | 4 | | * | | | | |
| 24 | V211 - 560 - 803 - 00 | BOLT/M8X30 | 12 | | | | | | |
| 25 | 1568 - 434 - 018 - 30 | COVER | 2 | | F | | | | |
| 25A | 1568 - 434 - 018 - 40 | COVER | 2 | | -335 336- | | | | |
| 26 | V520 - 101 - 002 - 20 | PIN,ST/I0X22 | 4 | | | | | | |
| 27 | V211-561-002-50 | BOLT/MI0X25 | 20 | | * | | | | |
| 28 | V251 - 341 - 002 - 50 | BOLT/MI2X25 | 4 | | * | | | | |
| 29 | V304 - 460 - 010 - 00 | NUT/MI0 | 4 | | | | | | |
| 30 | V401-160-010-00 | WASHER,SP/MI0 | 4 | | | | | | |
| 31 | 1597 - 434 - 200 - 00 | ARM,KNUCKLE/LH ASSY | 1 | | | | | | |
| 32 | 1568 - 434 - 222 - 10 | BUSH/40X44X30 | 1 | | | | | | |
| 33 | 1597 - 434 - 210 - 00 | ARM,KNUCKLE/RH ASSY | 1 | | | | | | |
| 34 | 1568 - 434 - 222 - 10 | BUSH/40X44X30 | 1 | | | | | | |
| 35 | 1597 - 434 - 220 - 00 | ARM,KNUCKLE/LH ASSY | 1 | | * | | | | |
| 36 | 1568 - 434 - 222 - 10 | BUSH/40X44X30 | 1 | | | | | | |
| 37 | 1597 - 434 - 230 - 00 | ARM,KNUCKLE/RH ASSY | 1 | | | | | | |
| 38 | 1568 - 434 - 222 - 10 | BUSH/40X44X30 | 1 | | | | | | |

# FIG. 67 KNUCKLE ARM AND TIE ROD SYSTEM (F TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 – 436 – 001 – 10 | ROD,TIE | 1 | | * | | | | |
| 2 | 1568 - 436 - 002 - 10 | ROD,TIE | 1 | | * | | | | |
| 3 | V333 - 260 - 020 - 00 | NUT/M20 | 2 | | * | | | | |
| 4 | 1426 - 426 - 002 – 00 | NUT,LH THREAD/M20 | 2 | | * | | | | |
| 5 | 1425 - 433 - 200 - 00 | END,ROD L.L ASSY | 1 | | * | | | | |
| 6 | 1426 - 426 – 21 2 – 00 | COYER,DUST | 1 | | * | | | | |
| 7 | V327 – 262 - 214 - 00 | NUT/M14XI.5 | 1 | | * | | | | |
| 8 | V500 – 153 - 003 - 00 | PIN,SPLIT/3 X30 | 1 | | * | | | | |
| 9 | V767 - 400 - 000 - 00 | NIPPLE,GREASE/M6F | 1 | | * | | | | |
| 10 | 1524 – 413 - 210 - 00 | JOINT.BALL/RH ASSY | 1 | | * | | | | |
| 11 | 1426 – 426 - 21 2 - 00 | COYER,DUST | 1 | | * | | | | |
| 12 | V327 - 262 - 214 - 00 | NUT/M14XI.5 | 1 | | * | | | | |
| 13 | 1432 – 406 – 212 - 00 | NIPPLE,GREASE/BM6F | 1 | | * | | | | |
| 14 | 1524 – 413 - 200 - 00 | JOINT,BALL/LH ASSY | 1 | | * | | | | |
| 15 | 1426 - 426 - 212 - 00 | COYER,DUST | 1 | | * | | | | |
| 16 | V327 – 262 - 214 - 00 | NUT/M14XI.5 | 1 | | * | | | | |
| 17 | 1432 - 406 - 212 - 00 | NIPPLE,GREASE/BM6F | 1 | | * | | | | |
| 18 | 1426 – 426 - 220 - 00 | END,ROD LH RH ASSY | 1 | | * | | | | |
| 19 | 1426 – 426 – 21 2 - 00 | COYER,DUST | 1 | | * | | | | |
| 20 | V327 – 262 – 214 – 00 | NUT/M14X1.5 | 1 | | * | | | | |
| 21 | V500 – 153 – 003 – 00 | PIN,SPLIT/3 X30 | 1 | | * | | | | |
| 22 | V767 – 400 – 000 – 00 | NIPPLE.GREASE/M6F | 1 | | * | | | | |
| 23 | V411 - 260 - 014 - 00 | WASHER,PL/M14 | 4 | | * | | | | |
| 24 | V500 - 163 - 003 00 | PIN,SPLIT/3 X30 | 2 | | * | | | | |


# FIG. 68 FRONT WHEEL SYSTEM (F TYPE EXCEPT E61 N,E15)




1569-431

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1569-437-211-10 | DISC,WHEEL | 1 | | | | | | |
| 2 | 1569-437-221-00 | RIM,WHEEV20XW7 COMP | 1 | | | | | | |
| 3 | V240-461-606-00 | BOLT/M16X60 | 5 | | | | | | |
| 4 | V303-460-016-00 | NUT/M8 | 5 | | | | | | |
| 5 | V302-460-016-00 | NUT/M16 | 5 | | | | | | |
| 6 | V401-160-016-00 | WASHER,SP/M16 | 5 | | | | | | |
| 7 | 1432-435-201-00 | TIRE/8.3-20 6PR | 1 | | | | | | |
| 8 | V889-000-832-00 | TUBE/8.3/8-20 | 1 | | | | | | |
| 9 | V999-300-001-00 | CAP,TIRE VALVE | | | | | | | |
| 10 | 1569-437-211-10 | DISC,WHEEL | | | | | | | |
| 11 | 1569-437-221-00 | RIM,WHEEL/20XW7 COMP | 1 | | | | | | |
| 12 | V240-461-606-00 | BOLT/M16X60 | 5 | | | | | | |
| 13 | V303-460-016-00 | NUT/M8 | 5 | | | | | | |
| 14 | V302-460-016-00 | NUT/M16 | 5 | | | | | | |
| 15 | V401-160-016-00 | WASHER,SP/M16 | 5 | | | | | | |
| 16 | 1432-435-201-00 | TIRE/8.3-20 6PR | | | | | | | |
| 17 | V889-000-832-00 | TUBE/8.3/8-20 | | | | | | | |
| 18 | V999-300-001-00 | CAP,TIRE VALVE | | | | | | | |
| 19 | V201-361-604-00 | BOLT/M16X40 | 8 | | | | | | |
| 20 | V401-160-016-00 | WASHER,SP/M16 | 12 | | | | | | |
| 21 | V304-460-016-00 | NUT/M16 | 4 | | | | | | |
| 22 | V251-341-604-00 | BOLT,STUD/MI0X25 | 4 | | | | | | |


# FIG. 69 FRONT WHEEL SYSTEM (FE15 TYPE)




1597-437

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL GRP | REMARKS |
|---|---|---|---|---|---|---|---|
| 1 | 1526-417-220-00 | RIM,FRONT WHEEL COMP | 1 | | 1--460 | | |
| 1A | 1526-417-220-10 | WHEEL/20XW7 COMP | | | 461- | | |
| 2 | 1432-435-201-00 | TIRE/8.3-20 6PR | 1 | | | | |
| 3 | V889-000-832-00 | TUBE/8.3/8-20 | 1 | * | | | |
| 4 | V999-300-001-00 | CAP,TIRE VALVE | 1 | | | | |
| 5 | 1526-417-220-00 | RIM,FRONT WHEEL COMP | | | 1--460 | | |
| 5A | 1526-417-220-10 | WHEEL/20XW7 COMP | | | 461- | | |
| 6 | 1432-435-201-00 | TIRE/8.3-20 6PR | | | | | |
| 7 | V889-000-832-00 | TUBE/8.3/8-20 | | | | | |
| 8 | V999-300-001-00 | CAP.TIRE VALVE | | | | | |
| 9 | V201-361-604-00 | OOLT/M16X40 | 8 | | | | |
| 10 | V401-160-016-00 | WASHER,SP/M16 | 12 | * | | | |
| 11 | V304-460-016-00 | NUT/M16 | 4 | * | | | |
| 12 | V251-341-604-00 | BOLT,STUD/M10X25 | 4 | * | | | |


# FIG. 70 FRONT WHEEL SYSTEM (FE6l N TYPE)




1647-437

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1647 - 437 - 213 - 00 | WHEEL/W8- 18 COMP | 1 | | | | | | |
| 2 | 1647 - 437 - 211-00 | TIRE | 1 | | * | | | | |
| 3 | 1647 - 437 - 212 - 00 | TUBE | 1 | | | | | | |
| 4 | Vggg - 300 - DOl - 00 | CAP,TIRE VALVE | 1 | | * | | | | |
| | 51647-437 - 213-00 | WHEEL/W8-18 COMP | 1 | | | | | | |
| 6 | 1647 - 437 - 21 1 - 00 | TIRE | 1 | | | | | | |
| | 71647 - 437 - 212 - 00 | TUBE | 1 | | | | | | |
| 8 | Vggg - 300 - 001 - 00 | CAP,TIRE VALVE | 1 | | | | | | |
| 9 | V201 - 361 – 604 - 00 | BOLT/M16X40 | 8 | | | | | | |
| 10 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 12 | | | | | | |
| " | V251 - 341 - 604 - 00 | BOLT,STUD/M10X25 | 4 | | | | | | |
| 12 | V304 - 460 - 016 - 00 | NUT/M16 | 4 | | | | | | |

# FIG. 71 CYLINDER CASE SYSTEM (EXCEPT E41 P,E15 TYPE)





1

1564-501B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MOOEL TA545T | TYPE OF MOOEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 – 501 - 220 - 00 | CASE,CYLINDER ASSY | 1 | * | * | | | | |
| 2 | 1564 - 501 - 202 - 20 | BUSH/60X65X50 | 1 | * | * | | | | |
| 3 | 1564 - 501 - 203 - 10 | BUSH/55X60X50 | 1 | * | * | | | | |
| 4 | V744 – 155 - 720 - 90 | SEAL,OIL/TC55729 | 2 | * | * | | | | |
| 5 | V742 - 116 - 240 - 40 | SEAL,OIL/VC16244 | 2 | * | * | | | | |
| 6 | 1500 - 501 – 210 - 00 | BREATHER ASSY | 1 | I--52 53- | I--391 392- | | | | |
| 6A | 1560 - 501 - 230 - 00 | BREATHER ASSY | 1 | | | | | | |
| 7 | 1500 - 501 - 212 – 00 | COVER | 1 | I--52 53- | I--391 392- | | | | |
| 7A | 1560 - 501 - 231 - 00 | COVER | 1 | | | | | | |
| 8 | 1500 - 501 – 213 - 00 | FILTER | 1 | * | * | | | | |
| 9 | 1500 – 501 - 214 - 00 | SCREW/M4X20 | 1 | * | * | | | | |
| 10 | V251 - 341 – 002 - 80 | BOLT/M 1OX28 | 2 | * | * | | | | |
| 11 | V251 - 341 – 002 - 8e | BOLT/MI OX28 | 2 | * | ● | | | | |
| 12 | V201 - 361 - 009 - DB | BOLT/MI0X90 | 1 | * | | | | | |
| 13 | V201 - 361 - 009 - 00 | BOLT/MI0X90 | 3 | ● | * | | | | |
| 14 | V211 - 561 - 003 – 00 | SOLT/M 1OX30 | 9 | ● | ● | | | | |
| 15 | V201 - 361 - 007 – OB | SOLT.SEAL/M 1OX70 | 1 | * | ● | | | | |
| 16 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 5 | ● | * | | | | |
| 17 | V720 - 112 - 401 - 40 | O- RING/P14 | 2 | ● | ● | | | | |
| 18 | V780 – 140 - 000 - 60 | PLUG PTI/4 | 2 | ● | ● | | | | |
| 19 | 7956 – 205 - 016 – 00 | CAP,OIL/30 | 1 | ● | * | | | | |
| 20 | V781 – 160 - 000 - 60 | NIPPLE/PT3/8 | 2 | ● | ● | | | | |

# FIG. 72 CYLINDER CASE SYSTEM (E41 P TYPE)





1

1597-501B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 501 - 220 - 00 | CASE,CYLINDER ASSY | 1 | | | | | | |
| 2 | 1564 - 501 - 202 - 20 | BUSH/60X65X50 | 1 | | | | | | |
| 3 | 1564 - 501 - 203 - 10 | BUSH/55X60X50 | 1 | | | | | | |
| 4 | V744 - 155 - 720 - 90 | SEAL,OIL/TC55729 | 2 | | | | | | |
| 5 | V742 - 116 - 240 - 40 | SEAL,OIL/VC16244 | 2 | | | | | | |
| 6 | V251 - 341 - 002 - 8e | BOLT/MI0X28 | 2 | | | | | | |
| 7 | V201 - 361 - 009 - OB | BOLT/MI0X90 | 1 | | | | | | |
| 8 | V201 - 361 - 009 - 00 | BOLT/MI0X90 | 3 | | | | | | |
| 9 | V211-561 - 003 - 00 | BOLT/MI0X30 | 9 | | | | | | |
| 10 | V201 - 361 - 007 - OB | BOLT,SEAL/M10X70 | 1 | | | | | | |
| 11 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 5 | | | | | | |
| 12 | V720-112-401 -40 | O-RING/P14 | 2 | | | | | | |
| 13 | V780 - 140 - 000 - 60 | PLUG PTI/4 | 2 | | | | | | |
| 14 | V781 - 160 - 000 - 60 | NIPPLE/PT3/8 | 2 | | | | | | |
| 15 | 1597 - 501 - 001 - 00 | COLLAR/24X38X42 | 1 | | 1-366 | | | | |
| 15A | 1597 - 501 - 001 - 10 | COLLAR/24X38X44 | 1 | | 367- | | | | |
| 16 | 1518 - 432 - 250 - 00 | CAP,OIL ASSY | 1 | | | | | | |
| 17 | 1518 - 306 - 203 - 00 | PACKING | | | | | | | |
| 18 | 1632 - 501 - 200 - 00 | BREATHER ASSY | 1 | | | | | | |
| 19 | 1632 - 501 - 202 - 00 | COVER | 1 | | • | | | | |
| 20 | 1632 - 501 - 203 - 00 | COVER,UNDER | 1 | | | | | | |
| 21 | 1632 - 501 - 204 - 00 | FILTER | 1 | | | | | | |
| 22 | 1632 - 501 - 205 - 00 | SCREW | 1 | | | | | | |
| 23 | 1632 - 501 - 210 - 10 | PIPE COMP | 1 | | | | | | |
| 24 | 1518 - 431 - 200 - 00 | DRAIN,BREATHER COMP | 1 | | 1--408 | | | | |

# FIG. 72 CYLINDER CASE SYSTEM (E41 P TYPE)





1

1597-501B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24A | 1632 – 501 – 004 – 00 | DRAIN,BREATHER | 1 | | 409-1- | | | | |
| 25 | 1632 - 501 – 001 – 10 | PLATE | 1 | | -238 | | | | 1 |
| 25A | 1643 – 501 – 001 - 00 | PLATE | 1 | | 239--367 | | | | |
| 25B | 1643 - 501 - 001 – 10 | PLATE | 1 | | 368--421 | | | | |
| 25C | 1643-501-001-20 | PLATE | 1 | | 422- | | | | |
| 26 | 1560 - 102 - 001 - 50 | HOSE/255 | 1 | | | | | | |
| 27 | J061 – 116 – 025 - 00 | CLAMP,WORM/16 - 25 | 2 | | | | | | |
| 28 | V411 - 260 - 018 - 00 | WASHER/M18 | 2 | | | | | | |


# FIG. 73 CYLINDER CASE SYSTEM (E15 TYPE)




1591501

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 501 - 220 - 00 | CASE,CYLINDER ASSY | 1 | | | | | | |
| 2 | 1564 - 501 - 202 - 20 | BUSH/60X65X50 | 1 | | | | | | |
| 3 | 1564 - 501 - 203 - 10 | BUSH/55X60X50 | 1 | | | | | | |
| 4 | V744 - 155 - 720 - 90 | SEAL,OIL/TC55729 | 2 | | | | | | |
| 5 | V742 - 116 - 240 - 40 | SEAL,OIL/VC16244 | 2 | | * | | | | |
| 6 | 1500 - 501 - 210 - 00 | BREATHER ASSY | | | 1--329 330- | | | | |
| 6A | 1632 - 501 - 200 - 00 | BREATHER ASSY | | | | | | | |
| 7 | 1500 - 501 - 21 2 - 00 | COVER | | | 1--329 330- | | | | |
| 7A | 1632 - 501 - 202 - 00 | COVER | | | | | | | |
| 8 | 1632 - 501 - 203 - 00 | COVER,UNDER | | | | | | | |
| | 91500-501-213-00 | FILTER | | | 1--329 330- | | | | |
| 9A | 1632 - 501 - 204 - 00 | FILTER | | | | | | | |
| 10 | 1500 - 501 - 214 - 00 | SCREW/M4X20 | | | 1--329 330- | | | | |
| IOA | 1632 - 501 - 205 - 00 | SCREW | | | | | | | |
| 11 | V251 - 341 - 002 - 80 | OOLT/M10X28 | 2 | | | | | | |
| 12 | V251 - 341 - 002 - 8e | OOLT/M10X28 | 2 | | | | | | |
| 13 | V201 - 361 - 009 - 00 | OOLT/M10X90 | 1 | | | | | | |
| 14 | V201 - 361 - 009 - OB | OOLT/M10X90 | 1 | | | | | | |
| 15 | V201 - 361 - 009 - 00 | OOLT/M1 OX90 | 3 | | | | | | |
| 16 | V211 - 561 - 003 - 00 | OOLT/M10X30 | 8 | | | | | | |
| 17 | V211 - 361 - 003 - 50 | OOLT,SEMS/SP | | | | | | | |
| 18 | V201 - 361 - 007 - 00 | OOLT,SEAL/M10X70 | | | | | | | |
| 19 | V201 - 361 - 007 - OB | OOLT,SEAL/M10X70 | 1 | | | | | | |
| 20 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 5 | | | | | | |
| 21 | V720 - 112 - 401 - 40 | O-RING/P14 | 2 | | * | | | | |


# FIG. 73 CYLINDER CASE SYSTEM eE15 TYPE)




1597-501

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGTOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | V780 - 140 - 000 - 60 | PLUG PTI/4 | 2 | | | | | | |
| 23 | V781 - 160 - 000 - 60 | NIPPLE/PT3/8 | 2 | | | | | | |
| 24 | 1597 - 501 - 001 - 00 | COLLAR/24X38X42 | 1 | | 1--366 | | | | |
| 24A | 1597 - 501 - 001 - 10 | COLLAR/24X38X44 | 1 | | 367- | | | | |
| 25 | 1518 - 432 - 250 - 00 | CAP,OIL ASSY | 1 | | | | | | |
| 26 | 1518 - 306 - 203 - 00 | PACKING | | | | | | | |
| 27 | 1632 - 501 - 210 - 10 | PIPE COMP | | | | | | | |
| 28 | 1518 - 431 - 200 - 00 | DRAIN,BREATHER COMP | | | 1--408 | | | | |
| 28A | 1632 - 501 - 004 - 00 | DRAIN,BREATHER | | | 409- | | | | |
| 29 | 1632 - 501 - 001 - 10 | PLATE | | | 1--238 | | | | |
| 29A | 1643 - 501 - 001 - 00 | PLATE | 1 | | 239--366 | | | | |
| 29B | 1643 - 501 - 001 - 10 | PLATE | 1 | | 367--421 | | | | |
| 29C | 1643-501-001-20 | PLATE | 1 | | 422- | | | | |
| 30 | 1560 - 102 - 001 - 50 | HOSE/255 | 1 | | | | | | |
| 31 | J061 - 116 - 025 - 00 | CLAMP,WORM/16 - 25 | 2 | | | | | | |
| 32 | V411 - 260 - 018 - 00 | WASHER/M18 | 2 | | | | | | |
| 33 | 1597 - 501 - 002 - 00 | PLUG/M20 | 1 | | | | | | |
| 34 | V720 - 112 - 401 - 80 | O- RING/P18 | 1 | | | | | | |
| 35 | V720 - 112 - 401 -20 | O-RING/P12 | 1 | | | | | | |
| 36 | V201 - 261 - 201 - 60 | BOLT/M8X12 | 1 | | | | | | |
| 37 | 1488 - 501 - 006 - 00 | COVER | 1 | | | | | | |
| 38 | 1488 - 501 - 007 - 00 | PACKING,COVER | 1 | | | | | | |
| 39 | 1564 - 502 - 001 - 00 | COLLAR/09X14XI0 | 2 | | | | | | |
| 40 | V21 1 - 261 - 001 - 60 | BOLT (S) MI0X16 | 2 | | | | | | |
| 41 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 2 | | | | | | |


# FIG. 73 CYLINDER CASE SYSTEM eE15 TYPE)




1564-502A

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | IeG TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 42 | V304 - 260 - 010 - 00 | NUT | 2 | | | | | | |
| 43 | 1588 - 501 - 007 - 00 | CAP,BLANK/24X6 | 1 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 74 LIFT ARM AND RELIEF VALVE SYSTEM




1568-505A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 505 - 001 - 40 | BAR | 1 | | | | | | |
| 2 | 1564 - 505 - 002 - 40 | CRANK,L1FT | 1 | | | | | | |
| 3 | 1403 - 209 - 006 - 00 | BOLT | 1 | | * | | | | |
| 4 | V590 - 131 - 228 - 00 | WIRE/1.2X2S0 | 1 | | | | | | |
| 5 | 1560 - 505 - 004 - 00 | PIN/12X45 | 1 | * | | | | | |
| 6 | V401 - 160 - 008 - 00 | WASHER,SP/M S | 1 | | | | | | |
| 7 | 1599 - 505 - 002 - 20 | ARM,L1FT/RH | 2 | 1-51 52-53 54- | 1-366 367-408 409- | | | | |
| 7A | 1599 - 505 - 001 - 30 | ARM,L1FT | 2 | | | | | | |
| 78 | 1599 - 505 - 001 - 40 | ARM,L1FT | 2 | | | | | | |
| 8 | 1434 - 611 - 002 - 10 | CAP (MS) | 2 | | | | | | |
| 9 | V706 - 140 - 055 - 00 | RING,SNAP | 2 | | | | | | |
| 10 | 1432 - 520 - 002 - 10 | PIN/22XS5 | 2 | | * | | | | |
| 11 | V500 - 164 - 003 - 00 | PIN,SPLIT/4 X30 | 2 | | | | | | |
| 12 | K250 - 017 - 000 - 00 | VALVE,RELIEF ASSY | 1 | | | | | | |
| 13 | V720 - 112 - 401 - 20 | O-RING/P12 | 1 | | | | | | |
| 14 | V720 - 112 - 401 - 80 | O-RING/PIS | | | | | | | |


# FIG. 75 CYLINDER SYSTEM




1564-507B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 507 - 001 - 10 | CYLINDER | 1 | * | * | | | | |
| 2 | 1564 - 507 - 002 - 10 | RING,SNAP | 1 | * | * | | | | |
| 3 | V721 - 113 - 109 - 50 | O-RING/G95 | 1 | * | * | | | | |
| 4 | 1564 - 507 - 003 - 30 | PISTON | 1 | * | * | | | | |
| 5 | 1564 - 507 - 004 - 10 | RING | 1 | * | * | | | | |
| 6 | V720 - 115 - 707 - 50 | O-RING/P75 | 1 | * | * | | | | |
| 7 | 1564 - 507 - 007 - 00 | ROD | 1 | * | * | | | | |
| 8 | V580 - 140 - 806 - 00 | PIN.SPRING W/8X60 | 1 | * | * | | | | |
| 9 | V590 - 131 - 217 - 00 | WIRE/1.2X170 | 1 | * | * | | | | |
| 10 | K211 - 009 - 000 - 00 | VALVE,CONTROL ASSY | 1 | I--43 | I--335 | | | | FIG.179 |
| 10A | K211 - 009 - 000 - 10 | VALVE,CONTROL ASSY | 1 | 44- | 336- | | | | FIG.179 |
| 11 | K211 - 013 - 000 - 00 | VALVE,CONTROL ASSY | 1 | I--43 | I--335 | | | | FIG.180 |
| 11A | K211 - 013 - 000 - 10 | VALVE,CONTROL ASSY | 1 | 44- | 336- | | | | FIG.180 |
| 12 | V720 - 112 - 401 - 40 | O-RING/P14 | 2 | * | * | | | | |
| 13 | V211 - 260 - 804 - 00 | BOLT,SEMS | 3 | * | * | | | | |
| 14 | 1564 - 507 - 005 - 30 | SPRING/HE157 | 1 | * | * | | | | |
| 15 | V201 - 260 - 803 - 00 | BOLT/M 8X30 | 1 | * | * | | | | |
| 16 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | * | * | | | | |
| 17 | 1564 - 507 - 008 - 00 | HEAD | 1 | * | * | | | | |
| 18 | V721 - 113 - 108 - 00 | O-RING/G80 | 1 | * | * | | | | |
| 19 | V201 - 361 - 203 - 50 | BOLT/M 12X35 | 5 | * | * | | | | |
| 20 | V201 - 361 - 206 - 00 | BOLT/MI2X60 | 1 | * | * | | | | |
| 21 | V401 - 160 - 012 - 00 | WASHER,SP/M 12 | 6 | * | * | | | | |
| 22 | V781 - 160 - 000 - 40 | PLUG/PT1/8 | 1 | * | * | | | | |
| 23 | V781 - 160 - 000 - 20 | PLUG/PT1/8 | 1 | * | * | | | | |


# FIG. 75 CYLINDER SYSTEM




1564-507B


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGTOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | K231 – 004 - 000 - 00 | VALVE,FRONT ASSY | 1 | 1--54 | 1--411 | | | | |
| 24A | K231 - 004 – 000 – 10 | VALVE FROCON ASSY | 1 | | 412--460 | | | | |
| 248 | K231 – 004 - 000 - 20 | VALVE,FROCON ASSY | 1 | 55- | 461- | | | | |
| 25 | V720 - 11 2 - 401 – 00 | O-RING/PI0 | 1 | | | | | | |
| 26 | V730 – 101 - 401 - 00 | RING,BACK UP | 1 | | | | | | |
| 27 | K231 – 004 - 006 - 00 | COLLAR/IIX21X3 | | | | | | | |
| 28 | V705 – 140 – 021 – 00 | RING,SNAP/21 C | | | | | | | |
| 29 | K231 – 004 – 007 – 00 | SEAL,DUST | | | | | | | |
| 30 | V720 – 112 – 402 – 20 | O-RING/P22 | | | | | | | |
| 31 | V720-112-401 -60 | O-RING/PI6 | | | | | | | |
| 32 | 1560 – 507 – 007 – 00 | KNOB | | | | | | | |
| 33 | V111 - 166 – 004 – 00 | SCREW/M6X40 | | | | | | | |
| 34 | V401 - 160 – 006 – 00 | WASHER,SP/M 6 | | | | | | | |
| 35 | V304 – 260 – 010 – 00 | NUT | | | | | | | |
| 36 | 1444 – 503 – 006 – 00 | PLUG/M22 | | | | | | | |
| 37 | V720 – 11 2 – 402 – 00 | 0 - RING/P20 | | | | | | | |
| 38 | 1568 – 507 – 200 – 10 | SHAFT,SLOW,RETURN | | 1--16 | 1--138 | | | | |
| 38A | 1568 – 507 – 001 - 00 | SHAFT,SLOW,RETURN | | 17- | 139- | | | | |

# FIG. 76 POSITION LINK SYSTEM




| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 509 - 240 - 00 | ARM caMP | 1 | | | | | | |
| 2 | 1421 – 507 – 007 – 00 | STOPPER | 1 | | * | | | | |
| 3 | V211 - 260 - 801 – 60 | BOLT,SEMS (S) M8X16 | 1 | * | | | | | |
| 4 | 1564 – 509 – 250 – 00 | ARM COMP | 1 | | | | | | |
| 5 | V710 - 140 - 008 – 00 | RING,SNAP/8 E | 1 | * | | | | | |
| 6 | 1564 - 509 - 210 - 20 | ROD caMP | 1 | 1- -38 | 1- -238 | | | | |
| 6A | 1564 – 509 – 210 – 30 | ROD COMP | 1 | 39- | 239- | | | | |
| 7 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | | * | | | | |
| 8 | V500 – 162 - 002 – 00 | PIN,SPLIT/ '2 X20 | 1 | * | | | | | |
| 9 | V580 - 140 - 301 - 60 | PIN,SPRING/3 X16 W | 1 | | | | | | |
| 10 | V590 - 131 - 010 - 00 | WIRE/1.0XI00 | 1 | | | | | | |
| 11 | 1560 - 509 - 340 - 00 | ARM | 1 | | | | | | |
| 12 | 1560 - 509 - 006 - 40 | PIN | 1 | | | | | | |
| 13 | V411 – 260 – 006 – 00 | WASHER / M6 | 1 | | | | | | |
| 14 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 1 | | | | | | |
| 15 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | | | | | | |
| 16 | 1560 - 509 - 240 - 40 | ARM caMP | 1 | | | | | | |
| 17 | 1560 - 509 - 004 - 50 | RING | 1 | | | | | | |
| 18 | V500 – 162 – 002 – 00 | PIN,SPLIT/2 X20 | 1 | * | * | | | | |
| 19 | 1560 – 509 – 005 – 30 | SPRING | 1 | * | * | | | | |
| 20 | V411 - 260 – 008 - 00 | WASHER,PL/M 8 | 1 | | | | | | |
| 21 | 1560 - 509 - 350 - 00 | ARM | 1 | * | | | | | |
| 22 | 1522 - 506 - 017 – 00 | ROD,PUSH | 1 | | | | | | |
| 23 | V304 - 260 - 008 - 00 | NUT/M 8 | | | | | | | |
| 24 | V710 - 140 - 008 - 00 | RING,SNAP/8 E | | | * | | | | |


# FIG. 76 POSITION LINK SYSTEM




1564-509A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1560 – 509 - 01 2 – 00 | ARM | 1 | ● | ● | | | | |
| 26 | 1560 - 509 - 008 – 40 | SPRING | 1 | ● | ● | | | | |
| 27 | 1560 – 509 - 002 - 00 | PIN/6X49 | 1 | ● | ● | | | | |
| 28 | 1560 - 509 - 009 - 00 | WASHER/7X22X3 | 1 | ● | ● | | | | |
| 29 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | ● | ● | | | | |
| 30 | V710 - 140 - 008 - 00 | RING.SNAP/8 E | 1 | ● | ● | | | | |
| 31 | 1560 - 509 - 320 - 00 | HOLDER | 1 | I--34 | I--238 | | | | |
| 31A | 1560 - 509 - 320 - 10 | BRACKET COMP | 1 | 35- | 239- | | | | |
| 32 | V211 – 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | ● | ● | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 77 DRAFT LINK SYSTEM (EXCEPT E15 TYPE)




15iB-510A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 510 - 002 - 00 | SPRING/HC067 | 1 | | | | | | |
| 2 | 1568 - 510 - 003 - 00 | WASHER/23X56XO1 | 1 | | | | | | |
| 3 | 1564 - 510 - 001 - 20 | ARM | 1 | | * | | | | |
| 4 | V710 - 140 - 008 - 00 | RING,SNAP/8 E | 1 | | | | | | |
| 5 | 1564 - 510 - 002 - 20 | PIN/08X108 | 1 | | | | | | |
| 6 | 1564 - 510 - 003 - 20 | SPRING/HC078 | 1 | | | | | | |
| 7 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | | | | | |
| 8 | 1564 - 510 - 240 - 00 | ARM COMP | 1 | 1-34 | 1-238 | | | | |
| 8A | 1564 - 510 - 240 - 10 | ARM COMP | 1 | 35- | 239- | | | | |
| 9 | 1564 - 510 - 210 - 20 | ARM COMP | 1 | | | | | | |
| 10 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | | | | | | |
| 11 | 1421 - 507 - 007 - 00 | STOPPER | 1 | | | | | | |
| 12 | V211 - 260 - 801 - 60 | BOLT,SEMS (5) M8X16 | 1 | | | | | | |
| 131426 | - 574 - 014 - 00 | RODD | 1 | | | | | | |
| 14 | V304 - 200 - 008 - 00 | NUT/M8 | 1 | * | | | | | |
| 151564 | - 510 - 250 - 00 | ARM COMP | 1 | | * | | | | |
| 16 | 1564 - 510 - 230 - 20 | LINK COMP | 1 | | | | | | |
| 17 | 1564 - 510 - 004 - 20 | LINK | 1 | 1-48 | 1-366 | | | | |
| 17A | 1564 - 510 - 004 - 30 | LINK | 1 | 49- | 367- | | | | |
| 18 | 1488 - 505 - 009 - 00 | HOLDER,SPRING | 1 | | | | | | |
| 19 | 1564 - 510 - 005 - 10 | WASHER/23X56X06 | 1 | | | | | | |
| 20 | 1564 - 510 - 006 - 20 | BOLT,SET | 1 | | | | | | |
| 21 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 1 | * | | | | | |
| 22 | 1564 - 510 - 007 - 30 | CASE | 1 | * | | | | | |
| 23 | V211 - 561 - 003 - 00 | BOLT/M10X30 | 2 | | | | | | |


# FIG. 77 DRAFT LINK SYSTEM (EXCEPT E15 TYPE)




1564 510B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TECTOR C | TECTOR L | TECTOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 2 | | | | | | |
| 25 | V303 - 460 - 010 - 00 | NUT/M10 | 2 | | | | | | |
| 26 | 1564 - 510 - 008 - 10 | BOOT | 1 | | | | | | |
| 27 | JOBI - 132 - 050 - 00 | CLAMP,WORM/32 - 50 | | | | | | | |
| 28 | JOBI - 170 - 090 - 00 | CLAMP,WORM/70 - 90 | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG. 78 POSITION LEVER SYSTEM




15695 11

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 511 - 230 - 40 | BRACKET ASSY | | I--53 54- | I--408 409- | | | | |
| 1A | 1564 - 511 - 230 - 50 | BRACKET ASSY | 1 | | | | | | |
| 2 | 3650 - 440 - 014 - 00 | BUSH/12X14X20 | 2 | i--53 | "i--408 | | | | |
| 2A | 1560 - 511 - 015 - 00 | BUSH/12X14X20 | 2 | 54- | 409- | | | | |
| 3 | V201 - 260 - 817 - 00 | BOLT/M8X170 | 2 | | | | | | |
| 4 | V201 - 260 - 817 - 50 | BOLT/M8X175 | 1 | | | | | | |
| 5 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 3 | | | | | | |
| 6 | 1564 - 511 - 250 - 00 | ARM COMP | 1 | * | * | | | | |
| 7 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | | | | | | |
| 8 | 1560 - 511 - 006 - 50 | SPRING | 1 | * | * | | | | |
| 9 | 1432 - 124 - 003 - 00 | ELBOW,LH | | I--34 | I--204 | | | | |
| 9A | 1560 - 511 - 014 - 00 | JOINT,BALL/M06/LH | 1 | 35- | 205- | | | | |
| 10 | 1432 - 124 - 004 - 00 | ELBOW,RH | 1 | 1--34 | 1--204 | | | | |
| 10A | 1560 - 511 - 013 - 00 | JOINT,BALL/M06/RH | 1 | 35- | 205- | | | | |
| 11 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | | | | | | |
| 12 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | | | | | | |
| 13 | 1600 - 505 - 007 - 00 | L1NING/13X50X3 | 2 | | | | | | |
| 14 | 1404 - 117 - 008 - 00 | SPRING,PRESS/22 | 1 | I--34 | I--204 | | | | |
| 14A | 1444 - 116 - 008 - 00 | SPRING,PRESSURE | 1 | 35- | 205- | | | | |
| 15 | V411 - 260 - 010 - 00 | WASHER/M10 | 1 | | | | | | |
| 16 | 1560 - 511 - 012 - 00 | PLATE | 1 | | | | | | |
| 17 | V305 - 260 - 010 - 00 | NUT/M10 | 2 | | | | | | |
| 18 | 1560 - 511 - 005 - 40 | GRIP/03X17X97 | 1 | | * | | | | |
| 19 | VI12 - 165 - 001 - 20 | SCREW/M8X16 | 1 | | | | | | |
| 20 | 1560 - 316 - 002 - 40 | TUBE,STRAIGHT/50 | 1 | | * | | | | |


# FIG. 78 POTISION LEVER SYSTEM




1596-511A

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 21 | 1596 - 511 - 200 - 00 | LEVER,PLATE COMP | 1 | * | | | | | |
| 22 | 1596 - 511 - 001 - 00 | LEVER,PLATE | 1 | | * | | | | |
| 23 | V211-260-801-60 | 8OLT,SEMS (S) M8X16 | 1 | | • | | | | |
| 24 | 1432 - 242 - 004 - 00 | GRIP, | 1 | * | | | | | |
| 25 | 1565 - 511 - 220 - 10 | ARM COMP | 1 | * | * | | | | |
| 26 | 1564 - 511 - 270 - 10 | LEVER,PISITON COMP | 1 | | | | | | |
| 27 | 1564 - 51 2 - 003 - 10 | LEVER | 1 | | | | | | |
| 28 | V211 - 260 - 801 - 20 | 8OLT,SEMS (S) M8X12 | 1 | | | | | | |
| 29 | 1564 - 513 - 220 - 00 | ROD COMP | 1 | | * | | | | |
| 30 | V301 - 260 - 006 - 00 | NUT/M 6 | 1 | | * | | | | |
| 31 | 1560-513-001-30 | NUT/M6 | 1 | | | | | | |
| 32 | 1565 – 513 - 200 - 20 | HOLDER COMP | 1 | * | | | | | |
| 33 | V211 – 260 – 801 – 60 | BOLT,SEMS (S) M8X16 | 1 | * | | | | | |


# FIG. 79 DRAFT LEVER SYSTEM (EXCEPT E15 TYPE)




1596 512

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 51 2 – 200 – 00 | LEVER,PLATE ASSY | 1 | | | | | | |
| 2 | 1564 - 512 - 001 - 00 | BUSH/I0XI2XI0 | 1 | | | | | | |
| 3 | 1596 – 512 – 001 – 00 | LEVER,PLATE | 1 | - | • | | | | |
| 4 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | | | | | | | |
| 5 | 1415 - 505 – 01 5 - 00 | GRIP | | | | | | | |
| 6 | 1596 - 512 – 002 - 00 | L1NING/11X30X03 | 2 | | | | | | |
| 7 | 1104 - 240 - 003 - 00 | SPRING/HC019 | 1 | | | | | | |
| 8 | 1444 - 116 - 007 - 00 | WASHER *(11X30X2)* | 3 | | | | | | |
| 9 | V305 - 260 - 010 - 00 | NUT/MI0 | 2 | • | | | | | |
| 10 | V710 - 140 - 009 - 00 | RING,SNAP/9 E | 1 | | | | | | |
| 11 | V201 - 261 - 005 - 50 | BOLT/MI0X55 | 1 | | | | | | |
| 12 | 1564 - 512 - 002 - 00 | INSULATOR | 1 | | | | | | |
| 13 | 1560 - 316 – 002 - 40 | TUBE,STRAIGHT/50 | 1 | | | | | | |
| 14 | 1565 - 514 - 201 - 40 | ROD | 1 | | | | | | |
| 15 | V411 – 260 - 008 - 00 | WASHER,PL/M 8 | 1 | - | • | | | | |
| 16 | 7957 - 501 - 004 - 00 | PIN,HAIR | | | | | | | |
| 17 | V500 - 163 - 002 - 00 | PIN,SPLIT/3 *X20* | | | | | | | |


# FIG. 80 HYDRAULIC PIPING SYSTEM (1) (EXCEPT E41 P,E15 TYPE)




1597-515A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEG CTR C | LEG CTR L | LEG CTR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1513-510-001-10 | PUMP.GEAR | 1 | | | | | | |
| 2 | 1488-510-002-00 | PACKING.PUMP | 1 | | | | | | |
| 3 | V411-260-010-00 | WASHER/M10 | 2 | | | | | | |
| 4 | V304-260-010-00 | NUT | 2 | • | • | | | | |
| 5 | V401-160-010-00 | WASHER.SP/M10 | | | | | | | |
| 6 | K250-011-000-00 | VALVE.RELIEF | 1 | | | | | | |
| 7 | 1564-515-300-00 | FILTER,SUCTION ASSY | 1 | • | • | | | | |
| 8 | V721-103-104-50 | O-RING/G45 | 1 | | * | | | | |
| 9 | V211-361-002-50 | BOLT/M10X25 | 1 | | | | | | |
| 10 | 1568-515-210-20 | PIPE.SUCTION COMP | 1 | • | | | | | |
| 11 | 1568-515-001-10 | CONNECTOR | 1 | | | | | | |
| 12 | 1488-510-011-00 | PACKING | 2 | * | | | | | |
| 13 | 1560-515-003-10 | HOSE/100 | 1 | | | | | | |
| 14 | J061-232-040-00 | CLAMP,WIRE/32-40 | 2 | | | | | | |
| 15 | 1596-515-200-00 | FILTER ASSY | 1 | 1--43 | 1--335 | | | | |
| 15A | 1596-515-200-10 | FILTER ASSY | 1 | 44--48 | 336--366 | | | | |
| 15B | 1596-515-200-20 | FILTER ASSY | 1 | 49- | 367- | | | | |
| 16 | 1564-515-341-00 | CARTRIDGE | 1 | | | | | | |
| 17 | V211-361-003-00 | BOLT/M10X30 | 1 | | | | | | |
| 18 | V201-261-005-00 | BOLT/M10X50 | 1 | | | | | | |
| 19 | V401-160-010-00 | WASHER,SP/M10 | 1 | | | | | | |
| 20 | V411-260-010-00 | WASHER/M10 | 1 | | | | | | |
| 21 | V720-112-402-00 | O-RING/P20 | 2 | | | | | | |
| 22 | 1564-515-001-10 | PLATE | | 1--54 | i--460 | | | | |
| 22A | 1564-515-001-20 | PLATE | | 55- | 461- | | | | |


# FIG. 80 HYDRAULIC PIPING SYSTEM (1) (EXCEPT E41 P,E15 TYPE)




1597-515A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TORQUE C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | V211 - 360 - 801 - 60 | OOLT,SEMS (SP) | | | | | | | |
| 24 | 1568 - 515 - 220 - 30 | PIPE,DELIVERY/F COMP | | | | | | | |
| 25 | 1326 - 706 - 002 - 10 | PLUG,DRAIN | | | | | | | |
| 26 | 1568 - 515 - 003 - 00 | CONNECTOR | | | | | | | |
| 27 | V720 - 112 - 401 - 40 | 0 - RING/P14 | | | | | | | |
| 28 | V720 - 112 - 402 - 00 | 0 - RING/P20 | | | | | | | |
| 29 | V720 - 113 - 502 - 40 | 0 - RING/P24 | | | | | | | |
| 30 | 1568 - 515 - 230 - 20 | PIPE,SUCTION/R COMP | | | | | | | |
| 31 | V721 - 103 - 103 - 50 | 0 - RING/G35 | | | | | | | |
| 32 | V721 -103-104-50 | O-RING/G45 | | | | | | | |
| 33 | V211 - 261 - 002 - 00 | BOLT,SEMS | | | | | | | |
| 34 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | | | | | | | |
| 35 | 1568 - 515 - 002 - 20 | PLATE | | | | | | | |
| 36 | V201 - 261 - 202 - 00 | OOLT/MI2X20 | | | | | | | |
| 37 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | | | | | | | |


# FIG. 81 HYDRAULIC PIPING SYSTEM (1) ( E41 P TYPE)




1597-515B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1513 - 510 - 001 - 10 | PUMP,GEAR | | | | | | | |
| 2 | 1488 - 510 - 002 - 00 | PACKING,PUMP | 1 | | | | | | |
| 3 | V411 - 260 - 010 - 00 | WASHER/MI0 | 2 | | | | | | |
| 4 | V304 - 260 - 010 - 00 | NUT | 2 | | | | | | |
| 5 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 2 | | | | | | |
| 6 | K250 - 011 - 000 - 00 | VALVE,RELIEF | | | | | | | |
| 7 | 1597 - 515 - 250 - 00 | PIPE,SUCTION/F COMP | | | ■ | | | 1 | |
| 8 | 1501 -621-001-00 | SENSOR | | | | | | | |
| 9 | 1568 - 515 - 001 - 10 | CONNECTOR | | | | | | | |
| 10 | 1488 - 510 - 01 1 - 00 | PACKING | 2 | | | | | | |
| 11 | 1560 - 515 - 003 - 10 | HOSE/100 | 1 | | | | | | |
| 12 | J061 - 232 - 040 - 00 | CLAMP,WIRE/32 - 40 | 2 | | | | | | |
| 13 | 1644 - 515 - 210 - 00 | PIPE,OUTLET COMP | 1 | | 1--347 348- | | | | |
| 13A | 1644 - 515 - 21 0 - 10 | PIPE,INLET COMP | 1 | | | | | | |
| 14 | V721 - 103 - 103 - 00 | 0 - RING | 1 | | | | | | |
| 15 | V211-260-801-60 | BOLT,SEMS (S) M8XI6 | 2 | | | | | | |
| 16 | 1326 - 706 - 002 - 10 | PLUG,DRAIN | | | | | | | |
| 17 | 1596 - 515 - 210 - 00 | FILTER,SUCTION ASSY | 1 | | 1--357 358- | | | | |
| 17A | 1596 - 515 - 210 - 10 | FILTER,SUCTION/30 | 1 | | -511 | | | | |
| 178 | 1643 - 515 - 200 - 20 | FILTER,SUCTION/20 | 1 | | 512- | | | | |
| 18 | 1596 - 515 - 211 - 00 | CARTRIDGE | | | 1--511 | | | | |
| 18A | 1643 - 515 - 202 - 10 | CARTRIDGE/20 | | | 512- | | | | |
| 19 | 1643 - 515 - 203 - 00 | PACKING | | | | | | | |
| 20 | 1644 - 515 - 200 - 00 | BRACKET,FILTER COMP | | | 1--333 | | | | |
| 20A | 1644 - 515 - 200 - 10 | BRACKET,FILTER COMP | | | 334- | | | | |


# FIG. 81 HYDRAULIC PIPING SYSTEM (1) ( E41 P TYPE)




1597-515B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 21 | V211-261-003-00 | BOLT(S) M10X30 | 2 | | | | | | |
| 22 | 1644-515-220-00 | PIPE,INLET COMP | 1 | | 1-347 | | | | |
| 22A | 644-515-220-10 | PIPE,INLET COMP | 1 | | 348- | | | | |
| 23 | V721-103-103-00 | O-RING | 1 | | * | | | | |
| 24 | V211-260-801-60 | BOLT,SEMS (S) M8X16 | 1 | | | | | | |
| 25 | 1560-515-003-10 | HOSE/100 | 1 | | | | | | |
| 26 | J061-232-040-00 | CLAMP,WIRE/32-40 | 2 | | * | | | | |
| 27 | 1644-515-230-00 | PIPE,SUCTION/REAR | 1 | | | | | | |
| 28 | V721-103-103-50 | O-RING/G35 | 1 | | * | | | | |
| 29 | V721-103-104-50 | O-RING/G45 | 1 | | | | | | |
| 30 | V211-261-002-00 | BOLT,SEMS | 1 | | | | | | |
| 31 | 1564-515-300-00 | FILTER,SUCTION ASSY | 1 | | * | | | | |
| 32 | V721-103-104-50 | O-RING/G45 | 1 | | | | | | |
| 33 | V211-361-002-50 | BOLT/M10X25 | 1 | | * | | | | |
| 34 | 1596-515-200-00 | FILTER ASSY | 1 | | 1-335 | | | | |
| 34A | 1596-515-200-10 | FILTER ASSY | 1 | | 336-366 | | | | |
| 348 | 1596-515-200-20 | FILTER ASSY | 1 | | 367- | | | | |
| 35 | 1564-515-341-00 | CARTRIDGE | 1 | | | | | | |
| 36 | V211-361-003-00 | BOLT/M10X30 | 1 | | | | | | |
| 37 | V201-261-005-00 | BOLT/M10X50 | 1 | | | | | | |
| 38 | V401-160-010-00 | WASHER,SP/M10 | 1 | | | | | | |
| 39 | V411-260-010-00 | WASHER/M10 | 1 | | | | | | |
| 40 | V720-112-402-00 | O-RING/P20 | 2 | | * | | | | |
| 41 | 1564-515-001-10 | PLATE | 1 | | 1-460 | | | | |
| 41A | 1564-515-001-20 | PLATE | 1 | | 461- | | | | |


# FIG. 81 HYDRAULIC PIPING SYSTEM (1)(E41P TYPE)




1597-515B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 42 | V211 – 360 - 801 - 60 | I3OLT,SEMS (SP) | | | | | | | |
| 43 | 1568 – 515 - 220 - 30 | PIPE,DELIVERY/F COMP | | | | | | | |
| 44 | 1326 – 706 - 002 - 10 | PLUG,DRAIN | | | | | | | |
| 45 | 1568 - 515 - 003 - 00 | CONNECTOR | | | | | | | |
| 46 | V720 - 112 - 401 - 40 | O-RING/P14 | | | | | | | |
| 47 | V720 – 112 - 402 - 00 | 0 - RING/P20 | | | | | | | |
| 48 | V720 - , 13 - 502 - 40 | 0 - RING/P24 | | | | | | | |
| 49 | 1568 - 515 - 002 - 20 | PLATE | | | | | | | |
| 50 | V201 - 261 – 202 - 00 | I3OLT/MI2X20 | | | | | | | |
| 51 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | | | | | | | |


# FIG. 82 HYDRAULIC PIPING SYSTEM (1) (E15 TYPE)




159H15

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1513 - 510 - 001 - 10 | PUMP,GEAR | 1 | | | | | | |
| 2 | 1488 - 510 - 002 - 00 | PACKING,PUMP | 1 | | | | | | |
| 3 | V411 - 260 - 010 - 00 | WASHER/M10 | 2 | | * | | | | |
| 4 | V304 - 260 - 010 - 00 | NUT | 2 | | | | | | |
| 5 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 2 | | | | | | |
| 6 | K250 - 011 - 000 - 00 | VALVE,RELIEF | | | | | | | |
| 7 | 1564 - 515 - 300 - 00 | FILTER,SUCTION ASSY | | | | | | | |
| 8 | V721 - 103 - 104 - 50 | O-RING/G45 | | | | | | | |
| 9 | V211-361-002-50 | BOLT/M10X25 | | | | | | | |
| 10 | 1568 - 515 - 210 - 20 | PIPE,SUCTION COMP | | | 1--335 | | | | |
| 10A | 1597 - 515 - 250 - 00 | PIPE,SUCTION/ F COMP | | | 336- | | | | |
| 11 | 1501-621-001-00 | SENSOR | | | | | | | |
| 12 | 1568-515-001 -10 | CONNECTOR | 1 | | | | | | |
| 13 | 1488 - 510 - 011 - 00 | PACKING | 2 | | | | | | |
| 14 | 1560 - 515 - 003 - 10 | HOSE/I 00 | 1 | | | | | | |
| 15 | J061 - 232 - 040 - 00 | CLAMP,WIRE/32 - 40 | 2 | | | | | | |
| 16 | 1597 - 515 - 001 - 00 | PLATE | 1 | | 1--334 | | | | |
| 16A | 1596 - 515 - 200 - 00 | FILTER ASSY | 1 | | 335--335 | | | | |
| 16B | 1596 - 515 - 200 - 10 | FILTER ASSY | 1 | | 336--366 | | | | |
| 16C | 1596 - 515 - 200 - 20 | FILTER ASSY | 1 | | 367- | | | | |
| 17 | 1564 - 51 5 - 341 - 00 | CARTRIDGE | 1 | | | | | | |
| 18 | V211 - 261 - 002 - 00 | BOLT,SEMS | 2 | | i--335 | | | | |
| 18A | V211 - 361 - 003 - 00 | BOLT/M10X30 | 1 | | 336- | | | | |
| 19 | V201 - 261 - 005 - 00 | BOLT/M1 OX50 | | | | | | | |
| 20 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | | | | | | | |


# FIG. 82 HYDRAULIC PIPING SYSTEM (1) (E15 TYPE)




1597-515

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 21 | V411 - 260 - 010 - 00 | WASHER/M10 | 1 | | | | | | |
| 22 | V720 - 112 - 402 - 00 | O-RING/P20 | 2 | | | | | | |
| 23 | 1564 - 515 - 001 - 10 | PLATE | 1 | | 1-460 | | | | |
| 23A | 1564 - 515 - 001 - 20 | PLATE | 1 | | 461- | | | | |
| 24 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 1 | | | | | | |
| 25 | 1568 - 515 - 220 - 30 | PIPE,DELIVERY/F COMP | 1 | | | | | | |
| 26 | 1326 - 706 - 002 - 10 | PLUG,DRAIN | 1 | | | | | | |
| 27 | 1568 - 515 - 003 - 00 | CONNECTOR | 1 | | * | | | | |
| 28 | V720 - 112 - 401 - 40 | O-RING/P14 | 1 | | * | | | | |
| 29 | V720 - 112 - 402 - 00 | O - RING/P20 | 1 | | | | | | |
| 30 | V720 - 113 - 502 - 40 | O - RING/P24 | | | | | | | |
| 31 | 1568 - 515 - 002 - 20 | PLATE | | | | | | | |
| 32 | V201 - 261 - 202 - 00 | BOLT/M12X20 | | | | | | | |
| 33 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | | | * | | | | |


# FIG. 83 HYDRAULIC PIPING SYSTEM (2) (E15 TYPE)




1597-515

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 515 - 200 - 00 | PIPE,SUCTION/MIDCOMP | | | | | | | |
| 2 | V211 - 360 - 801 - 60 | 8OLT,SEMS (SP) | | | | | | | |
| 3 | 1597 - 515 - 002 - 00 | HOSE | | | * | | | | |
| 4 | J061 - 232 - 040 - 00 | CLAMP,WIRE/32 - 40 | | | | | | | |
| 5 | J061 - 238 - 046 - 00 | CLAMP,WIRE/38 - 46 | | | | | | | |
| 6 | 1597 - 515 - 210 - 00 | FILTER,SUCTION ASSY | | | ● | | | | |
| 7 | 1501 - 508 - 242 - 00 | COVER | | | | | | | |
| 8 | 1501 - 508 - 243 - 00 | ELEMENT | | | * | | | | |
| 9 | 1486 - 935 - 205 - 00 | PLUG,DRAIN | | | | | | | |
| 10 | V721 - 103 - 114-00 | O-RING/GI40 | | | | | | | |
| 11 | V401 - 160 - 01 0 - 00 | WASHER,SP/M10 | 3 | | | | | | |
| 12 | V201 - 261 - 002 - 50 | BOLT/M10X25 | 3 | | | | | | |
| 13 | V720-101 -900 - 80 | O-RING/P 8 | 1 | | | | | | |
| 14 | 1597 - 515 - 220 - 00 | BRACKET,FILTER COMP | 1 | | | | | | |
| 15 | V211 - 260 - 802 - 50 | BOLT/S | 4 | | * | | | | |
| 161597 | - 515-002-00 | HOSE | | | | | | | |
| 17 | J061 - 232 - 040 - 00 | CLAMP,WIRE/32 - 40 | | | | | | | |
| 18 | J061 - 238 - 046 - 00 | CLAMP,WIRE/38 - 46 | | | * | | | | |
| 19 | 1597 - 515 - 230 - 00 | PIPE,SUCTION/REAR | | | | | | | |
| 20 | V721 - 103 - 103 - 50 | O-RING/G35 | | | | | | | |
| 21 | V721 - 103 - 104 - 50 | 0 - RING/G45 | | | | | | | |
| 22 | V211 - 261 - 002 - 00 | BOLT,SEMS | | | | | | | |

# FIG. 84 HYDRAULIC PIPING SYSTEM (3)





(E 15 TYPE)

1568 515E

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 515 - 260 - 30 | PIPE,DELIVERY/M | 1 | * | * | | | | |
| 2 | V210 - 260 - 603 - 50 | BOLT/M6X35 | 4 | * | * | | | | |
| 3 | 1568 - 515 - 290 - 00 | PIPE,DELIVERY/REAR | 1 | * | * | | | | |
| 4 | V720 - 112 - 401 - 40 | Q-RING/P14 | 1 | * | * | | | | |
| 5 | V200 - 360 - 608 - 00 | BOLT/M6X80 | 4 | * | * | | | | |
| 6 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 4 | * | * | | | | |
| 7 | V211 - 261 - 003 - 00 | BOLT (S) MI0X30 | 2 | * | * | | | | |
| 8 | V781 - 160 - 000 - 80 | PLUG/PTI/2 | 1 | * | * | | | | |
| 9 | 1564 - 515 - 290 - 30 | PIPE,DELIVERY COMP | 1 | * | * | | | | |
| 10 | 1568 - 515 - 240 - 20 | PIPE,DELIVERY/M COM | 1 | | * | | | | |
| 11 | 1560 - 515 - 001 - 40 | FLANGE | 1 | | * | | | | |
| 12 | V720 - 112 - 402 - 00 | Q- RING/P20 | 2 | | * | | | | |
| 13 | 1568 - 515 - 280 - 00 | PIPE,DELIVERY/REAR | 1 | | * | | | | |
| 14 | V720 - 112 - 401 - 40 | Q-RING/P14 | 1 | | * | | | | |
| 15 | V200 - 360 - 611 - 00 | BOLT | 4 | | * | | | | |
| 16 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 4 | | * | | | | |
| 17 | V211 - 261 - 003 - 00 | BOLT (S) MI0X30 | 2 | | * | | | | |
| 18 | V781 - 160 - 000 - 80 | PLUG/ PTI/2 | 1 | | * | | | | |


# FIG. 85 STACK SYSTEM




1550517

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 517 - 001 - 40 | FLANGE | 1 | * | * | | | | |
| 2 | V720 - 112 - 402 - 00 | O-RING/P20 | 1 | * | * | | | | |
| 3 | V211 - 360 - 803 - 50 | BOLT W SEMS M8X35 | 3 | * | * | | | | |
| 4 | V781 - 160 - 000 - 40 | PLUG/PT1/8 | 1 | * | * | | | | |
| 5 | 1560 - 630 - 028 - 00 | CPA/3D | 1 | * | * | | | | |
| 6 | 1560 - 630 - 029 - 00 | CAP (3D) | 1 | * | * | | | | |
| 7 | 1560 – 606 – 008 - 00 | CAP (79) | 1 | * | * | | | | |
| 8 | 1560 – 517 - 002 - 60 | COVER | 1 | * | * | | | | |
| 9 | V201 - 261 - 004 - 00 | BOLT/M8XI2 | 3 | * | * | | | | |
| 10 | V401 - 160 - 010 - 00 | WASHER,SP/M 10 | 3 | * | * | | | | |
| 11 | V720 - 112 - 401 - 40 | O-RING/PI4 | 3 | * | * | | | | |
| 12 | 1560 - 630 - 028 - 00 | CPA/3D | 1 | * | * | | | | |
| 13 | 1560 - 630 - 028 - 00 | CPA/3D | 1 | * | * | | | | |
| 14 | 1560 - 630 - 031 - 00 | CAP/35 | 1 | * | * | | | | |
| 15 | 1561 - 518 - 201 - 50 | FLANGE | 1 | * | * | | | | |
| 16 | 1326 - 706 - 002 - 10 | 'PLUG,DRAIN | 1 | * | * | | | | |
| 17 | 1561 - 518 - 230 - 00 | VALVE,CONTROL ASSY | 1 | i--52 | i--391 | | | | |
| 17A | 1561 - 518 - 230- 10 | VALVE,DRESSURE CONTR | 1 | 53- | 392- | | | | |
| 18 | 1561 - 518 - 210 - 20 | VALVE,PTO ASSY | 1 | i--34 | i--238 | | | | |
| 19 | 1561 - 518 - 220 - 50 | CASE ASSY | 1 | 1--34 | 1--238 | | | | |
| 20 | 1446 - 511 - 222 - 00 | PLUG | 6 | i--34 | i--238 | | | | |
| 21 | V720 - 112 - 401 - 60 | O-RING/PI6 | 1 | i--34 | i--238 | | | | |
| 22 | 1446 - 511 - 223 - 00 | PLUG | 5 | 1--34 | 1--238 | | | | |
| 23 | V720 - 112 - 401 - 20 | O- RING/PI2 | 5 | I--34 | i--238 | | | | |
| 24 | 1446 - 511 - 224 - 00 | SPRING | 1 | 1--34 | 1--238 | | | | |


# FIG. 85 STACK SYSTEM




1564 518

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1446 - 51 1 - 225 - 00 | SPRING | 1 | 1--34 | 1--238 | | | | |
| 26 | 1446 - 51 1 - 226 - 00 | SPRING | | 1--34 | 1--238 | | | | |
| 27 | 1446 - 51 1 - 227 - 00 | SHIM | 1 | -34 | 1--Z38 | | | | |
| 28 | 1561 - 518 - 21 1 - 40 | ORIFICE | 1 | 1--34 | 1--238 | | | | |
| 29 | 1446 - 51 1 - 229 - 00 | SOLENOID | | 1--34 | 1--Z38 | | | | |
| 30 | 1594 - 518 - 200 - 00 | VALVE PTO ASSY | 1 | 1--53 | 1--408 | | | | |
| 31 | 1561 - 518 - 220 - 50 | CASE ASSY | 1 | 1--53 | 1--408 | | | | |
| 32 | 1446 - 511 - 228 - 00 | PLUG | 1 | 1--53 | 1--408 | | | | |
| 33 | V720 - 112 - 401 - 60 | O-RING/PI6 | 1 | 1--53 | 1--408 | | | | |
| 34 | 1446 - 511 - 223 - 00 | PLUG | 5 | 1--53 | 1--408 | | | | |
| 35 | V720 - 112 - 401 - 20 | 0 - RING/PI2 | 5 | 1--53 | 1--408 | | | | |
| 36 | 1446 - 51 1 - 224 - 00 | SPRING | 1 | 1--53 | 1--408 | | | | |
| 37 | 1446 - 511 - 225 - 00 | SPRING | | 1--53 | 1--408 | | | | |
| 38 | 1446 - 511 - 226 - 00 | SPRING | | 1--53 | 1--408 | | | | |
| 39 | 1446 - 511 - 227 - 00 | SHIM | | 1--53 | 1--408 | | | | |
| 40 | 1446 - 511 - 229 - 00 | SOLENOID | | 1--53 | 1--408 | | | | |
| 41 | 1568 - 518 - 200 - 00 | VALVE,PTO ASSY | | * | * | | | | |
| 42 | 1561 - 51 8 - 220 - 50 | CASE ASSY | 1 | | | | | | |
| 43 | 1446 - 511 - 222 - 00 | PLUG | 6 | | * | | | | |
| 44 | V720 - 112 - 401 - 60 | O-RING/PI6 | 1 | * | * | | | | |
| 45 | 1446 - 511 - 223 - 00 | PLUG | 5 | | | | | | |
| 46 | V720 - 112-401-20 | O-RING/P12 | 5 | | | | | | |
| 47 | 1446 - 511 - 224 - 00 | SPRING | 1 | | | | | | |
| 48 | 1446 - 511 - 225 - 00 | SPRING | 1 | | | | | | |
| 49 | 1446 - 511 - 226 - 00 | SPRING | 1 | | | | | | |


# FIG. 85 STACK SYSTEM




1568' 518

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TCC | OIL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 50 | 1446 - 511 - 227 - 00 | SHIM | 1 | | | | | | |
| 51 | 1561 - 518 - 211 - 40 | ORIFICE | 1 | | | | | | |
| 52 | 1446 - 511 - 229 - 00 | SOLENOID | 1 | | | | | | |
| 53 | V720 - 111 - 900 - 90 | O-RING/P 9 | 1 | | | | | | |
| 54 | V720 - 112 - 402 - 00 | O-RING/P20 | 1 | | * | | | | |
| 55 | V720 - 112 - 401 - 40 | O-RING/P14 | 3 | | | | | | |
| 56 | v2oi" – 260 – 808 – 50 | BOLT/M 8X85 | 3 | * | | | | | |
| 57 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 3 | | | | | | |
| 58 | 1444 - 408 - 006 - 00 | CONNECTOR | 1 | | | | | | |
| 59 | 1561 - 518 - 001 - 10 | CANNECTOR | | – | – | | | | |
| 60 | 1560 - 515 - 001 - 40 | FLANGE | 1 | | | | | | |
| 61 | V720 - 112 - 402 - 00 | O-RING/P20 | 2 | * | | | | | |


# FIG. 86 TRAILER HITCH SYSTEM (EXCEPT E41 P,E15 TYPE) (OPTION)




1568-520

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 520 - 200 - 50 | BRACKET COMP | 1 | T | T | | | | |
| 2 | V201 – 361 - 403 - 50 | BOLT/M 14X35 | 4 | T | T | | | | |
| 3 | V401 – 160 - 014 - 00 | WASHER,SP/MI4 | 4 | T | T | | | | |
| 4 | V201 – 361 - 603 – 50 | SOLT/M 16X35 | 2 | T | T | | | | |
| 5 | V304 - 460 - 016 – 00 | NUT/MI6 | 2 | T | f | | | | |
| 6 | V401 - 160 - 016 - 00 | WASHER,SP/M 16 | 4 | T | T | | | | |
| 7 | 1513-247-001 - 10 | L1NK,DRAWBER | 1 | T | T | | | | |
| 8 | 1513 - 247 – 002- 10 | L1NK,HITCH | 1 | T | T | | | | |
| 9 | V201 - 261 - 606 - 50 | SOLT/M 16X65 | 2 | t | T | | | | |
| 10 | 151 8 - 924 – 001 - 00 | NUT,U/MI6 | 2 | T | T | | | | |
| 11 | V401 – 160 - 016 - 00 | WASHER,SP/MI6 | 2 | T | T | | | | |
| 12 | 1506 - 247 - 004 - 00 | PIN,TRAILER | 1 | T | T | | | | |
| 13 | 1506 - 247 - 005 - 00 | PIN,DRAWBER | 1 | T | T | | | | |
| 14 | 1525 - 247 - 001 - 00 | CUSHION,RUBBER | 1 | T | T | | | | |
| 15 | 1421 - 502 - 002 - 00 | PIN,L1NK | 2 | T | T | | | | |
| 16 | V201 - 461 - 003 - 00 | BOLT/M 1OX30 | 1 | T | T | | | | |
| 17 | V303 - 460 - 010 - 00 | NUT/M1O | 1 | T | T | | | | |
| 18 | 1560 - 520 - 21 1 – 30 | COVER | 1 | f | T | | | | |
| 19 | V211 - 360 - 801 – 60 | SOLT,SEMS (SP) | 4 | t | T | | | | |


# FIG. 87 SWING DRAW - BAR SYSTEM (E61.E41P TYPE - STANDARD/B.SE41.SE51 TYPE - OPTION)




1591 520

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 520 - 210 - 00 | HITCH COMP | 1 | 1--43 | 1--335 | | | | |
| IA | 1597 - 520 - 210 - 10 | HITCH COMP | 1 | 44- | 336- | | | | |
| 2 | V201 - 361 - 405 - 50 | BOLT/MI 4X55 | 4 | | T | | | | |
| 3 | V251 - 341 - 603 - 50 | BOLT,STUD/MI6X35 | 2 | | f | | | | |
| 4 | V304 - 460 - 016 - 00 | NUT/MI6 | 2 | | f | | | | |
| 5 | V401 - 160 - 016 - 00 | WASHER,SP/MI6 | 4 | | T | | | | |
| 6 | V411 -260-016-00 | WASHER/MI6 | 4 | | T | | | | |
| 7 | V201 - 361 - 603 - 50 | BOLT/MI6X35 | 2 | | T | | | | |
| 8 | V401 - 160 - 014 - 00 | WASHER,SP/MI4 | 4 | | t | | | | |
| 9 | 1524 - 247 - 001 - 10 | L1NK,DRAWBAR | 1 | | T | | | | |
| 10 | 1513 - 247 - 002 - 10 | L1NK,HITCH | 1 | | T | | | | |
| 11 | V201 - 261 - 606 - 50 | BOLT/M16X65 | 2 | | T | | | | |
| 12 | 1518 - 924 - 001 - 00 | NUT,U/MI6 | 2 | | t | | | | |
| 13 | V401 - 160 - 016 - 00 | WASHER,SP/MI6 | 2 | * | T | | | | |
| 14 | 1432 - 924 - 004 - 00 | PIN/77 | 1 | | T | | | | |
| 15 | 1432 - 924 - 009 - 00 | PLATE,SET | 1 | | T | | | | |
| 16 | V201 - 260 - 801 - 20 | BOLT/M 8XI2 | 2 | | T | | | | |
| 17 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | * | T | | | | |
| 18 | 3631 - 352 - 001 - 10 | PIN,SUSPENSION PISTO | 2 | | T | | | | |
| 19 | 1305 - 931 - 003 - 00 | PIN,HAIR | 2 | | T | | | | |
| 20 | 1506 - 247 - 004 - 00 | PIN,TRAILER | 1 | | T | | | | |
| 21 | V720 - 103 - 502 - 80 | 0 - RING/P28 | 1 | | T | | | | |
| 22 | 1421 - 502 - 002 - 00 | PIN.L1NK | 1 | | T | | | | |
| 23 | V201 - 361-003-00 | BOLT/MIDX3D | 1 | | T | | | | |
| 24 | V304 - 460 - 010 - 00 | NUT/MID | 1 | | T | | | | |


# FIG. 88 SHIELD COVER SYSTEM (EXCEPT E15 TYPE)




1556-520A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGTOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | 1596 - 520 - 001 - 00 | COVER,SHIELD | 1 | 1--43 44- | 1--335 336- | | | | |
| 1A | 1596 - 520 - 220 - 00 | COVER,SHIELD COMP | | | | | | | |
| 2 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 4 | | | | | | |
| 3 | 1564 - 522 - 200 - 40 | BRACKET COMP | 1 | 1--43 44- | 1--335 336- | | | | |
| 3A | 1564 - 522 - 200 - 50 | BRACKET COMP | 1 | | | | | | |
| 4 | V201 - 361 - 603 - 50 | BOLT/M16X35 | 5 | | | | | | |
| 5 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 5 | | * | | | | |
| 6 | 1564 - 522 - 210 - 40 | LINK COMP | 1 | 1--34 35- | 1--238 239- | | | | |
| 6A | 1564 - 522 - 210 - 50 | LINK COMP | 1 | --43 44- | --335 336- | | | | |
| 6B | 1564 - 522 - 210 - 60 | LINK COMP | 1 | | | | | | |
| 7 | 1564-525-001-00 | PIN/19X122 | 1 | | | | | | |
| 8 | 1564 - 522 - 002 - 00 | PIN/19X95 | 1 | | | | | | |
| 9 | 1564 - 522 - 001 - 10 | PIN/19X86 | 1 | | | | | | |
| 10 | 1444 - 514 - 005 - 10 | PIN,HAIR (19) | 3 | | | | | | |
| 11 | 1596 - 522 - 200 - 00 | PLATE COMP | 1 | | 1--335 | | | | |
| 11A | 1596 - 522 - 200 - 10 | PLATE COMP | 1 | | 336- | | | | |
| 12 | V201 - 361 - 603 - 50 | BOLT/M16X35 | 4 | | | | | | |
| 13 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 4 | | | | | | |
| 14 | 1596 - 522 - 001 - 00 | BRACKET | | | | | | | |
| 15 | V201 - 361 - 603 - 50 | BOLT/M16X35 | 4 | | * | | | | |
| 16 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 4 | | | | | | |
| 17 | 1596 - 522 - 210 - 10 | LINK COMP | 1 | | | | | | |
| 18 | 1431 - 566 - 001 - 00 | PIN/19X220 | 2 | | 1--366 367- | | | | |
| 18A | 1514 - 248 - 002 - 00 | PIN/19XI72 | 2 | | | | | | |
| 19 | 1564 - 522 - 001 - 10 | PIN/19X86 | 1 | | | | | | |


# FIG. 88 SHIELD COVER SYSTEM (EXCEPT E15 TYPE)




1596-522A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL 1A545l | 1A545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 20 | 1421 - 502 - 002 - 00 | PIN,L1NK | 2 | | 1--366 367- | | | | |
| 20A | 1444 – 514 – 005 – 1 | PIN,HAIR (19) | 2 | | | | | | |
| 21 | 1444 - 51 4 - 005 - 10 | PIN,HAIR (9) | 1 | | | | | | |


# FIG. 89 TRAILER HITCH AND REAR HITCH SYSTEM (E15 TYPE)




1597-520A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 520 - 200 - 00 | BRACKET COMP | 1 | | 1--335 336- | | | | |
| lA | 1564 - 520 - 200 - 10 | BRACKET COMP | 1 | | * | | | | |
| 2 | V201 - 361 - 603 - 50 | SOLT/M16X35 | 4 | | * | | | | |
| 3 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 4 | | * | | | | |
| 4 | 1488 - 247 - 250 - 00 | PIN ASSY | 1 | | * | | | | |
| 5 | 1421 - 502 - 002 - 00 | PIN,L1NK | 1 | | * | | | | |
| 6 | 1564 - 521 - 200 - 40 | BRACKET COMP | 1 | | 1--335 336- | | | | |
| 6A | 1564 - 521 - 200 - 50 | BRACKET COMP | 1 | | | | | | |
| 7 | V201 - 361 - 603 - 50 | SOLT/M16X35 | 5 | | * | | | | |
| 8 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | 5 | | * | | | | |


# FIG. 90 THREE POINT LINK SYSTYEM (EXCEPT E41 P,E15 TYPE)




1569-525

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 525 - 200 - 20 | BRACKET/LH COMP | 1 | * | * | | | | |
| 2 | 1568 - 525 - 210 - 20 | BRACKET/RH COMP | 1 | * | * | | | | |
| 3 | V201 - 461 - 218 - 50 | SOLT/M8X12 | 8 | * | * | | | | |
| 4 | V304 - 460 - 012 - 00 | NUT/M12 | 8 | 1- -51 52- | I- -366 367- | | | | |
| 4A | 1640 - 626 - 001 - 00 | NUT/M8 | 8 | | | | | | |
| 5 | V401 - 160-012-00 | WASHER,SP/M 12 | 8 | * | * | | | | |
| 6 | 1568 - 525 - 220 - 40 | PIN/LH COMP | 1 | I- -54 | I- -424 | | | | |
| 6A | 1568 - 525 - 002 - 00 | PIN.L1NK.LOWER/LH | 1 | | 4i5- -460 | | | | |
| 68 | 1568 - 525 - 002 - 10 | PIN.L1NK.LOWER/LH | 1 | | 461- -511 | | | | |
| 6C | 1568 - 525 - 340 - 00 | PIN,L1NK,LOWER/LH | 1 | | 512- -517 | | | | |
| 6D | 1568 - 525 - 340 - 10 | PIN.L1NK.LOWER/LH | 1 | 55- | 518- | | | | |
| 7 | 1568 - 525 - 280 - 10 | PIN/RH COMP | 1 | i- -54 | 1- -424 | | | | |
| 7A | 1568 - 525 - 003 - 00 | PIN,L1NK,LOWER/RH | 1 | | 425- -460 | | | | |
| 7B | 1568 - 525 - 003 - 10 | PIN,L1NK,LOWER/RH | 1 | | 461- -511 | | | | |
| 7C | 1568 - 525 - 350 - 00 | PIN.L1NK,LOWER/RH | 1 | | 512- -517 | | | | |
| 7D | 1568 - 525 - 350 - 10 | PIN,L1NK,LOWER/RH | 1 | 55- | 518- | | | | |
| 8 | 1564 - 525 - 002 - 00 | COLLAR/14X25X21 | 2 | * | * | | | | |
| 9 | V201 - 361 - 404 - 00 | SOLT/M14X40 | 4 | * | * | | | | |
| 10 | V201 - 361 - 406 - 00 | SOLT/M 14X60 | 2 | * | * | | | | |
| 11 | V401 - 160 - 014-00 | WASHER,SP/M14 | 6 | * | * | | | | |
| 12 | 1568 - 525 - 001 - 00 | SPRING/HE480 | 1 | I- -34 35- | I- -238 239- | | | | |
| 12A | 1560 - 525 - 003 - 00 | BAND/470 | 1 | | | | | | |
| 13 | V304 - 260 - 016 - 00 | NUT/M16 | 2 | * | * | | | | |
| 14 | V401 - 160-016-00 | WASHER,SP/M16 | 2 | * | * | | | | |
| 15 | 1404 - 401 - 017 - 00 | WASHER,B/M16 | 2 | * | * | | | | |


# FIG. 90 THREE POINT LINK SYSTEM (EXCEPT E41 P,E15 TYPE)




1565-525

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 16 | 1568 - 525 - 230 - 20 | CHAIN,CHECK ASSY | 2 | | | | | | |
| 17 | 1568 - 525 - 310 - 00 | CHAIN,CHECK COMP | 2 | 1--54 | 1--424 | | | | |
| 17A | 1568 - 525 - 310 - 10 | CHAIN,CHECK/REAR | 2 | 55- | 425- | | | | |
| 18 | 1568 - 525 - 250 - 10 | CHAIN,CHECK COMP | 2 | | • | | | | |
| 19 | 1488 - 514 - 230 - 00 | TURNBUCKLE COMP | 2 | | | | | | |
| 20 | V304-260-016-00 | NUT/M16 | 2 | | | | | | |
| 21 | 1404 - 511 - 801 - 10 | SCREW | 2 | | | | | | |
| 22 | 7963-611-003-00 | PIN/12X4B | 2 | | | | | | |
| 23 | V500 - 163 - 002 - 00 | PIN.SPLIT/3 X20 | 2 | | • | | | | |
| 24 | 1568 - 525 - 290 - 00 | ROD/LH COMP | 1 | | • | | | | |
| 25 | 1568 - 525 - 300 - 00 | ROD/RH COMP | 1 | | | | | | |
| 26 | 1550 - 514 - 290 - 00 | TURN - BUCKLE COMP | 1 | • | • | | | | |
| 27 | 1402 - 511 - 600 - 00 | LINK LOCK NUT,TOP | 1 | | * | | | | |
| 28 | 1566 - 525 - 101 - 00 | HOOK,TOPLINK | 1 | | | | | | |
| 29 | 1564 - 525 - 001 - 00 | PIN/19X122 | 1 | • | | | | | |
| 30 | 1444 - 514 - 005 - 10 | PIN,HAIR (19) | 2 | | | | | | |
| 31 | 1444 - 514 - 005 - 10 | PIN,HAIR (19) | 1 | | • | | | | |
| 32 | 1444 - 51 4 - 006 - 00 | PIN,TOP LINK | 1 | | | | | | |
| 33 | 1421 - 502 - 002 - 00 | PIN.L1NK | 2 | | | | | | |


# FIG. 91 THREE POINT LINK SYSTEM (E15 TYPE)




1597-525K

| KEY | PART CODE | DESCRIPTION | | QTY | TYPE OF MODEL TA545T | TA545F | LEGTOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 525 - 200 - 20 | BRACKET/LH | COMP | 1 | | | | | | |
| 2 | 1568 - 525 - 210 - 20 | BRACKET/RH | COMP | 1 | | | | | | |
| 3 | V201 - 461 - 218 - 50 | BOLT/M8X12 | | a | | * | | | | |
| 4 | V304 - 460-012 - 00 | NUT/M12 | | a | | 1- | | | | |
| 4A | 1640 - 626 - 001 - 00 | NUT/M8 | | 8 | | -366 367- | | | | |
| 5 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | | a | | | | | | |
| 6 | 1568 - 525 - 220 - 40 | PIN/LH | COMP | 1 | | 1- | | | | |
| 6A | 1568 - 525 - 002 - 00 | PIN,L1NK,LOWER/LH | | 1 | | -424 425- | | | | |
| 6B | 1568 - 525 - 002 - 10 | PIN,L1NK,LOWER/LH | | 1 | | -460 461- | | | | |
| 6C | 1568 - 525 - 340 - 00 | PIN,L1NK,LOWER/LH | | 1 | | -511 512- | | | | |
| 6D | 1568 - 525 - 340 - 10 | PIN,L1NK,LOWER/LH | | | | -517 518- | | | | |
| 7 | 1568 - 525 - 280 - 10 | PIN/RH | COMP | | | 1- | | | | |
| 7A | 1568 - 525 - 003 - 00 | PIN,L1NK,LOWER/RH | | | | -424 425- | | | | |
| 7B | 1568 - 525 - 003 - 10 | PIN,L1NK,LOWER/RH | | | | -460 461- | | | | |
| 7C | 1568 - 525 - 350 - 00 | PIN,L1NK,LOWER/RH | | | | -511 512- | | | | |
| 70 | 1568 - 525 - 350 - 10 | PIN,L1NK,LOWER/RH | | 1 | | -517 518- | | | | |
| a | 1564 - 525 - 002 - 00 | COLLAR/14X25X21 | | 2 | | * | | | | |
| 9 | V201 - 361 - 404 - 00 | BOLT/M14X40 | | 4 | | | | | | |
| 10 | V201 - 361 - 406 - 00 | BOLT/M14X60 | | 2 | | | | | | |
| 11 | V401 - 160 - 014 - 00 | WASHER,SP/M14 | | 6 | | | | | | |
| 12 | 1568 - 525 - 230 - 20 | CHAIN,CHECK | ASSY | 2 | | | | | | |
| 13 | 1568 - 525 - 310 - 00 | CHAIN,CHECK | COMP | 2 | | 1- | | | | |
| 13A | 1568 - 525 - 310 - 10 | CHAIN,CHECK/REAR | | 2 | | -424 425- | | | | |
| 14 | 1568 - 525 - 250 - 10 | CHAIN,CHECK | COMP | 2 | | | | | | |
| 15 | 1488 - 514 - 230 - 00 | TURNBUCKLE | COMP | 2 | | | | | | |


# FIG. 91 THREE POINT LINK SYSTEM (E15 TYPE)




1507-525K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 16 | V304 – 260 – 01 6 – 00 | NUT/MI6 | 2 | | * | | | | |
| 17 | 1404 – 511 - 801 - 10 | SCREW | 2 | | * | | | | |
| 18 | V304 - 260 – 01 6 – 00 | NUT/MI6 | 2 | | * | | | | |
| 19 | V401 – 160 - 016 - 00 | WASHER,SP/M 16 | 2 | | * | | | | |
| 20 | 1404 – 401 - 017 - 00 | WASHER,B/MI6 | 2 | | * | | | | |
| 21 | 7963 - 611 - 003 - 00 | PIN/I2X48 | 2 | | 1--366 | | | | |
| 22 | V500 – 163 – 002 – 00 | PIN,SPLIT/3 X20 | 2 | | 1--366 | | | | |
| 23 | 7930 – 601 – 200 – 20 | BRACKET COMP | 1 | | 1--366 | | | | |
| 24 | 7927-601 – 002 - 30 | SOLT/SM/M08X125 | 1 | | 1--366 | | | | |
| 25 | 1444 – 116 - 008 – 00 | SPRING,PRESSURE | I | | 1--366 | | | | |
| 26 | 7930 – 601 – 001 – 20 | SPACER | 1 | | 1--366 | | | | |
| 27 | 2130 – 407 – 003 – 00 | WASHER,CAM | 1 | | 1--366 | | | | |
| 28 | V500 – 162 – 002 – 00 | PIN,SPLIT/2 X20 | 1 | | 1--366 | | | | |
| 29 | 7986 – 601 – 001 – 00 | PIN/19X141 | 2 | | 1--366 | | | | |
| 30 | 1444 – 514 – 005 – 10 | PIN,HAIR (9) | 2 | | 1--366 | | | | |
| 31 | 7900 – 611 – 200 – 00 | L1NK.TOP COMP | 1 | | 1--366 | | | | |
| 32 | 7963 – 615 – 21 0 – 00 | SCREW CaMP | 1 | | I--366 | | | | |
| 33 | V305 - 260 – 020 - 00 | NUT/M20 | 1 | | 1--366 | | | | |
| 34 | 7930 – 601 – 002 – 00 | PIN/19X86 | 1 | | I--366 | | | | |
| 35 | 7927 – 601 – 004 – 40 | PIN/19X90 | 1 | | 1--366 | | | | |
| 36 | 1444 - 514 – 005 - 10 | PIN,HAIR (19) | 2 | | 1--366 | | | | |


# FIG. 92 LOWER SYSTEM (EXCEPT TYPE)




1597-525A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 525 - 200 - 00 | L1NK,LOWER/LH COMP | 1 | 1--34 35- | 1--238 239- | | | | |
| 1A | 1597 - 525 - 200 - 10 | L1NK,LOWER/LH COMP | 1 | | | | | | |
| 2 | 1597 - 525 - 210 - 00 | L1NK,LOWER/RH COMP | 1 | 1--34 35- | | | | | |
| 2A | 1597 - 525 - 210 - 10 | L1NK,LOWER/RH COMP | 1 | | | | | | |
| 3 | 1500 - 511 - 001 - 00 | BUSH | 2 | | | | | | |
| 4 | 1597 - 526 - 200 - 00 | ROD COMP | | | | | | | |
| 5 | 1568 - 526 - 001 - 10 | PIN/16X62 | | | | | | | |
| 6 | 1305 - 931 - 003 - 00 | PIN,HAIR | | | | | | | |
| 7 | 1597 - 526 - 001 - 10 | FORK,L1FT/LH | | 1--43 44- | 1--335 336- | | | | |
| 7A | 1597 - 526 - 001 - 20 | FORK,L1FT/LH | | | | | | | |
| 8 | V763 - 150 - 000 - 00 | NIPPLE,GREASE/PTI/8 | | | | | | | |
| 9 | 1597 - 527 - 200 - 00 | CASE,VEVEL ASSY | | | | | | | |
| 10 | 1564 - 527 - 004 - 00 | CASE,VEVEL | | | | | | | |
| 11 | 1445 - 514 - 002 - 00 | COLLAR (20X30XI0) | | | | | | | |
| 12 | V580 - 140 - 503 - 20 | PIN,SPRING/5 X32 W | | | | | | | |
| 13 | V610 - 115 - 110 - 40 | BEARING,TB/51104 | 1 | | | | | | |
| 14 | 1560 - 527 - 002 - 00 | CAP,SEAL/38 | 1 | | | | | | |
| 15 | V762 - 150 - 000 - 00 | NIPPLE,GREASE/B-M6F | 2 | | | | | | |
| 16 | 1432 - 521-003-00 | STOPPER | 1 | | | | | | |
| 17 | V590 - 130 - 910 - 00 | WIRE/0.9XI00 | 1 | | | | | | |
| 18 | 1513 - 515 - 250 - 00 | GEAR,BEVEL COMP | 1 | | | | | | |
| 19 | 1445 - 514 - 240 - 00 | HANDLE,ADJUST COMP | 1 | | | | | | |
| 20 | 1445 - 514 - 005 - 00 | GEAR,BEVEL (10) | 1 | | | | | | |
| 21 | V580-140 - 501 - 80 | PIN,SPRING/5 X18W | 1 | | | | | | |
| 22 | V600 - 110 - 600 - 40 | BEARING,RB/6004 | 1 | | | | | | |


# FIG. 92 LOWER LINK AND LIFT ROD SYSTEM (EXCEPT E15 TYPE)




1597-527

| KEY | PART CODE | DESCRIPTION | ory | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | V704 - 140 - 020 - 00 | RING,SNAP/20 C | 1 | | | | | | |
| 24 | V705 - 140 - 042 - 00 | RING,SNAP/ 42 C | 1 | | | | | | |
| 25 | V744 - 120 - 420 - 80 | SEAL,OIL/TC20428 | 1 | * | * | | | | |
| 26 | 1597 - 527 - 001 - 10 | FORK,L1FT/RH | | 1-43 44- | 1-335 336- | | | | |
| 26A | 1597 - 527 - 001 - 20 | FORK,L1FT/RH | | | | | | | |
| 27 | V763 - 150 - 000 - 00 | NIPPLE,GREASE/PTI/8 | 1 | | | | | | |
| 28 | 1444 - 514 - 003 - 00 | PIN (19X72) | 1 | | | | | | |
| 29 | 1568 - 526 - 001 - 10 | PIN/16X62 | 1 | | | | | | |
| 30 | 1305 - 931 - 003 - 00 | PIN,HAIR | 2 | | | | | | |
| 31 | V500 - 164 - 003 - 00 | PIN,SPLIT/ 4 X30 | 1 | | | | | | |
| 32 | 1596 - 527 - 002 - 00 | ARM | | | | | | | |
| 33 | V411 - 260 - 022 - 00 | WASHER,PL/M8 | | | | | | | |


# FIG. 93 LOWER LINK AND LIFT ROD SYSTEM (E15 TYPE)




1568-525A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 525 - 260 - 30 | L1NK,LOWER/LH caMP | 1 | | 1--238 239- | | | | |
| 1A | 1568 - 525 - 260 - 40 | L1NK,LOWER/LH caMP | 1 | | | | | | |
| 2 | 1568 - 525 - 270 - 30 | L1NK,LOWER/RH caMP | 1 | | 1--238 239- | | | | |
| 2A | 1568 - 525 - 270 - 40 | L1NK,LOWER/RH COMP | 1 | | | | | | |
| 3 | 1568 - 526 - 200 - 20 | ROD caMP | 1 | | 1--347 | | | | |
| 3A | 1597 - 526 - 200 - 00 | ROD caMP | 1 | | 348- | | | | |
| 4 | 1568 - 526 - 001 - 10 | PIN/16X62 | 1 | | * | | | | |
| 5 | 1305 - 931 - 003 - 00 | PIN,HAIR | 1 | | * | | | | |
| 6 | 1568 - 526 - 220 - 30 | FORK/LH caMP | 1 | | * | | | | |

# FIG. 94 VALVE (REMOTE/I) SET (E61 TYPE - STANDARD/B.SE41.SE51 TYPE - OPTION)





1597-530

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 530 - 210 - 00 | VALVE,REMOTE SET | 1 | I--43 44- | I--335 336- | | | | |
| 1A | 1597 - 530 - 210 - 10 | VALVE,REMOTE/I SET | | | | | | | |
| 2 | K21 1 - 005 - 000 - 10 | VALVE,CONTROL ASSY | 1 | | | | | | FIG.181 |
| 3 | V201 - 261 - 013 - 50 | 8OLT/MI0X135 | 3 | | | | | | |
| 4 | V401 - 160 - 010 - 00 | WASHER,SP/MI0 | 3 | | | | | | |
| 5 | 1596 - 530 - 200 - 00 | PIPE,IST/A COMP | 1 | I--43 44- | I--335 336- | | | | |
| SA | 1596 - 530 - 200 - 10 | PIPE, 1ST/A COMP | 1 | | | | | | |
| 6 | 1596 - 530 - 210 - 00 | PIPE,IST/B COMP | 1 | I--43 44- | I--335 336- | | | | |
| 6A | 1596 - 530 - 210 - 10 | PIPE,IST/B COMP | 1 | | | | | | |
| 7 | V211 -260-802-50 | 8OLT/S | 7 | | | | | | |
| 8 | V201 - 260 - 801 - 60 | 8OLT/M aXI6 | | | | | | | |
| 9 | V411 - 260 - 008 - 00 | WASHER,PL/M a | | | | | | | |
| 10 | V304 - 260 - 008 - 00 | NUT/M 8 | | | | | | | |
| 11 | V401 - 160 - 008 - 00 | WASHER,SP/M a | 1 | | | | | | |
| 12 | 1594 - 517 - 003 - 00 | CUP/19X3 | 2 | | | | | | |
| 13 | 1594 - 517 - 004 - 00 | CUP/19X3 | 2 | | | | | | |
| 14 | V210 - 260 - 604 - 00 | 8OLT,S/M6X40 | 2 | | | | | | |
| 15 | V781 - 160 - 000 - 60 | NIPPLE/PT3/8 | 4 | | | | | | |
| 16 | 1596 - 530 - 240 - 00 | ARM,IST COMP | 1 | | | | | | |
| 17 | 3614 - 725 - 006 - 00 | PIN,STAY | 2 | | | | | | |
| 18 | V500 - 162 - 001 - 50 | PIN,SPUT/2 X15 | 2 | | | | | | |
| 19 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | | | | | | |
| 20 | 1596 - 530 - 260 - 00 | LEVER,PLATE/IST COMP | 1 | | | | | | |
| 21 | 1415 - 505 - 01 5 - 00 | GRIP | 1 | | | | | | |
| 22 | 1596 - 530 - 310 - 00 | ARM COMP | 1 | | | | | | |

# FIG. 94 VALVE (REMOTE/1) SET (E61 TYPE - STANDARD/B,SE41 ,SE51 TYPE - OPTION)


2J-1
34 iA




1597-530

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | | | | | | |
| 24 | 1596 - 530 - 290 - 00 | BRACKET COMP | 1 | | | | | | |
| 25 | V211 - 260 - 802 - 50 | BOLT/S | 2 | | | | | | |
| 26 | 1415 - 125 - 021 - 00 | SPRING,TENSION/46 | 1 | * | | | | | |
| 27 | 1597 - 530 - 001 - 00 | PLATE,1/16X196 | 1 | | | | | | |
| 28 | 2130 - 601 - 018 - 00 | PIN,SNAP/6 | 2 | | | | | | |
| 29 | 1597 - 530 - 003 - 00 | BRACKET | 1 | | | | | | |
| 30 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 2 | * | * | | | | |
| 31 | 1518 - 903 - 006 - 00 | MARK,PORT A | 1 | | | | | | |
| 32 | 1518 - 903 - 007 - 00 | MARK,PORT B | 1 | | | | | | |
| 33 | 1564 - 530 - 001 - 00 | FLANGE,SPACER | 1 | | | | | | |
| 34 | V720 - 112 - 401 - 40 | O-RING/P14 | 3 | | | | | | |


# FIG. 95 VALVE (REMOTE/2) SET (E41G,E43G TYPE-STANDARD/E21,E51.SE41,SE61 TYPE-OPTION)




1597-530A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 530 - 200 - 10 | VALVE,REMOTE/2 SET | 1 | T | * | | | | |
| 2 | K211 - 005 - 000 - 10 | VALVE,CONTROL ASSY | 2 | T | * | | | | FIG.181 |
| 3 | 1564 - 530 - 001 - 00 | FLANGE,SPACER | 1 | T | * | | | | |
| 4 | V720 - 112 - 401 - 40 | O-RING/P14 | 3 | T | * | | | | |
| 5 | V201 - 261 - 018 - 00 | 8OLT/M10X180 | 3 | T | * | | | | |
| 6 | V401 - 160 - 010 - 00 | WASHER,SP/M 10 | 3 | T | * | | | | |
| 7 | 1596 - 530 - 200 - 00 | PIPE,IST/A COMP | 1 | t | 1-335 | | | | |
| 7A | 1596 - 530 - 200 - 10 | PIPE,1ST/A COMP | 1 | | 336- | | | | |
| 8 | 1596 - 530 - 210 - 00 | PIPE,1ST/B COMP | 1 | T | 1-335 | | | | |
| 8A | 1596 - 530 - 210 - 10 | PIPE,1ST/B COMP | 1 | | 336- | | | | |
| 9 | 1596 - 530 - 220 - 10 | PIPE,2ND/A COMP | 1 | T | 1-335 | | | | |
| 9A | 1596 - 530 - 220 - 20 | PIPE,2ND/A COMP | 1 | | 336- | | | | |
| 10 | 1596 - 530 - 230 - 00 | PIPE,2ND/B COMP | 1 | T | 1-335 | | | | |
| IDA | 1596 - 530 - 230 - 10 | PIPE,2ND/B COMP | 1 | | 336- | | | | |
| 11 | V211 - 260 - 802-50 | 8OLT/S | 14 | T | * | | | | |
| 12 | V201 - 260 - 801 - 60 | 8OLT/M 8X16 | 2 | T | * | | | | |
| 13 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | T | * | | | | |
| 14 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | T | * | | | | |
| 15 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | T | * | | | | |
| 16 | 1594 - 517 - 003 - 00 | CLiP/19X3 | 4 | T | * | | | | |
| 17 | 1594 - 517 - 004 - 00 | CLiP/19X3 | 4 | T | * | | | | |
| 18 | V210 - 260 - 604 - 00 | 80LT,S/M6X40 | 4 | T | * | | | | |
| 19 | V780 - 140 - 000 - 2T | PLUG PT1/4 | 8 | T | * | | | | |
| 20 | 1596 - 530 - 240 - 00 | ARM,1ST COMP | 1 | T | * | | | | |
| 21 | 1596 - 530 - 250 - 00 | ARM,2ND COMP | 1 | T | * | | | | |


# FIG. 95 VALVE (REMOTE/2) SET (E41G,E43G TYPE - STANDARD/E21.E51.SE41,SE61 TYPE - OPTION)




1597-530A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | 3614 - 725 - 006 - 00 | PIN,STAY | 4 | T | | | | | |
| 23 | V500 - 162 - 001 - 50 | PIN,SPLIT/2 X15 | 4 | t | * | | | | |
| 24 | V411 - 260 - 006 - 00 | WASHER / M6 | 4 | t | | | | | |
| 25 | 1596 - 530 - 260 - 00 | LEVER,PLATE/1ST COMP | 1 | t | * | | | | |
| 26 | 1596 - 530 - 270 - 00 | LEVER,PLATE/2ND ASSY | 1 | T | | | | | |
| 27 | 1110 - 401 - 002 - 00 | BUSH,F/10XI2X15 | 2 | T | | | | | |
| 28 | 1415 - 505 - 015 - 00 | GRIP | 2 | T | | | | | |
| 29 | 1596 - 530 - 310 - 00 | ARM COMP | 1 | T | | | | | |
| 30 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | t | | | | | |
| 31 | 1596 - 530 - 290 - 00 | BRACKET COMP | 1 | t | | | | | |
| 32 | V211 - 260 - 802 - 50 | OOLT/S | 2 | T | | | | | |
| 33 | 1415 - 125 - 021 - 00 | SPRING,TENSION/46 | 2 | T | | | | | |
| 34 | 1597-530-001 -00 | PLATE,I/16X196 | 2 | T | | | | | |
| 35 | 2130-601 -018-00 | PIN,SNAP/6 | 4 | T | | | | | |
| 36 | 1597 - 530 - 003 - 00 | BRACKET | 1 | T | | | | | |
| 37 | V211-260-802-00 | BOLT,S/M8X20 | 2 | T | | | | | |
| 38 | 1518 - 903 - 006 - 00 | MARK,PORT A | 2 | T | | | | | |
| 39 | 1518 - 903 - 007 - 00 | MARK,PORT B | 2 | T | | | | | |


# FIG. 96 VALVE (REMOTE/2) SET (E61 TYPE) (OPTION)




1597-530B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 530 – 300 - 00 | VALVE,REMOTE/2 SET | 1 | T | T | | | | |
| 2 | K211 - 005 - 000 – 10 | VALVE,CONTROL ASSY | 1 | T | T | | | | FIG.181 |
| 3 | V201 - 261 - 018 - 00 | BOLT/M1OX180 | 3 | r | r | | | | |
| 4 | V401 - 160 - 010 - 00 | WASHER,SP/M 10 | 3 | T | T | | | | |
| 5 | 1596 - 530 - 220 - 20 | PIPE,2ND/A COMP | 1 | T | T | | | | |
| 6 | 1596 - 530 - 230 – 10 | PIPE,2ND/B COMP | 1 | T | T | | | | |
| 7 | V211 - 260 - 802 - 50 | BOLT/S | 7 | T | t | | | | |
| 8 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 1 | T | T | | | | |
| 9 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | t | T | | | | |
| 10 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 1 | T | r | | | | |
| 11 | 1594 - 517 - 003 - 00 | CLiP/19X3 | 2 | T | T | | | | |
| 12 | 1594 - 517 - 004 - 00 | CLiP/19X3 | 2 | T | T | | | | |
| 13 | V210 - 260 - 604 - 00 | BOLT,S/M6X40 | 2 | T | T | | | | |
| 14 | V781 - 160 - 000 - 60 | NIPPLE/PT3/8 | 4 | T | T | | | | |
| 15 | 1596 - 530 - 250 - 00 | ARM,2ND COMP | 1 | T | T | | | | |
| 16 | 3614 - 725 - 006 - 00 | PIN,STAY | 2 | T | T | | | | |
| 17 | V500 – 162 - 001 - 50 | PIN,SPLIT/2 X15 | 2 | T | T | | | | |
| 18 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | T | t | | | | |
| 19 | 1596 - 530 - 270 - 00 | LEVER,PLATE/2ND ASSY | 1 | T | T | | | | |
| 20 | 1110 – 401 - 002 - 00 | BUSH,F/1OXI2X15 | 2 | t | T | | | | |
| 21 | 1415 - 505 - 015 - 00 | GRIP | 1 | T | T | | | | |
| 22 | 1415- 125 - 021 - 00 | SPRING,TENSION/46 | 1 | T | T | | | | |
| 23 | 1597 - 530 - 001 - 00 | PLATE,I/16X196 | 1 | T | T | | | | |
| 24 | 2130 - 601 - 018 - 00 | PIN,SNAP/6 | 2 | T | T | | | | |
| 25 | 1518 - 903 - 006 - 00 | MARK,PORT A | 1 | T | T | | | | |


# FIG. 96 VALVE (REMOTE/2) SET (E61 TYPE) (OPTION)




1597-530B


| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1518 - 903 - 007 - 00 | MARK,PORT B | 1 | T | T | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | 1 | |
| | | | | | | | 1 | | |

# FIG. 97 VALVE (REMOTE/1) SET (E61 TYPE)(T -No. 1~43 • F-No. 1~335)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 530 - 230 - 00 | VALVE,REMOTE/1/REAR | 1 | 1--43 | 1--335 | | | | |
| 2 | K211 - 005 - 000 - 10 | VALVE,CONTROL ASSY | 1 | 1--43 | 1--335 | | | | FIG.181 |
| 3 | V201 - 261 - 013 - 00 | BOLT/MI0XI30 | 3 | 1--43 | 1--335 | | | | |
| 4 | V401 - ;60 - 010 - 00 | WASHER,SP/MI0 | 3 | 1--43 | 1--335 | | | | |
| 5 | 1565 - 530 - 210 - 10 | PIPE,1ST/A COMP | 1 | 1--43 | 1--335 | | | | |
| 6 | 1565 - 530 - 220 - 10 | PIPE,IST/B COMP | 1 | 1--43 | 1--335 | | | | |
| 7 | V211 - 260 - 802 - 50 | BOLT/S | 7 | 1--43 | 1--335 | | | | |
| 8 | V211 - 160 - 801 - 60 | BOLT/M8XI6 | 1 | 1--43 | 1--335 | | | | |
| 9 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | 1--43 | F--335 | | | | |
| 10 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 1 | 1--43 | 1--335 | | | | |
| 11 | 1564 - 530 - 002 - 00 | CLIP | 1 | 1--43 | 1--335 | | | | |
| 12 | ;'564 - 530 - 003 - 00 | CLIP | 1 | 1--43 | 1--335 | | | | |
| 13 | V210 - 260 - 602 - 50 | BOLT,S/M6X25 | 1 | 1--43 | 1--335 | | | | |
| 14 | V781 - 100 - 000 - 60 | PLUG/PT3/8 | 2 | 1--43 | 1--335 | | | | |
| 15 | 1596 - 530 - 240 - 00 | ARM,1ST COMP | 1 | 1--43 | 1--335 | | | | |
| 16 | 3614 - 725 - 006 - 00 | PIN.STAY | 2 | 1--43 | 1--335 | | | | |
| 17 | V500 - 162 - 001 - 50 | PIN,SPLIT/2 X15 | 2 | 1--43 | 1--335 | | | | |
| 18 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | 1--43 | 1--335 | | | | |
| 19 | 1596 - 530 - 260 - 00 | LEVER,PLATE/I ST COMP | 1 | 1--43 | 1--335 | | | | |
| 20 | 141 5 - 505 - 015 - 00 | GRIP | 1 | —43 | 1--335 | | | | |
| 21 | 1596 - 530 - 31 0 - 00 | ARM COMP | 1 | 1--43 | 1--335 | | | | |
| 22 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | 1--43 | 1--335 | | | | |
| 23 | 1596 - 530 - 290 - 00 | BRACKET COMP | 1 | 1--43 | 1--335 | | | | |
| 24 | 1415 - 125 - 021 - 00 | SPRING.TENSION/46 | 1 | 1--43 | 1--335 | | | | |
| 25 | 1597 - 530 - 001 - 00 | PLATE.1/16X196 | 1 | 1--43 | 1--335 | | | | |


# FIG. 97 VALVE (REMOTE/1) SET (E61 TYPE)( T- No. 1~43 • F- No. 1~335)




1597-530D

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 2130 - 601 -018 - 00 | PIN,SNAP/6 | 2 | 1--43 | 1--335 | | | | |
| 27 | 1564 - 530 - 230 - 10 | BRACKET,BACK COMP | 1 | 1--43 | 1--335 | | | | |
| 28 | V211 - 260 - 802 - 00 | OOLT,S/M8X20 | 2 | 1--43 | 1--335 | | | | |
| 29 | 1518 - 903 - 006 - 00 | MARK,PORT A | 1 | 1--43 | 1--335 | | | | |
| 30 | 1518 - 903 - 007 - 00 | MARK,PORT B | 1 | 1--43 | 1--335 | | | | |
| 31 | 1564 - 530 - 001 - 00 | FLANGE,SPACER | 1 | 1--43 | 1--335 | | | | |
| 32 | V211 - 260 - 802 - 50 | BOLT/S | 2 | 1--43 | 1--335 | | | | |
| 33 | V720 - 112 - 401 - 40 | O-RING/P14 | 3 | --43 | -335 | | | | |


# FIG. 98 VALVE (REMOTE/2) SET (SE41 P TYPE - STANDARD/E41 G,E43G TYPE - OPTION)




1597 53CC

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 530 - 220 - 10 | VALVE,REMOTE/2/REAR | 1 | | * | | | | |
| 2 | K211 - 005 - 000 - 10 | VALVE,CONTROL ASSY | 2 | | * | | | | FIG.181 |
| 3 | 1564 530 - 001 - 00 | FLANGE,SPACER | 1 | | * | | | | |
| 4 | V201 - 261 - 018 - 00 | BOLT/MIOXI80 | 3 | | * | | | | |
| 5 | V401 - 160 - 010 - 00 | WASHER,SP/M 10 | 3 | | * | | | | |
| 6 | 1565 - 530 - 210 - 20 | PIPE,IST/A COMP | 1 | | * | | | | |
| 7 | 1565 - 530 - 220 - 20 | PIPE,IST/B COMP | 1 | | * | | | | |
| 8 | 1565 - 530 - 270 - 20 | PIPE,2ND/A COMP | 1 | | * | | | | |
| 9 | 1565 - 530 - 260 - 20 | PIPE.2ND/B COMP | 1 | | * | | | | |
| 10 | V211 - 260 - 802 - 50 | BOLT/S | 14 | | * | | | | |
| 11 | V201 - 260 - 801 - 60 | BOLT/M 8X16 | 2 | | * | | | | |
| 12 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | | * | | | | |
| 13 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | * | | | | |
| 14 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | * | | | | |
| 15 | 1594 - 517 - 003 - 00 | CLiP/19X3 | 2 | | * | | | | |
| 16 | 1594 - 517 - 004 - 00 | CLiP/19X3 | 2 | | * | | | | |
| 17 | V210 - 260 - 604 - 00 | BOLT,S/M6X40 | 2 | | * | | | | |
| 18 | V781 - 160 - 000 - 60 | NIPPLE/PT3/8 | 4 | | * | | | | |
| 19 | 1596 - 530 - 240 - 00 | ARM,IST COMP | 1 | | * | | | | |
| 20 | 1596 - 530 - 250 - 00 | ARM,2ND COMP | 1 | | * | | | | |
| 21 | 3614 - 725 - 006 - 00 | PIN,STAY | 4 | | * | | | | |
| 22 | V500 - 162 - 001 - 50 | PIN,SPLIT/2 X15 | 4 | | * | | | | |
| 23 | V411 - 260 - 006 - 00 | WASHER / M6 | 4 | | * | | | | |
| 24 | 1596 - 530 - 260 - 00 | LEVER,PLATE/1ST COMP | 1 | | * | | | | |
| 25 | 1596 - 530 - 270 - 00 | LEVER,PLATE/2ND ASSY | 1 | | * | | | | |


# FIG. 98 VALVE (REMOTE/2) SET (SE41 P TYPE - STANDARD/E41 G,E43G TYPE - OPTION)




1597-530C


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1110 - 401 - 002 - 00 | BUSH,F/1 OX12X15 | 2 | | | | | | |
| 27 | 1415 - 505 - 015 - 00 | GRIP | 2 | | | | | | |
| 28 | 1596 - 530 - 310 - 00 | ARM COMP | 1 | | | | | | |
| 29 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | | | | | | |
| 30 | 1596 - 530 - 290 - 00 | BRACKET COMP | 1 | | | | | | |
| 31 | 1415 - 125 - 021 - 00 | SPRING,TENSION/46 | 2 | | | | | | |
| 32 | 1597-530-001-00 | PLATE.1/16X196 | 2 | | | | | | |
| 33 | 2130 - 601 - 018 - 00 | PIN,SNAP/6 | 4 | | | | | | |
| 34 | 1564 - 530 - 230 - 10 | BRACKET,BACK COMP | 1 | | | | | | |
| 35 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 2 | | | | | | |
| 36 | 1518 - 903 - 006 - 00 | MARK,PORT A | 2 | | | | | | |
| 37 | 1518 - 903 - 007 - 00 | MARK,PORT B | 2 | | | | | | |
| 38 | V720 - 112 - 401 - 40 | 0 - RING/P14 | 3 | | | | | | |
| 39 | V211 - 260 - 802 - 50 | BOLT/S | 2 | | | | | | |

# FIG. 99 AUTO LINK SYSTEM (E15 TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | OIL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 512 - 230 - 10 | LEVER,PLATE/DPT ASSY | 1 | | | | | | |
| 2 | 1564 - 512 - 001 - 00 | BUSH/10XI2X10 | 1 | | | | | | |
| 3 | 1596 - 512 – 002 - 00 | L1NING/11X30X03 | 2 | | | | | | |
| 4 | 1444 - 116 - 007 - 00 | WASHER (11X30X2) | 3 | | | | | | |
| 5 | 1104 - 240 - 003 - 00 | SPRING/HCO 19 | 1 | | * | | | | |
| 6 | 1564 - 512 - 002 - 00 | INSULATOR | 1 | | | | | | |
| 7 | V305 - 260 - 010 - 00 | NUT/M10 | 2 | | | | | | |
| 8 | V201 - 261 - 005 - 50 | BOLT/M10X55 | 1 | | | | | | |
| 9 | V710 - 140 - 009 - 00 | RING,SNAP/9 E | 1 | | | | | | |
| 10 | 1564 - 512 - 003 - 10 | LEVER,PLATE | 1 | | | | | | |
| 11 | 1560 - 511 - 005 - 40 | GRIP/03X17X97 | 1 | | | | | | |
| 12 | VI12 - 165 - 001 - 20 | SCREW/M8X16 | 1 | | | | | | |
| 13 | 1560 - 316 - 002 - 40 | TUBE,STRAIGHT/50 | 1 | | | | | | |
| 14 | V211-260-801-20 | BOLT,SEMS (S) M8X12 | 1 | | | | | | |
| 15 | 1565 - 514 - 201 - 40 | ROD | 1 | | | | | | |
| 16 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 1 | | | | | | |
| 17 | 7957 - 501 - 004 - 00 | PIN,HAIR | 1 | | | | | | |
| 18 | V500 - 163 - 002 - 00 | PIN,SPLIT/3 X20 | 1 | | | | | | |
| 19 | 1564 - 531 – 250 - 20 | ARM ASSY | 1 | | | | | | |
| 20 | 3650 - 440 - 014 - 00 | BUSH/12X14X20 | 2 | | | | | | |
| 21 | V704 - 140 - 012 - 00 | RING,SNAP/12 C | 1 | | | | | | |
| 22 | 1560 – 51 1 - 006 - 50 | SPRING | 1 | | | | | | |
| 23 | 1597 - 531 - 200 - 00 | ARM ASSY | 1 | | | | | | |
| 24 | 1560-509 - 211 - 00 | BUSH/10XI2X20 | 1 | | | | | | |
| 25 | V500 - 162 – 002 - 00 | PIN,SPUT/2 X20 | 1 | | | | | | |


# FIG. 99 AUTO LINK SYSTEM (E15 TYPE)




1597-531

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | | | | | | | |
| 27 | 1564 - 531 - 270 - 00 | HOLDER COMP | | | | | | | |
| 28 | V211 - 260 - 802 - 00 | 8OLT,S/M8X20 | 2 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.100 RADAMATIC SYSTEM (1) (E15 TYPE)




1597-541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | 1564 - 519 - 900 - 30 | VALVE SET | 1 | | | | | | |
| 2 | 1564 - 519 - 200 - 20 | VALVE,LEVEL ASSY | 1 | | 1--138 | | | | FIG.182 |
| 2A | K200 - 020 - 000 - 00 | VALVE,HYDRO ASSY | 1 | | 139- | | | | FIG.184 |
| 3 | V720 - 112 - 401 - 40 | O-RING/P14 | 3 | | 1--138 | | | | |
| 4 | V720 - 112 - 401 - 10 | O-RING | 2 | | 1--138 | | | | |
| 5 | V201 - 261 - 008 - 50 | BOLT/MIOXB5 | 3 | | | | | | |
| 6 | V401 - 160 - 010 - 00 | WASHER,SP/MIO | 3 | | | | | | |
| 7 | 3737 - 172 - 011 - 00 | CLAMP,HARNESS | 1 | | | | | | |
| 8 | K221 - 002 - 000 - 00 | CHECK VALVE ASSY | 1 | | 1--138 | | | | |
| 9 | V220 - 540 - 508 - 50 | BOLT/M5XB5 | 4 | | 1--138 | | | | FIG.183 |
| 10 | 3631 - 201-008-00 | RUBBER,HOSE | | | | | | | |
| 11 | K185 - 006 - 000 - 00 | CYLINDER ASSY | | | 1--138 | | | | FIG.185 |
| IIA | K185 - 006 - 000 - 10 | CYLINDER ASSY | | | 139- | | | | FIG.185 |
| 12 | 1568 - 541 - 901 - 00 | PIN/19X50 | | | | | | | |
| 13 | 1305 - 931 - 003 - 00 | PIN,HAIR | | | * | | | | |
| 14 | 3768 - 185 - 022 - 10 | ADAPTER (90' /PUMP) | 2 | | | | | | |
| 15 | 3631 - 350 - 201 - 10 | ADAPTER,45' | 2 | | 1--138 | | | | |
| 16 | 1560 - 541 - 220 - 30 | HOSE/BOO ASSY | 2 | | * | | | | |
| 17 | V201 - 361 - 006 - 50 | BOLT/M10X65 | 1 | | * | | | | |
| 18 | 1575 - 511 - 003 - 00 | PLATE/V/32XB2 | 1 | | | | | | |
| 19 | 1568 - 541 - 001 - 00 | PLATE | 1 | | | | | | |
| 20 | V211 - 360 - 801 - 20 | BOLT,SEMS | 2 | | | | | | |
| 21 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 2 | | * | | | | |
| 22 | 1560 - 541 - 002 - 00 | INSULATOR | 2 | | | | | | |
| 23 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 1 | | | | | | |


# FIG.I00 RADARMATIC SYSTEM (1) (E15 TYPE)




1597541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | IeG TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | V211 - 360 - 801 - 20 | BOLT,SEMS | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.101 RADARMATIC SYSTEM (2) (E15 TYPE)




1517541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1561 - 609 - 200 - 30 | PLATE COMP | 1 | | | | | | |
| 2 | V120-366 - 001-60 | SCREW | 2 | | * | | | | |
| 3 | 1561 - 670 - 900 - 00 | SWITCH SET | 1 | | | | | | |
| 4 | 1561 - 670 - 200 - 00 | SWITCH ASSY | 1 | | | | | | |
| 5 | V111 - 164 - 003 - 00 | SCREW/M4X30 | 2 | | * | | | | |
| 6 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 2 | | | | | | |
| 7 | V300 - 260 - 004 - 00 | NUT/M5 | 2 | | | | | | |
| 8 | V411 - 260 - 004 - 00 | WASHER,PL/M 4 | 4 | | | | | | |
| 9 | 1446 - 622 - 003 - 00 | COVER,RUBBER | 1 | | | | | | |
| 10 | 1560 - 690 - 250 - 00 | SWITCH ASSY | 1 | | | | | | |
| 11 | 3652 - 273 - 001 - 00 | KNOB | 2 | | | | | | |
| 12 | 1560 - 690 - 252 - 00 | CAP | 1 | | | | | | |
| 13 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | | | | | | |
| 14 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | | | | | | |
| 15 | 1568 - 690 - 200 - 20 | CASE,CONTROL ASSY | 1 | | 1-238 | | | | |
| 16 | 1560 - 690 - 202 - 00 | COVER | 1 | | 1-238 | | | | |
| 17 | 1560 - 690 - 203 - 00 | LABEL,CONTROL | 1 | | 1-238 | | | | |
| 18 | V112 - 163 - 000 - 80 | BOLT/M3X8 | 4 | | 1-238 | | | | |
| 19 | 1560 - 690 - 204 - 00 | SWITCH | 2 | | 1-238 | | | | |
| 20 | 1560 - 690 - 205 - 00 | NUT | 2 | | 1-238 | | | | |
| 21 | V420 - 160 - 006 - 00 | WASHER,TOOTH/M6 | 2 | | 1-238 | | | | |
| 22 | 1560 - 690 - 206 - 00 | SWITCH,ROTARY | 2 | | 1-238 | | | | |
| 23 | V300 - 200 - 005 - 00 | NUT/M5 | 2 | | 1-238 | | | | |
| 24 | 1560 - 690 - 207 - 00 | WASHER,PL/M8 | 2 | | 1-238 | | | | |
| 25 | 1560 - 690 - 208 - 00 | GASKET | 2 | | 1-238 | | | | |


# FIG.101 RADARMATIC SYSTEM (2) (E15 TYPE)




1597-541

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1560 - 690 - 210 - 00 | CONNECTOR,J – 8P – M | 1 | | 1--238 | | | | |
| 27 | 1560 - 690 – 260 - 00 | CONNECTOR,J - 8P - F | 1 | | 1--238 | | | | |
| 28 | 1560 – 690 - 270 - 00 | CONNECTOR,J – 3P – M | 1 | | i--238 | | | | |
| 29 | 1560 - 690 – 280 - 00 | CONNECTOR,J – 3P - F | 2 | | 1--238 | | | | |
| 30 | 1597 - 690 - 200 - 00 | CASE,CONTROL/E15 | 1 | | 239- | | | | |
| 31 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 4 | | | | | | |
| 32 | 1597 - 690 - 210 - 00 | BRACKET COMP | 1 | | | | | | |
| 33 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8XI6 | 2 | | | | | | |
| 34 | 1560 - 690 - 007 - 00 | CLIP | 1 | | | | | | |
| 35 | 1560 - 690 - 220 - 00 | HARNESS ASSY | 1 | | | | | | |
| 36 | 1432 - 621 - 273 - 00 | FUSE/5 | 1 | | | | | | |
| 37 | 1509 - 623 - 242 - 00 | OOX,FUSE | 1 | | | | | | |
| 38 | 1560 - 690 - 240 - 00 | HARNESS,SOLENOID | 1 | | | | | | |
| 39 | 1376 – 402 – 003 – 00 | BAND,WIRE/140 | 2 | | | | | | |


# FIG.102 RADARMATIC SYSTEM (3) (E15 TYPE)




1597-541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1544 - 641 - 250 - 10 | SENSOR,SLOPE ASSY | 1 | | 1-238 239- | | | | |
| 1A | 1575 - 651 - 480 - 00 | SENSOR,SLOPE ASSY | 1 | | * | | | | |
| 2 | 1550 - 501 - 004 - 00 | RUBBER,CUSHION | 2 | | * | | | | |
| 3 | V200 - 260 - 603 - 50 | BOLT | 2 | | * | | | | |
| 4 | V301 - 260 - 006 - 00 | NUT/M 6 | 4 | | * | | | | |
| 5 | 1560 - 690 - 001 - 40 | PLATE,L/65X108 | 1 | | * | | | | |
| 6 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | | * | | | | |
| 7 | 1568 - 690 - 001 - 00 | PIN/8X78 | 2 | | * | | | | |
| 8 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | * | | | | |
| 9 | 1560 - 690 - 003 - 50 | SPRING | 4 | | * | | | | |
| 10 | 1568 - 690 - 002 - 00 | BAR | 2 | | * | | | | |
| 11 | V211 - 260 - 805 - 00 | BOLT/M8X50 | 4 | | 1-238 | | | | |
| 12 | V360 - 260 - 008 - 00 | NUT/M8 | 4 | | 1-238 | | | | |
| 13 | 1560 - 690 - 004 - 40 | PIN/9X31 | 2 | | 1-238 | | | | |
| 14 | 1560 - 690 - 005 - 40 | PIN/9X14 | 2 | | 1-238 | | | | |
| 15 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 2 | | 1-238 | | | | |
| 16 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 4 | | 1-238 | | | | |
| 17 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X20 | 4 | | 1-238 | | | | |
| 18 | 1560 - 690 - 230 - 30 | SENSOR,STROKE ASSY | 2 | | 1-238 | | | | |
| 19 | 1560 - 690 - 233 - 00 | JOINT,BALL ASSY | 2 | | 1-238 | | | | |
| 20 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | | 1-238 | | | | |
| 21 | 1560 - 690 - 006 - 00 | LINK | 2 | | 1-238 | | | | |
| 22 | 1560 - 690 - 300 - 10 | HOLDER CaMP | 2 | | 1-238 | | | | |
| 23 | V120 - 364 - 001 - 20 | BOLT/M6X16 | 8 | | 1-238 * | | | | |
| 24 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 2 | | | | | | |


# FIG.I02 RADARMATIC SYSTEM (3) (E15 TYPE)




1597-541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1488 - 541 - 023 - 00 | MARK,CAUTION | | | | | | | |
| 26 | 1544 - 905 - 002 - 00 | MARK,X | | | | | | | |
| 27 | 1480 - 541 - 004 - 00 | MARK,STAR | | | | | | | |
| 28 | 1564 - 690 - 310 - 00 | CASE/CONTROLLER COMP | | | | | | | |
| 29 | 1564 - 690 - 001 - 00 | COVER | | | | | | | |
| 30 | V120 - 366 - 001 - 60 | SCREW | 2 | | | | | | |
| 31 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | | | | | |
| 32 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | | | | | |
| 33 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | | | | | | |


# FIG.103 BONNET SYSTEM (1)




1591EDI

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | J T C | C O L | G R P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | 1597 - 601 - 200 - 00 | HOOD COMP | 1 | 1--54 | 1--424 | | | | |
| IA | 1597 - 601 - 200 - 10 | HOOD COMP | 1 | 55- | 425- | | | | |
| 2 | 1597 - 601 - 210 - 00 | HOOD COMP | 1 | | 1--408 | | | | |
| 2A | 1597 - 601 - 210 - 10 | HOOD COMP | 1 | | 409--424 | | | | |
| 28 | 1597 - 601 - 21 0 - 20 | HOOD COMP | 1 | | 425- | | | | |
| 3 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 5 | | | | | | |
| 4 | V211 - 360 - 803 - 00 | BOLT/M8X30 | 1 | | | | | | |
| 5 | 1564 - 601 - 014 - 10 | INSULATOR | | | | | | | |
| 6 | 1444 - 604 - 009 - 00 | RUBBER,L1NE | 2 | | | | | | |
| 7 | 1564 - 601 - 211 - 30 | COVER | 1 | | | | | | |
| 8 | V290 - 106 - 001 - 20 | RIVET/6 X12 | 2 | | | | | | |
| 9 | V350 - 160 - 006 - 00 | NUT,SPEED/P6 | 2 | | | | | | |
| 10 | 1560 - 601 - 017 - 00 | WASHER/6X14X2 | 2 | | | | | | |
| 11 | 1560 - 601 - 014 - 30 | SPRING | 1 | | | | | | |
| 12 | W296 - 134 - 007 - 00 | RIVET.BLIND | 2 | | | | | | |
| 13 | 1564 - 601 - 004 - 20 | MOLDING | 1 | | | | | | |
| 14 | V350 - 160 - 006 - 00 | NUT,SPEED/P6 | 5 | | | | | | |
| 15 | 1444 - 601 - 015 - 00 | WASHER/6X14X3 | 5 | | | | | | |
| 16 | 1564 - 601 - 013 - 00 | MOLDING,TOP | 1 | | | | | | |
| 17 | 1560 - 606 - 010 - 00 | CAP/II | 1 | | | | | | |


# FIG.104 BONNET SYSTEM (2)




1597-601

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | TIC | EGI COL | EGI GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 601 - 009 - 10 | COVER,FRONT | 1 | 1--52 53- | 1--391 392- | | | | |
| 1A | 1564 - 601 - 009 - 20 | COVER,FRONT | | | | | | | |
| 2 | 1564 - 601 - 012 - 00 | MOLDING,FRONT | 1 | | 1--511 512- | | | | |
| 2A | 1564 - 601 - 012 - 10 | MOLDING,FRONT | 1 | | | | | | |
| 3 | 1564 - 601 - 300 - | IOBAR COMP | 2 | | | | | | |
| 4 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 2 | | | | | | |
| 5 | 1564 - 601 - 330 - 30 | STAY,PLATE COMP | 1 | 1--52 | 1--391 | | | | |
| 5A | 1599 - 601 - 500 - 00 | STAY,PLATE COMP | 1 | 53- | 392- | | | | |
| 6 | 1564 - 601 - 340 - 10 | HOOK COMP | 2 | * | | | | | |
| 7 | V21 1 - 360 - 802 - 00 | BOLT (SP) M8X20 | 2 | | | | | | |


# FIG.105 GRILLE SYSTEM




1596 601

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 601 - 370 - 20 | GRILL ASSY | | I--54 55- | I--511 512- | | | | |
| 1A | 1564 - 601 - 370 - 30 | GRILL ASSY | | | | | | | |
| 2 | 1564 - 601 - 272 - 20 | ORNAMENT | 1 | * | | | | | |
| 3 | 1564 - 601 - 011 - 10 | NET | 1 | I--43 44- -52 | I--335 336- -391 | | | | |
| 3A | 1564 - 601 - 011 - 20 | NET | 1 | | | | | | |
| 38 | 1566 - 601 - 003 - 00 | NET | 1 | 53- | 392- | | | | |
| 4 | 1444 - 601 - 015 - 00 | WASHER/6X14X3 | 6 | | | | | | |
| 5 | V350 - 160 - 006 - 00 | NUT,SPEED/P6 | 6 | | | | | | |
| 6 | 1566 - 601 - 003 - 00 | NET | 1 | | * | | | | |
| 7 | 1444 - 601 -015-00 | WASHER/6X14X3 | 9 | | * | | | | |
| 8 | V350 - 160 - 006 - 00 | NUT,SPEED/P6 | 9 | | | | | | |
| 9 | 1566 - 601 - 002 - 00 | ORNAMENT | 1 | | | | | | |
| 10 | 1596 - 601 - 200 - 00 | HOLDER,LAMP COMP | 1 | | 1--408 409- | | | | |
| lOA | 1596 - 601 - 220 - 10 | HOLDER,LAMP COMP | 1 | | | | | | |
| 11 | 1564 - 601 -310-10 | HOLDER,LAMP COMP | 1 | | 1--408 409- | | | | |
| 11A | 1564 - 601 - 380 - 10 | HOLDER,LAMP CaMP | 1 | | | | | | |
| 12 | V210-360-601 - 60 | BOLT (SP) /M6X16 | 4 | * | | | | | |
| 13 | 1421 - 601 - 005 - 00 | FASTENER | 2 | I--52 53- | I--391 392- | | | | |
| 13A | 1564 - 601 - 015 - 00 | SHAFT,LOCK | 2 | | | | | | |
| 14 | 1560 - 630 - 367 - 00 | COLLAR/13X17X19 | 2 | | | | | | |
| 15 | 1560 - 630 - 367 - 00 | COLLAR/13X17X19 | 2 | I--54 55- | I--424 425- | | | | |
| 15A | 3659 - 352 - 007 - 00 | COLLAR/13X17X22 | 2 | | | | | | |
| 16 | V710 - 140 - 009 - 00 | RING,SNAP/ 9 E | 2 | | | | | | |
| 17 | 1564 - 601 - 350 - 10 | STAY,PLATE COMP | 1 | I--52 | i--391 | | | | |
| 18 | V211 - 360 - 802 - 00 | BOLT (SP) M8X20 | 2 | * | * | | | | |


# FIG.105 GRILLE SYSTEM




1566-601B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | I.C. | C.O. | G.B. | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 19 | V211 - 260 802 00 | BOLT,S/M8X20 | 2 | | | | | | |
| 20 | 1564 - 601 320 - 10 | HOLDER COMP | 2 | 1-52 | 1-391 | | | | |
| 20A | 1564 - 60 390 - 00 | HOLDER S (SP) COMP | 2 | 53- | 392- | | | | |
| 21 | V211 360 801 60 | BOLT,SEM | 2 | | | | | | |
| 22 | 1421 602 005 10 | CUSHION,B/ RUBBER | 2 | | | | | | |
| 23 | V304 - 260 008 00 | NUT/M 8 | 2 | | | | | | |


# FIG.106 HOOD FRAME SYSTEM




1566-602A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 602 - 200 - 00 | STAY,BAR/10/UNDER | | | | | | | |
| 2 | 1566 - 602 - 210 - 10 | STAY,BAR/10/UPPER | | | | | | | |
| 3 | 3640 - 109 - 002 - 00 | ADJUSTER,ROD | 1 | | | | | | |
| 4 | V304 - 260 - 010 - 00 | NUT | 1 | | | | | | |
| 5 | 1560 - 112 - 003 - 00 | NUT,SM/LH | 1 | | | | | | |
| 6 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 2 | | | | | | |
| 7 | 1560 - 602 - 001 - 40 | INSULATOR | 4 | | | | | | |
| S | 1568 - 602 - 310 - 20 | FRAME,HooD COMP | | 1--52 53- | 1--391 392- | | | | |
| 8A | 1597 - 602 - 200 - 00 | FRAME,HooD COMP | | | | | | | |
| 9 | 1568 - 731 - 103 - 00 | PLATE | | 1--51 | 1--391 | | | | |
| 10 | V211 - 260 - 802 - 50 | BOLT/S | 4 | | | | | | |
| 11 | 1564 - 602 - 350 - 00 | STAY,PLATE/RH COMP | 1 | 1--34 | 1--238 | | | | |
| IIA | 1607 - 602 - 200 - 00 | STAY,PLATE/RH COMP | | 35- | 239- | | | | |
| 12 | 1564 - 602 - 001 - 00 | PLATE | 1 | | | | | | |
| 13 | 1564 - 602 - 001 - 00 | PLATE | 2 | | | | | | |
| 14 | V201-261-202-50 | BOLT/M12X25 | 2 | | | | | | |
| 15 | V401 - 160 - 012 - 00 | WASHER,SP/MI2 | 2 | | | | | | |
| 16 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8XI6 | 3 | 1--52 | 1--391 | | | | |
| 17 | 1564 – 602 - 370 - 10 | STAY COMP | 1 | 1--52 | 1--391 | | | | |
| 18 | 1564 – 603 - 002 - 20 | COYER | 1 | 1--54 | 1--511 | | | | |
| 18A | 1564 – 603 - 002 - 30 | COYER,DASH | 1 | 55- | 512- | | | | |
| 19 | 1560 - 603 - 003 - 00 | NUT/M6 | 2 | | | | | | |
| 20 | V120 - 368 - 002 - 00 | BOLT/M8X20 | 7 | | | | | | |


# FIG.107 FAN COVER SYSTEM (EXCEPT E15 TYPE)




1597-604

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 604 - 200 - 00 | COVER,SIDE/LH ASSY | 1 | 1--34 35- | 1--238 239- | | | | |
| 1A | 1597 - 604 - 200 - 10 | COVER,SIDE/LH ASSY | 1 | | | | | | |
| 2 | 1564 - 604 - 003 - 00 | NET/LH | 1 | * | * | | | | |
| 3 | V411 - 260 - 004 - 00 | WASHER,PL/M 4 | 10 | * | * | | | | |
| 4 | W296 - 134 - 007 - 00 | RIVET,BLIND | 10 | * | * | | | | |
| 5 | 1597 - 604 - 220 - 00 | COVER,SIDE/RH ASSY | 1 | 1--34 35- | 1--238 239- | | | | |
| 5A | 1597 - 604 - 220 - 10 | COVER,SIDE/RH ASSY | 1 | | | | | | |
| 6 | 1564 - 604 - 005 - 00 | NET/RH | 1 | * | * | | | | |
| 7 | V411 - 260 - 004 - 00 | WASHER,PL/M 4 | 10 | * | * | | | | |
| 8 | W296 - 134 - 007 - 00 | RIVET,BLIND | 10 | * | * | | | | |
| 9 | 1564 - 604 - 018 - 20 | INSULATOR | 2 | * | * | | | | |
| 10 | 1568 - 604 - 001 - 20 | INSULATOR/LH | 2 | * | * | | | | |
| 11 | 1568 - 604 - 003 - 00 | STAY,PLATE | 2 | 1--45 46- | 1--347 348- | | | | |
| 11A | 1568 - 604 - 250 - 00 | STAY,PLATE COMP | 2 | --51 52- | --366 367- | | | | |
| 11B | 1568 - 604 - 250 - 10 | STAY,PLATE COMP | 2 | | | | | | |
| 12 | P117 - 401 - 028 - 00 | TRIM/100 | 2 | * | * | | | | |
| 13 | 1564 - 604 - 011 - 20 | STAY,PLATE/LH | 1 | * | * | | | | |
| 14 | 1564 - 604 - 012 - 20 | STAY,PLATE/RH | 1 | * | * | | | | |
| 15 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 8 | * | * | | | | |
| 16 | 1597 - 604 - 240 - 00 | COVER,UNDER/LH COMP | 1 | * | * | | | | |
| 17 | 1597 - 604 - 250 - 00 | COVER,UNDER/RH COMP | 1 | * | * | | | | |
| 18 | V362 - 260 - 008 - 00 | NUT,LOCK/M8 | 12 | * | * | | | | |
| 19 | 1564 - 604 - 025 - 00 | STAY,FRONT | 2 | * | * | | | | |
| 20 | 1568 - 604 - 460 - 00 | PIN,REAR/LH COMP | 1 | * | * | | | | |
| 21 | 1568 - 604 - 470 - 00 | PIN,REAR/ RH COMP | 1 | * | * | | | | |


# FIG.I07 FAN COVER SYSTEM (EXCEPT E15 TYPE)




1597-604

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | V211 - 260 - 802 - 00 | SOLT,S/MBX20 | 8 | * | * | | | | |
| 23 | 1560 - 604 - 022 - 70 | SPRING | 8 | * | * | | | | |
| 24 | V201 - 260 - 801 - 60 | BOLT/M BX16 | 8 | * | * | | | | |
| 25 | V411 - 260 - 008 - 00 | WASHER,PL/M B | 8 | * | * | | | | |
| 26 | V362 - 260 - 008 - 00 | NUT,LOCK/MB | 8 | ● | ● | | | | |
| 27 | 1560 - 604 - 380 - 30 | LEVER COMP | 2 | * | * | | | | |
| 28 | 1560 - 604 - 01 7 - 40 | PLATE | 2 | ● | * | | | | |
| 29 | 1560 - 604 - 01 8 - 40 | WASHER/13X25X | 2 | * | ● | | | | |
| 30 | V362 - 260 - 008 - 00 | NUT,LOCK/MB | 2 | * | ● | | | | |
| 31 | 1568 - 604 - 361 - 20 | STAY,PLATE/LH | 2 | I--51 | I--366 | | | | |
| 31A | 1568 - 604 - 361 - 30 | SPRING | 2 | 52- | 367- | | | | |
| 32 | V211 - 360 - 803 - 00 | BOLT/MBX30 | 4 | * | ● | | | | |
| 33 | 1560 - 604 - 362 - 40 | PIN/BX37 | 2 | I--53 | I--408 | | | | |
| 33A | 1560 - 604 - 362 - 50 | PIN/BX37 | 2 | 54- | 409- | | | | |
| 34 | V304 - 260 - 008 - 00 | NUT/M B | 2 | ● | ● | | | | |
| 35 | V401 - 160 - 008 - 00 | WASHER,SP/M B | 2 | * | * | | | | |


# FIG.108 FAN COVER SYSTEM (E15 TYPE)




1568 604A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 604 - 400 - 10 | COVER,SIDE/LH ASSY | 1 | | | | | | |
| 2 | 1564 - 604 - 003 - 00 | NET/LH | 1 | | | | | | |
| 3 | V411 - 260 - 004 - 00 | WASHER,PL/M 4 | 10 | | | | | | |
| 4 | W296 - 134 - 007 - 00 | RIVET,BLIND | 10 | | | | | | |
| 5 | 1568 - 604 - 420 - 00 | COVER,SIDE/RH ASSY | 1 | | | | | | |
| 6 | 1564 - 604 - 005 - 00 | NET/RH | 1 | | | | | | |
| 7 | V411 - 260 - 004 - 00 | WASHER,PL/M 4 | 10 | | | | | | |
| 8 | W296 - 134 - 007 - 00 | RIVET,BLIND | 10 | | | | | | |
| 9 | 1568 - 604 - 008 - 10 | MOLDING,SIDE/LH | 1 | | | | | | |
| 10 | 1568 - 604 - 009 - 10 | MOLDING,SIDE/RH | 1 | | | | | | |
| 11 | 1564 - 604 - 018 - 20 | INSULATOR | 2 | | | | | | |
| 12 | 1568 - 604 - 001 - 20 | INSULATOR/LH | 2 | | * | | | | |
| 13 | 1568 - 604 - 006 - 00 | MOLDING/L | 1 | | * | | | | |
| 14 | 1568 - 604 - 007 - 00 | MOLDING/R | 1 | | | | | | |
| 15 | 1564 - 604 - 024 - 00 | ORNAMENT/ISEKI | 2 | | 1--366 | | | | |
| 15A | 1632-604-001-00 | ORNAMENT/ISEKI | 2 | | 367- | | | | |
| 16 | V350 - 160 - 006 - 00 | NUT,SPEED/P6 | 28 | | | | | | |
| 17 | 1444 - 601 - 015 - 00 | WASHER/6X14X3 | 28 | | | | | | |
| 18 | 1568 - 604 - 003 - 00 | STAY,PLATE | 2 | | 1--347 | | | | |
| 18A | 1568 - 604 - 250 - 00 | STAY,PLATE COMP | 2 | | 348--366 | | | | |
| 18B | 1568 - 604 - 250 - 10 | STAY,PLATE COMP | 2 | | 367- | | | | |
| 19 | PI17 - 401 - 028 - 00 | TRIM/I 00 | 2 | | | | | | |
| 20 | 1564 - 604 - 011 - 20 | STAY,PLATE/LH | 1 | | | | | | |
| 21 | 1564 - 604 - 012 - 20 | STAY,PLATE/RH | 1 | | | | | | |
| 22 | V211 - 360 - 801 - 60 | BOLT.SEMS (SP) | 8 | | | | | | |


# FIG.I08 FAN COVER SYSTEM (E15 TYPE)




1568-6C4A

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | ,568 - 604 - 440 - '0 | caVER,UNDER/LH caMP | ' | | * | | | | |
| 24 | ,568 - 604 - 450 - 10 | caVER,UNDER/RH caMP | ' | | * | | | | |
| 25 | V362 - 260 - 008 - 00 | NUT,LOCK/M8 | '2 | | * | | | | |
| 26 | ,568 - 604 - 0' 2 - 00 | MOLDING,UNDER/LH | ' | | I--511 512- | | | | |
| 26A | ,568 - 604 - 0' 2 - '0 | MOLDING,UNDER/LH | ' | | | | | | |
| 27 | ,568 - 604 - 0' 3 - 00 | MOLDING,UNDER/RH | 1 | | 1--511 512- | | | | |
| 27A | 1568 - 604 - 01 3 - '0 | MOLDING,UNDER/RH | 1 | | | | | | |
| 28 | 1564 - 604 - 025 - 00 | STAY,FRONT | 2 | | * | | | | |
| 29 | ,568 - 604 - 460 - 00 | PIN,REAR/LH caMP | 1 | | * | | | | |
| 30 | ,568 - 604 - 470 - 00 | PIN,REAR/RH caMP | ' | | * | | | | |
| 3' | V2' , - 260 - 802 - 00 | SOLT,S/M8X20 | 8 | | * | | | | |
| 32 | ,560 - 604 - 022 - 70 | SPRING | 8 | | * | | | | |
| 33 | V20' - 260 - 80' - 60 | 8OLT/M 8X16 | 8 | | * | | | | |
| 34 | V4" - 260 - 008 - 00 | WASHER,PL/M 8 | 8 | | * | | | | |
| 35 | V362 - 260 - 008 - 00 | NUT,LOCK/M8 | 8 | | * | | | | |
| 36 | ,560 - 604 - 380 - 30 | LEVER caMP | 2 | | * | | | | |
| 37 | ,560 - 604 - 0'7 - 40 | PLATE | 2 | | * | | | | |
| 38 | ,560 - 604 - 0'8 - 40 | WASHER/13X25X | 2 | | * | | | | |
| 39 | V362 - 260 - 008 - 00 | NUT,LOCK/M8 | 2 | | * | | | | |
| 40 | ,568 - 604 - 36' - 20 | STAY,PLATE/LH | 2 | | 1--366 | | | | |
| 40A | ,568 - 604 - 36' - 30 | SPRING | 2 | | 367- | | | | |
| 41 | V2' , - 360 - 803 - 00 | 8OLT/M8X30 | 4 | | * | | | | |
| 42 | ,560 - 604 - 362 - 40 | PIN/8X37 | 2 | | I--408 409- | | | | |
| 42A | ,560 - 604 - 362 - 50 | PIN/8X37 | 2 | | | | | | |
| 43 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | * | | | | |


# FIG.10B FAN COVER SYSTEM (E15 TYPE)




1568-604A

| KEY | PART CODE | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|
| 44 | | 2 | | * | | | | |


# FIG.109 FENDER SYSTEM (EXCEPT B,C,E41 P,E15 TYPE)




1596-606

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 606 - 200 - 20 | FENDER/LH COMP | 1 | * | * | | | | |
| 2 | 1560 - 606 - 340 - 10 | PLATE COMP | 1 | * | * | | | | |
| 3 | W296 - 203 - 206 - 30 | RIVET,BLIND | 2 | * | * | | | | |
| 4 | 1596 - 606 - 210 - 20 | FENDER/RH COMP | 1 | * | * | | | | |
| 5 | 1564 - 606 - 260 - 00 | STEP/RH COMP | 1 | I--43 | I--328 | | | | |
| 5A | 1564 - 606 - 260 - 10 | STEP COMP | 1 | 44- | 329- | | | | |
| 6 | 1560 - 606 - 330 - 00 | BRACKET COMP | 1 | * | * | | | | |
| 7 | 1560 - 606 - 240 - 40 | BRACKET COMP | 1 | * | * | | | | |
| 8 | V211 - 660 - 802 - 00 | BOLT/ax20 | 20 | * | * | | | | |
| 9 | 1596 - 606 - 250 - 00 | STAY,PLATE/LH COMP | 1 | * | * | | | | |
| 10 | 1596 - 606 - 260 - 00 | STAY,PLATE/RH COMP | 1 | * | * | | | | |
| 11 | 1560 - 606 - 400 - 00 | COVER,HALL COMP | 2 | * | * | | | | |
| 12 | V304 - 260 - 008 - 00 | NUT/M a | 4 | * | * | | | | |
| 13 | V401 - 160 - 008 - 00 | WASHER,SP/M a | 4 | * | * | | | | |
| 14 | 1444 - 621 - 016 - 00 | CAP,RUBBER (9) | 12 | * | * | | | | |
| 15 | 1432 - 651 - 028 - 00 | GROMMET/9X13X2 | 4 | * | * | | | | |
| 16 | 1432 - 651 - 028 - 00 | GROMMET/9X13X2 | 2 | * | * | | | | |
| 17 | 1594 - 606 - 001 - 10 | BRACKET LH | 1 | * | * | | | | |
| 18 | 1594 - 606 - 002 - 10 | BRACKET RH | 1 | * | * | | | | |
| 19 | VI12 - 165 - 002 - 50 | SCREW/M5X25 | 6 | * | * | | | | |
| 20 | V301 - 260 - 005 - 00 | NUT/M5 | 6 | * | * | | | | |
| 21 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 6 | * | * | | | | |
| 22 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 6 | * | * | | | | |
| 23 | 1560 - 606 - 001 - 40 | GRIP,ASSIST | 2 | * | * | | | | |
| 24 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) MaX16 | 4 | * | * | | | | |


# FIG.I09 FENDER SYSTEM (EXCEPT B,C,E41 P,E15 TYPE)




1596-6C6C

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | I T C | C O L | G R P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 3560 - 201 - 015 - 00 | WASHER,BINDING SHAFT | 4 | 1--54 | 1--511 | | | | |
| 25A | 4101 - 102 - 038 - 00 | WASHER | 4 | 55- | 512- | | | | |
| 26 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 4 | | | | | | |


# FIG.110 FENDER SYSTEM (E15 TYPE)




1568 lelA

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 606 - 260 - 40 | FENDER/LH COMP | 1 | | 1--391 392- | | | | |
| 1A | 1568 - 606 - 260 - 50 | FENDER/LH COMP | 1 | | | | | | |
| 2 | 1560 - 606 - 340 - 10 | PLATE COMP | 1 | | | | | | |
| 3 | W296 - 203 - 206 - 30 | RIVET,BIIND | 2 | | | | | | |
| 4 | 1568 - 606 - 250 - 20 | FENDER/RH COMP | 1 | | | | | | |
| 5 | 151 8 - 116 - 006 - 00 | GROMMET (9) | 1 | | | | | | |
| 6 | V211 - 660 - 802 - 00 | BOLT/8X20 | 20 | | | | | | |
| 7 | 1560 - 606 - 001 - 40 | GRIP,ASSIST | 2 | | | | | | |
| 8 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | | | | | | |
| 9 | 3560 - 201 - 015 - 00 | WASHER,BINDING SHAFT | 4 | | 1--511 | | | | |
| 9A | 4101 - 102 - 038 - 00 | WASHER | 4 | | 512- | | | | |
| 10 | 1527 - 604 - 002 - 00 | CLIP (B) | 1 | | | | | | |
| 11 | V411 - 260 - 008 - 00 | WASHER,PI/M 8 | 1 | | " | | | | |
| 12 | 1560 - 606 - 013 - 00 | COVER | 2 | | | | | | |
| 13 | V211 - 360-801-60 | BOLT,SEMS (SP) | 6 | | | | | | |
| 14 | 1564 - 606 - 260 - 00 | STEP/RH COMP | 1 | | 1--391 392- | | | | |
| 14A | 1564 - 606 - 260 - 10 | STEP COMP | 1 | | | | | | |
| 15 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 4 | | | | | | |
| 16 | 1434 - 611 - 002 - 10 | CAP (M8) | 2 | | | | | | |
| 17 | 1427 - 201-016-00 | CAP,BLANK/M12 | 2 | | | | | | |


# FIG.111 FENDER SYSTEM (S,C TYPE EXCEPT E21)




1556-606K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 606 - 200 - 20 | FENDER/LH caMP | | | | | | | |
| 2 | 1560 - 606 - 340 - 10 | PLATE caMP | | | | | | | |
| 3 | W296 - 203 - 206 - 30 | RIVET,BLIND | 2 | | | | | | |
| 4 | 1596 - 606 - 210 - 20 | FENDER/RH caMP | 1 | | * | | | | |
| 5 | 1518 - 116 - 006 - 00 | GROMMET (9) | 1 | | | | | | |
| 6 | 1432 - 651 - 028 - 00 | GROMMET/9X13X2 | 2 | | | | | | |
| 7 | V211 -660-802-00 | OOLT/8X20 | 20 | | | | | | |
| 8 | 1594 - 606 - 001 - 10 | BRACKET LH | 1 | * | | | | | |
| 9 | 1594 - 606 - 002 - 10 | BRACKET RH | 1 | | | | | | |
| 10 | V112 - 165 - 002 - 50 | SCREW/M5X25 | 6 | | | | | | |
| 11 | V301 - 260 - 005 - 00 | NUT/M5 | 6 | | | | | | |
| 12 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 6 | | | | | | |
| 13 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 6 | | * | | | | |
| 14 | 1527 - 604 - 002 - 00 | CLIP (B) | 1 | | * | | | | |
| 15 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 1 | t | * | | | | |
| 16 | 1564 - 606 - 260 - 00 | STEP/RH caMP | | 1-43 44- | 1-328 329- | | | | |
| 16A | 1564 - 606 - 260 - 10 | STEP caMP | | | | | | | |
| 17 | V211 - 260 - 802 - 00 | OOLT,S/M8X20 | 4 | | | | | | |


# FIG.112 FENDER SYSTEM (E21 TYPE)




1596 6e6L

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 606 230 - 10 | FENDER,E21/LH COMP | 1 | | * | | | | |
| 2 | 1560 - 606 - 340 - 10 | PLATE COMP | 1 | | * | | | | |
| 3 | W296 - 203 - 206 - 30 | RIVET,BLIND | 2 | | * | | | | |
| 4 | 1596 - 606 - 240 - 10 | FENDER,E21/RH COMP | 1 | | * | | | | |
| 5 | 151 8 - 116 - 006 - 00 | GROMMET (9) | 1 | | * | | | | |
| 6 | V211 - 660 - 802 - 00 | BOLT/8X20 | 20 | | * | | | | |
| 7 | 1594 - 606 - 001 - 10 | BRACKET LH | 1 | | * | | | | |
| 8 | 1594 - 606 - 002 - 10 | BRACKET RH | 1 | | * | | | | |
| 9 | V112 - 165 - 002 - 50 | SCREW/M5X25 | 6 | | * | | | | |
| 10 | V301 - 260 - 005 - 00 | NUT/M5 | 6 | | * | | | | |
| 11 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 6 | | * | | | | |
| 12 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 6 | | * | | | | |
| 13 | 1527 - 604 - 002 - 00 | CLIP (B) | 1 | | * | | | | |
| 14 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 1 | | * | | | | |
| 15 | 1564 - 606 - 260 - 00 | STEP/RH COMP | 1 | | 1--328 | | | | |
| 15A | 1564 - 606 - 260 - 10 | STEP COMP | 1 | | 329- | | | | |
| 16 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 4 | | * | | | | |


# FIG.113 FENDER SYSTEM (E41 P TYPE)




1596-606U

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | LEGEND C | LEGEND L | LEGEND P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 606 - 200 - 20 | FENDER/LH COMP | 1 | | | | | | |
| 2 | 1560 - 606 - 340 - 10 | PLATE COMP | 1 | | | | | | |
| 3 | W296 - 203 – 206 - 30 | RIVET,BLIND | 2 | | | | | | |
| 4 | 1596 - 606 - 210 - 20 | FENDER/RH COMP | 1 | | | | | | |
| 5 | 1564 - 606 - 260 - 00 | STEP/RH COMP | 1 | | 1--328 | | | | |
| 5A | 1564 – 260 - 10 | STEP COMP | 1 | | 329- | | | | |
| 6 | 1560 - 606 - 330 - 00 | BRACKET COMP | 1 | | | | | | |
| 7 | 1560 - 606 - 240 - 40 | BRACKET COMP | 1 | | | | | | |
| 8 | V211 – 660 - 802 - 00 | OOLT/8X20 | 20 | | | | | | |
| 9 | 1596 - 606 - 250 - 00 | STAY,PLATE/LH COMP | 1 | | | | | | |
| 10 | 1596 - 606 - 260 - 00 | STAY,PLATE/RH COMP | 1 | | | | | | |
| 11 | 1560 - 606 - 400 - 00 | COVER,HALL COMP | 2 | | | | | | |
| 12 | V304 - 260 - 008 - 00 | NUT/M 8 | 4 | | | | | | |
| 13 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 4 | | | | | | |
| 14 | 1444 - 621 - 016 - 00 | CAP.RUBBER (9) | 12 | | | | | | |
| 15 | 1432-651-028-00 | GROMMET/9X13X2 | 3 | | | | | | |
| 16 | 1594 - 606 - 001 - 10 | BRACKET LH | 1 | | | | | | |
| 17 | 1594 - 606 - 002 - 10 | BRACKET RH | 1 | | * | | | | |
| 18 | V112 - 165 – 002 - 50 | SCREW/M5X25 | 6 | | | | | | |
| 19 | V301 - 260 - 005 - 00 | NUT/M5 | 6 | | | | | | |
| 20 | V401 - 160 - 005 – 00 | WASHER,SP/M 5 | 6 | | | | | | |
| 21 | V411 – 260 - 005 - 00 | WASHER,PL/M 5 | 6 | | | | | | |
| 22 | V211 - 260 - 802 - 00 | OOLT,S/M8X20 | 4 | | | | | | |

# FIG.114 LEVER GUIDE SYSTEM





(E 15 TYPE)

1596 608

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OIL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 608 - 001 - 00 | GUIDE/LH | 1 | | | | | | |
| 2 | 1596 - 608 - 002 - 00 | GUIDE/RH | 1 | | | | | | |
| 3 | 1560 - 608 - 220 - 30 | BOOT | 2 | | | | | | |
| 4 | V211 - 360 - 801 - 60 | 8OLT,SEMS (SP) | 6 | | | | | | |
| 5 | 1594 - 609 - 200 - 00 | PLATE caMP | 2 | | | | | | |
| 6 | 1594 - 609 - 001 - 00 | 80LT/M6X22 | 2 | | | | | | |
| 7 | 1421 - 507 - 014 - 00 | WASHER/6X24X2 | 2 | | | | | | |
| 8 | V500 - 161 - 601 - 50 | PIN,SPLIT/25X15 | 2 | | | | | | |
| 9 | 1564 - 608 - 230 - 00 | GUIDE/LH caMP | 1 | | 1--391 | | | | |
| 9A | 1564 - 608 - 250 - 10 | GUIDE/LH caMP | 1 | | 392- | | | | |
| 10 | 1560 - 608 - 220 - 30 | BOOT | 2 | | | | | | |
| 11 | 1564 - 608 - 240 - 10 | GUIDE/RH caMP | 1 | | | | | | |
| 12 | V211 - 360 - 801 - 60 | 8OLT,SEMS (SP) | 4 | | | | | | |
| 13 | 1544 - 606 - 014 - 00 | CAP/3D | 2 | | * | | | | |
| 14 | 1519 - 604 - 005 - 00 | RUBBER,HOOK | 2 | | | | | | |
| 15 | 1560 - 609 - 201 - 30 | PLATE | 2 | | | | | | |
| 16 | 1560 - 609 - 210 - 30 | PLATE caMP | 2 | | | | | | |
| 17 | 1518 - 607 - 002 - 00 | KNOB,SET | 2 | | * | | | | |
| 18 | V500 - 162 - 002 - 00 | PIN,SPLIT/2 X2D | 2 | | | | | | |


# FIG.115 SEAT SYSTEM (EXCEPT E15 TYPE)




1597-611

| KEY | PART CODE | DESCRIPTION | an | TYPE OF MODEL TA545T | TA545F | TOOL GRP | REMARKS |
|---|---|---|---|---|---|---|---|
| 1 | 1524-611-200-00 | SEAT ASSY | | | | | |
| 2 | V211-260-801-60 | 8OLT,SEMS (S) M8X16 | 4 | | | | |
| 3 | 1524-611-230-20 | SUSPENSION ASSY | 1 | | | | |
| 4 | 1524-611-231-00 | FRAME,LOWER | 1 | * | | | |
| 5 | 1524-611-232-00 | FRAME,UPPER | 1 | | * | | |
| 6 | 1524-611-233-10 | L1NK,A | 1 | | | | |
| 7 | 1524-611-234-10 | L1NK,B | 1 | * | | | |
| 8 | 1524-611-235-00 | ADJUSTER | 1 | * | * | | |
| 9 | 1524-611-236-00 | L1NK,SUPPORT | 1 | * | | | |
| 10 | 1524-611-237-00 | SPRING | 2 | * | | | |
| 11 | 1524-611-238-00 | SHAFT/A | 1 | | | | |
| 12 | 1524-611-239-00 | SHAFT/B | 1 | | * | | |
| 13 | 1524-611-241-00 | SHAFT/C | 1 | * | | | |
| 14 | 1524-611-242-10 | OOLT,ADUSTER | | | | | 1 |
| 15 | 1524-611-243-00 | BUSH | 2 | | | | |
| 16 | 1524-611-244-00 | SPACER | 6 | | | | |
| 17 | 1524-611-245-00 | RUBBER,STOPPER | 2 | | | | 1 |
| 18 | 1524-611-246-00 | GRIP | I | | | | |
| 19 | 1524-611-247-00 | LABEL | 1 | | | | |
| 20 | V201-260-802-80 | BOLT/M 8X28 | 2 | | | | |
| 21 | V300-260-008-00 | NUT/M 8 | 2 | | | | |
| 22 | V411-260-008-00 | WASHER,PL/M 8 | 4 | | | | |
| 23 | V411-260-010-00 | WASHER/MI0 | 3 | | | | |
| 24 | V401-160-008-00 | WASHER,SP/M 8 | 2 | | | | |
| 25 | 1524-611-248-10 | PIN,COTTER/3XI8 | 1 | | | | |


# FIG.115 SEAT SYSTEM (EXCEPT E15 TYPE)




1597 611

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V580 - 140 - 402 - 50 | PIN,SPRING/4 X25 | 1 | * | * | | | | |
| 27 | V710 - 140 - 010 - 00 | RING,SNAP/EI0 | 6 | * | * | | | | |
| 28 | 1524 - 611 - 249 - 00 | ROLLER | 2 | * | * | | | | |
| 29 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | * | * | | | | |
| 30 | 1524 - 611 - 261 - 00 | PIN,SPLIT | 1 | * | * | | | | |
| 31 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | * | * | | | | |
| 32 | 1524 - 611 - 210 - 00 | ADJUSTER,SEAT LH ASS | 1 | * | * | | | | |
| 33 | 1524 - 611 - 220 - 00 | ADJUSTER,SEAT RH ASS | 1 | * | * | | | | |
| 34 | V304 - 260 - 008 - 00 | NUT/M 8 | 4 | * | * | | | | |
| 35 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 4 | * | * | | | | |
| 36 | 1597 - 611 - 200 - 00 | BRACKET,SEAT CDMP | 2 | * | * | | | | |
| 37 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 4 | * | * | | | | |
| 38 | 1596 - 611 - 200 - 10 | BRACKET,SEAT COMP | 1 | | * | | | | |
| 39 | V211 - 360 - 802 - 00 | BOLT (SP) M8X20 | 2 | | * | | | | |
| 40 | V211 - 360 - 804 - 50 | BOLT,SP/M8X45 | 2 | | * | | | | |


# FIG.116 SEAT SYSTEM (E15 TYPE)




1591 E11A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1524 - 611 - 200 - 00 | SEAT ASSY | 1 | | * | | | | |
| 2 | V211 - 260 - 801 - 60 | SOLT,SEMS (S) M8X16 | 4 | | * | | | | |
| 3 | 1524 - 611 - 230 - 20 | SUSPENSION ASSY | 1 | | * | | | | |
| 4 | 1524 - 611 - 231 - 00 | FRAME,LOWER | 1 | | * | | | | |
| 5 | 1524 - 611 - 232 - 00 | FRAME,UPPER | 1 | | * | | | | |
| 6 | 1524 - 611 - 233- 10 | L1NK,A | 1 | | * | | | | |
| 7 | 1524 - 611 - 234 - 10 | L1NK,B | 1 | | * | | | | |
| 8 | 1524 - 611 - 235 - 00 | ADJUSTER | 1 | | * | | | | |
| 9 | 1524 - 611 - 236 - 00 | L1NK,SUPPORT | 1 | | * | | | | |
| 10 | 1524 - 611 - 237 - 00 | SPRING | 2 | | * | | | | |
| 11 | 1524 - 611 - 238 - 00 | SHAFT/A | 1 | | * | | | | |
| 12 | 1524 - 611 - 239 - 00 | SHAFT/B | 1 | | * | | | | |
| 13 | 1524 - 611 - 241 - 00 | SHAFT/C | 1 | | * | | | | |
| 14 | 1524 - 611 - 242 - 10 | SOLT,ADUSTER | 1 | | * | | | | |
| 15 | 1524 - 611 - 243 - 00 | BUSH | 2 | | * | | | | |
| 16 | 1524 - 611 - 244 - 00 | SPACER | 6 | | * | | | | |
| 17 | 1524 - 611 - 245 - 00 | RUBBER,STOPPER | 2 | | * | | | | |
| 18 | 1524 - 611 - 246 - 00 | GRIP | 1 | | * | | | | |
| 19 | 1524 - 611 - 247 - 00 | LABEL | 1 | | * | | | | |
| 20 | V201 - 260 - 802 - 80 | SOLT/M 8X28 | 2 | | * | | | | |
| 21 | V300 - 260 - 008 - 00 | NUT/M 8 | 2 | | * | | | | |
| 22 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 4 | | * | | | | |
| 23 | V41 1 - 260 - 01 0 - 00 | WASHER/MI0 | 3 | | * | | | | |
| 24 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | * | | | | |
| 25 | 1524 - 611 - 248 - 10 | PIN,COTTER/3X18 | 1 | | * | | | | |


# FIG.116 SEAT SYSTEM eE15 TYPE)




1597-611A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V580 - 140 - 402 - 50 | PIN,SPRING/4 X25 | | | | | | | |
| 27 | V710 - 140 - 010 - 00 | RING,SNAP/E 10 | 6 | | | | | | |
| 28 | 1524 - 611 - 249 - 00 | ROLLER | 2 | | | | | | |
| 29 | V580 - 140 - 402 - 00 | PIN,SPRING/4 X20 W | 1 | | | | | | |
| 30 | 1524 - 611 - 261 - 00 | PIN,SPLIT | 1 | | | | | | |
| 31 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 4 | | | | | | |
| 32 | 1524 - 611 - 210 - 00 | ADJUSTER,SEAT LH ASS | 1 | | | | | | |
| 33 | 1524 - 611 - 220 - 00 | ADJUSTER,SEAT RH ASS | 1 | | | | | | |
| 34 | V304 - 260 - 008 - 00 | NUT/M 8 | 4 | | | | | | |
| 35 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 4 | | | | | | |
| 36 | 1597 - 611 - 210 - 00 | BRACKET,SEAT/E15COMP | 2 | | | | | | |
| 37 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 2 | | | | | | |
| 38 | V211 - 260 - 804 - 00 | BOLT,SEMS | 2 | | | | | | |
| 39 | 1566 - 618 - 200 - 30 | BRACKET,LICENSE COMP | 1 | | 1-391 | | | | |
| 39A | 1566 - 618 - 200 - 40 | BRACKET.LICENSE COMP | 1 | | 392- | | | 1 | |
| 40 | W296 - 134 - 007 - 00 | RIVET,BLIND | 1 | | | | | | |
| 41 | V210 - 360-601-20 | BOLT,SEMS/M6X12 | 2 | | | | | 1 | |
| 42 | 3746 - 261 - 205 - 00 | CUSHION,B/RUBBER | 1 | | | | | | |
| 43 | 1444 - 601 - 026 - 00 | RUBBER,CUSHION/20X20 | 2 | | * | | | | |


# FIG.117 FRONT MOUNT BRACKET SYSTEM (EXCEPT B,C,E15 TYPE)




1597-625

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 625 - 220 - 20 | BRACKET/LH caMP | 1 | | | | | | |
| 2 | 1596 - 625 - 200 - 00 | BRACKET/RH caMP | 1 | | | | | | |
| 3 | V201 - 461 - 603 - 50 | BOLT/M8XI2 | 8 | * | * | | | | |
| 4 | V401 - 160 - 016 - 00 | WASHER,SP/MI6 | 8 | * | | | | | |
| 5 | 1432 - 621 - 011 - 00 | CAP,BLANK/MI6 | 8 | | | | | | |
| 6 | 1596 - 625 - 001 - 00 | INSULATOR | 2 | | | | | | |
| 7 | 1594 - 625 - 001 - 00 | PLATE | 2 | | | | | | |
| 8 | V201 - 461 - 202 - 00 | BOLT/M8X12 | 4 | | | | | | |
| 9 | 1596 - 625 - 003 - 00 | PLATE | 2 | | | | | | |
| 10 | V401 - 160 - 012 - 00 | WASHER,SP/MI2 | 6 | | | | | | |
| 11 | V201 - 461 - 207 - 50 | BOLT/MI2X75 | 2 | | | | | | |
| 12 | 1596 - 625 - 210 - 00 | PLATE/LH caMP | 1 | | | | | | |
| 13 | 1596 - 625 - 220 - 00 | PLATE/RH caMP | 1 | * | | | | | |
| 14 | V201 - 461 - 002 - 50 | BOLT/M10X25 | 4 | | | | | | |
| 15 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 4 | | | | | | |
| 16 | V411 - 260 - 010 - 00 | WASHER/M10 | 4 | | | | | | |


# FIG.118 FRONT MOUNT BRACKET SYSTEM (B,C,E15 TYPE)




1556-625K

| KEY | PART CODE | DESCRIPTION | | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 625 - 220 - 20 | BRACKET/LH | COMP | 1 | | | | | | |
| 2 | 1596 - 625 - 200 - 00 | BRACKET/RH | COMP | 1 | | | | | | |
| 3 | V201 - 361 - 603 - 50 | SOLT/M 16X35 | | 8 | | * | | | | |
| 4 | V401 - 160 - 016 - 00 | WASHER,SP/M16 | | 8 | | | | | | |
| 5 | 1432 - 621 - 011 - 00 | CAP.BLANK/M16 | | 8 | | | | | | |
| 6 | 1596 - 625 - 001 - 00 | INSULATOR | | 2 | | | | | | |
| 7 | V201 - 361 - 202 - 00 | SOLT/M 12X20 | | 4 | | | | | | |
| 8 | V201-461-207-50 | SOLT/M 12X75 | | 2 | | | | | | |
| 9 | V401 - 160 - 012 - 00 | WASHER.SP/M12 | | 6 | | | | | | |
| 10 | 1596 - 625 - 003 - 00 | PLATE | | 2 | | | | | | |
| 11 | 1596 - 625 - 002 - 00 | PLATE | | 2 | | | | | | |
| | | | | | | | | | 1 | |
| | | | | | | | | | | |
| | | | | | | | | | 1 | |


# FIG.119 REAR MOUNT BRACKET SYSTEM (C,E15 TYPE)




1569-626

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 626 - 500 - 10 | BRACKET/LH caMP | 1 | | | | | | |
| 2 | 1568 - 626 - 510 - 10 | BRACKET/RH caMP | 1 | | | | | | |
| 3 | 1566 - 626 - 540 - 10 | BRACKET/LH caMP | 1 | * | | | | | |
| 4 | 1566 - 626 - 550 - 10 | BRACKET/RH COMP | 1 | * | | | | | |
| 5 | 1596 - 625 - 001 - 00 | INSULATOR | 2 | | | | | | |
| 6 | V201 - 461 - 202 - 00 | BOLT/MI2X20 | 4 | | | | | | |
| 7 | V201 - 461 - 207 - 50 | BOLT/MI2X75 | 2 | | | | | | |
| 8 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 6 | | | | | | |
| 9 | 1596 - 625 - 002 - 00 | PLATE | 2 | | | | | | |
| 10 | 1596 - 625 - 003 - 00 | PLATE | 2 | * | * | | | | |
| 11 | V304 - 460 - 012 - 00 | NUT/M12 | 2 | 1--51 | 1--366 | | | | |
| 11A | 1640 - 626 - 001 - 00 | NUT/M8 | 2 | 52- | 367- | | | | |

# FIG.120 REAR MOUNT BRACKET SYSTEM (EXCEPT B,C,E15 TYPE)





1597 626

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 626 - 200 - 10 | BRACKET,REAR/LH COMP | 1 | | | | | | |
| 2 | 1597 - 626 - 210 - 10 | BRACKET,REAR/RH COMP | 1 | | | | | | |
| 3 | 1596 - 625 - 001 - 00 | INSULATOR | 2 | | | | | | |
| 4 | V201 - 361 - 202 - 00 | BOLT/MI2X20 | 4 | | | | | | |
| 5 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 6 | * | | | | | |
| 6 | 1594 – 625 - 001 - 00 | PLATE | 4 | | | | | | |
| 7 | V201 - 461 - 207 - 50 | BOLT/MI2X75 | 2 | * | | | | | |
| 8 | 1427 - 117 - 001 - 00 | WASHER/13X50X3 | 2 | | * | | | | |
| 9 | V304 - 460 - 012 - 00 | NUT/M12 | 2 | | | | | | |
| 10 | 1561 - 626 - 001 - 00 | PLATE/90X127 | 2 | | | | | | |
| 11 | V211 - 661 - 002 - 00 | BOLT/MI0X20 | 4 | | | | | | |

# FIG.121 REAR MOUNT BRACKET SYSTEM (B TYPE)


(KEY1-11 for E43G TYPE)




t511-S2lK


| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | TORQUE C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 626 - 500 - 10 | BRACKET/LH COMP | 1 | | • | | | | |
| 2 | 1568 - 626 - 510 - 10 | BRACKET/RH COMP | 1 | | | | | | |
| 3 | 1597 - 626 - 500 - 10 | BRACKET/LH COMP | | | | | | | |
| 4 | 1597 - 626 - 510 - 10 | BRACKET/RH COMP | 1 | | • | | | | |
| 5 | 1596 - 625 - 001 - 00 | INSULATOR | 2 | | | | | | |
| 6 | V201 - 361 - 202 - 00 | BOLT/MI2X20 | 4 | | | | | | |
| 7 | V201 - 461 - 207 - 50 | BOLT/MI2X75 | 2 | | | | | | |
| 8 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 6 | | | | | | |
| 9 | 1596 - 625 - 003 - 00 | PLATE | | | — | | | | |
| 10 | 1596 - 625 - 002 - 00 | PLATE | 2 | | | | | | |
| 11 | V304-460-012-00 | NUT/M12 | 2 | | | | | | |
| 12 | 1568 - 626 - 500 - 10 | BRACKET/LH COMP | 1 | | | | | | |
| 13 | 1568 - 626 - 510 - 10 | BRACKET/RH COMP | 1 | | | | | | |
| 14 | 1597 - 626 - 500 - 10 | BRACKET/LH COMP | 1 | | • | | | | |
| 15 | 1597 - 626 - 510 - 10 | BRACKET/RH COMP | 1 | | | | | | |
| 16 | 1596 - 625 - 001 - 00 | INSULATOR | 2 | | | | | | |
| 17 | V201 - 461 - 202 - 00 | BOLT/M8X12 | 4 | | ■ | | | | |
| 18 | V201 - 461 - 207 - 50 | BOLT/MI2X75 | 2 | | | | | | |
| 19 | V401 - 160-012-00 | WASHER,SP/M12 | 6 | | | | | | |
| 20 | 1596 - 625 - 003 - 00 | PLATE | 2 | | • | | | | |
| 21 | 1596 - 625 - 002 - 00 | PLATE | 2 | | | | | | |
| 22 | 1640 – 626 – 001 – 00 | NUT/M8 | 2 | | | | | | |

# FIG.122 DASH PANEL AND FLOOR PANEL SYSTEM (EXCEPT B,C,E15 TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564-630-320-30 | PANEL,DUSH COMP | 1 | * | * | | | | |
| 2 | 1560-630-020-50 | INSULATOR | 1 | * | * | | | | |
| 3 | 1560-630-021-50 | INSULATOR | 1 | * | * | | | | |
| 4 | 1560-630-003-00 | INSULATOR | 2 | * | * | | | | |
| 5 | 1596-630-200-00 | FRAME/LH COMP | 1 | * | * | | | | |
| 6 | 1596-630-210-00 | FRAME/RH COMP | 1 | * | * | | | | |
| 7 | 1564-630-012-00 | INSULATOR | 1 | * | * | | | | |
| 8 | 1564-630-012-00 | INSULATOR | 2 | * | * | | | | |
| 9 | V211-360-801-60 | BOLT,SEMS (SP) | 14 | * | * | | | | |
| 10 | 1596-630-001-10 | INSULATOR | 2 | * | * | | | | |
| 11 | 1533-604-002-00 | RUBBER,CUSHION | 8 | * | * | | | | |
| 12 | 1527-604-002-00 | CLIP (B) | 8 | * | * | | | | |
| 13 | 1596-630-220-00 | PANEL,BACK COMP | 1 | 1--51 | 1--366 | | | | |
| 13A | 1596-630-220-10 | PANEL,BACK COMP | 1 | 52- | 367- | | | | |
| 14 | V211-360-801-60 | BOLT,SEMS (SP) | 5 | * | * | | | | |
| 15 | V211-360-805-00 | BOLT,SEMS (SP) | 2 | * | * | | | | |
| 16 | 1596-630-230-20 | PANEL,FLOOR COMP | 1 | 1--34 | 1--238 | | | | |
| 16A | 1596-630-230-30 | PANEL,FLOOR COMP | 1 | 35--54 | 239--460 | | | | |
| 16B | 1596-630-230-40 | PANEL,FLOOR COMP | 1 | 55- | 461-- | | | | |
| 17 | V211-260-801-60 | BOLT,SEMS (S) MaXI6 | 4 | * | * | | | | |
| 18 | 1596-630-240-00 | COVER,TANK COMP | 1 | * | * | | | | |
| 19 | V211-360-801-60 | BOLT,SEMS (SP) | 9 | * | * | | | | |
| 20 | 1527-604-002-00 | CLIP (B) | 2 | * | * | | | | |
| 21 | V411-260-008-00 | WASHER,PL/M a | 2 | * | * | | | | |
| 22 | 1564-630-013-00 | MAT | 1 | I--43 | I--335 | | | | |


# FIG.122 DASH PANEL AND FLOOR PANEL SYSTEM (EXCEPT B,C,E15 TYPE)




1556-630

| KEY | PART CODE | DESCRIPTION | alY | TYPE OF MODEL lA545l | TYPE OF MODEL lA545F | LEGEND C | LEGEND L | LEGEND P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22A | 1564-630-013-10 | MAT | 1 | 44- | 336- | | | | |
| 23 | 1596-630-003-00 | INSULATOR/LH | 1 | | | | | | |
| 24 | 1596-630-004-00 | INSULATOR/RH | 1 | * | | | | | |
| 25 | 1564-630-004-20 | INSULATOR | 1 | * | | | | | |
| 26 | 1564-630-007-20 | INSULATOR | 1 | ● | * | | | | |
| 27 | 1564-630-008-10 | INSULATOR | 1 | | | | | | |
| 28 | 1564-630-011-00 | INSULATOR/LH | 3 | * | * | | | | |
| 29 | 1560-630-024-00 | INSULATOR | 2 | 1-34 | 1-238 | | | | |
| 29A | 1421-602-005-10 | CUSHION,B/ RUBBER | 2 | 35- | 239- * | | | | |
| 30 | 1432-616-002-00 | RUBBER,CUSHION | 3 | | | | | | |
| 31 | 1527-604-002-00 | CLIP (B) | 9 | | | | | | |
| 32 | V304-260-008-00 | NUT/M 8 | 2 | | | | | | |
| 33 | 1432-651-021-00 | CAP,RUBBER (20) | 1 | | | | | | |
| 34 | 1518-722-107-00 | CAP,RUBBER (40) | 1 | | | | | | |
| 35 | 1560-630-029-00 | CAP (30) | 2 | | | | | | |


# FIG.123 DASH PANEL FLOOR PANEL SYSTEM (8 TYPE)




1596-630A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | LOCATION C | LOCATION L | LOCATION P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 - 630 - 320 - 30 | PANEL,DUSH COMP | 1 | | | | | | |
| 2 | 1560 - 630 - 020 - 50 | INSULATOR | 1 | | | | | | |
| 3 | 1560 - 630 - 021 - 50 | INSULATOR | 1 | | | | | | |
| 4 | 1560 - 630 - 003 - 00 | INSULATOR | 2 | | | | | | |
| 5 | 1564 - 630 - 012 - 00 | INSULATOR | 2 | | | | | | |
| 6 | V211 - 660 - 801 - 60 | OOLT/M8XI6 | 14 | | | | | | |
| 7 | 1566 - 630 - 102 - 10 | MAT | 1 | | | | | | |
| 8 | 1596 - 630 - 220 - 00 | PANEL,BACK COMP | 1 | | 1--366 367- | | | | |
| 8A | 1596 - 630 - 220 - 10 | PANEL,BACK COMP | 1 | | | | | | |
| 9 | V211 - 660 - 801 - 60 | OOLT/M8XI6 | 5 | | | | | | |
| 10 | V211 - 360 - 805 - 00 | OOLT,SEMS (SP) | 2 | | | | | | |
| 11 | 1596 - 630 - 230 - 20 | PANEL,FLOOR COMP | 1 | | 1--238 239--460 461- | | | | |
| 11A | 1596 - 630 - 230 - 30 | PANEL,FLOOR COMP | 1 | | | | | | |
| 11B | 1596 - 630 - 230 - 40 | PANEL.FLooR COMP | 1 | | | | | | |
| 12 | V211 - 660 - 801 - 60 | BOLT/MaXI6 | 4 | | | | | | |
| 13 | 1564 - 630 - 007 - 20 | INSULATOR | 1 | | | | | | |
| 14 | 1564 - 630 - 008 - 10 | INSULATOR | 1 | | | | | | |
| 15 | 1560 - 630 - 024 - 00 | INSULATOR | 2 | | 1--335 336- | | | | |
| 15A | 1421 - 602 - 005 - 10 | CUSHION,B/ RUBBER | 2 | | | | | | |
| 16 | 1432 - 616 - 002 - 00 | RUBBER.CUSHION | 3 | | | | | | |
| 17 | 1527 - 604 - 002 - 00 | CLIP (B) | 9 | | | | | | |
| 18 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | | | | | |
| 19 | 1432-651-021-00 | CAP,RUBBER (20) | 1 | | | | | | |
| 20 | 1518 - 722 - 107 - 00 | CAP.RUBBER (40) | 1 | | | | | | |
| 21 | 1560 - 630 - 029 - 00 | CAP (30) | 2 | | | | | | |


# FIG.124 DASH PANEL AND FLOOR PANEL SYSTEM (E15 TYPE)




1568-630X

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TCC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564-630-320-30 | PANEL,DUSH COMP | 1 | | | | | | |
| 2 | 1560-630-020-50 | INSULATOR | 1 | | | | | | |
| 3 | 1560-630-021-50 | INSULATOR | 1 | | | | | | |
| 4 | 1560-630-003-00 | INSULATOR | 2 | | | | | | |
| 5 | 1564-630-012-00 | INSULATOR | 2 | | | | | | |
| 6 | V211-360-801-60 | 8OLT,SEMS (SP) | 10 | | | | | | |
| 7 | 1434-611-002-10 | CAP (M8) | 4 | | * | | | | |
| 8 | 1564-630-290-10 | PANEL,BACK COMP | 1 | | * | | | | |
| 9 | V211-360-801-60 | 8OLT,SEMS (SP) | 5 | | | | | | |
| 10 | V211-360-805-00 | OOLT,SEMS (SP) | 2 | | | | | | |
| 11 | 1564-630-310-30 | PANEL,FLOOR COMP | | | 1-238 | | | | |
| IIA | 1564-630-310-40 | PANEL,FLOOR COMP | | | 239-460 | | | | |
| 11B | 1564-630-310-50 | PANEL,FLOOR COMP | | | 461- | | | | |
| 12 | V211-260-801-60 | OOLT,SEMS (S) M8X16 | 4 | | | | | | |
| 13 | 1568-630-510-10 | COYER,TANK COMP | | | 1-238 | | | | |
| 13A | 1568-630-510-30 | COYER,TANK COMP | 1 | | 239- | | | | |
| 14 | V211-360-801-60 | OOLT,SEMS (SP) | 7 | | | | | | |
| 15 | 1568-630-500-10 | COYER,TANK COMP | 1 | | | | | | |
| 16 | V210-360-601-20 | 8OLT,SEMS/M6X12 | 4 | | | | | | |
| 17 | 1425-621-004-00 | CLAMP,HARNESS | 1 | | | | | | |
| 18 | V210-360-601-20 | BOLT,SEMS/M6X12 | 1 | | | | | | |
| 19 | 1527-604-002-00 | CLIP (B) | 2 | | | | | | |
| 20 | V411-260-OOB-00 | WASHER,PI/M 8 | 2 | | | | | | |
| 21 | 1566-630-102-00 | MAT | 1 | | 1-335 | | | | |
| 21A | 1566-630-102-10 | MAT | 1 | | 336- | | | | |


# FIG.124 DASH PANEL AND FLOOR PANEL SYSTEM (E15 TYPE)




1568 630K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 22 | 1564 – 630 - 003 - 10 | INSULATOR | 2 | | ● | | | | |
| 23 | 1566 - 630 – 104 - 00 | INSULATOR | 1 | | ● | | | | |
| 24 | 1564 - 630 - 007 - 20 | INSULATOR | 1 | | ● | | | | |
| 25 | 1564 - 630 - 008 – 10 | INSULATOR | 1 | | ● | | | | |
| 26 | 1560 – 630 - 024 – 00 | INSULATOR | 2 | | 1-335 | | | | |
| 26A | 1421 - 602 - 005 - 10 | CUSHION,B/ RUBBER | 2 | | 336- | | | | |
| 27 | 1432 - 616 - 002 - 00 | RUBBER,CUSHION | 3 | | ● | | | | |
| 28 | 1527 - 604 - 002 - 00 | CLIP (B) | 9 | | ● | | | | |
| 29 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | ● | | | | |
| 30 | 1432 - 651 - 021 – 00 | CAP,RUBBER (20) | 1 | | ● | | | | |
| 31 | 1518 - 722 - 107 - 00 | CAP,RUBBER (40) | 1 | | ● | | | | |
| 32 | 1560 - 630 - 029 - 00 | CAP (30) | 2 | | ● | | | | |


# FIG.125 DASH PANEL AND FLOOR PANEL SYSTEM (C TYPE)




1596 630K

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | I C | C L | G P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1564 – 630 – 320 – 30 | PANEL,DUSH COMP | | | | | | | |
| 2 | 1560 - 630 – 020 - 50 | INSULATOR | | | | | | | |
| 3 | 1560 - 630 – 021 - 50 | INSULATOR | 1 | * | | | | | |
| 4 | 1560 - 630 – 003 - 00 | INSULATOR | 2 | | | | | | |
| 5 | 1564 – 630 – 012 – 00 | INSULATOR | 2 | | | | | | |
| 6 | V211 – 660 - 801 - 60 | 8OLT/MaX16 | 10 | | | | | | |
| 7 | 1434 – 611 – 002 – 10 | CAP (Ma) | 4 | | | | | | |
| 8 | 1596 – 630 – 220 - 00 | PANEL,BACK COMP | 1 | I--51 52- | I--366 367- | | | | |
| 8A | 1596 – 630 - 220 – 10 | PANEL,BACK COMP | 1 | | | | | | |
| 9 | V211-660-801-60 | OOLT/MaX16 | 5 | | * | | | | |
| 10 | V211 - 360 – 805 – 00 | 8OLT,SEMS (SP) | 2 | | | | | | |
| 11 | 1596 – 630 – 230 – 20 | PANEL,FLOOR OOMP | 1 | I--34 | I--238 | | | | |
| 11A | 1596 – 630 - 230 – 30 | PANEL,FLOOR OOMP | 1 | 35- -54 | 239- -460 | | | | |
| liB | 1596 – 630 – 230 - 40 | PANEL,FLOOR OOMP | 1 | 55- | 461- | | | | |
| 12 | V211 - 660 – 801 – 60 | OOLT/MaX16 | 4 | | | | | | |
| 13 | 1568 – 630 – 510 – 10 | OOYER,TANK OOMP | 1 | I--34 | I--238 | | | | |
| 13A | 1568 – 630 – 510 - 20 | OOYER,TANK OOMP | 1 | | | | | | |
| 13B | 1568 – 630 - 510 – 30 | COYER,TANK COMP | 1 | 35- | 239- | | | | |
| 14 | V211 – 660 – 801 - 60 | ooLT/Max16 | 7 | | | | | | |
| 15 | 1568 – 630 – 500 - 10 | OOYER,TANK OOMP | 1 | * | | | | | |
| 16 | V210 – 360 – 601 – 20 | BOLT,SEMS/M6X12 | 4 | | | | | | |
| 17 | 1425 – 621 – 004 – 00 | CLAMP,HARNESS | 1 | * | | | | | |
| 18 | V210 - 360 – 601 – 20 | BOLT,SEMS/M6X12 | 1 | | | | | | |
| 19 | 1566 - 630 – 102 – 00 | MAT | 1 | f--43 44- | 1--335 336- | | | | |
| 19A | 1566 – 630 – 102 – 10 | MAT | 1 | | | | | | |


# FIG.125 DASH PANEL AND FLOOR PANEL SYSTEM (C TYPE)




1596 630K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | LEGTOR C | LEGTOR L | LEGTOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 20 | 1564 - 630 - 003 - 10 | INSULATOR | 2 | | | | | | |
| 21 | 1566 - 630 - 104 - 00 | INSULATOR | 1 | | | | | | |
| 22 | 1564 - 630 - 007 - 20 | INSULATOR | 1 | | | | | | |
| 23 | 1564 - 630 - 008 - 10 | INSULATOR | 1 | | * | | | | |
| 24 | 1560 - 630 - 024 - 00 | INSULATOR | 2 | 1-43 | F | | | | |
| 24A | 1421 - 602 - 005 - 10 | CUSHION.B/ RUBBER | 2 | 44- | 336- | | | | |
| 25 | 1432 - 616 - 002 - 00 | RUBBER,CUSHION | 3 | | | | | | |
| 26 | 1527 - 604 - 002 - 00 | CLIP (B) | 9 | | | | | | |
| 27 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | | | | | |
| 28 | 1432 - 651 - 021 - 00 | CAP,RUBBER (20) | 1 | | | | | | |
| 29 | 1518 - 722 - 107 - 00 | CAP,RUBBER (40) | 1 | | | | | | |
| 30 | 1560 - 630 - 029 - 00 | CAP (30) | 2 | | | | | | |


# FIG.126 FOOT COVER SYSTEM (E15 TYPE)




1566-631X

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 – 721 – 102 - 10 | GLASS,FRONT | 2 | | | | | | |
| 2 | 1566 - 722 – 102 - 10 | INSULATOR/LH | 1 | | | | | | |
| 3 | 1566 - 722 - 103 - 10 | INSULATOR/RH | 1 | | | | | | |
| 4 | 1581 - 742 - 102 - 00 | NUT,GLASS | 4 | | | | | | |
| 5 | 1581 – 740 - 113 - 00 | GROMMET/13X17X02 | 4 | | | | | | |
| 6 | 1566-721 - 103 - 00 | GROMMET/13X17X02 | 4 | | | | | | |
| 7 | V120 - 366 - 002 – 50 | SCREW,SP/M6X25 | 4 | | | | | | |
| 8 | 1434 - 611 - 002 - 10 | CAP (MS) | 6 | | | | | | |


# FIG.127 BATTERY SYSTEM




1597-650

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | 1597 - 650 - 200 - 00 | BATTERY/130E41 R - MF | | 1--48 49-54 55- | 1--366 367-4Z1 422- | | | | |
| 1A | 1597 - 650 - 200 - 10 | BATTERY/130E41 R - MF | | | | | | | |
| 18 | 1597 - 650 - 200 - 20 | BATTERY/130E41 R - MF | | | | | | | |
| 2 | 1518 - 621 - 443 - 00 | PACKING | 6 | | * | | | | |
| 3 | 1518 - 621 - 442 - 00 | CAP,BATTERY | 6 | | | | | | |
| 4 | 1507 - 621 - 200 - 00 | BATTERY ASSY | | | 1--408 409- | | | | |
| 4A | 1659 - 650 - 200 - 00 | BATTERY/80D26R - MF | | | | | | | |
| 5 | 1518 - 621 - 443 - 00 | PACKING | 6 | | | | | | |
| 6 | 1518 - 621 - 442 - 00 | CAP,BATTERY | 6 | | | | | | |
| 6A | 161 7 - 11 2 - 21 3 - 00 | CAP | 6 | | | | | | |
| 7 | 1568 - 650 - 200 - 00' | CABLE,BATTERY ASSY | | | | | | | |
| 8 | 1568 - 650 - 004 - 00 | BOLT | | 1--54 55- | 1--517 518- | | | | |
| 8A | 1568 - 650 - 004 - 10 | BOLT/M8X32 | | | | | | 1 | |
| 9 | 1568 - 650 - 005 - 00 | NUT | | 1--54 55- | 1--517 518- | | | | |
| 9A | 1568 - 650 - 005 - 10 | NUT/M8 | | | | | | | |
| 10 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | | | | | |
| 11 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 1 | * | | | | | |
| 12 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 1 | | * | | | | |
| 13 | V211 - 260 - 801-60 | BOLT,SEMS (S) M8X16 | 1 | | | | | | |
| 14 | 1423 - 621 - 021 - 00 | STRAP,GROUND | | 1--48 49- | --366 367- | | | | |
| 14A | 1634 - 650 - 200 - 00 | STRAP,GROUND | 1 | | | | | | |
| 15 | 1568 - 650 - 004 - 00 | BOLT | 1 | 1--54 55- | 1--517 518- | | | | |
| 15A | 1568 - 650 - 004 - 10 | BOLT/M8X32 | 1 | | | | | | |
| 16 | 1568 - 650 - 005 - 00 | NUT | 1 | 1--54 55- | 1--517 518- | | | | |
| 16A | 1568 - 650 - 005 - 10 | NUT/M8 | 1 | | | | | | |

# FIG.127 BATTERY SYSTEM





1597-650


| KEY | PARTeoDE | DESCRIPTION | OTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 17 | 1522 - 112 - 001 - 00 | PLATE,SET BATTERY | 1 | | | | | | |
| 18 | 1422 – 687 - 001 - 00 | PLATE,BATTERY SET | 1 | | | | | | |
| 19 | 1518 - 112 - 002 - 00 | BOLT BATTERY SET | 2 | I--52 | I--391 | | | | |
| 19A | 1444 - 621 - 002 - 10 | BOLT,BATTERY SET | 2 | 53- -54 | 392- -424 | | | | |
| 19B | 1579 - 112 – 003 – 00 | BOLT,BATTERY/M6X250 | 2 | 55- | 425- | | | | |
| 20 | 1444 - 621 - 002 - 10 | BOLT,BATTERY SET | 2 | | 1- -424 | | | | |
| 20A | 1579 - 112 – 003 - 00 | BOLT,BATTERY/M8X250 | 2 | | 245- | | | | |
| 21 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | | | | | | |
| 22 | V304 - 260 - 008 - 00 | NUT/M 8 | 4 | I--52 | 1- -391 | | | | |
| 22A | V301 – 260 – 006 - 00 | NUT/M 6 | 4 | 53- | 392- | | | | |

# FIG.128 LAMP SYSTEM

(E61. E15 TYPE)





(KEY5-8 for E21.E41 TYPE EXCEPT G)
(KEY9-12 for G TYPE)
(KEY13-16 for E51 TYPE)





1560-652

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 652 - 200 - 00 | LAMP,HEAD ASSY | 2 | | | | | | |
| 2 | 1488 - 621 - 272 - 00 | BULB/12V4545W | 2 | | | | | | |
| 3 | V111 - 166 - 003 - 50 | SCREW/M6X35 | 6 | | | | | | |
| 4 | 1421 - 507 - 015 - 00 | SPRING,PRESS/26 | 6 | | | | | | |
| 5 | 1594 - 652 – 200 - 10 | LAMP,HEAD ASSY | 2 | | | | | | |
| 6 | 1594 - 652 - 001 - 20 | STAY,PLATE | 2 | | | | | | |
| 7 | 1594 - 652 - 002 - 00 | BOLT/M5X12 | 4 | | | | | | |
| 8 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 4 | | | | | | |
| 9 | 1594 – 652 - 220 - 00 | LAMP,HEAD/G ASSY | 2 | | | | | | |
| 10 | 1594 - 652 - 001 - 20 | STAY,PLATE | 2 | | * | | | | |
| 11 | 1594 - 652 - 002 - 00 | BOLT/M5X12 | 4 | | | | | | |
| 12 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 4 | | | | | | |
| 13 | 1594 - 652 - 230 - 00 | LAMP,HEAD/F | 2 | | | | | | |
| 14 | 1594 – 652 - 001 - 20 | STAY,PLATE | 2 | | | | | | |
| 15 | 1594 - 652 - 002 - 00 | BOLT/M5X12 | 4 | | | | | | |
| 16 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 4 | | | | | | |

# FIG.129 LAMP SYSTEM (E61 TYPE)









1595-654

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 656 - 200 – 30 | LAMP,COMBINATIONASSY | 2 | | | | | | |
| 2 | 1566 - 656 - 202 - 00 | LENS | 2 | | | | | | |
| 3 | 1566 - 656 - 203 - 00 | LENS | 2 | | | | | | |
| 4 | 1564 - 654 - 213 - 00 | BULB,LAMP/12V21W | 2 | | | | | | |
| 5 | 1566 - 656 - 204 - 00 | BULB,LAMP/12V5W | 2 | | | | | | |
| 6 | V195 - 164 - 025 - 30 | SCREW/4X25 | 8 | | | | | | |
| 7 | 1566 - 656 - 205 - 00 | GASKET | 2 | | | | | | |
| 8 | 1566 - 656 - 206 - 00 | COVER | 2 | * | | | | | |
| 9 | 1596 - 654 - 210 - 10 | LAMP,TAIL ASSY | 1 | | | | | | |
| 10 | 1564 - 654 - 212 - 00 | LENS COMP | 1 | | | | | | |
| 11 | 1566 - 656 - 211 - 00 | BULB,LAMP/12V215W | 1 | | | | | | |
| 12 | 1596 - 654 - 211 - 10 | HARNESS COMP | 1 | | | | | | |
| 13 | 1564 - 654-215-00 | CAP | 1 | | | | | | |
| 14 | V111 - 165 - 006 - 00 | SCREW/M5X60 | 2 | | | | | | |
| 15 | 1564-654-201-20 | BRACKET/LH | 1 | | | | | | |
| 16 | 1564 - 654 - 202 - 00 | HOLDER | | | | | | | |
| 17 | V195 - 164 - 008 - 40 | SCREW/4X8 | | * | * | | | | |
| 18 | 1596 - 654 - 210 - 10 | LAMP,TAIL ASSY | | * | | | | | |
| 19 | 1564 - 654 - 212 - 00 | LENS COMP | | | | | | | |
| 20 | 1566 - 656 - 211 - 00 | BULB,LAMP/12V215W | | | | | | | |
| 21 | 1596 - 654 - 211 - 10 | HARNESS COMP | 1 | | | | | | |
| 22 | 1564 - 654 - 215 - 00 | CAP | 1 | | | | | | |
| 23 | V111 - 165 - 006 - 00 | SCREW/M5X60 | 2 | | | | | | |
| 24 | 1564 - 654 - 221 - 20 | BRACKET/RH | 1 | | | | | | |
| 25 | 1564 - 654 - 202 – 00 | HOLDER | 1 | | | | | | |

# FIG.129 LAMP SYSTEM (E61 TYPE)





1595-654

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | VI 95 - 164 - 008 - 40 | SCREw/4xa | 1 | * | * | | | | |
| 27 | VIII - 165 - 001 - 00 | SCREW/M5XI0 | 2 | * | * | | | | |
| 28 | V360 - 260 - 005 – 00 | NUT/M5 | 6 | * | * | | | | |
| 29 | 1480 - 601 - 008 – 00 | CAP,RUBBER | 2 | I--51 | I--366 | | | | |
| 29A | 2144 - 501 - 008 - 10 | CAP/Ia | 2 | 52- | 367- | | | | |


# FIG.130 LAMP SYSTEM (EXCEPT E61,E15 TYPE)




1596-654

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | DESTINATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1600 - 622 - 240 - 00 | LAMP ASSY | 2 | | | | | | 2BE – 003 - 014 - 25 |
| 2 | 1594 - 654 - 281 - 00 | HARNESS,LAMP/FRONT | 2 | | * | | | | |
| 3 | 1600 - 622 - 232 - 00 | BULB/12V.21W | 2 | | | | | | 8GA - 002 - 073 - 121 |
| 4 | 1600 - 622 - 233 - 00 | BULB/12V.5W | 2 | | | | | | 8GM - 002 - 092 - 121 |
| 5 | VIII - 164 - 001 - 60 | SCREW/M4XI6 | 4 | | | | | | |
| 6 | V300 - 260 - 004 - 00 | NUT/M6 | 4 | | | | | | |
| 7 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 4 | | | | | | |
| 8 | V411 - 260 - 004 - 00 | WASHER,PL/M 4 | 4 | | | | | | |
| 9 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) MaX16 | 4 | | | | | | |
| 10 | 1594 - 654 - 230 - 00 | LAMP | 1 | | | | | | 2SD - 002 - 582 - 011 |
| 11 | 1594 - 654 - 211 - 00 | HARNESS,LAMP/REAR | 1 | | | | | | |
| 12 | 1600 – 622 - 232 – 00 | BULB/12V.21W | 2 | | * | | | | 8GA - 002 - 073 - 121 |
| 13 | 1600 - 622 - 252 - 00 | BULB/12VI0W | 1 | | * | | | | 8GA - 002 - 071 - 131 |
| 14 | 1594 - 654 - 250 - 00 | LAMP | 1 | | | | | | 2SD - 002 - 582 - 021 |
| 15 | 1594 - 654 - 211 - 00 | HARNESS,LAMP/REAR | 1 | | | | | | 8GA - 002 - 073 - 121 |
| 16 | 1600 – 622 - 232 - 00 | BULB/12V.21W | 2 | | | | | | 8GA – 002 - 071 - 131 |
| 17 | 1600 - 622 - 252 – 00 | BULB/12VI0W | 1 | | | | | | |
| 18 | V360 - 260 - 005 - 00 | NUT/M5 | 4 | | | | | | |
| 19 | VIII - 165 - 003 - 00 | SCREW/M5X30 | 4 | | | | | | |
| 20 | 1594 - 654 - 261 - 00 | BRACKET.LAMP/NO | 1 | | 1--366 367- | | | | |
| 20A | 1594 - 654 - 261 – 10 | BRACKET,LAMP/NO | 1 | | | | | | |
| 21 | 1600 - 622 - 300 - 00 | LAMP,NO PLATE ASSY | 1 | | | | | | 2KA - 00I -389-101 |
| 22 | 1600 - 622 - 291 - 00 | HARNESS,NUMBER PLATE | 1 | | | | | | |
| 23 | 1600 - 622 - 233 - 00 | BULB/12V.5W | 1 | | | | | | 8GM - 002 - 092 - 121 |
| 24 | V201 - 260 - 801 - 60 | BOLT/M aXI6 | 2 | | | | | | |


# FIG.130 LAMP SYSTEM (EXCEPT E61,E15 TYPE)




1596-654

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TCC | LOCK | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 4 | | | | | | |
| 26 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | | | | | |
| 27 | V304 - 260 - 008 - 00 | NUT/M 8 | 2 | | | | | | |
| 28 | 1518 - 621 - 560 - 00 | REFLECTOR ASSY | 4 | | | | | | |
| 29 | V301 - 260 - 006 - 00 | NUT/M 6 | 4 | | | | | | |
| 30 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 4 | | | | | | |
| 31 | V411 - 260 - 006 - 00 | WASHER / M6 | 4 | | | | | | |
| 32 | 1594 - 654 - 003 - 10 | STAY,REFLECTOR | 1 | | | | | | |
| 33 | 1594 - 654 - 004 - 10 | STAY,REFLECTOR | 1 | | | | | | |
| 34 | 1594 - 654 - 001 - 10 | BRACKET,LAMP/FRONT | 2 | | | | | | |


# FIG.131 LAMP SYSTEM (E41 P,E15 TYPE)






1596-654C

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 654 - 910 - 50 | LAMP,WORKING ASSY | | | | | | | |
| 2 | 1560 - 654 - 911 - 00 | LENS | | | | | | | |
| 3 | 1560 - 654 - 915 - 00 | GASKET | 1 | | | | | | |
| 4 | 1560 - 654 - 916 - 00 | BULB/12V35W | 1 | | | | | | |
| 5 | 1560 - 654 - 921 - 00 | WASHER | 2 | | | | | | |
| 6 | VI 95 - 164 - 020 - 40 | SCREW/4X20 | 4 | | | | | | |
| 7 | 3506 - 301 - 311 - 00 | NUT | 1 | | | | | | |
| 8 | V210-260-601-60 | BOLT,SEMS (S) | 2 | | | | | | |
| 9 | 1560 - 654 - 922 - 00 | GASKET | 1 | | | | | | |
| 10 | 1560 - 654 - 923 - 00 | COVER | 1 | | | | | | |
| 11 | V304 - 260-012-00 | NUT/M12 | 2 | | | | | | |
| 12 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 1 | | | | | | |
| 13 | 3622 - 822 - 008 - 00 | BUSH,RUBBER | 1 | | | | | | |
| 14 | 1566 - 654 - 101 - 00 | BRACKET | | | | | | | |
| 15 | V211 - 360 - 802 - 00 | BOLT (SP) M8X20 | 2 | | | | | | |

# FIG.132 LAMP SYSTEM (E15 TYPE)














| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GAP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 656 - 200 - 30 | LAMP,COMBINATIONASSY | 2 | | * | | | | |
| 2 | 1566 - 656 - 202 - 00 | LENS | 2 | | * | | | | |
| 3 | 1566 - 656 - 203 - 00 | LENS | 2 | | * | | | | |
| 4 | 1564 - 654 - 213 - 00 | BULB,LAMP/12V21 W | 2 | | * | | | | |
| 5 | 1566 - 656 - 204 - 00 | BULB,LAMP/12V5W | 2 | | * | | | | |
| 6 | V195 - 164 - 025 - 30 | SCREW/4X25 | 8 | | * | | | | |
| 7 | 1566 - 656 - 205 - 00 | GASKET | 2 | | * | | | | |
| 8 | 1566 - 656 - 206 - 00 | COVER | 2 | | * | | | | |
| 9 | 1564 - 654 - 201 - 20 | BRACKET/LH | 1 | | * | | | | |
| 10 | 1566 - 656 - 210 - 30 | LAMP,COMBINATIONASSY | 1 | | * | | | | |
| 11 | 1564 - 654 - 21 2 - 00 | LENS COMP | 1 | | * | | | | |
| 12 | 1564 - 654 - 213 - 00 | BULB,LAMP/12V21W | 1 | | * | | | | |
| 13 | 1566 - 656 - 211 - 00 | BULB,LAMP/12V215W | 1 | | * | | | | |
| 14 | V111 - 165 - 006 - 00 | SCREW/M5X60 | 2 | | * | | | | |
| 15 | 1566 - 656 - 21 2 - 10 | HARNESS COMP | 1 | | ● | | | | |
| 16 | 1564 - 654 - 202 - 00 | HOLDER | 1 | | * | | | | |
| 17 | V195 - 164 - 008 - 40 | SCREW/4X8 | 1 | | * | | | | |
| 18 | 1564 - 654 - 221 - 20 | BRACKET/RH | 1 | | ● | | | | |
| 19 | 1566 - 656 - 210 - 30 | LAMP,COMBINATIONASSY | 1 | | * | | | | |
| 20 | 1564 - 654 - 21 2 - 00 | LENS COMP | 1 | | * | | | | |
| 21 | 1564 - 654 - 213 - 00 | BULB,LAMP/12V21 W | 1 | | * | | | | |
| 22 | 1566 - 656 - 211 - 00 | BULB,LAMP/12V215W | 1 | | * | | | | |
| 23 | V111 - 165 - 006 - 00 | SCREW/M5X60 | 2 | | * | | | | |
| 24 | 1566 - 656 - 21 2 - 10 | HARNESS COMP | 1 | | ● | | | | |
| 25 | 1564 - 654 - 202 - 00 | HOLDER | 1 | | ● | | | | |

# FIG.132 LAMP SYSTEM (E15 TYPE)














| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V195 - 164 - 004 - 40 | SCREW/4X8 | 2 | | * | | | | |
| 27 | VIII - 165 - DOI - 00 | SCREW/M5X10 | 2 | | ● | | | | |
| 28 | V360 - 260 - 005 - 00 | NUT/M5 | 6 | | ● | | | | |
| 29 | 1426 - 621 - 220 - 10 | LAMP,BACK ASSY | 1 | | ● | | | | |
| 30 | 1479 - 457 - 005 - 00 | LENS | 1 | | ● | | | | |
| 31 | 1444 - 621 - 242 - 00 | VALVE | 1 | | ● | | | | |
| 32 | 1426 - 621 - 226 - 00 | SEAT,FITTING/A | 1 | | ● | | | | |
| 33 | 1426 - 621 - 227 - 00 | SOLT,FITTING | 1 | | ● | | | | |
| 34 | V113 - 124 - 001 - 20 | SCREW,PLUS/M4X12 | 2 | | ● | | | | |
| 35 | 1426 - 621 - 228 - 00 | SEAT,FITTING/B | 1 | | ● | | | | |
| 36 | V401 - 120 - 008 - 00 | S.W | 1 | | * | | | | |
| 37 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | | * | | | | |
| 38 | 1426 - 621 - 232 - 00 | PACKING,LENS | 1 | | ● | | | | |
| 39 | 3737 - 172 - 01 1 - 00 | CLAMP,HARNESS | 1 | | * | | | | |
| 40 | 1432 - 621 - 012 - 00 | RUBBER,BUFFER | 1 | | ● | | | | |
| 41 | 1566 - 656 - 001 - 30 | ARM,PLATE/32X123 | 1 | | ● | | | | |
| 42 | V305 - 260 - 008 - 00 | NUT/M8 | 1 | | ● | | | | |
| 43 | 1426 - 621 - 040 - 00 | IIGHT,NO. PLATE ASSY | 1 | | 1--391 392- | | | | |
| 43A | 1627 - 621 - 040 - 00 | LAMP,LICENSE PLATE | 1 | | | | | | |
| 44 | 1627 - 621 - 041 - 00 | SCREW/M4X16 | 2 | | * | | | | |
| 45 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 2 | | * | | | | |
| 46 | 1426 - 621 - 041 - 00 | VALVE | 1 | | ● | | | | |
| 47 | 1426 - 621 - 044 - 00 | GASKET,LENS | 1 | | * | | | | |
| 48 | 1426 - 621 - 043 - 00 | LENS | 1 | | ● | | | | |
| 49 | 1426 - 621 - 045 - 00 | HOUSING | 1 | | ● | | | | |

# FIG.132 LAMP SYSTEM (E15 TYPE)












ISES 656

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 50 | 1426 - 621 - 046 - 00 | GASKET,BASE | 1 | | | | | | |
| 51 | V300 - 260 - 004 - 00 | NUT/M6 | 2 | | | | | | |
| 52 | 1444 - 621 - 008 - 00 | CLAMP,SPEED | 2 | | | | | | |


# FIG.133 INSTRUMENT PANEL SYSTEM (EXCEPT E61,E15 TYPE)




1597-658

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 658 - 200 - 20 | PANEL,INSTRUMENT SET | | | | | | | |
| 2 | 1597 - 658 - 21 1 - 10 | METER,TACHO ASSY | | | | | | | |
| 3 | 1560 - 658 - 220 - 40 | METER,FUEL ASSY | | | | | | | |
| 4 | 1560 - 658 - 230 - 40 | METER,TEMP ASSY | | | | | | | |
| 5 | 1564 - 658 - 41 2 - 10 | HOUSING ASSY | | | | | | | |
| 6 | 1561 - 660 - 41 1 - 10 | VISOR | | | | | | | |
| 7 | 1560 - 658 - 250 - 40 | ESCUTCHEON | | | | | | | |
| 8 | 1518 - 621 - 208 - 00 | GLASS | | | * | | | | |
| 9 | 1518 - 621 - 209 - 00 | PACKING (A) | | | | | | | |
| 10 | 1518 - 621 - 211 - 00 | CASE,GLASS | | | | | | | |
| 11 | 1518 - 621 - 214 - 00 | PACKING (B) | 1 | | | | | | |
| 12 | 1561 - 660 - 41 2 - 00 | BOARD,WIRING COMP | 1 | | | | | | |
| 13 | V195 - 164 - 012 - 40 | OOLT/M4X12 | 10 | | | | | | |
| 14 | 3650 - 270 - 214 - 00 | BULB | 13 | | * | | | | |
| 15 | 1560 - 658 - 282 - 40 | SOCKET | 13 | | | | | | |
| 16 | 1560 - 658 - 202 - 00 | SCREW,SP/M03X22 | 6 | | | | | | |
| 17 | 1564 - 658 - 202 - 20 | VISOR | 1 | | | | | | |
| 18 | V195 - 163 - 008 - 30 | SCREW/3X8 | 5 | | | | | | |
| 19 | 1564 - 658 - 203 - 00 | CAP | | | | | | | |
| 20 | V301 - 260 - 004 - 00 | NUT/M4 | 3 | | | | | | |
| 21 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 3 | | | | | | |
| 22 | 1564 - 660 - 41 1 - 00 | PLATE | 1 | | | | | | |
| 23 | 1600 - 623 - 200 - 00 | SWITCH | 1 | | | | | | |
| 24 | 1600 - 623 - 210 - 00 | SWITCH,LAMP ASSY | 1 | | | | | | |
| 25 | 1594 - 658 - 240 - 00 | SWITCH | 1 | | | | | | |


# FIG.133 INSTRUMENT PANEL SYSTEM (EXCEPT E61,E15 TYPE)




1597 658

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1597 - 658 - 240 - 00 | SWITCH,ROTARY SET | 1 | | * | | | | |
| 27 | V411 - 150 - 004 - 00 | WASHER,PL/M4 | 3 | | * | | | | |
| 28 | V120 - 264 - 000 - 80 | SCREW,PLUS/M4X8 | 3 | | * | | | | |
| 29 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 3 | | * | | | | |
| 30 | V120 - 265 - 000 - 80 | SCREW,PLUS/M5XO.8X8 | 3 | | * | | | | |
| 31 | 1444 - 621 - 31 1 - 00 | CAP | 1 | | * | | | | |
| 32 | 1444 - 621 - 312 - 00 | NUT,RING/M28X1.0 | 1 | | * | | | | |
| 33 | 1444 - 621 - 313 - 00 | WASHER | 1 | | * | | | | |
| 34 | 1444 - 621 - 320 - 00 | KEY ASSY | 1 | | * | | | | |
| 35 | 1597 - 658 - 250 - 00 | HARNESS ASSY | 1 | | * | | | | |
| 36 | 1544 - 623 - 001 - 00 | SWITCH ASSY | 1 | | * | | | | |
| 37 | 1544 - 623 - 232 - 00 | NUT/M22 | 1 | | * | | | | |
| 38 | 1544 - 623 - 233 - 00 | LEVER | 1 | | * | | | | |
| 39 | 1544 - 623 - 234 - 00 | KNOB | 1 | | * | | | | |
| 40 | 1544 - 623 - 235 - 00 | BOOT | 1 | | * | | | | |
| 41 | 1596 - 658 - 201 - 10 | LABEL,CONTROL/VISOR | 1 | | * | | | | |
| 42 | V120 - 366 - 001 - 60 | SCREW | 4 | | * | | | | |


# FIG.134 INSTRUMENT PANEL SYSTEM (E61 TYPE)




1597 658A

| KEY | PART CODE . | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 658 - 230 - 10 | PANEL,INSTRUMENT | 1 | | | | | | |
| 2 | 1597 - 658 - 211 - 10 | METER,TACHO ASSY | 1 | * | | | | | |
| 3 | 1560 - 658 - 220 - 40 | METER,FUEL ASSY | 1 | | | | | | |
| 4 | 1560 - 658 - 230 - 40 | METER,TEMP ASSY | 1 | | | | | | |
| 5 | 1564 - 658 - 41 2 - 10 | HOUSING ASSY | | | | | | | |
| 6 | 1561 - 660 - 41 1 - 10 | VISOR | 1 | | | | | | |
| 7 | 1560 - 658 - 250 - 40 | ESCUTCHEON | 1 | | | | | | |
| 8 | 1518 - 621 - 208 - 00 | GLASS | 1 | | | | | | |
| 9 | 1518 - 621 - 209 - 00 | PACKING (A) | 1 | | | | | | |
| 10 | 1518 - 621 - 211 - 00 | CASE,GLASS | 1 | * | | | | | |
| 11 | 1518 - 621 - 214 - 00 | PACKING (B) | 1 | | | | | | |
| 12 | 1561 - 660 - 41 2 - 00 | BOARD,WIRING COMP | 1 | | | | | | |
| 13 | VI95-164-012-40 | BOLT/M4X12 | 10 | | | | | | |
| 14 | 3650 - 270 - 214 - 00 | BULB | 13 | | | | | | |
| 15 | 1560 - 658 - 282 - 40 | SOCKET | 13 | | | | | | |
| 16 | 1560 - 658 - 202 - 00 | SCREW,SP/M03X22 | 6 | | | | | | |
| 17 | 1564 - 658 - 202 - 20 | VISOR | 1 | | | | | | |
| 18 | V195 - 163 - 008 - 30 | SCREW/3X8 | 5 | | | | | | |
| 19 | 1564 - 658 - 203 - 00 | CAP | 1 | | | | | | |
| 20 | V301 - 260 - 004 - 00 | NUT/M4 | 3 | | | | | | |
| 21 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 3 | | | | | | |
| 22 | 1564 - 660 - 411 - 00 | PLATE | 1 | | | | | | |
| 23 | 1597 - 658 - 240 - 00 | SWITCH,ROTARY SET | 1 | | | | | | |
| 24 | V411 - 150 - 004 - 00 | WASHER,PI/M4 | 3 | | | | | | |
| 25 | V120 - 264 – 000 - 80 | SCREW,PLUS/M4X8 | 3 | | | | | | |


# FIG.134 INSTRUMENT PANEL SYSTEM (E61 TYPE)




1597 658A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 3 | | | | | | |
| 27 | V120 - 265 - 000 - 80 | SCREW,PLUS/M5XO.8X8 | 3 | | | | | | |
| 28 | 1444 - 621 - 311 - 00 | CAP | 1 | | | | | | |
| 29 | 1444 - 621 - 312 - 00 | NUT,RING/M28X1.0 | 1 | | | | | | |
| 30 | 1444 - 621 - 313 - 00 | WASHER | | | | | | | |
| 31 | 1444 - 621 - 320 - 00 | KEY ASSY | 1 | | | | | | |
| 32 | 1597 - 658 - 250 - 00 | HARNESS ASSY | 1 | | | | | | |
| 33 | 1544 - 623 - 001 - 00 | SWITCH ASSY | 1 | | | | | | |
| 34 | 1544 - 623 - 232 - 00 | NUT/M22 | 1 | | | | | | |
| 35 | 1544 - 623 - 233 - 00 | LEVER | 1 | | | | | | |
| 36 | 1544 - 623 - 234 - 00 | KNOB | 1 | | | | | | |
| 37 | 1544 - 623 - 235 - 00 | BOOT | 1 | | * | | | | |
| 38 | 1596 - 658 - 241 - 00 | LABEL,CONTROL/VISOR | 1 | | | | | | |
| 39 | V120 - 366 - 001 - 60 | SCREW | 4 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.135 INSTRUMENT PANEL SYSTEM eE15 TYPE)




1597-658B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 658 - 260 - 00 | PANEL,INSTRUMENT SET | 1 | | | | | | |
| 2 | 1566 - 658 - 210 - 20 | METER,HOUR ASSY | 1 | | * | | | | |
| 3 | 1560 - 658 - 220 - 40 | METER,FUEL ASSY | 1 | | | | | | |
| 4 | 1560 - 658 - 230 - 40 | METER,TEMP ASSY | 1 | | * | | | | |
| 5 | 1564 - 658 - 412 - 10 | HOUSING ASSY | 1 | | | | | | |
| 6 | 1561 - 660 - 411 - 10 | VISOR | 1 | | | | | | |
| 7 | 1560 - 658 - 250 - 40 | ESCUTCHEON | 1 | | | | | | |
| 8 | 1518 - 621 - 208 - 00 | GLASS | 1 | | ● | | | | |
| 9 | 1518 - 621 - 209 - 00 | PACKING (A) | 1 | | * | | | | |
| 10 | 151 8 - 621 - 211 - 00 | CASE,GLASS | 1 | | ● | | | | |
| 11 | 1518 - 621 - 214 - 00 | PACKING (B) | 1 | | | | | | |
| 12 | 1561 - 660 - 412 - 00 | BOARO,WIRING COMP | 1 | | | | | | |
| 13 | V195 - 164 - 012 - 40 | BOLT/M4X12 | 10 13 | | | | | | |
| 14 | 3650 - 270 - 214 - 00 | BULB | | | | | | | |
| 15 | 1560 - 658 - 282 - 40 | SOCKET | 13 | | | | | | |
| 16 | 1560 - 658 - 202 - 00 | SCREW,SP/M03X22 | 6 | | | | | | |
| 17 | 1564 - 658 - 202 - 20 | VISOR | 1 | | | | | | |
| 18 | V195 - 163 - 008 - 30 | SCREW/3X8 | 5 | | * | | | | |
| 19 | 1564 - 658 - 203 - 00 | CAP | 1 | | | | | | |
| 20 | V301 - 260 - 004 - 00 | NUT/M4 | 3 | | | | | | |
| 21 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 3 | | | | | | |
| 22 | 1564 - 660 - 411 - 00 | PLATE | 1 | | | | | | |
| 23 | 1597 - 658 - 240 - 00 | SWITCH,ROTARY SET | 1 | | ● | | | | |
| 24 | V411 - 150 - 004 - 00 | WASHER,PL/M4 | 3 | | | | | | |
| 25 | V120 - 264 - 000 - 80 | SCREW,PLUS/M4X8 | 3 | | | | | | |


# FIG.135 INSTRUMENT PANEL SYSTEM (E15 TYPE)




1597-658B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 3 | | | | | | |
| 27 | VI 20 - 265 - 000 – 80 | SCREW,PLUS/M5XO.8X8 | 3 | | * | | | | |
| 28 | 1444 – 621 - 311 – 00 | CAP | 1 | | | | | | |
| 29 | 1444 - 621 – 312 - 00 | NUT,RING/M28X1.0 | 1 | | | | | | |
| 30 | 1444 - 621 - 313 - 00 | WASHER | 1 | | | | | | |
| 31 | 1444 - 621 – 320 - 00 | KEY ASSY | | | | | | | |
| 32 | 1597 - 658 - 250 – 00 | HARNESS ASSY | | | | | | | |
| 33 | 1544 - 623 - 001 - 00 | SWITCH ASSY | | | | | | | |
| 34 | 1544 - 623 - 232 - 00 | NUT/M22 | | | | | | | |
| 35 | 1544 - 623 - 233 - 00 | LEVER | | | | | | | |
| 36 | 1544 – 623 – 234 – 00 | KNOB | | | | | | | |
| 37 | 1544 - 623 - 235 – 00 | BOOT | | | | | | | |
| 38 | 1596 - 658 - 241 - 00 | LABEL,CONTROL/VISOR | | | | | | | |
| 39 | V120 – 366 - 001 - 60 | SCREW | 4 | | | | | | |


# FIG.136 SWITCH SYSTEM (E61 TYPE)




1596-664


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 664 - 250 - 00 | SWITCH,PUSH | 1 | 1-54 | 1-424 | | | | |
| 1A | 1614 - 680 - 250 - 00 | SWITCH,PUSH SET | 1 | 55- | 425- | | | | |
| 2 | 1560 - 664 - 252 - 00 | NUT | 1 | | | | | | |
| 3 | 1560 - 664 - 253 - 00 | BOOT | 1 | | | | | | |
| 4 | 1564 - 664 - 230 - 00 | GAUGE,FUEL/MAIN ASSY | 1 | * | * | | | | |
| 5 | 1416 - 621 - 037 - 00 | PACKING/RUBBER | 1 | | | | | | |
| 6 | V200 - 260 - 501 - 08 | BOLT/M 5XI0 | 5 | * | | | | | |
| 7 | 1564 - 664 - 003 - 00 | INSULATOR | 5 | * | * | | | | |
| 8 | 1596 - 664 - 200 - 00 | CASE,FUSE/4 SET | 1 | * | | | | | |
| 9 | 1596 - 664 - 212 - 00 | HARNESS,FUSE/4 | 1 | * | | | | | |
| 10 | 1596 - 664 - 213 - 00 | COVER,FUSE/4 | 1 | | | | | | |
| 11 | 1575 - 623 - 009 - 00 | FUSE/32V03A | 1 | | | | | | |
| 12 | 1593 - 623 - 203 - 00 | FUSE/32V20A | 2 | * | | | | | |
| 13 | 1600 - 624 - 271 - 00 | FUSE | 1 | | | | | | |
| 14 | 1560 - 664 - 240 - 00 | FLASHER SET | 1 | | | | | | |
| 15 | 1426 - 621 - 036 - 00 | BASE,FLASHER | 1 | * | | | | | |
| 16 | V210-260-601-60 | BOLT,SEMS (S) | 1 | | | | | | |
| 17 | 1416 - 621 - 044 - 00 | HORN | 1 | | | | | | |
| 18 | V210 - 260 - 601 - 20 | BOLT,SEMS | 2 | | | | | | |
| 19 | 1518 - 621 - 320 - 00 | SWITCH,STOP | 1 | | | | | | |
| 20 | 1432 - 621 - 006 - 10 | NUT,LOCK | 2 | | | | | | |
| 21 | 1518 - 621 - 470 - 00 | SWITCH,SAFETY ASSY | 1 | | | | | | |
| 22 | 1566 - 664 - 230 - 10 | PLATE COMP | | | * | | | | |
| 23 | V111 - 164 - 003 - 00 | SCREW/M4X30 | 2 | | | | | | |
| 24 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 2 | | | | | | |


# FIG.136 SWITCH SYSTEM (E61 TYPE)





| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | V300 - 260 - 004 – 00 | NUT/M6 | 2 | | | | | | |
| 26 | V41 1 – 260 - 004 - 00 | WASHER,PL/M 4 | 2 | | | | | | |
| 27 | V21 1 – 260 - 801 - 60 | BOLT,SEMS (5) M8X16 | | | | | | | |

# FIG.137 SWITCH SYSTEM eE15 TYPE)












| KEY | PART CODE | DESCRIPTION | DTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 664 - 250 - 00 | SWITCH,PUSH | 1 | | 1--424 425- | | | | |
| IA | 1614 - 680 - 250 - 00 | SWITCH,PUSH SET | 1 | | | | | | |
| 2' | 1560 - 664 - 252 - 00 | NUT | 1 | | | | | | |
| 3 | 1560 - 664 - 253 - 00 | BOOT | 1 | | | | | | |
| 4 | 1564 - 664 - 230 - 00 | GAUGE,FUEL/MAIN ASSY | 1 | | | | | | |
| 5 | 1416 - 621 - 037 - 00 | PACKING/RUBBER | 1 | | | | | | |
| 6 | V200 - 260 - 501 - OB | BOLT/M 5XI0 | 5 | | • | | | | |
| 7 | 1564 - 664 - 003 - 00 | INSULATOR | 5 | | | | | | |
| 8 | 1564 - 664 - 210 - 20 | CASE,FUSE ASSY | 1 | | 1--347 | | | | |
| 8A | 1564 - 664 - 21 0 - 30 | CASE,FUSE ASSY | | | 348--511 | | | | |
| 88 | 1564 - 664 - 210 - 40 | CASE,FUSE ASSY | | | 512- | | | | |
| 9 | 1575 - 623 - 006 - 00 | COVER,FUSE | | | 1--347 | | | | |
| 9A | 1575 - 623 - 006 - 10 | COVER,FUSE | | | 348--511 | | | | |
| 98 | 1575 - 623 - 006 - 20 | COVER,FUSE | | | 512- | | | | |
| 10 | 1564 - 664 - 213 - 10 | ORNAMENT | | | 1--347 | | | | |
| IDA | 1564 - 664 - 213 - 20 | ORNAMENT | 1 | | 348- | | | | |
| 11 | 1575 - 623 - 007 - 00 | TooL,FUSE | 1 | | • | | | | |
| 12 | 1575 - 623 - 009 - 00 | FUSE/32V03A | 2 | | * | | | | |
| 13 | 1575 - 623 - 010 - 00 | FUSE/32VI0A | 5 | | | | | | |
| 14 | 1575 - 623 - 011 - 00 | FUSE/15A | 4 | | | | | | |
| 15 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 2 | | | | | | |
| 16 | 1560 - 664 - 240 - 00 | FLASHER SET | 1 | | • | | | | |
| 17 | 1426 - 621 - 036 - 00 | BASE,FLASHER | 1 | | | | | | |
| 18 | V210 - 260 - 601 - 60 | BOLT,SEMS (S) | 1 | | | | | | |
| 19 | 1416 - 621 - 044 - 00 | HORN | 1 | | | | | | |


# FIG.137 SWITCH SYSTEM (E15 TYPE)




1564 664A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TORQUE C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 20 | V21 0 – 260 – 601 - 20 | BOLT,SEMS | 2 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.138 SWITCH SYSTEM (EXCEPT E61,E15 TYPE)




1556-664A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 664 - 250 - 00 | SWITCH,PUSH | | | 1--424 425- | | | | |
| 1A | 1614 - 680 - 250 - 00 | SWITCH,PUSH SET | | | | | | | |
| 2 | 1560 - 664 - 252 - 00 | NUT | 1 | | | | | | |
| 3 | 1560 - 664 - 253 - 00 | BOOT | 1 | | | | | | |
| 4 | 1564 - 664 - 230 - 00 | GAUGE,FUEL/MAIN ASSY | 1 | | | | | | |
| 5 | 1416 - 621 - 037 - 00 | PACKING/RUBBER | 1 | | | | | | |
| 6 | V200 - 260 - 501 - 08 | BOLT/M 5XI0 | 5 | | * | | | | |
| 7 | 1564 - 664 - 003 - 00 | INSULATOR | 5 | | | | | | |
| 8 | 1600 - 624 - 270 - 10 | CASE,FUSE ASSY | 1 | | I--511 512- | | | | |
| 8A | 1600 - 624 - 270 - 20 | CASE,FUSE/I1 ASSY | | | | | | | |
| 9 | 1600 - 624 - 300 - 00 | COVER,FUSE SET | | | 1--511 512- | | | | |
| 9A | 1600 - 624 - 300 - 10 | COVER,FUSE SET | | | | | | | |
| 10 | 1600 - 624 - 301 - 00 | LABEL,FUSE | | | | | | | |
| 11 | 1600-624-271 - 00 | FUSE | 3 | | | | | | |
| 12 | 1575 - 623 - 010 - 00 | FUSE/32VI0A | 5 | | | | | | |
| 13 | 1575 - 623 - 011 - 00 | FUSE/15A | 2 | | * | | | | |
| 14 | V120 - 266 - 001 - 60 | SCREW SEEMS/M6X16 | 2 | | | | | | |
| 15 | 1600 - 624 - 001 - 00 | HOLDER,FUSE | 1 | | | | | | |
| 16 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 2 | | | | | | |
| 17 | 1600 - 623 - 002 - 00 | FLASHER ASSY | 1 | | | | | | |
| 18 | V210-260 - 601 - 60 | BOLT,SEMS (S) | 1 | | | | | | |
| 19 | 1509 - 623 - 001 - 00 | HORN | 1 | | | | | | |
| 20 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 1 | | | | | | |
| 21 | 1518 - 621 - 320 - 00 | SWITCH,STOP | | | | | | | |
| 22 | 1432 - 621 - 006 - 10 | NUT,LOCK | 2 | | | | | | |

# FIG.138 SWITCH SYSTEM (EXCEPT E61,E15 TYPE)





1556-664A


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23 | 1600 - 624 - 202 - 00 | HARNESS,SOCKET | 1 | | | | | | |
| 24 | VIII - 165 - 003 - 00 | SCREW/M5X30 | 3 | | | | | | |
| 25 | V401 - 160 - 005 - 00 | WASHER,SP/M 5 | 3 | | | | | | |
| 26 | 1518 - 621 - 470 - 00 | SWITCH,SAFETY ASSY | 1 | | | | | | |
| 27 | 1566 - 664 - 230 - 10 | PLATE COMP | 1 | | | | | | |
| 28 | V211 - 260 - 801 - 60 | BOLT,SEM5 (5) M8X16 | 1 | | | | | | |
| 29 | VIII - 164 - 003 - 00 | 5CREW/M4X30 | 2 | | • | | | | |
| 30 | V300 - 260 - 004 - 00 | NUT/M6 | 2 | | | | | | |
| 31 | V401 - 160 - 004 - 00 | WASHER,5P/M 4 | 2 | | • | | | | |
| 32 | V411 - 260 - 004 - 00 | WASHER,PI/M 4 | 2 | | | | | | |

# FIG.139 SWITCH SYSTEM

(E15 TYPE)





(E 1 5 TYPE)





52-14

(E 15 TYPE)





(EXCEPT E 15 TYPE)




1566-664A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | I C | C O L | G R P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 664 - 200 - 00 | SWITCH,PUSH SET | 1 | | | | | | |
| 2 | 1491 - 623 - 222 - 00 | NUT/M20 | 1 | | | | | | |
| 3 | 1491 - 623 - 223 - 00 | BOOT | 1 | | | | | | |
| 4 | 1491 - 623 - 222 - 00 | NUT/M20 | 1 | | | | | | |
| 5 | 1518 - 621 - 320 - 00 | SWITCH,STOP | 1 | | | | | | |
| 6 | 1432 - 621 - 006 - 10 | NUT,LOCK | 2 | | | | | | |
| 7 | 1518 - 621 - 470 - 00 | SWITCH,SAFETY ASSY | 1 | | | | | | |
| 8 | 1566 - 664 - 230 - 10 | PLATE COMP | | | | | | | |
| 9 | V111 - 164 - 003 - 00 | SCREW/M4X30 | 2 | | | | | | |
| 10 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 2 | | | | | | |
| 11 | V300 - 260 - 004 - 00 | NUT/M6 | 2 | | | | | | |
| 12 | V41 1 - 260 - 004 - 00 | WASHER,PL/M 4 | 2 | | | | | | |
| 13 | V21 1 - 260 - 801 - 60 | BOLT,SEMS (S) M8X16 | 1 | | | | | | |
| 14 | 1568 - 665 - 210 - 00 | GAUGE,FUEL/SUB ASSY | 1 | 1--53 | 1--408 | | | | |
| 14A | 1568 - 665 - 210 - 10 | GAUGE,FUEL/SUB ASSY | 1 | 54- | 409- | | | | |
| 15 | 1416 - 621 - 037 - 00 | PACKING/RUBBER | 1 | | | | | | |
| 16 | V200 - 260 - 501 - 00 | I3OLT/M 5XI0 | 5 | * | * | | | | |


# FIG.140 HARNESS SYSTEM (EXCEPT E61,E15 TYPE)




1597-666

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TA545F | ITC | OIL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 666 - 200 - 20 | HARNESS,ENGINE ASSY | 1 | | | | | | |
| 2 | 1560 - 666 – 212 - 00 | DIODE | 1 | | | | | | |
| 3 | 3652 - 261 - 202 - 00 | IINK,FUSIBLE | 1 | | | | | | |
| 4 | 3650 - 261 - 261 - 00 | IINK,FUSIBLE | 1 | | * | | | | |
| 5 | 1564 - 666 - 202 - 00 | IINK,FUSIBLE | 1 | | | | | | |
| 6 | 1596 - 664 - 211 - 00 | CASE,FUSE/4 | 1 | | | | | | |
| 7 | 1596 - 664 – 213 - 00 | COVER,FUSE/4 | 1 | | | | | | |
| 8 | 1560 - 664 – 264 - 00 | FUSE.BLADE/32V05A | 4 | | | | | | |
| 9 | 1564 - 666 - 004 - 00 | HARNESS.THERMOSTAT | 1 | | * | | | | |
| 10 | 1425 - 621 – 004 - 00 | CLAMP,HARNESS | 6 | | | | | | |
| 11 | V211-260-801-60 | BOLT,SEMS (S) M8X16 | 2 | | | | | | |
| 12 | V211 - 260 - 803 - 00 | BOLT,SEMS | | | | | | | |
| 13 | 3737 - 172 - 009 - 00 | CLAMP,MAIN HARNESS | | | | | | | |
| 14 | V301 - 260 - 006 - 00 | NUT/M 6 | | | | | | | |
| 15 | V411 - 260 - 006 - 00 | WASHER / M6 | | | | | | | |
| 16 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 1 | | | | | | |
| 17 | 1568 - 668 - 203 - 00 | HARNESS,GLOW | 1 | | | | | | |
| 18 | 1568 - 668 - 204 - 00 | HARNESS,EATH | 1 | | | | | | |
| 19 | 1597 - 666 - 210 - 20 | HARNESS,MAIN ASSY | 1 | | * | | | | |
| 20 | 431 9 – 601 – 004 - 00 | FUSE/250V - 2A | | | | | | | |
| 21 | 1509 - 623 - 242 - 00 | BOX,FUSE | 1 | | | | | | |
| 22 | V211 – 360 - 801 - 60 | SOLT,SEMS (SP) | 2 | | | | | | |
| 23 | 1444 - 101 - 01 6 – 10 | CLAMP,RADIATOR HOSE | 3 | | | | | | |
| 24 | V21 1 - 360 - 801 – 60 | BOLT,SEMS (SP) | 3 | | | | | | |
| 25 | 1564 - 621 - 030 – 00 | GROMMET/12X17X04 | 2 | | | | | | |


# FIG.140 HARNESS SYSTEM (EXCEPT E61,E15 TYPE)




1597-666

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1596 - 666 - 220 - 00 | HARNESS,REAR ASSY | 1 | | | | | | |
| 27 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 1 | | | | | | |
| 28 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 7 | | | | | | |
| 29 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 1 | | | | | | |
| 30 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 2 | | | | | | |


# FIG.141 HRNESS SYSTEM (E61 TYPE)




1597 EEEA

| KEY | PART CODE | DESCRIPTION | OTY | TYPE OF MODEL TA545T | TA545F | C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 666 - 240 - 00 | HARNESS,ENGINE ASSY | | | | | | | |
| 2 | 1560 - 666 - 21 2 - 00 | DIODE | 1 | * | | | | | |
| 3 | 3652 - 261 - 202 - 00 | L1NK,FUSIBLE | | | | | | | |
| 4 | 3650 - 261 - 261 - 00 | L1NK,FUSIBLE | 1 | | * | | | | |
| 5 | 1564 - 666 - 202 - 00 | L1NK,FUSIBLE | | | | | | | |
| 6 | 1564 - 666 - 004 - 00 | HARNESS,THERMOSTAT | 1 | | | | | | |
| 7 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 6 | | * | | | | |
| 8 | V211 - 260 - 801 - 60 | 8OLT,SEMS (S) M8X16 | 2 | * | | 1 | | | |
| 9 | V211 - 260 - 803 - 00 | OOLT,SEMS | | | | | | | |
| 10 | 3737 - 172 - 009 - 00 | CLAMP,MAIN HARNESS | | | | | | | |
| 11 | V301 - 260 - 006 - 00 | NUT/M 6 | | | | | | | |
| 12 | V411 - 260 - 006 - 00 | WASHER / M6 | | | | | | | |
| 13 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | | | | | | | |
| 14 | 1568 - 668 - 203 - 00 | HARNESS,GLOW | | | | | | | |
| 15 | 1568 - 668 - 204 - 00 | HARNESS,EATH | | | | | | | |
| 16 | 1597 - 666 - 220 - 10 | HARNESS,MAIN/E61ASSY | | | | | | | |
| 17 | 4319 - 601 - 004 - 00 | FUSE/250V - 2A | | | | | | | |
| 18 | 1509 - 623 - 242 - 00 | OOX,FUSE | | | | | | | |
| 19 | V211 - 360 - 801 - 60 | OOLT,SEMS (SP) | 2 | | | | | | |
| 20 | 1444 - 101 - 01 6 - 10 | CLAMP,RADIATOR HOSE | 3 | | | | | | |
| 21 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 3 | | | | | | |
| 22 | 1564 - 621 - 030 - 00 | GROMMET/12X17X04 | 2 | | | | | | |
| 23 | 1596 - 666 - 240 - 00 | HARNESS,REAR/E61ASSY | 1 | * | | | | | |
| 24 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 1 | * | | | | | |
| 25 | 1560 - 666 - 004 - 00 | BAND | 1 | | * | | | | |


# FIG.141 HARNESS SYSTEM (E61 TYPE)




1591 E66A

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 7 | | | | | | |
| 27 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 1 | | | | | | |
| 28' | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 2 | * | | | | | |
| 29 | 1560 - 666 - 012 - 30 | CLIP | 2 | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.142 HARNESS SYSTEM (E15 TYPE)




1597-668

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1597 - 668 - 200 - 00 | HARNESS,ENGINE/EI5 | 1 | | 1-335 336- | | | | |
| 1A | 1597 - 668 - 200 - 10 | HARNESS,ENGINE/E15 | 1 | | | | | | |
| 2 | 3652 - 261 - 202 - 00 | L1NK,FUSIBLE | 1 | | * | | | | |
| 3 | 3650 - 261 - 261 - 00 | L1NK,FUSIBLE | 1 | | * | | | | |
| 4 | 1564 - 666 - 004 - 00 | HARNESS,THERMOSTAT | 1 | | * | | | | |
| 5 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 6 | | * | | | | |
| 6 | V211 - 260 - 801 - 60 | BOLT,SEMS (S) MaX16 | 2 | | * | | | | |
| 7 | V211 - 260 - 803 - 00 | BOLT,SEMS | 1 | | * | | | | |
| 8 | 3737 - 172 - 009 - 00 | CLAMP,MAIN HARNESS | 1 | | * | | | | |
| 9 | V301 - 260 - 006 - 00 | NUT/M 6 | 1 | | * | | | | |
| 10 | V411 - 260 - 006 - 00 | WASHER / M6 | 1 | | * | | | | |
| 11 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 1 | | * | | | | |
| 12 | 1568 - 668 - 204 - 00 | HARNESS,EATH | 1 | | * | | | | |
| 13 | 1597 - 668 - 210 - 10 | HARNESS,MAIN/E15ASSY | 1 | | 1-335 336- | | | | |
| 13A | 1597 - 668 - 21 0 - 20 | HARNESS,MAIN/E15ASSY | 1 | | | | | | |
| 14 | 1560 - 666 - 01 0 - 00 | GROMMET/3D | 2 | | * | | | | |
| 15 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 2 | | * | | | | |
| 16 | 1444 - 101 - 016 - 10 | CLAMP,RADIATOR HOSE | 3 | | * | | | | |
| 17 | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 3 | | * | | | | |
| 18 | 1564 - 621 - 030 - 00 | GROMMET/12X17XD4 | 2 | | * | | | | |
| 19 | 1581 - 621 - 290 - 00 | RELAY/4P | 1 | | * | | | | |
| 20 | 1597 - 668 - 220 - 10 | HARNESS,REAR/E15ASSY | 1 | | * | | | | |
| 21 | 1560 - 666 - 004 - 00 | BAND | 1 | | * | | | | |
| 22 | 1376 - 402 - 003 - 00 | BAND,WIRE/14D | 1 | | * | | | | |
| 23 | 1560 - 666 - 004 - 00 | BAND | 1 | | * | | | | |


# FIG.142 HARNESS SYSTEM eE15 TYPE)




1597 668

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TOOL C | TOOL L | TOOL P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | 1376 - 402 – 003 - 00 | BAND,WIRE/140 | 7 | | | | | | |
| 25 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 4 | | | | | | |
| 26 | 1425 - 621 – 004 – 00 | CLAMP,HARNESS | 2 | | * | | | | |
| 27 | 1560 - 666 - 01 2 - 30 | CLIP | 2 | | | | | | |
| 28 | 1568 - 668 - 212 - 10 | HARNESS,ROPS | 2 | | * | | | | |
| 29 | 1425 - 621 - 004 - 00 | CLAMP,HARNESS | 2 | | | | | | |


# FIG.143 ELECTRICAL SYSTEM (1) (B TYPE)




1596 669K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 669 - 510 - 00 | MOTOR ASSY | 1 | | * | | | | |
| 2 | 1594 - 669 - 510 - 00 | ARM ASSY | 1 | | * | | | | |
| 3 | 1596 - 669 - 530 - 00 | BLADE ASSY | 1 | | * | | | | |
| 4 | 1566 - 669 - 540 - 00 | TANK,WASHER ASSY | 1 | | * | | | | |
| 5 | 1518 - 621 - 523 - 00 | NOZZLE,WIPER TANK | 1 | | * | | | | |
| 6 | 1518 - 621 - 524 - 00 | BRACKET, NOZZLE | 1 | | * | | | | |
| 7 | 1518 - 621 - 525 - 00 | PACKING, NOZZLE | 1 | | ● | | | | |
| 8 | 1518 - 621 - 521 - 00 | BRACKET | 1 | | ● | | | | |
| 9 | 151 8 - 621 - 540 - 00 | SWITCH,WIPER ASSY | 1 | | ● | | | | |
| 10 | 1566 - 669 - 580 - 20 | HARNESS,WASHER ASSY | 1 | | ● | | | | |
| 11 | 1566 - 669 - 582 - 10 | HOSE/2840 | 1 | | ● | | | | |
| 12 | 1518 - 621 - 532 - 00 | VALVE,CHECK | 1 | | ● | | | | |
| 13 | 1566 - 669 - 583 - 00 | HOSE/150 | 1 | | * | | | | |
| 14 | VI 20 - 366 - 001 - 60 | SCREW | 5 | | ● | | | | |
| 15 | 1581 - 621 - 290 - 00 | RELAY/4P | 2 | | ● | | | | |
| 16 | 1560 - 664 - 210 - 30 | RELAY | 1 | | ● | | | | |
| 17 | V120 - 366 - 001 - 60 | SCREW | 3 | | ● | | | | |
| 18 | 1581 - 621 - 530 - 00 | LAMP,WORKING ASSY | 2 | | ● | | | | |
| 19 | 1560 - 654 - 91 1 - 00 | LENS | 2 | | ● | | | | |
| 20 | 1560 - 654 - 915 - 00 | GASKET | 2 | | ● | | | | |
| 21 | 1560 - 654 - 916 - 00 | BULB/12V35W | 2 | | ● | | | | |
| 22 | 1560 - 654 - 921 - 00 | WASHER | 4 | | ■ | | | | |
| 23 | V210 - 260 - 601 - 60 | BOLT,SEMS (S) | 4 | | ● | | | | |
| 24 | 3506 - 301 - 31 1 - 00 | NUT | 4 | | ● | | | | |
| 25 | V195 - 164 - 020 - 40 | SCREW/4X20 | 8 | | ● | | | | |


# FIG.143 ELECTRICAL SYSTEM (1) (8 TYPE)




1596-659K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | I/C | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V201 - 261 - 202 - 00 | BOLT/MI2X20 | 2 | | | | | | |
| 27 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 2 | | | | | | |
| 28 | 3652 - 273 - 240 - 00 | SWITCH,L1FTING ASSY | 1 | | * | | | | |
| 29 | 3652 - 273 - 241 - 00 | BULB,LAMP/12V,5W | 1 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.144 ELECTRICAL SYSTEM (2) (B TYPE)




1596-669K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 669 - 560 - 00 | HARNESS,CAB ENGINE | 1 | | * | | | | |
| 2 | 1518 - 622 - 012 - 10 | HARNESS | 1 | | * | | | | |
| 3 | 1596 - 669 - 571 - 00 | HARNESS,CAB BYPASS | 1 | | * | | | | |
| 4 | 1596 - 669 - 580 - 00 | CASE,FUSE/4 ASSY | 1 | | * | | | | |
| 5 | 1593 - 623 - 203 - 00 | FUSE/32V20A | 4 | | * | | | | |
| 6 | 1593 - 623 - 503 - 00 | CAP,FUSE BOX | 1 | | * | | | | |
| 7 | 1596 - 669 - 590 - 00 | HARNESS,COCKPIT ASSY | 1 | | * | | | | |
| 8 | 1596 - 669 - 106 - 00 | HARNESS,HEATER | 1 | | * | | | | |
| 9 | V120 - 366 - 001 - 60 | SCREW | 1 | | * | | | | |
| 10 | 1596 - 669 - 104 - 00 | HARNESS,ROPS | 3 | | * | | | | |
| 11 | 1596 - 669 - 105 - 00 | HARNESS,WORKING | 1 | | * | | | | |
| 12 | 1596 - 669 - 108 - 00 | INSULATOR | 2 | | * | | | | |
| 13 | 1596 - 669 - 107 - 00 | TRIM/55 | 1 | | * | | | | |
| 14 | 1426 - 621 - 038 - 00 | CLAMP,HARNESS | 8 | | * | | | | |
| 15 | 1568 - 669 - 101 - 00 | INSULATOR | 1 | | * | | | | |


# FIG.145 ELECTRICAL SYSTEM (3) (C TYPE)




1596-669M

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 669 - 510 - 00 | MOTOR ASSY | 1 | * | * | | | | |
| 2 | 1594 - 669 - 510 - 00 | ARM ASSY | 1 | * | * | | | | |
| 3 | 1596 - 669 - 530 - 00 | BLADE ASSY | 1 | * | * | | | | |
| 4 | 1566 - 669 - 540 - 00 | TANK,WASHER ASSY | 1 | * | * | | | | |
| 5 | 1518 - 621 - 523 - 00 | NOZZLE,WIPER TANK | 1 | * | * | | | | |
| 6 | 1518-621 - 524 - 00 | BRACKET, NOZZLE | 1 | * | * | | | | |
| 7 | 1518 - 621 - 525 - 00 | PACKING, NOZZLE | 1 | * | * | | | | |
| 8 | 1518 - 621 - 521 - 00 | BRACKET | 1 | * | * | | | | |
| 9 | 1518 - 621 - 540 - 00 | SWITCH,WIPER ASSY | 1 | * | * | | | | |
| 10 | 1566 - 669 - 580 - 20 | HARNESS,WASHER ASSY | 1 | * | * | | | | |
| 11 | 1566 - 669 - 582 - 10 | HOSE/2840 | 1 | * | * | | | | |
| 12 | 1518 - 621 - 532 - 00 | VALVE,CHECK | 1 | * | * | | | | |
| 13 | 1566 - 669 - 583 - 00 | HOSE/1S0 | 1 | * | * | | | | |
| 14 | V120 - 366 - 001 - 60 | SCREW | 5 | * | * | | | | |
| 15 | 1581 - 621 - 290 - 00 | RELAY/4P | 2 | * | * | | | | |
| 16 | 1581 - 621 - 290 - 00 | RELAY/4P | 3 | * | * | | | | |
| 17 | 1593 - 623 - 530 - 00 | RELAY/SP ASSY | 1 | I-41 42- | I-327 328- | | | | |
| 17A | 1560 - 664 - 210 - 30 | RELAY | 1 | | | | | | |
| 18 | 1560 - 664 - 210 - 30 | RELAY | 1 | * | * | | | | |
| 19 | V120 - 366 - 001 - 60 | SCREW | 3 | * | * | | | | |
| 20 | V120 - 366 - 001 - 60 | SCREW | 4 | * | * | | | | |
| 21 | 1581 - 621 - 530 - 00 | LAMP,WORKING ASSY | 2 | * | * | | | | |
| 22 | 1560 - 654 - 911 - 00 | LENS | 2 | * | * | | | | |
| 23 | 1560 - 654 - 915 - 00 | GASKET | 2 | * | * | | | | |
| 24 | 1560 - 654 - 916 - 00 | BULB/12V3SW | 2 | * | * | | | | |


# FIG.145 ELECTRICAL SYSTEM (3) (C TYPE)




1596-669M

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1560 – 654 – 921 – 00 | WASHER | 4 | | | | | | |
| 26 | V210 - 260 - 601 - 60 | BOLT,SEMS (S) | 4 | | | | | | |
| 27 | 3506 - 301 - 311 - 00 | NUT | 4 | | | | | | |
| 28 | V195 – 164 - 020 - 40 | SCREW/4X20 | 8 | | | | | | |
| 29 | V201 - 261 - 202 - 00 | BOLT/MI2X20 | 2 | * | * | | | | |
| 30 | V401 - 160 - 012 – 00 | WASHER,SP/M12 | 2 | | | | | | |
| 31 | 3652 - 273 - 240 - 00 | SWITCH,L1FTING ASSY | 1 | | | | | | |
| 32 | 3652 – 273 - 241 - 00 | BULB,LAMP/1 2V,5W | 1 | | | | | | |


# FIG.146 ELECTRICAL SYSTEM (4) (C TYPE)




(KEY 11, 11A, 13-18.22 for D TYPE)

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | 1596 - 669 - 560 - 00 | HARNESS,CAB ENGINE | | 1-52 53- | 1-391 392- | | | | |
| ,IA | 1596 - 669 - 560 - 10 | HARNESS,CAB ENGINE | | | | | | | |
| 2 | 1518 - 622 - 012 - 10 | HARNESS | | | | | | | |
| 3 | 1596 - 669 - 571 - 00 | HARNESS,CAB BYPASS | | | | | | | |
| 4 | 1596 - 669 - 580 - 00 | CASE,FUSE/4 ASSY | | * | * | | | | |
| 5 | 1593 - 623 - 203 - 00 | FUSE/32V20A | 4 | | | | | | |
| 6 | 1593 - 623 - 503 - 00 | CAP,FUSE BOX | 1 | | | | | | |
| 7 | 1596 - 669 - 590 - 00 | HARNESS.COCKPIT ASSY | 1 | 1-52 53- | 1-391 392- | | | | |
| 7A | 1596 - 669 - 590 - 10 | HARNESS,COCKPIT ASSY | | | | | | | |
| 8 | 1596 - 669 - 106 - 00 | HARNESS,HEATER | | | | | | | |
| 9 | V120 - 366 - 001 - 60 | SCREW | 1 | | | | | | |
| 10 | 1560 - 666 - 014 - 00 | HARNESS,ROPS | 2 | | | | | | |
| 11 | 1560 - 666 - 014 - 00 | HARNESS.ROPS | 2 | 1-41 42- | 1-327 328- | | | | |
| IIA | 1568 - 668-212-10 | HARNESS.ROPS | 2 | | | | | | |
| 12 | 1596 - 669 - 105 - 00 | HARNESS,WORKING | 1 | | | | | | |
| 13 | 1599 - 669 - 101 - 00 | HARNESS,COOLER | 1 | | | | | | |
| 14 | 1599 - 669 - 102 - 10 | HARNESS,COOLER | 1 | | | | | | |
| 15 | 1599 - 669 - 104 - 00 | HARNESS | 1 | 1-53 | 1-392 393- | | | | |
| 15A | 1599 - 669 - 105 - 00 | HARNESS,COOLER | | | -408 | | | | |
| 15B | 1599 - 669 - 105 - 10 | HARNESS,COOLER | | 54- | 409- | | | | |
| 16 | 1581 - 621 - 290 - 00 | RELAY/4P | 1 | | | | | | |
| 17 | 1566 - 669 - 11 6 - 00 | HARNESS,WIPER/R | 1 | | | | | | |
| 18 | 1596 - 669 - 109 - 00 | HARNESS | 1 | | | | | | |
| 19 | 1596 - 669 - 108 - 00 | INSULATOR | 2 | * | | | | | |
| 20 | 1596 - 669 - 107 - 00 | TRIM/55 | 1 | * | | | | | |

# FIG.146 ELECTRICAL SYSTEM (4) (C TYPE)





(KEY 11. 11A, \3-18.22 for D TYPB)

1596-669M

| KEY | PART CODE | DESCRIPTION | nry | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 21 | 1426 - 621 - 038 - 00 | CLAMP,HARNESS | 8 | | | | | | |
| 22 | 1426 - 621 - 038 - 00 | CLAMP.HARNESS | 10 | | | | | | |
| 23 | 1568 - 669 - 101 - 00 | INSULATOR | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.147 ELECTRICAL SYSTEM (5) (C TYPE) (OPTION)




1556 6651

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGTOR C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 3652 – 273 - 240 - 00 | SWITCH,L1FTING ASSY | 1 | T | T | | | | |
| 2 | 3652 - 273 - 241 - 00 | BULB,LAMP/12V,5W | 1 | T | T | | | | |
| 3 | 1596 – 669 - 652 - 00 | PLATE,I/64XII0 | 1 | T | t | | | | |
| 4 | 1596 - 669 - 651 - 00 | HARNESS,BEACON | 1 | T | f | | | | |
| 5 | 1581 - 621 – 290 - 00 | RELAY/4P | 1 | | | | | | |
| 6 | V120 - 366 - 001 - 60 | SCREW | 1 | T | T | | | | |
| 7 | 1581 - 621 - 530 - 00 | LAMP,WORKING ASSY | 2 | T | T | | | | |
| 8 | 1560 - 654 - 911 - 00 | LENS | 2 | T | T | | | | |
| 9 | 1560 – 654 - 915 - 00 | GASKET | 2 | t | T | | | | |
| 10 | 1560 - 654 - 916 - 00 | BULB/12V35W | 2 | t | T | | | | |
| 11 | 1560 - 654 - 921 - 00 | WASHER | 4 | T | T | | | | |
| 12 | V210 - 260-601-60 | BOLT,SEMS (S) | 4 | t | T | | | | |
| 13 | 3506 - 301 - 311-00 | NUT | 4 | T | T | | | | |
| 14 | V195 - 164 - 020 - 40 | SCREW/4X20 | 8 | T | T | | | | |
| 15 | V201 - 261 – 202 – 00 | BOLT/M12X20 | 2 | T | T | | | | |
| 16 | V401 -160-012-00 | WASHER,SP/M12 | 2 | T | T | | | | |
| 17 | 3652 - 273 – 240 – 00 | SWITCH,LIFTING ASSY | 1 | T | T | | | | |
| 18 | 3652 – 273 – 241 – 00 | BULB,LAMP/12V,5W | 1 | t | T | | | | |
| 19 | 1596 - 669 - 611-00 | HARNESS,WORK/F | 1 | T | T | | | | |
| 20 | 1596 - 669 - 612 – 00 | HARNESS,WORK/F | 1 | t | T | | | | |
| 21 | 1581 - 621 - 290 - 00 | RELAY/4P | 1 | T | T | | | | |
| 22 | V210 - 360 – 601 – 60 | BOLT (SP) /M6X16 | 1 | T | t | | | | |
| 23 | 1426 – 621 – 038 - 00 | CLAMP,HARNESS | 3 | T | T | | | | |
| 24 | 1521 - 621 – 550 – 00 | CLOCK ASSY | 1 | T | T | | | | |
| 25 | V360 – 260 - 006 - 00 | NUT/M6 | 2 | r | T | | | | |


# FIG.147 ELECTRICAL SYSTEM (5) (C TYPE) (OPTION)




1511 IIIY

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1566 - 669 – 520 - 00 | CLINOMETER SET | 1 | T | T | | | | |
| 27 | 1521 – 621 - 542 – 00 | PANEL,FRONT | 1 | T | T | | | | |
| 28 | 1521 - 621 – 543 - 00 | SCREW | 4 | t | t | | | | |
| 29 | 1521 - 621 - 544 - 00 | HARNESS,WIRE/LAMP | 1 | T | t | | | | |
| 30 | V360 - 260 - 006 - 00 | NUT/M6 | 2 | T | T | | | | |


# FIG.148 ELECTRICAL SYSTEM (6) (C TYPE) (OPTION)




1596-669Y


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | RP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 3670 - 246 - 510 - 00 | RADIO/AM ASSY | | T | T | | | | |
| 2 | 1432 - 625 - 432 - 00 | KNOB/B | 2 | T | T | | | | |
| S | 1432 - 625 - 431 - 00 | KNOB/A | 2 | T | T | | | | |
| 4 | 1432 - 625 - 441 - 00 | BOLT | 2 | T | T | | | | |
| 5 | 1518 - 621 - 644 - 00 | HARNESS,WIRE | 1 | t | T | | | | |
| 6 | 1518 - 621 - 645 - 00 | HARNESS,WIRE/SPEAKER | 1 | T | T | | | | |
| 7 | 1518 - 621 - 650 - 00 | SPEAKER ASSY | 1 | T | T | | | | |
| 8 | 1518 - 621 - 651 - 00 | COVER,SPEAKER | 1 | T | T | | | | |
| 9 | 1518 - 621 - 653 - 00 | SCREW/M4X20 | 4 | T | T | | | | |
| 10 | V413 - 160 - 004 - 00 | WASHER,PL/M 4 | 4 | T | t | | | | |
| 11 | 1518 - 621 - 651 - 00 | COVER,SPEAKER | 1 | T | T | | | | |
| 12 | 1518 - 621 - 660 - 00 | CORD ASSY | 1 | T | T | | | | |
| 13 | 1432 - 625 - 460 - 10 | ANTENNA ASSY | 1 | T | T | | | | |
| 14 | 1518 - 621 - 631 - 00 | HARNESS,WIRE | 1 | 1-54 | 1-424 | | | | |
| 14A | 1634 - 621 - 631 - 00 | HARNESS,RADIO/DIN | 1 | 55- | 425- | | | | |
| 15 | V300 - 260 - 006 - 00 | NUT/M 6 | 8 | T | T | | | | |
| 16 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 8 | T | T | | | | |
| 17 | V411 - 260 - 006 - 00 | WASHER / M6 | 8 | T | T | | | | |
| 18 | VI11 - 164 - 001 - 20 | SCREW/M4X12 | 1 | T | T | | | | |
| 19 | VI11 - 164 - 001 - 60 | SCREW/M4X16 | 1 | T | T | | | | |
| 20 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 2 | T | T | | | | |
| 21 | 1426 - 621 - 038 - 00 | CLAMP,HARNESS | 5 | t | T | | | | |
| 22 | 1566 - 770 - 103 - 00 | PLATE | 1 | T | T | | | | |
| 23 | 1566 - 770 - 104 - 00 | PLATE | 1 | T | T | | | | |
| 24 | 1599 - 669 - 101 - 00 | HARNESS,COOLER | 1 | T | t | | | | |


# FIG.148 ELECTRICAL SYSTEM (6) (C TYPE) ( OPTION)





| KEY | PART CODE | DESCRIPTION | arY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1581 - 621 - 290 - 00 | RELAY/4P | 1 | T | T | | | | |
| 26 | Y210 - 360 - 601 - 60 | SOLT (SP) /M6X16 | 1 | T | T | | | | |
| 27 | 1566 - 669 - 107 - 00 | INSULATOR | 1 | T | T | | | | |
| 28 | 1566 - 669 - 108 - 10 | INSULATOR/790 | 1 | T | T | | | | |
| 29 | 1566 - 669 - 109 - 00 | INSULATOR | 1 | T | T | | | | |
| 30 | Y111 - 165 - 002 - 50 | SCREW/M5XO.8X25 | 8 | T | T | | | | |
| 31 | 1518 - 935 - 500 - 00 | HORN,HEAD SET | 1 | T | T | | | | |
| 32 | 1518 - 935 - 501 - 00 | ADAPTER | 1 | T | t | | | | |
| | | | | | | | | | |

# FIG.149 ELECTRICAL SYSTEM (7) (C TYPE) ( OPTION)











IS16-669Z

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1518 - 621 - 720 - 00 | MOTOR (B) ASSY | 1 | T | T | | | | |
| 2 | 1518 - 621 - 722 - 00 | RUBBER,SEAL/A | 1 | T | T | | | | |
| 3 | 1518 - 621 - 723 - 00 | PLATE,SEAL | 1 | r | T | | | | |
| 4 | 1518 - 621 -724 - 00 | NUT/M9 | 1 | T | T | | | | |
| 5 | 1518 - 621 - 725 - 00 | CAP,RUBBER | 1 | T | T | | | | |
| 6 | 1518 - 621 - 726 - 00 | GROMMET/5X14X2 | 1 | T | T | | | | |
| 7 | 1518 - 621 - 730 - 00 | ARM ASSY | 1 | T | T | | | | |
| 8 | 1518 - 621 - 740 - 00 | BLADE ASSY | 1 | T | T | | | | |
| 9 | VIII - 165 - 003 - 00 | SCREW/M5X30 | 1 | T | T | | | | |
| 10 | 1518 - 621 - 118 - 00 | Uナット (M05) | 1 | T | T | | | | |
| 11 | V411 - 260 - 005 - 00 | WASHER,PL/M 5 | 1 | T | T | | | | |
| 12 | 2701 - 101 - 052 - 00 | WASHER | 1 | T | T | | | | |
| 13 | 1650 - 658 - 21 3 - 00 | INSULATOR,WIPER | 1 | T | T | | | | |
| 14 | 1599 - 669 - 101 - 00 | HARNESS,COOLER | 1 | T | T | | | | |
| 15 | 1566 - 669 - 116 - 00 | HARNESS,WIPER/R | 1 | T | T | | | | |
| 16 | 1581-621 - 290 - 00 | RELAY/4P | 1 | T | T | | | | |
| 17 | V210 - 360 - 601 - 60 | SOLT (SP) /M6X16 | 1 | T | T | | | | |
| 18 | 1432 - 651 - 028 - 00 | GROMMET/9X13X2 | 1 | T | r | | | | |


# FIG.150 ELECTRICAL SYSTEM (8) (EXCEPT E15 TYPE)





1594-672

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1594 - 672 - 200 - 10 | HARNESS,PTO ASSY | 1 | ● | ● | | | | |
| 2 | 1560 - 666 - 010 - 00 | GROMMET/30 | 1 | ● | * | | | | |
| 3 | 1560 - 666 - 212 - 00 | DIODE | 1 | * | * | | | | |
| 4 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 1 | * | * | | | | |
| 5 | 1561 - 674 - 240 - 00 | SWITCH ASSY | 1 | * | * | | | | |
| 6 | VIII - 164 - 003 - 00 | SCREW/M4X30 | 2 | ● | * | | | | |
| 7 | V401 - 160 - 004 - 00 | WASHER,SP/M 4 | 2 | * | ● | | | | |
| 8 | V300 - 260 - 004 - 00 | NUT/M6 | 2 | ● | ● | | | | |
| 9 | V411 - 260 - 004 - 00 | WASHER.PL/M 4 | 4 | * | * | | | | |
| 10 | 1561 - 674 - 008 - 00 | INSULATOR,PTO SWITCH | 1 | * | * | | | | |
| 11 | 1561 - 674- 320 - 00 | METAL ASSY | 1 | * | * | | | | |
| 12 | 1561 - 674 - 322 - 00 | BUSH/6X8X5 | 1 | * | * | | | | |
| 13 | V420 - 160 - 010 - 00 | WASHER.TOOTH/M10 | 1 | * | ● | | | | |
| 14 | 1561 - 674 - 280-00 | NUT/M10 ASSY | 1 | ● | ● | | | | |
| 15 | 1561 - 674 - 003 - 00 | BOOT | 1 | ● | * | | | | |
| 16 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 2 | * | * | | | | |
| 17 | 1376 - 402 - 003 - 00 | BAND,WIRE/140 | 1 | * | * | | | | |
| 18 | 1561 - 674 - 310 - 20 | PLATE COMP | 1 | ● | * | | | | |
| 19 | 1414 - 312 - 002 - 00 | SPRING,TENSION/53 | 1 | ● | * | | | | |
| 20 | 1561 - 674 - 007 - 00 | TUBE | 2 | ● | ● | | | | |
| 21 | 1561 - 674 - 220 - 50 | LEVER | 1 | ● | * | | | | |
| 22 | VIII - 163 - 002 - 00 | SCREW M3X20 | 1 | ● | ● | | | | |
| 23 | V401 - 160 - 003 - 00 | WASHER,SP/M 3 | 1 | ● | ● | | | | |


# FIG.151 REAR VIEW MIRROR SYSTEM





(E61 TYPE EXCEPT C)





(E41,E51 TYPE EXCEPT B)





(B TYPE)





(E15 TYPE)




(C TYPE)






1560-680

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1544 - 619 - 220 - 00 | MIRROR,BACK SET | 1 | * | * | | | | |
| 2 | V211 - 260 - 802 - 00 | BOLT,S/M8X20 | 2 | * | * | | | | |
| 3 | 1560 - 680 - 210 - 00 | MIRROR/156X121,L SET | 1 | | * | | | | |
| 4 | V211 - 260 - 802-00 | BOLT,S/M8X20 | 2 | | * | | | | |
| 5 | 1518 - 621 - 480 - 00 | MIRROR,BACK ASSY | 2 | | * | | | | |
| 6 | 1518 - 621 - 483 - 00 | PIVOT | 2 | | * | | | | |
| 7 | 1518 - 621 - 484 - 00 | BRACKET,MIRROR | 2 | | * | | | | |
| 8 | V111 - 165 - 001 - 20 | SCREW/M6X40 | 6 | | * | | | | |
| 9 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | | * | | | | |
| 10 | V303 - 260 - 008 - 00 | NUT/M8 | 2 | | * | | | | |
| 11 | 151 8 - 621 - 485 - 00 | WASHER | 2 | | * | | | | |
| 12 | 1566 - 682 - 200 - 10 | STAY,BAR 16/LH caMP | 1 | | 1--358 359- | | | | |
| 12A | 1566 - 682 - 200 - 30 | STAY,BAR 16/LH caMP | 1 | | | | | | |
| 13 | 1566 - 682 - 210 - 10 | STAY,BAR 16/RH caMP | 1 | | I--358 359- | | | | |
| 13A | 1566 - 682 - 210 - 30 | STAY,BAR 16/RH caMP | 1 | | | | | | |
| 14 | V304 - 260 - 01 6 - 00 | NUT/M16 | 2 | | * | | | | |
| 15 | V401 - 160 - 016-00 | WASHER,SP/M16 | 2 | | * | | | | |
| 16 | 1566 - 682 - 500 - 00 | BRACKET,MIRROR/LH | 1 | | * | | | | |
| 17 | 1566 - 682 - 510 - 00 | BRACKET,MIRROR/RH | 1 | | * | | | | |
| 18 | V211 - 661 - 002 - 00 | BOLT/MI OX20 | 4 | | * | | | | |
| 19 | 1554 - 621 - 230 - 00 | MIRROR,BACK ASSY | 2 | | * | | | | |
| 20 | 1554 - 621 - 232 - 00 | NUT (M04) | 4 | | * | | | | |
| 21 | 1554 - 621 - 233 - 00 | PIVOT | 2 | | * | | | | |
| 22 | 1554 - 621 - 234 - 00 | WASHER,SPRING | 2 | | * | | | | |
| 23 | 1554 - 621 - 235 - 00 | NUT/M8 | 2 | | * | | | | |


# FIG.151 REAR VIEW MIRROR SYSTEM





(E61 TYPE EXCEPT C)





(E41,E51 TYPE EXCEPT B)









(B TYPE)

(E 15 TYPE)




(C TYP E)








1

1S9E E82A

| KEY | PART CODE | DESCRIPTION | 01Y | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | 1554 - 621 - 236 - 00 | BOLT | 4 | | * | | | | |
| 25 | 1566 - 682 - 200 - 10 | STAY,BAR 16/LH caMP | 1 | | * | | | | |
| 26 | 1566 - 682 - 210 - 10 | STAY,BAR 16/RH caMP | 1 | | * | | | | |
| 27 | V304 - 260 - 01 6 - 00 | NUT/M16 | 2 | | * | | | | |
| 28 | V401 -160 - 016-00 | WASHER,SP/M16 | 2 | | * | | | | |
| 29 | 1596 - 682 - 500 - 00 | BRACKET,MIRROR/LH | 1 | | * | | | | |
| 30 | 1596 - 682 - 51 0 - 00 | BRACKET,MIRROR/RH | 1 | | * | | | | |
| 31 | V211 - 661 - 002 - 00 | BOLT/M 1OX20 | 4 | | * | | | | |
| 32 | 1554 - 621 - 230 - 00 | MIRROR,BACK ASSY | 2 | * | * | | | | |
| 33 | 1554 - 621 - 232 - 00 | NUT (M04) | 4 | * | * | | | | |
| 34 | 1554 - 621 - 233 - 00 | PIVOT | 2 | * | * | | | | |
| 35 | 1554 - 621 - 234 - 00 | WASHER,SPRING | 2 | * | * | | | | |
| 36 | 1554 - 621 - 235 - 00 | NUT/M8 | 2 | * | * | | | | |
| 37 | 1554 - 621 - 236 - 00 | BOLT | 4 | * | * | | | | |
| 38 | 1566 - 682 - 200 - 10 | STAY,BAR 16/LH caMP | 1 | | 1--358 | | | | |
| 38A | 1566 - 682 - 200 - 30 | STAY,BAR 16/LH caMP | 1 | | 359- | | | | |
| 39 | 1566 - 682 - 21 0 - 10 | STAY,BAR 16/RH caMP | 1 | | 1--358 | | | | |
| 39A | 1566 - 682 - 210 - 30 | STAY,BAR 16/RH caMP | 1 | | 359- | | | | |
| 40 | V304 - 260 - 016 - 00 | NUT/M16 | 2 | * | * | | | | |
| 41 | V401-160 - 016-00 | WASHER,SP/M 16 | 2 | * | * | | | | |
| 42 | 1566 - 682 - 500 - 00 | BRACKET,MIRROR/LH | 1 | * | * | | | | |
| 43 | 1566 - 682 - 510 - 00 | BRACKET,MIRROR/RH | 1 | * | * | | | | |
| 44 | V211 - 661 - 002 - 00 | BOLT/M10X20 | 4 | * | * | | | | |


# FIG.152 FRONT FRAME SYSTEM (C TYPE) (T - No. 1~53 • F - No. 1~408)




1599-701

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LEGEND C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 701 - 500 - 10 | FRAME,FRONT/LH caMP | 1 | i--53 | i--408 | | | | |
| 2 | 1596 - 701 - 510 - 10 | FRAME,FRONT/RH caMP | 1 | i--53 | i--408 | | | | |
| 3 | V211 - 661 - 002 - 00 | BOLT/M1DX2D | 4 | i--53 | i--408 | | | | |
| 4 | 1568 - 701 - 001 - 00 | INSULATOR | 1 | i--53 | i--408 | | | | |
| 5 | V201 - 361 - 002 - 50 | BOLT/M1DX25 | 4 | i--53 | 1--408 | | | | |
| 6 | V304 - 460 - 010 - 00 | NUT/MID | 4 | i--53 | i--408 | | | | |
| 7 | 1568 - 701 - 500 - 10 | FRAME,FRONT caMP | 1 | 1--53 | 1--408 | | | | |
| 8 | V401 - 160 - 010 - 00 | WASHER,SP/MID | 4 | i--53 | i--408 | | | | |
| 9 | V411 - 260 - 010 - 00 | WASHER/MID | 4 | i--53 | i--408 | | | | |
| 10 | V211 - 660 - 802 - 00 | BOLT/ex2D | 4 | i--53 | i--408 | | | | |
| 11 | V201 - 361 - 203 - 00 | BOLT/MI2X3D | 2 | i--53 | i--408 | | | | |
| 12 | V304 - 460 - 012 - 00 | NUT/MI2 | 2 | 1--53 | 1--408 | | | | |
| 13 | V401 - 160 - 012 - 00 | WASHER,SP/M12 | 2 | i--53 | i--408 | | | | |
| 14 | V411 - 260 - 012 - 00 | WASHER /M12 | 2 | i--53 | i--408 | | | | |
| 15 | 1434 - 611 - 002 - 10 | CAP (Me) | 5 | i--53 | 1--408 | | | | |


# FIG.153 FRONT FRAME SYSTEM (B,C,E15 TYPE) (T - No. 54~ • F - No. 409~)




1596-701X

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596-701-500-10 | FRAME,FRONT/LH COMP | 1 | 54- | 409- | | | | |
| 2 | 1596-701-510-10 | FRAME,FRONT/RH COMP | 1 | 54- | 409- | | | | |
| 3 | V211-661-002-00 | BOLT/M10X20 | 4 | 54- | 409- | | | | |
| 4 | 1568-701-001-00 | INSULATOR | 1 | 54- | 409- | | | | |
| 5 | 1596-701-520-10 | FRAME,FRONT COMP | 1 | 54- | 409- | | | | |
| 6 | V201-361-208-00 | BOLT/M12X80 | 4 | 54- | 409- | | | | |
| 7 | V401-160-012-00 | WASHER,SP/M12 | 4 | 54- | 409- | | | | |
| 8 | V304-460-012-00 | NUT/M12 | 4 | 54- | 409- | | | | |
| 9 | V201-361-002-50 | BOLT/M10X25 | 4 | 54- | 409- | | | | |
| 10 | V304-460-010-00 | NUT/M10 | 4 | 54- | 409- | | | | |
| 11 | 1568-701-500-10 | FRAME,FRONT COMP | 1 | 54- | 409- | | | | |
| 12 | V401-160-010-00 | WASHER,SP/M10 | 4 | 54- | 409- | | | | |
| 13 | V411-260-010-00 | WASHER/M10 | 4 | 54- | 409- | | | | |
| 14 | V211-660-802-00 | BOLT/8X20 | 4 | 54- | 409- | | | | |
| 15 | V201-361-203-00 | BOLT/M12X30 | 2 | 54- | 409- | | | | |
| 16 | V304-460-012-00 | NUT/M12 | 2 | 54- | 409- | | | | |
| 17 | V401-160-012-00 | WASHER,SP/M12 | 2 | 54- | 409- | | | | |
| 18 | V411-260-012-00 | WASHER /M12 | 2 | 54- | 409- | | | | |
| 19 | 1434-611-002-10 | CAP (M8) | 5 | 54- | 409- | | | | |
| 20 | 1566-701-101-10 | FRAME,SIDE | 2 | 54- | 409- | | | | |


# FIG.154 FRAME SYSTEM (C.E15 TYPE) (T - No.1 ~53 • F- No. 1~408)




1597-702

| KEY | PART CODE | DESCRIPTION | an | TYPE OF TA545T | MODEL TA545F | TOOL GRP | REMARKS |
|---|---|---|---|---|---|---|---|
| 1 | 1597-702-200-00 | FRAME COMP | 1 | | 1--238 | | |
| 1A | 1597-702-200-10 | FRAME COMP | 1 | | 239--366 | | |
| 1B | 1597-702-200-20 | FRAME COMP | 1 | | 367--408 | | |
| 2 | 1632-702-200-00 | FRAME COMP | 1 | 1--35 | 1--238 | | |
| 2A | 1632-702-200-10 | FRAME COMP | 1 | 36--43 | 239--335 | | |
| 2B | 1632-702-200-20 | FRAME COMP | 1 | 44--48 | 336--366 | | |
| 2C | 1632-702-200-30 | FRAME COMP | 1 | 49--53 | 367--408 | | |
| 3 | V411-260-012-00 | WASHER/M12 | 4 | 1--53 | 1--408 | | |
| 4 | V304-460-012-00 | NUT/M12 | 4 | 1--53 | 1--408 | | |
| 5 | V305-260-012-00 | NUT/M12 | 4 | 1--53 | 1--408 | | |
| 6 | 1566-702-101-10 | INSULATOR | 2 | 1--53 | 1--408 | | |
| 7 | V251-341-204-50 | BOLT,STUD/MI2X45 | 2 | 1--53 | 1--408 | | |
| 8 | 560-702-102-10 | BOLT,STUD/M12 | 2 | 1--53 | 1--408 | | |
| 9 | V201-261-202-00 | BOLT/M12X20 | 8 | 1--53 | 1--408 | | |
| 10 | V411-260-012-00 | WASHER/M12 | 8 | 1--53 | 1--408 | | |
| 11 | 1568-744-102-10 | INSULATOR | | 1--53 | 1--408 | | |
| 12 | 1568-744-103-00 | INSULATOR/RH | | 1--53 | 1--408 | | |


# FIG.155 REAR FRAME SYSTEM (C,E15 TYPE) (T - No. 54~ • F- No. 409~)




1596-702K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MOOEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 702 - 500 - 20 | FRAME,REAR COMP | 1 | 54- | 409- | | | | |
| 2 | 1596 - 702 - 510 - 30 | FRAME,REAR COMP | 1 | 54- | 409- | | | | |
| 3 | V411 - 260 - 012 - 00 | WASHER /MI2 | 4 | 54- | 409- | | | | |
| 4 | V304 - 460 - 012 - 00 | NUT/M12 | 4 | 54- | 409- | | | | |
| 5 | V305 - 260 - 01 2 - 00 | NUT/MI2 | 4 | 54- | 409- | | | | |
| 6 | 1566 - 702 - 101 - 10 | INSULATOR | 2 | 54- | 409- | | | | |
| 7 | V251 - 341 - 204 - 00 | BOLT,STUD/M 12><40 | 2 | 54- | 409- | | | | |
| 8 | 1560 - 702 - 102 - 10 | BOLT,STUD/M 12 | 2 | 54- | 409- | | | | |
| 9 | V201 - 361 - 208 - 00 | BOLT/MI 2><80 | 4 | 54- | 409- | | | | |
| 10 | V401 - 160 - 012 - 00 | WASHER,SP/MI2 | 4 | 54- | 409- | | | | |
| 11 | V304 - 460 - 012 - 00 | NUT/MI2 | 4 | 54- | 409- | | | | |
| 12 | 1568 - 744 - 102 - 10 | INSULATOR | 1 | 54- | 409- | | | | |
| 13 | 1568 - 744 - 103 - 00 | INSULATOR/RH | 1 | 54- | 409- | | | | |

# FIG.156 SUB FENDER SYSTEM (B,C,E15 TYPE)





1569703L

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATOR C | L | GROUP P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 703 - 520 - 00 | FENDER,SUB/LH COMP | 1 | | | | | | |
| 2 | 1568 - 703 - 530 - 00 | FENDER,SUB/RH COMP | 1 | | | | | | |
| 3 | V201 - 461 - 003 - 50 | BOLT/MI0X35 | 14 | | | | | | |
| 4 | V401 - 160 - 010 - 00 | WASHER,SP/MIO | 14 | | | | | | |
| 5 | V411 - 260 - 010 - 00 | WASHER/MIO | 16 | | | | | | |
| 6 | V303 - 460 - 010 - 00 | NUT/MIO | 2 | 1--43 | 1--366 | | | | |
| 6A | 1646 - 703 - 001 - 00 | NUT/M6 | 2 | 44- | 367- | | | | |
| 7 | 1427 - 201 - 016 - 00 | CAP,BLANK/MI2 | 4 | | | | | | |
| 8 | 1566 - 703 - 540 - 10 | BRACKET,REAR COMP | 1 | 1--52 | 1--391 | | | | |
| 8A | 1566 - 703 - 540 - 20 | BRACKET,REAR COMP | | 53- | 392- | | | | |
| 9 | V201 - 460 - 803 - 00 | BOLT/M8XI2 | 4 | | | | | | |
| 10 | V411 - 260 - 008 - 00 | WASHER,PVM 8 | 4 | | | | | | |
| 11 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 4 | | | | | | |


# FIG.157 ROOF SYSTEM (C TYPE)

(KEY 3-13 FOR EXCEPT 0 TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 705 - 500 - 00 | ROOF COMP | 1 | * | * | | | | |
| 2 | V211 - 660 - 802 - 00 | BOLT/ax20 | 4 | * | * | | | | |
| 3 | 1596 - 705 - 520 - 00 | STAY/LH COMP | 1 | * | * | | | | |
| 4 | 1596 - 705 - 530 - 00 | STAY/RH COMP | 1 | * | * | | | | |
| 5 | V120 - 366 - 001 - 60 | SCREW | 6 | * | * | | | | |
| 6 | 1596 - 705 - 540 - 00 | STAY,FRONT COMP | 1 | * | * | | | | |
| 7 | V211 - 661 - 002 - 00 | BOLT/M10X20 | 2 | * | * | | | | |
| 8 | 1596 - 705 - 550 - 00 | LINING,HEAD ASSY | 1 | * | * | | | | |
| 9 | 1518 - 618 - 002 - 00 | CLIP,TRIM | 16 | * | * | | | | |
| 10 | 1596 - 705 - 101 - 00 | PLATE | 2 | * | * | | | | |
| 11 | V120 - 366 - 001 - 60 | SCREW | 4 | * | * | | | | |
| 12 | 1596 - 705 - 610 - 00 | STAY,REAR COMP | 1 | * | * | | | | |
| 13 | VI 20 - 366 - 001 - 60 | SCREW | 3 | * | * | | | | |
| 14 | 1596 - 705 - 102 - 00 | TRIM/1210 | 1 | I--16 17- | 1--137 138- | | | | |
| 14A | 1566 - 705 - 005 - 00 | INSULATOR | 1 | | | | | | |
| 15 | 1596 - 705 - 103 - 00 | TRIM/I025 | 2 | * | * | | | | |
| 16 | 1596 - 705 - 104 - 00 | INSULATOR | 1 | * | * | | | | |
| 17 | 1596 - 705- 106 - 00 | ORNAMENT,ROOF | 1 | * | * | | | | |
| 18 | 1596 - 705- 107 - 00 | ORNAMENT,ISEKI | 1 | 1--54 55- | 1--511 512- | | | | |
| 18A | 1566 - 705- 102 - 00 | ORNAMENT,ROOF | 1 | | | | | | |
| 19 | 1596 - 752- 101 - 00 | INSULATOR,ROOF | 1 | * | * | | | | |


# FIG.158 ROOF SYSTEM (E15 TYPE) ( F - No. 1~408)




1566-705K


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 705 - 200 - 20 | ROOF COMP | | | 1-408 | | | | 1 |
| 2 | 1566 - 705 - 210 - 00 | L1NING,HEAD ASSY | | | 1-408 | | | | |
| 3 | 1566 - 705 - 220 - 00 | PLATE COMP | 4 | | 1-408 | | | | |
| 4 | V362 - 260 - 008 - 00 | NUT,LOCK/M8 | 4 | | 1-408 | | | | |
| 5 | 1566 - 705 - 001 - 00 | COVER | 4 | | 1-408 | | | | |
| 6 | 1566 - 705 - 006 - 00 | CAP/08 | 4 | | 1-408 | | | | |
| 7 | 1566 - 705 - 002 - 00 | TRIM | 1 | | 1-408 | | | | |
| 8 | 1566 - 705 - 102 - 00 | ORNAMENT,ROOF | 1 | | 1-408 | | | | |
| 9 | 1566 - 705 - 005 - 00 | INSULATOR | 1 | | 1-408 | | | | |
| 10 | 1432 - 621 - 011 - 00 | CAP,BLANK/M16 | 4 | | 1-408 | | | | |
| 11 | 1566 - 705 - 007 - 00 | PLATE | | | 1-408 | | | | |

# FIG.159 **ROOF** SYSTEM (E15 TYPE) ( F - No. 409～)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 705 - 500 - 00 | ROOF COMP | 1 | | 409- | | | | |
| 2 | V211 – 660 – 802 - 00 | SOLT/8X20 | 4 | | 409- | | | | |
| 3 | 1596 – 705 - 520 - 00 | STAY/LH COMP | 1 | | 409- | | | | |
| 4 | 1596 - 705 - 530 – 00 | STAY/RH COMP | 1 | | 409- | | | | |
| 5 | V120 - 366 - 001 - 60 | SCREW | 6 | | 409- | | | | |
| 6 | 1596 - 705 - 540 – 00 | STAY,FRONT COMP | 1 | | 409- | | | | |
| 7 | V211 - 661 - 002 - 00 | SOLT/M 10X20 | 2 | | 409- | | | | |
| 8 | 1596 - 705 - 620 - 00 | IINING,HEAD ASSY | 1 | | 409- | | | | |
| 9 | 1518 - 618 – 002 – 00 | CIIP.TRIM | 16 | | 409- | | | | |
| lD | 1596 - 705 - 101 - 00 | PLATE | 2 | | 409- | | | | |
| 11 | V120 – 366 - 001 – 60 | SCREW | 4 | | 409- | | | | |
| 12 | 1596 - 705 - 610 - 00 | STAY,REAR COMP | 1 | | 409- | | | | |
| 13 | VI 20 - 366 - 001 – 60 | SCREW | 3 | | 409- | | | | |
| 14 | 1566 - 705 – 005 – 00 | INSULATOR | 1 | | 409- | | | | |
| 15 | 1596 - 705 - 103 - 00 | TRIM/1025 | 2 | | 409- | | | | |
| 16 | 1596 - 705 - 104 - 00 | INSULATOR | 1 | | 409- | | | | |
| 17 | 1596 - 705 - 106 - 00 | ORNAMENT,ROOF | 1 | | 409- | | | | |
| 18 | 1596 - 705 - 107 - 00 | ORNAMENT,ISEKI | 1 | | 1--511 | | | | |
| 18A | 1566 - 705 - 102 – 00 | ORNAMENT,ROOF | 1 | | 512- | | | | |


# FIG.160 ROOF SYSTEM (D TYPE) (T - No. 1～53 • F - No. 1～408)




1599-7051

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 2 | 1599-705-701-00 | NET | 1 | 1--53 | 1--408 | | | | |
| | V120-366-001-60 | SCREW | 3 | 1--53 | 1--408 | | | | |
| 3 | 1432-765-028-00 | GROMMET/9X13X2 | 1 | 1--53 | 1--408 | | | | |
| 4 | 1599-705-003-00 | TRIM/2210 | 1 | 1--53 | 1--408 | | | | |
| 5 | 1599-705-510-10 | LINING,HEAD ASSY | 1 | 1--53 | 1--408 | | | | |
| 6 | 1566-705-006-00 | CAP/DB | 8 | 1--53 | 1--408 | | | | |
| 7 | 1599-705-520-00 | FRAME,ROOF COMP | 1 | 1--53 | 1--408 | | | | |
| 8 | V210-360-601-60 | BOLT (SP) /M6X16 | 8 | 1--53 | 1--408 | | | | |


# FIG.161 ROOF SYSTEM (D TYPE) (T - No. 54~ • F - No. 409~)




1566-705M

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1566 - 705 - 103 - 00 | NET | 1 | 54- | 409- | | | | |
| 2 | V120 - 366 - 001 - 60 | SCREW | 3 | 54- | 409- | | | | |
| 3 | 1432 - 651 - 028 - 00 | GROMMET/9X13X2 | 1 | 54- | 409- | | | | |
| 4 | 1566 - 705 - 104 - 00 | TRIM/2160 | 1 | 1-54 | 409--424 | | | | |
| 4A | 1566 - 705 - 012 - 00 | TRIM/2080 | 1 | 55- | 425- | | | | |
| 5 | 1599 - 705 - 510 - 10 | L1NING.HEAD ASSY | 1 | 54- | 409- | | | | |
| 6 | 1566 - 705 - 006 - 00 | CAP/08 | 18 | 54- | 409- | | | | |
| 7 | V201 - 260 - 801 - 60 | BOLT/M 8X16 | 6 | 54- | 409- | | | | |
| 8 | 1599 - 705 - 240 - 00 | FRAME.ROOF/LH COMP | 1 | 54- | 409- | | | | |
| 9 | 1599 - 705 - 250 - 00 | FRAME,ROOF/RH COMP | 1 | 54- | 409- | | | | |
| 10 | 1599 - 705 - 500 - 00 | PLATE,COOLER COMP | 1 | 54- | 409- | | | | |
| 11 | 1599 - 780 - 500 - 10 | BRACKET,HEAT COMP | 1 | 54- | 409- | | | | |
| 12 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 8 | 54- | 409- | | | | |


# FIG.162 FRONT GLASS SYSTEM (S,C TYPE)




1596 121

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 721-101 -00 | GLASS,FRONT | 1 | * | * | | | | |
| 2 | 1581 - 740 - 112 - 00 | HINGE | 2 | * | * | | | | |
| 3 | 1566 - 731 - 107 - 00 | RING,RETANING/E07 | 2 | * | * | | | | |
| 4 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 2 | * | * | | | | |
| 5 | 1566 - 721 - 103 - 00 | GROMMET/13X17X02 | 2 | * | * | | | | |
| 6 | 1581 - 740 - 113 - 00 | GROMMET/13X17X02 | 2 | * | * | | | | |
| 7 | 1581 – 740 - 114 - 00 | WASHER/07X36X03 | 2 | * | * | | | | |
| 8 | V120 - 366 - 002 - 50 | SCREW,SP/M6X25 | 2 | * | * | | | | |
| 9 | 1581 – 742 – 102 - 00 | NUT,GLASS | 2 | * | * | | | | |
| 10 | 1581 - 740 – 11 3 – 00 | GROMMET/13X17X02 | 2 | * | * | | | | |
| 11 | 1581 - 742 - 582 - 00 | INSULATOR | 1 | * | * | | | | |
| 12 | 1581 - 742 - 590 - 00 | HANDLE,WIND LOCKASSY | 1 | * | * | | | | |
| 13 | V120 - 266 - 002 - 00 | SCREW,SEMS | 2 | * | * | | | | |
| 14 | 1564 - 743 – 102 - 00 | DAMPER,WIND ASSY | 2 | * | * | | | | |
| 15 | 1581 - 742 – 105 - 00 | EIOLT,SET/M6X14 | 4 | * | * | | | | |
| 16 | 1566 - 743 - 103 - 00 | COLLAR/06X12X05 | 2 | * | * | | | | |
| 17 | 1581 - 742 - 102 - 00 | NUT,GLASS | 2 | * | * | | | | |
| 18 | 1581 - 740 - 113 - 00 | GROMMET/13X17X02 | 4 | * | * | | | | |
| 19 | 1581 - 742 - 621 -00 | PLATE | 2 | * | * | | | | |
| 20 | V120 - 376 - 001 - 60 | SCREW,SP/M6X16 | 2 | * | * | | | | |
| 21 | V301 – 260 - 006 - 00 | NUT/M 6 | 2 | * | * | | | | |
| 22 | V401 – 160 – 006 - 00 | WASHER,SP/M 6 | 2 | * | * | | | | |
| 23 | 1566 - 743 - 520 - 00 | STAY,LOCK COMP | 1 | * | * | | | | |
| 24 | 151 8 - 745 - 552 - 00 | PLATE,ARM A | 1 | * | * | | | | |
| 25 | V210 - 360 - 602 - 00 | EIOLT/SP | 2 | * | * | | | | |


# FIG.162 FRONT GLASS SYSTEM (S,C TYPE)




1596 721

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | CAL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1596 - 721 - 102 - 00 | GLASS,FRONT | 2 | * | * | | | | |
| 27 | 1581 -742 - 102 - 00 | NUT,GLASS | 4 | * | * | | | | |
| 28 | V120 - 366 - 002 - 50 | SCREW,SP/M6X25 | 4 | * | * | | | | |
| 29 | 1581 - 740 - 113 - 00 | GROMMET/13X17X02 | 4 | * | * | | | | |
| 30 | 1566 - 721 - 103 - 00 | GROMMET/13X17X02 | 4 | * | * | | | | |
| 31 | 1566 - 722 - 101 - 10 | INSULATOR | 1 | * | * | | | | |
| 32 | 1566 - 722 - 102 - 10 | INSULATOR/LH | 1 | * | * | | | | |
| 33 | 1566 - 722 - 103 - 10 | INSULATOR/RH | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.163 DOOR SYSTEM (C TYPE) (T－No.1～53 • F－No.1～408)




1568 730

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 730 - 500 - 20 | DOOR/LH COMP | 1 | I--53 | I-408 | | | | |
| 2 | 1568 - 730 - 520 - 20 | DOOR/RH COMP | 1 | I--53 | I-408 | | | | |
| 3 | V211 － 560 - 802 - 50 | BOLT,SEMS/M8X25 IT | 12 | I--53 | I-408 | | | | |
| 4 | 1560 - 606 - 011 - 00 | CPA/13 | 4 | I--53 | I-408 | | | | |
| 5 | 1518 - 730 - 122 - 00 | WASHER/09X18X03 | 12 | I--53 | I-408 | | | | |
| 6 | V760 - 150 - 000 - 00 | NIPPLE,GREASE | 4 | I--53 | I-408 | | | | |
| 7 | 1566 - 730 - 101 - 10 | HINGE,DOOR/LH | 1 | I--53 | I-408 | | | | |
| 8 | 1566 - 730 - 102 - 10 | HINGE,DOOR/RH | 1 | I--53 | I-408 | | | | |
| 9 | 1566 - 730 - 103 - 10 | HINGE,DOOR/LH | 1 | I--53 | I-408 | | | | |
| 10 | 1566 - 730 - 104 - 10 | HINGE,DOOR/RH | 1 | I--53 | I-408 | | | | |
| 11 | 1566 - 730 - 540 - 00 | BRACKET COMP | 4 | I--53 | 1-408 | | | | |
| 12 | 1566 - 730 - 105 - 10 | PIN/16XI00 | 4 | I--53 | I-408 | | | | |
| 13 | V411 - 260 - 01 6 - 00 | WASHER / M16 | 4 | I--53 | I-408 | | | | |
| 14 | V305 - 260 - 012 - 00 | NUT/M12 | 4 | I--53 | I-408 | | | | |
| 15 | V401 - 160 - 01 2 - 00 | WASHER,SP/M 12 | 4 | I--53 | I-408 | | | | |
| 16 | V211 - 660 - 802 - 00 | 80LT/8X20 | 8 | I--53 | I-408 | | | | |
| 17 | 1566 - 730 - 106 - 00 | PLATE | 2 | I--53 | I-408 | | | | |
| 18 | V210 － 360 - 601 - 60 | BOLT (SP) /M6X16 | 4 | I--53 | I-408 | | | | |
| 19 | 1566 - 730 - 107 - 00 | COVER,DOOR/LH | 1 | 1--53 | 1-408 | | | | |
| 20 | 1566 - 730 - 113 - 00 | COVER,DOOR/RH | 1 | I--53 | I-408 | | | | |
| 21 | V120 - 366 - 001 - 20 | SCREW | 4 | I--53 | I-408 | | | | |
| 22 | 1566 － 730 - 108 － 00 | DAMPER,DOOR ASSY | 2 | I--53 | I-408 | | | | |
| 23 | 1427 - 210 - 003 - 00 | BOLT/M8X25 | 4 | I--53 | I-408 | | | | |
| 24 | 2144 － 117 - 002 - 00 | NUT/M8 | 4 | I--53 | I-408 | | | | |


# FIG.164 DOOR SYSTEM (C TYPE) (T -No. 54~ • F -No. 409~)




1596 73C

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1568 - 730 - 500 - 20 | DOOR/LH COMP | 1 | 54- | 409- | | | | |
| 2 | 1568 - 730 - 520 - 20 | DOOR/RH COMP | 1 | 54- | 409- | | | | |
| 3 | V211 - 560 - 802 - 50 | SOLT,SEMS/M8X25 7T | 12 | 54- | 409- | | | | |
| 4 | 1518 - 730 - 122 - 00 | WASHER/09X18X03 | 12 | 54- | 409- | | | | |
| 5 | 1560 - 606 - 011 - 00 | CPA/13 | 4 | 54- | 409- | | | | |
| 6 | 1566 - 730-101-10 | HINGE,DOOR/LH | 1 | 54- | 409- | | | | |
| 7 | 1566 - 730 - 102 - 10 | HINGE,DOOR/RH | 1 | 54- | 409- | | | | |
| 8 | 1566 - 730 - 103 - 10 | HINGE,DOOR/LH | 1 | 54- | 409- | | | | |
| 9 | 1566 - 730 - 104 - 10 | HINGE,DOOR/RH | 1 | 54- | 409- | | | | |
| 10 | V760 - 150 - 000 - 00 | NIPPLE,GREASE | 4 | 54- | 409- | | | | |
| 11 | 1566 - 730 - 540 - 00 | BRACKET COMP | 4 | 54- | 409- | | | | |
| 12 | 1566 - 730 - 105 - 10 | PIN/16X100 | 4 | 54- | 409- | | | | |
| 13 | V211 - 660 - 802 - 00 | BOLT/8X20 | 8 | 54- | 409- | | | | |
| 14 | V411 - 260 - 016-00 | WASHER / M16 | 4 | 54- | 409- | | | | |
| 15 | V305 - 260 - 012 - 00 | NUT/M12 | 4 | 54- | 409- | | | | |
| 16 | V401 -160-012-00 | WASHER,SP/M12 | 4 | 54- | 409- | | | | |
| 17 | 1566 - 730 - 106 - 00 | PLATE | 2 | 54- | 409- | | | | |
| 18 | V210 - 360 - 601 - 60 | SOLT (SP) /M6X16 | 4 | 54- | 409- | | | | |
| 19 | 1566 - 730 - 113 - 00 | COVER,DOOR/RH | 1 | 54- | 409- | | | | |
| 20 | 1566 - 730 - 107 - 00 | COVER,DOOR/LH | 1 | 54- | 409- | | | | |
| 21 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 4 | 54- | 409- | | | | |
| 22 | 1566 - 730 - 108 - 00 | DAMPER,DOOR ASSY | 2 | 54- | 409- | | | | |
| 23 | 1427 - 210 - 003 - 00 | BOLT/MBX25 | 4 | 54- | 409- | | | | |
| 24 | 2144 - 117 - 002 - 00 | NUT/MB | 4 | 54- | 409- | | | | |
| 25 | 1566 - 730 - 560 - 10 | STAY,PLATE/LH COMP | 1 | 54- | 409- | | | | |


# FIG.164 DOOR SYSTEM (C TYPE) (T -No. 54~ • F -No. 409~)




1596-730

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1566 - 730 - 570 - 10 | STAY,PLATE/RH COMP | | 54- | 409- | | | | |
| 27 | V120 - 365 - 001 - 20 | BOLT/M6X16 | 12 | 54- | 409- | | | | |
| 28 | 1566 - 730 - 114 - 00 | INSULATOR | 2 | 54- | 409- | | | | |


# FIG.165 DOOR GLASS SYSTEM (C TYPE)




1596-731

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 731 - 101 - 00 | GLASS,SIDE | 2 | * | * | | | | |
| 2 | 1596 - 731 - 102 - 00 | GLASS,SIDE | 2 | * | * | | | | |
| 3 | 1581 - 740 - 112 - 00 | HINGE | 4 | * | * | | | | |
| 4 | 1581 - 740 - 114 - 00 | WASHER/07X36X03 | 4 | * | * | | | | |
| 5 | 1581 - 740 - 113 - 00 | GROMMET/13XI7X02 | 16 | * | * | | | | |
| 6 | V120-376 - 001-60 | SCREW,SP/M6XI6 | 8 | * | * | | | | |
| 7 | 1566 - 731 - 107 - 00 | RING,RETANING/E07 | 4 | * | * | | | | |
| 8 | 1566 - 731 - 500 - 00 | GRIP/LH COMP | 1 | * | * | | | | |
| 9 | 1581 - 740 - 552 - 10 | BAR | 1 | * | * | | | | |
| 10 | 1581 - 740 - 553 - 10 | GRIP | 1 | * | * | | | | |
| 11 | 1488 - 302 - 003 - 00 | PIN | 1 | * | * | | | | |
| 12 | 1566 -731 - 510 - 00 | GRIP/RH COMP | 1 | * | * | | | | |
| 13 | 1581 - 740 - 552 - 10 | BAR | 1 | * | * | | | | |
| 14 | 1581 - 740 - 553 - 10 | GRIP | 1 | * | * | | | | |
| 15 | 1488 - 302 - 003 - 00 | PIN | 1 | * | * | | | | |
| 16 | 1581 -742 - 102 - 00 | NUT,GLASS | 4 | * | * | | | | |
| 17 | 1581 - 740 - 556 - 00 | GRIP | 2 | * | * | | | | |
| 18 | 1581 - 740 - 558 - 00 | INSULATOR | 2 | * | * | | | | |
| 19 | V580 - 140 - 601 - 60 | PIN SPLIT W 6.0X16 | 2 | * | * | | | | |
| 20 | 1566 - 731 - 540 - 10 | BRACKET/LH COMP | 1 | * | * | | | | |
| 21 | 1566 - 731 - 550 - 10 | BRACKET/RH COMP | 1 | * | * | | | | |
| 22 | 1568 - 731 - 103 - 00 | PLATE | 2 | * | * | | | | |
| 23 | 1566 - 731 - 106 - 00 | PLATE | 2 | * | * | | | | |
| 24 | 1560 - 604 - 022 - 70 | SPRING | 2 | * | * | | | | |
| 25 | V111 -176-001-00 | SCREW/M6XI0 | 4 | * | * | | | | |


# FIG.165 DOOR GLASS SYSTEM (C TYPE)




1566-731


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | V401 - 170 - 006 - 00 | WASHER,SP | 4 | * | * | | | | |
| 27 | V411 - 270 - 006 - 00 | WASHER | 4 | * | * | | | | |
| 28 | V304 - 260 - 008 - 00 | NUT/M 8 | 4 | * | * | | | | |
| 29 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 4 | * | * | | | | |
| 30 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 4 | * | * | | | | |
| 31 | 1568 - 732 - 101 - 00 | INSULATOR/LH | 1 | * | * | | | | |
| 32 | 1568 - 732 - 102 - 00 | INSULATOR/RH | 1 | * | * | | | | |
| 33 | 1568 - 732 - 103 - 00 | INSULATOR/LH | 1 | * | * | | | | |
| 34 | 1568 - 732 - 104 - 00 | INSULATOR/RH | 1 | * | * | | | | |
| 35 | 1568 - 732 - 105 - 00 | INSULATOR/LH | 1 | * | * | | | | |
| 36 | 1568 - 732 - 106 - 00 | INSULATOR/RH | 1 | * | * | | | | |
| 37 | 1568 - 731 - 500 - 00 | INSULATOR/LH SET | 1 | * | * | | | | |
| 38 | 1568 - 731 - 510 - 00 | INSULATOR/RH SET | 1 | * | * | | | | |
| 39 | 1566 - 732 - 113 - 00 | BUTTON | 8 | * | * | | | | |
| 40 | V300 - 260 - 006 - 00 | NUT/M 6 | 16 | * | * | | | | |
| 41 | V411 - 260 - 006 - 00 | WASHER / M6 | 8 | * | * | | | | |
| 42 | 1566 - 733 - 101 - 20 | PLATE | 2 | * | * | | | | |
| 43 | V211 - 660 - 802 - 00 | BOLT/8X20 | 4 | * | * | | | | |
| 44 | 1566 - 733 - 102 - 00 | STRIKER | 2 | * | * | | | | |
| 45 | 1566 - 733 - 500 - 00 | LOCK,DOOR SET | 1 | * | * | | | | |
| 46 | 1566 - 733 - 510 - 00 | HANDLE,INNER ASSY | 2 | * | * | | | | |
| 47 | 1566 - 733 - 520 - 00 | LOCK,HANDLE ASSY | 2 | * | * | | | | |
| 48 | 1566 - 733 - 530 - 00 | LOCK,DOOR ASSY | 2 | * | * | | | | |
| 49 | 1566 - 733 - 550 - 00 | KEY ASSY | 1 | * | * | | | | |
| 50 | V120 - 366-001 - 60 | SCREW | 8 | * | * | | | | |

# FIG.165 DOOR GLASS SYSTEM (C TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 51 | V112 - 165 - 001 - 60 | SCREW/M5X16 | 4 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.166 REAR GLASS SYSTEM (C TYPE)




1556 743


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 743 - 101 - 00 | GLASS,REAR | 1 | * | * | | | | |
| 2 | 1581 - 740 - 113 - 00 | GROMMET/13X17X02 | 10 | * | * | | | | |
| 3 | 1566 - 743 - 102 - 00 | DAMPER,WIND ASSY | 2 | * | * | | | | |
| 4 | 1581 - 742 - 105 - 00 | SOLT,SET/M6X14 | 4 | * | * | | | | |
| 5 | 1566 - 743 - 103 - 00 | COLLAR/06X12X05 | 2 | * | * | | | | |
| 6 | 1581 - 742 - 621 - 00 | PLATE | 2 | * | * | | | | |
| 7 | V300 - 260 - 006 - 00 | NUT/M 6 | 2 | * | * | | | | |
| 8 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | * | * | | | | |
| 9 | 1581 - 740 - 112 - 00 | HINGE | 2 | * | * | | | | |
| 10 | 1581 - 740 - 114 - 00 | WASHER/07X36X03 | 2 | * | * | | | | |
| 11 | 1566 - 731 - 107 - 00 | RING,RETANING/E07 | 2 | * | * | | | | |
| 12 | 1581 -742 - 590-00 | HANDLE,WIND LOCKASSY | 1 | * | * | | | | |
| 13 | V120 - 266 - 002 - 00 | SCREW,SEMS | 2 | * | * | | | | |
| 14 | 1581-742-582-00 | INSULATOR | 1 | * | * | | | | |
| 15 | VI 20 - 366 - 001 - 60 | SCREW | 4 | * | * | | | | |
| 16 | 1566 - 743 - 520 - 00 | STAY,LOCK COMP | 1 | * | * | | | | |
| 17 | 1518 - 745 - 552 - 00 | PLATE,ARM A | 1 | * | * | | | | |
| 18 | V210 - 360 - 602 - 00 | SOLT/SP | 2 | * | * | | | | |
| 19 | 1581 - 742 - 102 - 00 | NUT,GLASS | 4 | * | * | | | | |
| 20 | 1432 - 665 - 014 - 00 | GROMMET/13X17X5 | 1 | * | * | | | | |
| 21 | 1432 - 665 - 015 - 00 | GROMMET/6X10X5 | 1 | * | * | | | | |
| 22 | 1568 - 744 - 101 - 00 | INSULATOR | 1 | * | * | | | | |
| 23 | 1566 - 744 - 103 - 10 | INSULATOR | 2 | * | * | | | | |

# FIG.167 INTERIOR AND COCKPIT SYSTEM (C TYPE)





| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 760 - 500 - 00 | VISOR,SUN SET | 1 | 1--51 52- | 1--366 367- | | | | |
| 1A | 1596 - 760 - 500 - 10 | VISOR,SUN SET | 1 | * | * | | | | |
| 2 | 1518 - 760 - 560 - 00 | BRACKET, SUNVISOR LH | 1 | * | * | | | | |
| 3 | 1518 -760 - 570 - 00 | BRACKET, SUNVISOR RH | 1 | * | * | | | | |
| 4 | 1518 - 760 - 601 - 00 | SCREW | 2 | * | * | | | | |
| 5 | V211 - 660 - 801 - 60 | BOLT/M8X16 | 4 | * | * | | | | |
| 6 | 1596 - 762 - 101 - 00 | CARPET | 1 | 1--41 42- | 1--327 328- | | | | |
| 6A | 1596 - 762 - 101 - 10 | CARPET,FLooR | 1 | | | | | | |
| 7 | 1596 - 770 - 500 - 00 | PANEL,ROOF COMP | 1 | 1--54 55- | 1--424 425- | | | | |
| 7A | 1596 - 770 - 500 - 10 | PANEL,ROOF COMP | 1 | | | | | | |
| 8 | 1599 - 770 - 500 - 00 | PANEL,ROOF COMP | 1 | 1--45 46--54 55- | 1--347 348--424 425- | | | | |
| 8A | 1599 - 770 - 500 - 10 | PANEL,ROOF COMP | 1 | | | | | | |
| 88 | 1599 - 770 - 500 - 20 | PANEL,ROOF COMP | 1 | | | | | | |
| 9 | 1596 - 770 - 101 - 00 | PLATE | 1 | 1--54 55- | 1--424 425- | | | | |
| 9A | 1596 - 770 - 101 - 20 | PLATE | 1 | | | | | | |
| 10 | V120 - 366 - 001 - 60 | SCREW | 5 | * | * | | | | |
| 11 | V120 - 366 - 001 - 60 | SCREW | 6 | * | * | | | | |
| 12 | 1596 - 770 - 510 - 00 | PLATE COMP | 2 | * | * | | | | |
| 13 | 1518 - 621 - 111 - 00 | PLATE (A) | 1 | * | * | | | | |
| 14 | 1518 - 621 - 112 - 00 | PLATE (B) | 1 | * | * | | | | |
| 15 | 1596 - 770 - 102 - 00 | ORNAMENT,COKPIT | 1 | 1--54 55- | 1--424 425- | | | | |
| 15A | 1596 - 770 - 102 - 20 | ORNAMENT,COCKPIT | 1 | | | | | | |
| 16 | 1566 - 669 - 112 - 00 | PLATE | 1 | * | * | | | | |
| 17 | V360 - 260 - 006 - 00 | NUT/M6 | 9 | * | * | | | | |
| 18 | V411 - 260 - 006 - 00 | WASHER / M6 | 8 | * | * | | | | |

# FIG.167 INTERIOR AND COCKPIT SYSTEM (C TYPE)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 19 | V211-360-801-60 | BOLT,SEMS (SP) | 4 | | | | | | |
| 20 | 1444 - 621 - 016 - 00 | CAP,RUBBER (9) | 4 | | | | | | |
| 21 | 1444 - 621 - 016 - 00 | CAP,RUBBER (9) | 1 | | | | | | |
| 22 | 1432-651-028-00 | GROMMET/9X13X2 | 1 | * | | | | | |
| 23 | 1518 - 621 - 651 - 00 | COVER,SPEAKER | 2 | | | | | | |
| 24 | VIII - 165 - 002 - 50 | SCREW/M5XO.8X25 | 8 | | | | | | |
| 25 | 1434 - 611 - 002 - 10 | CAP (M8) | 4 | | | | | | |
| 26 | 1599 - 770 - 101 - 00 | TRIM/865 | | | * | | | | |


# FIG.168 HEATER SYSTEM (SeE61 TYPE)




1597 780

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 780 - 520 - 00 | HEAT ASSY | 1 | * | * | | | | |
| 2 | 1596 - 780 - 530 - 00 | GRILL ASSY | 1 | * | * | | | | |
| 3 | 1596 - 780 - 501 - 00 | DUCT | 1 | * | * | | | | |
| 4 | 1596 - 780 - 502 - 00 | SCREW,TAPPING/M05 | 4 | * | * | | | | |
| 5 | 1596 - 780 - 503 - 00 | SCREW,TAPPING/M04 | 4 | * | * | | | | |
| 6 | 1596 - 780 - 504 - 00 | NUT,SPRING | 6 | * | * | | | | |
| 7 | 1596 - 780 - 550 - 00 | SWITCH,HEATER ASSY | 1 | * | * | | | | |
| 8 | 1596 - 780 - 512 - 00 | KNOB | 1 | * | * | | | | |
| 9 | 1596 - 780 - 505 - 00 | JOINT,PT3/S | 2 | * | * | | | | |
| 10 | 1599 - 780 - 616 - 00 | JOINT/3S' | 1 | * | * | | | | |
| 11 | 1599 - 780 - 613 - 00 | HOSE/1100 | 1 | * | * | | | | |
| 12 | 1599 - 780 - 614 - 00 | HOSE/1930 | 1 | * | * | | | | |
| 13 | 1518 - 783 - 508 - 00 | CONNECTOR/L/55X55 | 3 | * | * | | | | |
| 14 | 1518 - 784 - 504 - 00 | HOSE,WATER B | 1 | * | * | | | | |
| 15 | 1596 - 780 - 507 - 00 | HOSE/900 | 1 | * | * | | | | |
| 16 | 1599 - 780 - 611 - 00 | HOSE/3150 | 1 | * | * | | | | |
| 17 | 1599 - 780 - 620 - 00 | COCK ASSY | 1 | * | * | | | | |
| 18 | 1518 - 783 - 501 - 00 | JOINT,HOSE | 1 | * | * | | | | |
| 19 | 1599 - 780 - 612 - 00 | HOSE/30X420 LH | 1 | * | * | | | | |
| 20 | J061 - 220 - 024 - 00 | CLAMP,WIRE/20 - 24 | 12 | * | * | | | | |
| 21 | 1518 - 786 - 512 - 00 | CLIP C | 4 | * | * | | | | |
| 22 | 1599 - 780 - 107 - 00 | CONNECTOR | 1 | * | * | | | | |
| 23 | 1599 - 780 - 108 - 00 | NUT/M16 | 1 | * | * | | | | |
| 24 | 1596 - 780 - 600 - 00 | BRACKET COMP | 1 | * | * | | | | |
| 25 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 2 | * | * | | | | |


# FIG.168 HEATER SYSTEM (SCE61 TYPE)




159778e

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1596 - 780 - 101 - 00 | PLATE | 1 | * | * | | | | |
| 27 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | * | * | | | | |
| 28 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | * | * | | | | |
| 29 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 30 | 1599 – 780 - 650 - 00 | BRACKET COMP | 1 | * | * | | | | |
| 31 | 1599 - 780- 109 - 00 | CLIP | 2 | * | * | | | | |
| 32 | V120 - 264-001 - 20 | SCREW,S/M4X12 | 4 | * | * | | | | |


# FIG.169 HEATER SYSTEM (D TYPE) (T -No.1 ~52 • F -No.1 ~391)




1599-780

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 780 - 520 - 00 | HEAT ASSY | 1 | 1- -52 | 1- -391 | | | | |
| 2 | 1596 - 780 - 530 - 00 | GRILL ASSY | 1 | 1- -52 | 1- -391 | | | | |
| 3 | 1596 - 780 - 501 - 00 | DUCT | 1 | 1- -52 | 1- -391 | | | | |
| 4 | 1596 - 780 - 502 - 00 | SCREW,TAPPING/M05 | 4 | 1- -52 | 1- -391 | | | | |
| 5 | 1596 - 780 - 503 - 00 | SCREW,TAPPING/M04 | 4 | 1- -52 | i- -391 | | | | |
| 6 | 1596 - 780 - 504 - 00 | NUT,SPRING | 6 | 1- -52 | 1- -391 | | | | |
| 7 | 1596 - 780 - 550 - 00 | SWITCH,HEATER ASSY | 1 | 1- -52 | 1- -391 | | | | |
| 8 | 1596 - 780 - 512 - 00 | KNOB | 1 | 1- -52 | 1- -391 | | | | |
| 9 | 1596 - 780 - 505 - 00 | JOINT,PT3/8 | 2 | 1- -52 | 1- -391 | | | | |
| 10 | 1599 - 780 - 616 - 00 | JOINT/38' | 1 | 1- -52 | 1- -391 | | | | |
| 11 | 1599 - 780 - 613 - 00 | HOSE/II00 | 1 | 1- -52 | 1- -391 | | | | |
| 12 | 1599 - 780 - 614 - 00 | HOSE/1930 | 1 | 1- -52 | 1- -391 | | | | |
| 13 | 1518 - 783 - 508 - 00 | CONNECTOR/L/55X55 | 3 | 1- -52 | 1- -391 | | | | |
| 14 | 1518 - 784 - 504 - 00 | HOSE,WATER B | 1 | 1- -52 | 1- -391 | | | | |
| 15 | 1596 - 780 - 507 - 00 | HOSE/900 | 1 | 1- -52 | 1- -391 | | | | |
| 16 | 1599 - 780 - 61 1 - 00 | HOSE/3150 | 1 | 1- -52 | i- -391 | | | | |
| 17 | 1599 - 780 - 620 - 00 | COCK ASSY | 1 | 1- -52 | 1- -391 | | | | |
| 18 | 1518 - 783 - 501 - 00 | JOINT,HOSE | 1 | 1- -52 | 1- -391 | | | | |
| 19 | 1599 - 780 - 612 - 00 | HOSE/30X420 LH | 1 | 1- -52 | 1- -391 | | | | |
| 20 | 1518 - 783 - 507 - 00 | CLAMP | 12 | 1- -52 | 1- -391 | | | | |
| 21 | 1518 - 786 - 512 - 00 | CLIP C | 4 | 1- -52 | 1- -391 | | | | |
| 22 | 1599 - 780 - 500 - 00 | BRACKET,HEAT COMP | 1 | 1- -52 | 1- -391 | | | | |
| 23 | 1599 - 780 - 510 - 00 | BRACKET,HEAT COMP | 1 | i- -52 | 1- -391 | | | | |
| 24 | V211 - 660 - 801 - 60 | BOLT/MaXI6 | 4 | 1- -52 | 1- -391 | | | | |
| 25 | 1599 - 780 - 107 - 00 | CONNECTOR | 1 | 1- -52 | 1- -391 | | | | |


# FIG.169 HEATER SYSTEM (D TYPE) (T - No. 1~52 • F - No. 1~391)




1599-780

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TC | OL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1599 - 780 - 108 - 00 | NUT/M16 | 1 | 1--52 | 1--391 | | | | |
| 27 | 1599 - 780 - 650 - 00 | BRACKET COMP | 1 | 1--52 | 1--391 | | | | |
| 28 | 1599 - 780 - 109 - 00 | CLIP | 2 | 1--52 | 1--391 | | | | |
| 29 | V120 264 - 00 - 20 | SCREW,S/M4X12 | 4 | 1--52 | 1--391 | | | | |
| 30 | 1599 - 780 - 111 - 00 | INSULATOR,HEAT | 1 | 1--52 | 1--391 | | | | |
| 31 | 1599 - 780 - 113 - 00 | INSULATOR,HEAT | 1 | 1--52 | 1--391 | | | | |


# FIG.170 HEATER SYSTEM (0 TYPE) (T -No. 53~ • F -No. 392~)




1635 180

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 780 - 520 - 00 | HEAT ASSY | 1 | 53- | 392- | | | | |
| 2 | 1596 - 780 - 530 - 00 | GRILL ASSY | 1 | 53- | 392- | | | | |
| 3 | 1596 - 780 - 501 - 00 | DUCT | 1 | 53- | 392- | | | | |
| 4 | 1596 - 780 - 502 - 00 | SCREW,TAPPING/M05 | 4 | 53- | 392- | | | | |
| 5 | 1596 - 780 - 503 - 00 | SCREW,TAPPING/M04 | 4 | 53- | 392- | | | | |
| 6 | 1596 - 780 - 504 - 00 | NUT,SPRING | 6 | 53- | 392- | | | | |
| 7 | 1596 - 780 - 550 - 00 | SWITCH,HEATER ASSY | 1 | 53- | 392- | | | | |
| 8 | 1596 - 780 - 512 - 00 | KNOB | 1 | 53- | 392- | | | | |
| 9 | 1596 - 780 - 505 - 00 | JOINT,PT3/a | 2 | 53- | 392- | | | | |
| 10 | 1599 -780 - 616 - 00 | JOINT/3a' | 1 | 53- | 392- | | | | |
| 11 | 1599 - 780 - 613 - 00 | HOSE/1 IOa | 1 | 53- | 392- | | | | |
| 12 | 1599 - 780 - 614 - 00 | HOSE/1930 | 1 | 53- | 392- | | | | |
| 13 | 1518 - 783 - 508 - 00 | CONNECTOR/L/55X55 | 3 | 53- | 392- | | | | |
| 14 | 1518 - 784 - 504 - 00 | HOSE,WATER B | 1 | 53- | 392- | | | | |
| 15 | 1596 - 780 - 507 - 00 | HOSE/gOO | 1 | 53- | 392- | | | | |
| 16 | 1599 - 780 - 611 - 00 | HOSE/3150 | 1 | 53- | 392- | | | | |
| 17 | 1599 - 780 - 620 - 00 | COCK ASSY | 1 | 53- | 392- | | | | |
| 18 | 1518 - 783 - 501 - 00 | JOINT,HOSE | 1 | 53- | 392- | | | | |
| 19 | 1599 - 780 - 612 - 00 | HOSE/30X420 LH | 1 | 53- | 392- | | | | |
| 20 | J061 - 220 - 024 - 00 | CLAMP,WIRE/20 - 24 | 12 | 53- | 392- | | | | |
| 21 | 1518 - 786 - 512 - 00 | CLIP C | 4 | 53- | 392- | | | | |
| 22 | 1599 - 780 - 500 - 00 | BRACKET,HEAT COMP | 1 | 1--54 | 1--424 | | | | |
| 22A | 1599 - 780 - 500 - 10 | BRACKET,HEAT COMP | 1 | 55- | 425- | | | | |
| 23 | 1599 - 780 - 510 - 00 | BRACKET,HEAT COMP | 1 | 53- | 392- | | | | |
| 24 | V21 1 - 660 - 801 - 60 | BOLT/MaX16 | 4 | 53- | 392- | | | | |


# FIG.170 HEATER SYSTEM (D TYPE) (T -No. 53～ • F -No. 392～)




1635-780

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | 1599 - 780 - 107 - 00 | CONNECTOR | 1 | 53- | 392- | | | | |
| 26 | 1599 - 780 - 108 - 00 | NUT/M16 | 1 | 53- | 392- | | | | |
| 27 | 1599 - 780 - 650 - 00 | BRACKET COMP | 1 | 53- | 392- | | | | |
| 28 | V203 - 261 - 002 - 50 | BOLT/M10X25 | 1 | 53- | 392- | | | | |
| 29 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 1 | 53- | 392- | | | | |
| 30 | 1564 - 502 - 001 - 00 | COLLAR/09X14X10 | 1 | 53- | 392- | | | | |
| 31 | 1599 - 780 - 109 - 00 | CLIP | 2 | 53- | 392- | | | | |
| 32 | V120 - 264 - 001 - 20 | SCREW,S/M4X12 | 4 | 53- | 392- | | | | |
| 33 | 1599 - 780 - 111 - 00 | INSULATOR,HEAT | 1 | 53- | 392- | | | | |
| 34 | 1599 - 780 - 113 - 00 | INSULATOR,HEAT | 1 | 53- | 392- | | | | |


# FIG.171 COOLER SYSTEM (D TYPE) (T - No.1 ~52 • F- No.1 ~391)




1567 780X

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1599 - 780 - 560 - 00 | COMPRESSOR ASSY | 1 | I--34 | I--238 | | | | |
| IA | 1599 - 780 - 560 - 10 | COMPRESSOR ASSY | 1 | 35--52 | 239--391 | | | | |
| 2 | 1599 - 780 - 545 - 00 | PLATE | 1 | I--52 | I--391 | | | | |
| 3 | 1627 - 780 - 650 - 00 | CONDENSER ASSY | 1 | I--41 | I--347 | | | | |
| 3A | 1581 - 780 - 520 - 00 | CONDENSER ASSY | 1 | 42--51 | 348--366 | | | | |
| 38 | 1627 - 780 - 690 - 00 | CONDENSER ASSY | 1 | 52--52 | 367--391 | | | | |
| 4 | 1554 - 781 - 520 - 00 | DRIER,RECEIVER ASSY | 1 | 1--34 | 1--238 | | | | |
| 4A | 1554 - 781 - 520 - 10 | DRIER,RECEIVER ASSY | 1 | 35-- | 239-- | | | | |
| 5 | 1554 - 781 - 521 - 00 | DRIER,RECEIVER | 1 | 1--34 | 1--238 | | | | |
| 5A | 1554 -781 - 521 - 10 | DRIER,RECEIVER | 1 | 35-- | 239-- | | | | |
| 6 | 1554 - 781 - 522 - 00 | SWITCH,PRESSURE | 1 | I--34 | I--238 | | | | |
| 6A | 1554 - 781 - 522 - 10 | SWITCH,PRESSURE | 1 | 35-- | 239-- | | | | |
| 7 | 1599 - 780 - 543 - 00 | HOSE,DRAIN | 2 | I--52 | T--392 | | | | |
| 8 | 1599 - 780 - 544 - 00 | HOSE,DRAIN | 1 | 1--52 | 1--392 | | | | |
| 9 | 1599 - 780 - 550 - 10 | COOLER ASSY | 1 | I--51 | I--366 | | | | |
| 9A | 1635 - 780 - 230 - 00 | COOLER ASSY | 1 | 52--52 | 367--391 | | | | |
| ID | 1599 - 780 - 541 - 00 | DUCT | 1 | 1--52 | 1--391 | | | | |
| 11 | 1599 - 780 - 542 - 00 | SCREW,TAPPING | 5 | I--52 | I--391 | | | | |
| 12 | 1581 - 780 - 504 - 00 | GULL ASSY | 2 | I--52 | I--391 | | | | |
| 13 | 1599 - 780 - 570 - 00 | SWITCH,COOLER ASSY | 1 | I--52 | I--391 | | | | |
| 14 | 1596 - 780 - 512 - 00 | KNOB | 2 | I--52 | I--391 | | | | |
| 15 | 1599 - 780 - 546 - 00 | INSULATOR | 1 | I--52 | I--391 | | | | |
| 16 | 1599 - 780 - 581 - 00 | HOSE | 1 | I--51 | I--366 | | | | |
| 16A | 1635 - 780 - 221 - 10 | HOSE,COOLER/HIGE | 1 | 52- | 367--385 | | | | |
| 168 | 1635 - 780 - 221 - 20 | HOSE,COOLER/HIGE | 1 | | 386--391 | | | | |


# FIG.171 COOLER SYSTEM (D TYPE) (T－No.1～52・F－No.1～391)




1597-780X

| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | leG TOR C | leG TOR L | leG TOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 17 | 1597 - 780 - 511 - 00 | PIPE | | 1--34 | 1--238 | | | | |
| 17A | 1597 - 780 - 511 － 10 | HOSE | | 35--41 | 239--272 | | | | |
| 17B | 1597 -780 － 511 - 20 | HOSE | | 42--51 | 272--366 | | | | |
| 17C | 1597 - 780 - 511 － 30 | HOSE,COOLER/HIGE | | 52- | 367--385 | | | | |
| 18 | 1597 - 780 - 512 － 00 | HOSE | | 1--34 | 1--238 | | | | |
| 18A | 1597 - 780 - 512 － 10 | HOSE | | 35--51 | 239--366 | | | | |
| 18B | 1597 - 780 － 512 － 20 | HOSE,COOLER/HIGH | | 52- | 367--391 | | | | |
| 19 | 1599 - 780 － 584 － 00 | HOSE | | 1--51 | 1--366 | | | | |
| 19A | 1599 － 780 － 584 - 10 | HOSE,COOLER/HIGH | | 52--52 | 367--391 | | | | |
| 20 | 1599 － 780 － 585 － 00 | HOSE | | 1--51 | 1--366 | | | | |
| 20A | 1599 － 780 － 585 － 10 | HOSE,COOLER/HIGH | | 52--52 | 367--391 | | | | |
| 21 | 1599 － 780 － 586 － 00 | HOSE | | 1--51 | 1--366 | | | | |
| 21A | 1599 － 780 － 586 － 10 | HOSE,COOLER/LOW | | 52--52 | 367--391 | | | | |
| 22 | 1599 － 780 － 587 － 00 | HOSE | | 1--51 | 1--366 | | | | |
| 22A | 1599 - 780 - 587 - 10 | HOSE,COOLER/LOW | | 52--52 | 367--391 | | | | |
| 23 | 1599 － 780 － 588 － 00 | HOSE | 1 | 1--51 | 1--366 | | | | |
| 23A | 1599 - 780 - 588 － 10 | HOSE,COOLER/LOW | 1 | 52--52 | 367--391 | | | | |
| 24 | 1599 - 780 - 589 - 00 | CLIP/I 3 | 1 | 1--51 | 1--366 | | | | |
| 24A | 1599 - 780 － 589 - 10 | CLIP/I 2 | 1 | 52--52 | 367--391 | | | | |
| 25 | 1518 - 786 - 512 - 00 | CLIP C | 1 | 1--52 | 1--391 | | | | |
| 26 | 1599 － 780 - 592 - 00 | UNION | 1 | 1--52 | 1--391 | | | | |
| 27 | 1599 - 780 - 593 - 00 | INSULATOR | 3 | 1--52 | 1--391 | | | | |
| 28 | 1518 - 785 - 514 － 00 | CLIP B | 1 | 1--52 | 1--391 | | | | |
| 29 | 1599 - 780 - 595 － 00 | CLIP | 7 | 1--52 | 1--391 | | | | |
| 30 | 1627 － 780 - 721 - 00 | CLIP | 2 | 1--52 | 1--391 | | | | |


# FIG.171 COOLER SYSTEM (0 TYPE) (T -No. 1~52 • F-No. 1~391)




1597-78CX

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 31 | 1599 - 780 - 105 - 00 | PLATE | 2 | I--52 | I--391 | | | | |
| 32 | 1599 – 780 – 106 - 00 | PLATE | 1 | I--52 | I--391 | | | | |
| 33 | 1599 - 780 - 500 - 00 | BRACKET,HEAT COMP | 1 | I--52 | I--391 | | | | |
| 34 | V211 - 660 - 801 - 60 | BOLT/M8X16 | 2 | I--52 | 1--391 | | | | |
| 35 | V211 – 660 – 802 - 00 | BOLT/8X20 | 10 | I--52 | I--391 | | | | |
| 36 | V304 - 260 - 008 - 00 | NUT/M 8 | 3 | I--52 | I--391 | | | | |
| 37 | V401 - 160 – 008 - 00 | WASHER,SP/M 8 | 1 | I--52 | I--391 | | | | |
| 38 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 3 | I--52 | I--391 | | | | |
| 39 | 1599 – 780 - 112 - 00 | SCREW/M4X20 | 8 | I--52 | I--391 | | | | |


# FIG.172 COOLER SYSTEM (D TYPE) (T - No. 53~ • F - No. 392~)




1635 780K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1599 - 780 - 560 - 20 | COMPRESSOR ASSY | 1 | 53- | 392- | | | | |
| 2 | 1627 - 780 - 830 - 00 | CONDENSER ASSY | 1 | 53- | 392- | | | | |
| 3 | 1627 - 780 - 780 - 10 | DRIER,RECEIVER ASSY | 1 | 53- | 392- | | | | |
| 4 | 1599 - 780 - 543 - 00 | HOSE,DRAIN | 2 | 53- | 392- | | | | |
| 5 | 1599 - 780 - 544 - 00 | HOSE,DRAIN | 1 | 53- | 392- | | | | |
| 6 | 1635 - 780 - 230 - 10 | COOLER ASSY | 1 | 53- | 392- | | | | |
| 7 | 1599 - 780 - 551 - 00 | CASE | 1 | 53- | 392- | | | | |
| 8 | 1599 - 780 - 552 - 00 | CASE | 1 | 53- | 392- | | | | |
| 9 | 1635 - 780 - 231 - 00 | EVAPORATE | 1 | 53- | 392- | | | | |
| 10 | 1635 - 780 - 232 - 00 | VALVE,EXPANSION | 1 | 53- | 392- | | | | |
| 11 | 1599 - 780 - 670 - 00 | MOTOR,FAN ASSY | 1 | 53- | 392- | | | | |
| 12 | 1599 - 780 - 672 - 00 | INPELLER | 1 | 53- | 392- | | | | |
| 13 | 1599 - 780 - 673 - 00 | IMPELLER | 1 | 53- | 392- | | | | |
| 14 | 1599 - 780 - 559 - 00 | LINING | 1 | 53- | 392- | | | | |
| 15 | 1599 - 780 - 661 - 00 | CLAMP | 6 | 53- | 392- | | | | |
| 16 | 1599 - 780 - 662 - 00 | CLAMP | 2 | 53- | 392 | | | | |
| 17 | 1599 - 780 - 663 - 00 | SENSOR | 1 | 53- | 392- | | | | |
| 18 | 1599 - 780 - 664 - 00 | RESISTA | 1 | 53- | 392- | | | | |
| 19 | 1599 - 780 - 665 - 00 | THERMOSTAT | 1 | 53- | 392- | | | | |
| 20 | 1599 - 780 - 666 - 00 | RELAY | 1 | 53- | 392- | | | | |
| 21 | 1599 - 780 - 667 - 00 | HARNESS | 1 | 53- | 392- | | | | |
| 22 | 1599 - 780 - 668 - 00 | INSULATOR | 5 | 53- | 392- | | | | |
| 23 | 1518 - 935 - 556 - 00 | RELAY | 1 | 53- | 392- | | | | |
| 24 | 1599 - 780 - 541 - 00 | DUCT | 1 | 53- | 392- | | | | |
| 25 | 1599 - 780 - 542 - 00 | SCREW,TAPPING | 5 | 53- | 392- | | | | |


# FIG.172 COOLER SYSTEM (D TYPE) (T - No. 53~ • F - No. 392~)




1635 78CX

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | 1581 - 780 - 504 - 00 | GLiLL ASSY | 2 | 53- | 392- | | | | |
| 27 | 1599 - 780 - 570 - 00 | SWITCH,COOLER ASSY | 1 | 53- | 392- | | | | |
| 28 | 1596 - 780 - 512 - 00 | KNOB | 2 | 53- | 392- | | | | |
| 29 | 1599 - 780 - 546 - 00 | INSULATOR | 1 | 53- | 392- | | | | |
| 3D | 1599 - 780 - 584 - 30 | HOSE,COOLER/HIGH | 1 | 53- | 39i- | | | | |
| 31 | 1599 - 780 - 585 - 30 | HOSE,COOLER/HIGH | 1 | 53- | 392- | | | | |
| 32 | 1599 - 780 - 586 - 30 | HOSE,COOLER/LOW | 1 | 53- | 392- | | | | |
| 33 | 1599 - 780 - 587 - 30 | HOSE,COOLER/LOW | 1 | 53- | 392- | | | | |
| 34 | 1518 - 786 - 512 - 00 | CLIP C | 2 | 53- | 392- | | | | |
| 35 | 1599 - 780 - 593 - 00 | INSULATOR | 3 | 53- | 392- | | | | |
| 36 | 1627 - 780 - 721 - 00 | CLIP | 2 | 53- | 392- | | | | |
| 37 | 1599 - 780 - 595 - 00 | CLIP | 7 | 53- | 392- | | | | |
| 38 | 1627 - 780 - 740 - 00 | MOTOR,FAN ASSY | 1 | 53- | 392- | | | | |
| 39 | 1627 - 780 - 631 - 00 | HARNESS,FAN | 1 | 53- | 392- | | | | |
| 40 | 1635 - 780 - 221 - 30 | HOSE,COOLER/HIGH | 1 | 53- | 392- | | | | |
| 41 | 1599 - 780 - 582 - 20 | HOSE,COOLER/HIGH | 1 | 53- | 392- | | | | |
| 42 | 1599 - 780 - 583 - 30 | HOSE,COOLER/HIGH | 1 | 53- | 392- | | | | |
| 43 | 1599 - 780 - 588 - 20 | HOSE,COOLER/LOW | 1 | 53- | 392- | | | | |
| 44 | 1599 - 780 - 105 - 00 | PLATE | 2 | 53- | 392- | | | | |
| 45 | 1599 - 780 - 106 - 00 | PLATE | 1 | 53- | 392- | | | | |
| 46 | 1599 - 780 - 500 - 10 | BRACKET,HEAT COMP | 1 | 53- | 392- | | | | |
| 47 | V211 - 660 801 - 60 | BQLT/M8X16 | 2 | 53- | 392- | | | | |
| 48 | V211 - 660 - 802 - 00 | BQLT/8X20 | 10 | 53- | 392- | | | | |
| 49 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | 53- | 392- | | | | |
| 50 | V401-160-008-00 | WASHER,SP/M 8 | 1 | 53- | 392- | | | | |


# FIG.172 COOLER SYSTEM (0 TYPE) (T -No. 53~ • F -No. 392~)




1635 780K

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | LOCATION C | L | P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 51 | V411 - 260 - 008 - 00 | WASHER,PL/M 8 | 1 | 53- | 392- | | | | |
| 52 | 1599 - 780 - 112 - 00 | SCREW/M4X2D | 8 | 53- | 392- | | | | |
| 53 | V210 - 360 - 602 - 50 | BOLT (SP) /M6X16 | 2 | 53- | 392- | | | | |
| 54 | 1627 - 903 - 103 - 00 | LABEL | 1 | 1- -54 | 1- -511 | | | | |
| 54A | 1627 - 903 - 103 - 10 | LABEL | 1 | 55- | 512- | | | | |
| 55 | 1599 - 782 - 210 - 10 | STAY,HOSE COMP | 1 | 53- | 392- | | | | |
| 56 | V203-261-004-00 | BOLT/M1DX25 | 2 | 53- | 392- | | | | |
| 57 | V411 - 260 - 010 - 00 | WASHER/M1D | 2 | 53- | 392- | | | | |
| 58 | 1423 - 616 - 004 - 00 | RUBBER,CUHION/1DX25 | 4 | 53- | 392- | | | | |
| 59 | V334-460-010-00 | NUT/M1D | 2 | 53- | 392- | | | | |
| 60 | V211-360-801-60 | BOLT,SEMS (SP) | | 53- | 392- | | | | |


# FIG.173 COMPRESSOR BRACKET SYSTEM (1) (D TYPE)




1566-782

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1599 - 782 - 500 - 00 | BRACKET COMP | 1 | I--51 52--54 55- | I--366 367--408 409- | | | | |
| 1A | 1599 - 782 - 500 - 10 | BRACKET,COMPRESSOR | 1 | | | | | | |
| 1B | 1599 - 782 - 500 - 20 | BRACKET,COMPRESSOR | 1 | | | | | | |
| 2 | V203 - 461 - 004 - 00 | BOLT/M 1OX40 | 2 | * | * | | | | |
| 3 | V401 -160-010-00 | WASHER,SP/M 10 | 2 | * | * | | | | |
| 4 | V201 - 460 - 803 - 50 | BOLT/M8X12 | 2 | * | * | | | | |
| 5 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 2 | * | * | | | | |
| 6 | V203 - 461 - 004 - 00 | BOLT/M 1OX40 | 4 | * | * | | | | |
| 7 | V401 - 160 - 01 0 - 00 | WASHER,SP/M 10 | 4 | * | * | | | | |
| B | 1599 - 782 - 520 - 00 | BRACKET COMP | 1 | * | * | | | | |
| 9 | V201 - 360 - 809 - 00 | BOLT/M8X90 | 2 | * | * | | | | |
| 10 | V401 -160-008-00 | WASHER,SP/M 8 | 2 | * | * | | | | |
| 11 | V201 - 461 - 004 - 50 | BOLT/M 1OX45 | 1 | * | * | | | | |
| 12 | 1599 - 782 - 530 - 00 | PULLEY,TENSION SET | 1 | * | * | | | | |
| 13 | 1599 - 782 - 531 - 00 | COLLAR/S2 | 1 | * | * | | | | |
| 14 | 1599 - 782 - 532 - 00 | WASHER,W | 1 | * | * | | | | |
| 15 | 1599 - 782 - 533 - 00 | COYER,GI | 1 | * | * | | | | |
| 16 | 1599 - 782 - 534 - 00 | COYER,G2 | 1 | * | * | | | | |
| 17 | 1599 - 782 - 540 - 00 | PULLEY,Y/076 ASSY | 1 | * | * | | | | |
| 18 | 1599 - 782 - 535 - 00 | NUT/M6 | 1 | * | * | | | | |
| 19 | 1599 - 782 - 550 - 00 | BRACKET COMP | 1 | * | * | | | | |
| 20 | V211 - 660 - 801 - 60 | BOLT/M8X16 | 2 | * | * | | | | |
| 21 | 1599 - 782 - 540 - 00 | PULLEY,Y/076 ASSY | 1 | * | * | | | | |
| 22 | 1599 - 782 - 531 - 00 | COLLAR/S2 | 1 | * | * | | | | |
| 23 | 1599 - 782 - 532 - 00 | WASHER,W | 1 | * | * | | | | |


# FIG.173 COMPRESSOR BRACKET SYSTEM (1) (D TYPE)




1599-782

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 24 | 1599 - 782 - 533 - 00 | CQVER,GI | 1 | * | * | | | | |
| 25 | 1599 - 782 - 534 - 00 | CQVER,G2 | 1 | * | * | | | | |
| 26 | 1581 - 782 - 111 - 00 | U-NUT | 1 | * | * | | | | |
| 27 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 1 | * | * | | | | |
| 28 | 1599 - 782 - 101 - 00 | BELT,V/062 | 1 | * | * | | | | |
| 29 | 1599 - 782 - 102 - 10 | PLATE | 1 | * | * | | | | |
| 30 | V210 - 260 - 601 - 60 | SOLT,SEMS (S) | 2 | * | * | | | | |
| 31 | 1599 - 782 - 103 - 00 | PLATE | 1 | * | * | | | | |
| 32 | V210 - 260 - 601 - 60 | SOLT,SEMS (S) | 2 | * | * | | | | |
| 33 | 1599 - 782 - 108 - 00 | PULLEY,V/126 | 1 | * | * | | | | |
| 34 | V203 - 461 - 005 - 00 | SOLT/M 10X1.25X50 | 3 | * | * | | | | |
| 35 | V401 - 160 - 010 - 00 | WASHER,SP/M10 | 3 | * | * | | | | |


# FIG.174 COMPRESSOR BRACKET SYSTEM (2) (D TYPE)




1568 782

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1599 – 782 - 560 - 10 | STAY/LH CaMP | 1 | 1--54 | 1--347 | | | | |
| IA | 1599 - 782 – 560 - 20 | STAY/LH COMP | 1 | | 348--408 | | | | |
| 18 | 1599 - 782 - 720 - 00 | BRACKET,LOWER/LHCOMP | 1 | 55- | 409- | | | | |
| 2 | 1599 - 782 - 570 - 10 | STAY/RH CaMP | 1 | 1--54 | 1--347 | | | | |
| 2A | 1599 – 782 - 570 - 20 | STAY/RH COMP | 1 | | 348--408 | | | | |
| 28 | 1599 - 782 - 730 - 00 | BRACKET,LOWER/RHCOMP | 1 | 55- | 409- | | | | |
| 3 | V211 - 260 - 801 – 60 | BOLT,SEMS (S) M8X16 | 4 | * | * | | | | |
| 4 | V211 - 660 - 801 – 60 | BOLT/M8XI6 | 4 | * | * | | | | |
| 5 | 1518 -782 - 550 - 10 | NET,CONDENSER/A COMP | 1 | * | * | | | | |
| 6 | V273 - 360 - 601 - 20 | BOLT,WING/M6XI2 | 2 | * | * | | | | |
| 7 | 1599 – 782 - 590 - 00 | PLATE COMP | 1 | * | * | | | | |
| 8 | 1599 - 782 - 610 - 00 | PLATE COMP | 1 | * | * | | | | |
| 9 | 1599 - 782 - 002 - 00 | PLATE,I/25X96 | 1 | * | * | | | | |
| 10 | 1599 - 782 001 - 00 | PLATE | 1 | * | * | | | | |
| 11 | V211 - 360 - 802 - 00 | BOLT (SP) M8X20 | 2 | * | * | | | | |
| 12 | V362 - 260 - 008 - 00 | NUT,LOCK/M8 | 2 | * | * | | | | |
| 13 | V304 - 260 - 008 - 00 | NUT/M 8 | 1 | * | * | | | | |
| 14 | 1599 - 782 - 580 - 00 | BRACKET,RECEIVERCOMP | 1 | I--54 | I--408 | | | | |
| 14A | 1599 - 782 - 750 – 10 | BRACKET,FAN COMP | 1 | | 409--511 | | | | |
| 148 | 1599 – 782 - 750 - 20 | BRACKET,FAN COMP | 1 | 55- | 512- | | | | |
| 15 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 2 | 1--54 | 1--408 | | | | |
| 15A | V211 - 360 - 801 - 60 | BOLT,SEMS (SP) | 3 | 55- | 409- | | | | |
| 16 | V211 - 360 - 803 - 00 | BOLT/M8X30 | 1 | * | * | | 1 | | |
| 17 | V401 - 160 - 008 - 00 | WASHER,SP/M 8 | 1 | * | * | | | | |
| 18 | VI 20 - 366 - 002 - 00 | SCREW,SEMS | 2 | * | * | | | | |


# FIG.174 COMPRESSOR BRACKET SYSTEM (2) (D TYPE)





1599-782

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRp | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 19 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | * | * | | | | |
| 20 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 21 | 2500 - 502 - 008 - 00 | INSULATOR | 1 | * | * | | | | |
| 22 | 1599 - 782 - 107 - 00 | TRIM/1360 | 1 | * | * | | | | |
| 23 | 1599 - 782 - 104 - 00 | COVER | 1 | I--54 | I--408 | | | | |
| 23A | 1596 - 782 - 101 - 00 | COVER | 1 | 55- | 409- | | | | |
| 24 | 1599 - 782- 105 - 00 | BOLT,STUD/M06X55 | 2 | I--54 | I--408 | | | | |
| 24A | 1566 - 782 - 104 - 00 | BOLT,STUD/M06X65 | 2 | 55- | 409- | | | | |
| 25 | 1599 - 782- 106 - 10 | COLLAR/07X12><46 | 2 | I--54 | I--408 | | | | |
| 25A | 1566 - 782- 105 - 00 | COLLAR/07 + XI2X57 | 2 | 55- | 409- | | | | |
| 26 | V340 - 120 - 006 - 00 | NUT/M6 | 2 | * | * | | | | |
| 27 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 2 | * | * | | | | |
| 28 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 29 | 1566 - 780 - 002 - 00 | INSULATOR | 2 | * | * | | | | |
| 30 | 1342 - 402 - 006 - 00 | BAND,WIRE/250 | 3 | * | * | | | | |
| 31 | 1581 - 785 - 503 - 00 | CLIP | 1 | * | * | | | | |
| 32 | V120 - 366 - 001 - 60 | SCREW | 1 | * | * | | | | |
| 33 | 1599 - 782 - 109 - 00 | PLATE | 1 | I--51 | I--366 | | | | |
| 33A | 1599 - 782- 109 - 10 | PLATE,I/155X55 | 1 | 52--52 | 361--391 | | | | |
| 34 | V210 - 360 - 601 - 60 | BOLT (SP) /M6X16 | 3 | * | * | | | | |
| 35 | V301 - 260 - 006 - 00 | NUT/M 6 | 2 | * | * | | | | |
| 36 | V411 - 260 - 006 - 00 | WASHER / M6 | 2 | * | * | | | | |
| 37 | 1525 - 102 - 004 - 00 | CLAMP,RADIATOR HOSE | 2 | * | * | | | | |
| 38 | V211 - 660 - 801 - 60 | BOLT/M8X16 | 2 | * | * | | | | |

# FIG.175 MARK (1)








(KEYI-6 EXCEPT E15 TYPE)
(KEY7-16 E15 TYPE)

1596 901

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | Cal | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1596 - 901 - 001 - 00 | ORNAMENT/LH | 1 | * | * | | | | |
| 2 | 1596 - 901 - 002 - 00 | ORNAMENT/RH | 1 | * | * | | | | |
| 3 | 1597 - 901 - 001 - 00 | ORNAMENT/LH | 1 | 1--54 | 1--511 | | | | |
| 3A | 1597 - 901 - 001 - 10 | ORNAMENT/LH | 1 | 55- | 512- | | | | |
| 4 | 1597 - 901 - 002 - 00 | ORNAMENT/RH | 1 | 1--54 | 1--511 | | | | |
| 4A | 1597 - 901 - 002 - 10 | ORNAMENT/RH | 1 | 55- | 512- | | | | |
| 5 | 1594 - 903 - 001 - 00 | LABEL,CONTROL/AXLE | 1 | 1--34 | 1--238 | | | | |
| 5A | 1560 - 903 - 004 - 60 | LABEL,CONTROL | 1 | 35- | 239- | | | | |
| 6 | 1594 - 903 - 002 - 00 | LABEL,CONTROL/PTO | 1 | 1--34 | 1--238 | | | | |
| 6A | 1594 - 903 - 002 - 10 | LABEL,CONTROL/PTO | 1 | 35- | 239- | | | | |
| 7 | 1569 - 901 - 001 - 20 | ORNAMENT | 2 | * | * | | | | |
| 8 | 1566 - 901 - 002 - 40 | LABEL,SPEED | 1 | * | * | | | | |
| 9 | 1564 - 902 - 003 - 00 | LABEL,CONTROL/4WD | 1 | | * | | | | |
| 10 | 1560 - 902 - 003 - 40 | LABEL,CONTROL/4WD | 1 | | * | | | | |
| 11 | 1566 - 902 - 003 - 00 | LABEL,CAUTION/SUB | 1 | | 1--511 | | | | |
| IIA | 1566 - 902 - 003 - 10 | LABEL,CAUTION/SUB | 1 | | 512- | | | | |
| 12 | 1560 - 903 - 003 - 70 | LABEL,CONTROL | 1 | | * | | | | |
| 13 | 1560 - 903 - 004 - 60 | LABEL,CONTROL | 1 | | * | | | | |
| 14 | 1444 - 902 - 003 - 00 | MARK,CLASS/H | 2 | | * | | | | |
| 15 | 1444 - 601 - 015 - 00 | WASHER/6X14X3 | 6 | | * | | | | |
| 16 | V350 - 160 - 006 - 00 | NUT,SPEED/P6 | 6 | | * | | | | |
| 17 | | LABEL,MODEL ASSY | 1 | * | * | | | | |


# FIG.176 MARK (2)




1596-904


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL | | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | TA545T | TA545F | | | | |
| 1 | 1596 – 904 - 001 - 00 | LABEL,CONTROL/4WD | 1 | | * | | | | |
| 2 | 1560 – 904 - 023 - 00 | MARK | 1 | | * | | | | |
| 3 | 1594 – 904 - 019 - 00 | MARK,SUB | 1 | | * | | | | |
| 4 | 1560 - 904 - 012 - 50 | ORNAMENT | 1 | | * | | | | |
| 5 | 1594 - 904 – 023 - 10 | LABEL,SPEED | 1 | | * | | | | |
| 6 | 1594 - 904 - 024 - 00 | MARK,FUSE/II | 1 | | * | | | | |
| 7 | 1594 - 904 - 025 - 00 | MARK,FUSE/4 | 1 | | * | | | | |
| 8 | 1632 - 904 - 002 - 00 | LABEL,CAUTION | 3 | | * | | | | |
| 9 | 1597 - 904 - 001 - 00 | LABEL,CONTROL | 1 | | * | | | | |
| 10 | 1560 – 904 - 023 – 00 | MARK | 1 | | * | | | | |
| 11 | 1560 - 904 - 004 - 50 | LABEL,CONTROL/SUB | 1 | | * | | | | |
| 12 | 1597 - 904 - 002 - 00 | LABEL,PTO/3RD | 1 | | * | | | | |
| 13 | 1560 - 904 - 012 - 50 | ORNAMENT | 1 | | * | | | | |
| 14 | 1597 - 904 - 003 - 00 | LABEL,FILTER | 1 | | * | | | | |
| 15 | 1560 - 904 - 015 - 10 | LABEL,CAUTION | 1 | | * | | | | |
| 16 | 1550 - 902 - 007 - 00 | MARK,START CAUTION | 1 | | * | | | | |
| 17 | 1560 - 904 - 016 - 00 | LABEL,KNOB/L | 1 | | * | | | | |
| 18 | 1560 - 904 - 017 - 00 | LABEL,KNOB/R | 1 | | * | | | | |
| 19 | 1560 - 904 - 018 - 10 | LABEL,COVER | 4 | | * | | | | |
| 20 | 1560 – 904 - 026 – 30 | LABEL,CAUTION/OIL | 1 | | 1--511 | | | | |
| 20A | 1560 – 904 – 026 - 40 | LABEL,CAUTION/OIL | 1 | | 512- | | | | |
| 21 | 1568 – 904 - 002 - 10 | LABEL,CAUTION/3P | 1 | | 1--511 | | | | |
| 21A | 1568 - 904 - 002 - 20 | LABEL,CAUTION/3P | 1 | | 512- | | | | |
| 22 | 2142 - 901 – 021 - 00 | LABEL,ELECTRICAL | 1 | | * | | | | |
| 23 | 1560 – 904 - 001 - 50 | ORNAMENT | 2 | | 1--511 | | | | |

# FIG.176 MARK (2)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 23A | 1560 904 - 001 - 60 | ORNAMENT | 2 | | 512- | | | | |
| 24 | 1632 - 904 - 002 - 00 | LABEL,CAUTION | 3 | | * | | | | |
| 25 | 1596 - 904 - 002 00 | LABEL,CONTROL/POSITI | 1 | | * | | | | |
| 26 | 1594 - 904 - 003 - 00 | MARK,FUEL | 1 | | I--366 | | | | |
| 27 | 1594 - 904 - 004 - 10 | LABEL,CAUTION/OIL | 1 | | * | | | | |
| 28 | 1594 - 904 - 017 - 00 | MARK,DRIVE/U | 1 | | * | | | | |
| 29 | 1427 - 941 - 016 - 00 | MARK,FUEL | 1 | | * | | | | |
| 30 | 1594 - 904 - 021 - 00 | MARK | 1 | | * | | | | |
| 31 | 1596 - 904 - 005 - 00 | LABEL,CONTROL | 1 | | * | | | | |
| 32 | 1594 - 904 - 007 - 00 | LABEL,FILTER | 1 | | * | | | | |
| 33 | 1594 - 904 - 008 - 00 | LABEL,CAUTION/OIL | 1 | | * | | | | |
| 34 | 1594 - 904 - 018 - 00 | LABEL,DRIVE/F | 1 | | * | | | | |
| 35 | 1427 934 - 013 - 00 | MARK,FUEL/F | 1 | | * | | | | |
| 36 | 1594 - 904 - 022 - 00 | LABEL,START/F | 1 | | * | | | | |
| 37 | 1640 - 904 - 016 00 | LABEL,D/BATTERY | 1 | | * | | | | |
| 38 | 1596 - 904 - 003 - 00 | LABEL/CONTROL | 1 | | * | | | | |
| 39 | 1594 - 904 - 011 - 00 | MARK,FUEL | 1 | | * | | | | |
| 40 | 1594 - 904 - 012 - 00 | LABEL,CAUTION/OIL | 1 | | 1--335 | | | | |
| 40A | 1594 - 904 - 012 - 10 | LABEL,CAUTION OIL | 1 | | 336- | | | | |
| 41 | 1594 - 904 - 01 6 - 00 | MARK,DRIVE/D | 1 | | * | | | | |
| 42 | 1594 - 904 - 015 - 00 | MARK | 1 | | * | | | | |
| 43 | 1600 - 902 - 023 - 00 | LABEL,FUEL/D | 1 | | * | | | | |
| 44 | 1640 - 904 - 01 6 - 00 | LABEL,D/BATTERY | 1 | | * | | | | |
| 45 | 1596 - 904 - 001 - 00 | LABEL,CONTROL/4WD | 1 | * | * | | | | |
| 46 | 1596 - 904 - 002 - 00 | LABEL,CONTROL/POSITI | 1 | * | * | | | | |


# FIG.176 MARK (2)





1597-9040


| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 47 | 1560 − 904 - 023 − 00 | MARK | 1 | * | * | | | | |
| 48 | 1594 - 904 - 019 - 00 | MARK,SUB | 1 | * | * | | | | |
| 49 | 1560 - 904 - 012 - 50 | ORNAMENT | 1 | * | * | | | | |
| 50 | 1594 - 904 - 023 - 10 | LABEL,SPEED | 1 | * | * | | | | |
| 51 | 1594 - 904 − 003 - 00 | MARK,FUEL | 1 | i--51 | i--366 | | | | |
| 51A | 1640 - 904 − 003 - 00 | LABEL,FILTER | 1 | 52- | 367- | | | | |
| 52 | 1594 - 904 - 004 − 10 | LABEL,CAUTION/OIL | 1 | * | * | | | | |
| 53 | 1594 - 904 - 017 - 00 | MARK,DRIVE/U | 1 | * | * | | | | |
| 54 | 1427 - 941 - 016 − 00 | MARK,FUEL | 1 | * | * | | | | |
| 55 | 1594 - 904 - 021 - 00 | MARK | 1 | * | * | | | | |
| 56 | 1596 - 904 - 004 - 00 | LABEL,FUSE/4 | 1 | * | * | | | | |
| 57 | 1640 - 904 - 016 - 00 | LABEL,D/BATTERY | 1 | * | * | | | | |
| 58 | 1596 - 904 - 002 - 00 | LABEL,CONTROL/POSITI | 1 | | * | | | | |
| 59 | 1594 - 904 - 003 - 00 | MARK,FUEL | 2 | | 1--367 | | | | |
| 59A | 1640 - 904 - 003 - 00 | LABEL,FILTER | 2 | | 368− | | | | |
| 60 | 1594 - 904 - 004 - 10 | LABEL,CAUTION/OIL | 1 | | * | | | | |
| 61 | 1594 - 904 - 017 - 00 | MARK,DRIVE/U | 1 | | * | | | | |
| 62 | 1427 - 941 - 016 - 00 | MARK,FUEL | 1 | | * | | | | |
| 63 | 1594 - 904 - 021 - 00 | MARK | 1 | | * | | | | |
| 64 | 1640 - 904 - 016 - 00 | LABEL,D/BATTERY | 1 | | * | | | | |


# FIG.177 TOOLS




(E 15 TYPE)












1510 920

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1421 - 906 - 001 - 00 | SPANNER,BOX/22 | 1 | * | * | | | | |
| 2 | 1401 - 906 - 005 - 00 | WRENCH,SOCKET/17X19 | 1 | * | * | | | | |
| 3 | V936 - 150 - 015 - 00 | PLIERS/G 150 | 1 | * | * | | | | |
| 4 | 2130 - 931 - 210 - 00 | SCREWDRIVER ASSY | 1 | * | * | | | | |
| 5 | V920 - 550 - 801 - 00 | SPANNER/8XI0 | 1 | * | * | | | | |
| 6 | V920 - 551 - 201-40 | SPANNER/I2X14 | 1 | * | * | | | | |
| 7 | V920 - 551 - 301 - 70 | SPANNER/13XI7 | 1 | * | * | | | | |
| 8 | V920 - 551 - 902 - 20 | SPANNER/19X22 | 1 | * | * | | | | |
| 9 | V920 - 552 - 402 - 70 | SPANNER/24X27 | 1 | * | * | | | | |
| 10 | 1526 - 911 - 001 - 00 | GAN,GREASE | 1 | | * | | | | |
| 11 | 3750 - 412 - 003 - 00 | OILER | 1 | | * | | | | |
| 12 | 1421 - 906 - 003 - 00 | BAG, LICENCE PLATE | 1 | | * | | | | |
| 13 | 1560 - 906 - 001 - 00 | GAUGE,AIR | 1 | | * | | | | |
| 14 | 1422 - 900 - 051 - 10 | JACK,HYD/2T ASSY | 1 | | * | | | | |
| 15 | 1422 - 906 - 002 - 20 | LEVER,JACK | 1 | | * | | | | |
| 16 | 1422 - 906 - 200 - 00 | JACK,HYD/2T ASSY | 1 | | * | | | | |
| 17 | 1422 - 906 - 202 - 00 | LEVER,JACK | 1 | | * | | | | |
| 18 | 1518 - 906 - 200 - 00 | BOX COMP | 1 | | * | | | | |
| 19 | 1432 - 906 - 210 - 10 | TOOL,BOX HANDLE COMP | 1 | | * | | | | |
| 20 | 7963 - 611 - 003 - 00 | PIN/I2X48 | 1 | | * | | | | |
| 21 | 7957 - 405 - 003 - 00 | PIN,HAIR | 1 | | * | | | | |


# FIG.178 COMPONENT PARTS FOR K185 - 020 - 000 - 00 ON Fig.22




1591141

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K185 - 020 - 200 - 00 | ROD/PISTON COMP | 1 | T | T | | | | |
| 2 | K185 - 004 - 001 - 00 | PISTON | 1 | T | T | | | | |
| 3 | V720 - 115 - 705 - 00 | O-RING | 1 | T | T | | | | |
| 4 | V730 - 106 - 005 - 00 | RING,BACK UP | 2 | T | T | | | | |
| 5 | V723 - 111 -501-60 | O-RING | 1 | T | T | | | | |
| 6 | K185 - 004 - 003 - 00 | NUT | 1 | T | T | | | | |
| 7 | K185 - 004 - 300 - 00 | COVER,ROD SET | 1 | r | T | | | | |
| 8 | K182 - 034 - 002 - 00 | PACKING,ROD | 1 | T | T | | | | |
| 9 | K182 - 034 - 003 - 00 | SEAL,DUST | 1 | T | T | | | | |
| 10 | K185 - 01 3 - 001 - 00 | BUSH/25X28X35 | 1 | T | T | | | | |
| 11 | V721 - 113 - 105 - 50 | O-RING | 1 | T | T | | | | |
| 12 | V723 - 102 - 006 - 30 | O-RING | 1 | T | T | | | | |


# FIG.179 COMPONENT PARTS FOR K21' - 009 - 000 - 00,'0 ON Fig.75




1564 507B

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K21 1 - 009 - 100 - 00 | VALVE SET | 1 | * | * | | | | |
| 2 | K211 - 009 - 001 - 00 | HEAD.SPOOL | 1 | * | * | | | | |
| 3 | V710 - 140 - 009 – 00 | RING,SNAP/ 9 E | 2 | * | * | | | | |
| 4 | K211 - 008 – 018 – 10 | SPRING/HC029 | 1 | * | * | | | | |
| 5 | K21 1 - 001 - 007 – 00 | SPRING | 1 | I--43 44- | I--335 336- | | | | |
| 5A | K211 - 01 3 - 006 – 00 | PLUG/M16 | 1 | | | | | | |
| 6 | K211 - 008 - 010 - 00 | SPRING/HC19 | 2 | * | * | | | | |
| 7 | K211 - 008 - 011 - 00 | PLUG | 2 | * | * | | | | |
| 8 | K211 - 008 - 01 2 - 00 | PLUG | 1 | * | * | | | | |
| 9 | K211 - 001 - 008 - 00 | PLUG | 1 | * | * | | | | |
| 10 | V780 - 140 - 000 - 4T | PLUG PTI/4 | 2 | * | * | | | | |
| 11 | V720 - 112 - 401 – 40 | O-RING/P14 | 3 | * | * | | | | |
| 12 | V720 – 112 - 401 – 20 | O- RING/P12 | 2 | * | * | | | | |
| 13 | K211 - 008 - 200 - 00 | CHECK,PIROT SET | 1 | * | * | | | | |
| 14 | V723 - 111 - 501 - 40 | O-RING | 1 | * | * | | | | |
| 15 | V723 - 111 - 501 - 20 | O-RING | 1 | * | * | | | | |
| 16 | K211 - 008 - 015 - 00 | PLUG | 1 | I--43 44- | I--335 336- | | | | |
| 16A | K211 - 013 - 007 - 00 | PLUG/M18 | 1 | | | | | | |
| 17 | K21 1 - 008 - 016 - 00 | ROD | 1 | * | * | | | | |
| 18 | K2 11 – 008 - 01 7 - 00 | PLUG | 1 | * | * | | | | |
| 19 | K211 - 008 - 010 – 00 | SPRING/HC19 | 1 | * | * | | | | |
| 20 | V720 - 112 - 401 – 40 | O-RING/P14 | 2 | * | * | | | | |


# FIG.180 COMPONENT PARTS FOR K211 - 013 - 000 - 00,10 ON Fig.75




1632-507

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K211 - 013- 100 - 00 | VALVE SET | 1 | | 1--335 336- | | | | |
| 1A | K211 - 013- 100 - 10 | VALVE SET | 1 | | * | | | | |
| 2 | K211 - 013 - 001 - 00 | HEAD,SPOOL | 1 | | * | | | | |
| 3 | V710 - 140 - 009 - 00 | RING,SNAP/ 9 E | 2 | | * | | | | |
| 4 | K211 – 008 - 018 - 10 | SPRING/HC029 | 1 | | * | | | | |
| 5 | K211 - 001 - 007 - 00 | SPRING | 1 | | 1--335 336- | | | | |
| 5A | K211 - 013 - 006 - 00 | PLUG/MI6 | 1 | | * | | | | |
| 6 | K211 - 008 - 010 - 00 | SPRING/HCI9 | 2 | | * | | | | |
| 7 | K211 -008-011 - 00 | PLUG | 2 | | * | | | | |
| 8 | K211 - 008 - 012 - 00 | PLUG | 1 | | * | | | | |
| 9 | K211 - 001 - 008 – 00 | PLUG | 1 | | * | | | | |
| 10 | V780 - 140 – 000 - 4T | PLUG PTI/4 | 2 | | * | | | | |
| 11 | V720 - 112 - 401 - 40 | O-RING/PI4 | 3 | | * | | | | |
| 12 | V720 - 112 – 401 - 20 | O-RING/PI2 | 2 | | * | | | | |
| 13 | K211 - 013 - 200 - 00 | CHECK,PIROT SET | 1 | | * | | | | |
| 14 | V723 - 111 - 501 - 40 | O-RING | 1 | | * | | | | |
| 15 | V723 - 111 – 501 - 20 | O-RING | 1 | | * | | | | |
| 16 | K211 - 008 - 015 - 00 | PLUG | 1 | | 1--335 336- | | | | |
| 16A | K211 - 013 - 007 - 00 | PLUG/MI8 | 1 | | * | | | | |
| 17 | K211 - 008 - 016 - 00 | ROD | 1 | | * | | | | |
| 18 | K211 - 008 - 017 - 00 | PLUG | 1 | | * | | | | |
| 19 | K211 - 008 - 010-00 | SPRING/HCI9 | 1 | | * | | | | |
| 20 | V720 - 112 - 401 - 40 | O-RING/P14 | 2 | | * | | | | |


# FIG.181 COMPONENT PARTS FOR K211 - 005 - 000 - IOON Fig.94~98





1597 530

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K211 - 005 - 800 - 10 | VALVE,CONTROL ASSY | 1 | * | * | | | | |
| 2 | K211 - 005 - 100 - 10 | VALVE SET | 1 | i--54 | i--411 | | | | |
| 2A | K211 – 005 - 100 - 20 | VALVE SET | 1 | 55- | 412- | | | | |
| 3 | K211 – 004 - 007 - 00 | SEAL,OIL/TC4,14247 | 2 | * | * | | | | |
| 4 | K211 - 005 - 003- 10 | SOLT,CONTROL | 1 | * | * | | | | |
| 5 | V720 – 111 - 900 - 60 | a-RING P6 HS90 | 1 | * | * | | | | |
| 6 | K211 - 001 - 011 - 00 | PLUG | 4 | * | * | | | | |
| 7 | K211 - 005 - 004 - 00 | PLUG | 1 | * | * | | | | |
| 8 | K211 – 005 - 005 – 00 | POPPET | 1 | * | * | | | | |
| 9 | KIIO - 001 - 106 - 00 | SPRING | 1 | * | * | | | | |
| 10 | V720 - 112 - 401 - 60 | a-RING/PI6 | 1 | * | * | | | | |
| 11 | V780 - 140 - 000 - 2T | PLUG,PTI/4 | 3 | * | * | | | | |
| 12 | V705 – 140 - 024 - 00 | RING,SNAP | 1 | * | * | | | | |
| 13 | K211 – 005 - 006 - 00 | HEAD | 1 | * | * | | | | |
| 14 | K211 - 005 – 007 - 00 | GUIDE,SPRING | 2 | * | * | | | | |
| 15 | K211 – 005 - 008 - 00 | SPRING | 1 | * | * | | | | |
| 16 | K211 – 005 - 009 - 00 | COLLAR/25X28X10 | 1 | * | * | | | | |
| 17 | K211 - 004 - 006 - 00 | COLLAR | 1 | * | * | | | | |
| 18 | K211 - 005 - 010- 10 | COVER | 1 | * | * | | | | |
| 19 | V793 - 108 - 110- 30 | SEAL | 1 | * | * | | | | |
| 20 | K211 - 005 - 011 - 00 | RING | 1 | * | * | | | | |
| 21 | K211 - 005 - 01 2 - 00 | PIN/6X20 | 1 | * | * | | | | |
| 22 | V710 - 140 – 004 - 00 | RING,SNAP/ 4 E | 1 | * | * | | | | |
| 23 | V220 - 540 - 601 - 60 | SOLT/M 10X55 | 6 | * | * | | | | |
| 24 | V401 - 160 - 006 - 00 | WASHER,SP/M 6 | 6 | * | * | | | | |

# FIG.181 COMPONENT PARTS FOR K211 - 005 - 000 -IOON Fig.94~98





1597 530


| KEY | PART CODE | DESCRIPTION | aTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | Cal | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 25 | V720 - 112 – 401 - 40 | O- RING/P14 | 3 | * | * | | | | |
| 26 | V720 - 11 2 - 401 - 20 | O- RING/P12 | 2 | * | * | | | | |
| 27 | K211 - 005 - 01 3 - 00 | COVER | 1 | * | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

# FIG.182 COMPONENT PARTS FOR 1564 - 519 - 200 - 20 ON Fig.100 (F -No.1 ~138)




| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1560 - 519 - 201 - 00 | PLUG | 2 | | 1--138 | | | | |
| 2 | 1560 - 519 - 202 - 00 | PLUG | 1 | | 1--138 | | | | |
| 3 | V720 - 112 - 401 - 60 | O- RING/PI6 | 2 | | 1--138 | | | | |
| 4 | V720 - 112 - 401 - 20 | O-RING/P12 | 2 | | 1--138 | | | | |
| 5 | V720 - 111 - 900 - 50 | O-RING | 1 | | 1--138 | | | | |
| 6 | 1560 - 519 - 203 - 00 | O-RING | 2 | | 1--138 | | | | |
| 7 | V220 - 540 - 505 - 00 | BOLT/MI OX55 | 2 | | 1--138 | | | | |
| 8 | 1560 - 519 - 204 - 00 | SPRING/HC | 1 | | 1--138 | | | | |
| 9 | 1560 519- 205 - 00 | SPRING/HC | 2 | | 1--138 | | | | |
| 10 | 1560 - 519 - 206 - 00 | WASHER | 2 | | 1--138 | | | | |
| 11 | 1560 - 519 - 207 - 00 | POPPET | 1 | | 1--138 | | | | |
| 12 | 1560 - 519 - 210 - 00 | VALVE,RELIEF ASSY | 1 | | 1--138 | | | | |
| 13 | 1560 - 519 - 208 - 00 | SOLENOID | 2 | | 1--138 | | | | |
| 14 | 1564 - 519 - 210 - 10 | CASE ASSY | 1 | | 1--138 | | | | |
| 15 | 1560 - 519 - 230 - 00 | CASE ASSY | 1 | | 1--138 | | | | |
| | | | | | | | | | |
| | | | | | | | | | |


# FIG.183 COMPONENT PARTS FOR K22I - 002 - 000 - 00 ON Fig.100 (F－No.1～138)




1597-541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | TECTOR C | TECTOR L | TECTOR P | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K221 - 001 - 002 - 00 | SPOOL,PILOT | 1 | 1--138 | | | | | |
| 2 | K221 - 001 － 003 - 00 | POPPET | 1 | 1--138 | | | | | |
| 3 | K110 － 001 - 106 － 00 | SPRING | 1 | 1--138 | | | | | |
| 4 | K221 - 001 - 004 - 00 | PLUG | 1 | 1--138 | | | | | |
| 5 | V720 - 112 - 401 - 20 | O-RING/PI2 | 1 | 1--138 | | | | | |
| 6 | K221 - 001 - 005 - 10 | ADAPTER | | 1--138 | | | | | |
| 7 | V720 - 112 - 401 - 80 | O-RING/PIS | | 1--138 | | | | | |
| 8 | K221 - 002 - 001 - 00 | POPPET | | 1--138 | | | | | |
| 9 | K221 - 001 - 007 - 00 | PLUG | | 1--138 | | | | | |
| 10 | V720 - 111 - 900 - 80 | O-RING | | 1--138 | | | | | |
| 11 | K221 - 001-001-00 | BODY,CHECK | | | | | | | |


# FIG.184 COMPONENT PARTS FOR K200 - 020 - 000 - 00 ON Fig.100 (F - No. 139~)




1997-541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K234 - 002 - 000 - 00 | VALVE,FROCON ASSY | 1 | | 139- | | | | |
| 2 | K234 - 002 - 100 - 00 | VALVE SET | 1 | | 139- | | | | |
| 3 | K234 - 001 - 003 - 00 | SCREW,ORIFIS/O.7 | 1 | | 139- | | | | |
| 4 | K234 - 001 - 004 - 00 | SPRING/HC040 | 1 | | 139- | | | | |
| 5 | K234 - 001 - 005 - 00 | PLUG/MI8 | 2 | | 139- | | | | |
| 6 | V720 - 112 - 401 - 60 | O-RING/PI6 | 2 | | 139- | | | | |
| 7 | K250 - 032 - 000 - 00 | VALVE,RELIEF ASSY | 1 | | 139- | | | | |
| 8 | V720 - 112 - 401 - 60 | O-RING/PI6 | 1 | | 139- | | | | |
| 9 | V720-112-401-40 | O-RING/P14 | 3 | | 139- | | | | |
| 10 | K200 - 019 - 100 - 00 | VALVE,SOLENOID ASSY | 1 | | 139- | | | | |
| 11 | 1560 - 519 - 230 - 00 | CASE ASSY | 1 | | 139- | | | | |
| 12 | 1560 - 519 - 202 - 00 | PLUG | 1 | | 139- | | | | |
| 13 | 1560 - 519 - 206 - 00 | WASHER | 2 | | 139- | | | | |
| 14 | 1560 - 519 - 203 - 00 | O-RING | 2 | | 139- | | | | |
| 15 | 1560 - 519 - 205 - 00 | SPRING/HC | 2 | | 139- | | | | |
| 16 | 1560 - 519 - 208 - 00 | SOLENOID | 2 | | 139- | | | | |
| 17 | 1560 - 519 - 207 - 00 | POPPET | 1 | | 139- | | | | |
| 18 | K221 - 002 - 000 - 00 | CHECK VALVE ASSY | 1 | | 139- | | | | |
| 19 | K221 - 001 - 002-00 | SPOOL,PILOT | 1 | | 139- | | | | |
| 20 | K221-001-003-00 | POPPET | 1 | | 139- | | | | |
| 21 | K110 - 001 - 106 - 00 | SPRING | 1 | | 139- | | | | |
| 22 | K221 - 001 - 004 - 00 | PLUG | 1 | | 139- | | | | |
| 23 | V720 - 11 2 - 401 - 20 | O- RING/PI2 | 1 | | 139- | | | | |
| 24 | K221 -001 - 005-10 | ADAPTER | 1 | | 139- | | | | |
| 25 | V720 - 11 2 - 401 - 80 | O-RING/PI8 | 1 | | 139- | | | | |


# FIG.184 COMPONENT PARTS FOR K200 - 020 - 000 - 00 ON Fig.l00 (F -No. 139~)




1597-541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 26 | K221 - 002 - 001 - 00 | POPPET | | | 139- | | | | |
| 27 | K221 - 001 - 007 - 00 | PLUG | | | 139- | | | | |
| 28 | V720 - 111 - 900 - 80 | a-RING | 1 | | 139- | | | | |
| 29 | V720 - 112 - 401 - 20 | O-RING/P12 | 2 | | 139- | | | | |
| 30 | V720 - 111 - 900 - 50 | a - RING | 1 | | 139- | | | | |
| 31 | V720 - 112 - 401 - 10 | a-RING | 2 | | 139- | | | | |
| 32 | V220 - 540 - 508 - 50 | SOLT/M 1OX55 | 4 | | 139- | | | | |
| 33 | 3631 - 350 - 201 - 10 | ADAPTER,45• | 2 | | i39- | | | | |
| 34 | V220 - 540 - 505 - 00 | 80LT/M 1OX55 | 2 | | 139- -335 | | | | |

# FIG.185 COMPONENT PARTS FOR K185 - 006 - 000 - 00,10 ON Fig.100




1597 541

| KEY | PART CODE | DESCRIPTION | QTY | TYPE OF MODEL TA545T | TYPE OF MODEL TA545F | ITC | COL | GRP | REMARKS |
|---|---|---|---|---|---|---|---|---|---|
| 1 | K185 - 006 - 100 - 00 | ROD,PISTON COMP | 1 | | 1-138 139- | | | | |
| 1A | K185 - 006 - 100 - 10 | ROD,PISTON COMP | 1 | | * | | | | |
| 2 | K185 - 005 - 001 - 00 | PISTON | 1 | | * | | | | |
| 3 | V720 - 115 - 706 - 00 | O-RING | 1 | | * | | | | |
| 4 | V730 - 107 - 006 - 00 | RING,BACK UP | 2 | | * | | | | |
| 5 | V723 - 111 - 502 - 00 | O-RING | 1 | | * | | | | |
| 6 | K185 - 005 - 002 - 00 | U-NUT | 1 | | * | | | | |
| 7 | K185 - 005 - 300 - 00 | COVER,ROD SET | 1 | | * | | | | |
| 8 | K185 - 005 - 005 - 00 | PACKING,ROD | 1 | | * | | | | |
| 9 | K185 - 005 - 006 - 00 | SEAL,DUST | 1 | | * | | | | |
| 10 | V721 - 113 - 106 - 50 | O-RING | 1 | | * | | | | |
| 11 | V723 - 102 - 007 - 10 | O-RING | 1 | | * | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 6001-109-120-00 | 12 | 31 | 6109-707-011-10 | 12 | 23 | 6115-729-893-00 | 17 | 37 |
| 6010-806-270-00 | 3 | 11 | 6111-282-013-00 | 3 | 5 | 6115-759-001-00 | 16 | 95 |
| 6020-800-814-00 | 1 | 23 | 6111-750-020-00 | 4 | 15 | | 19 | 19 |
| 6050-040-612-00 | 13 | 30 | 6113-260-001-10 | 12 | 29 | | 19 | 20 |
| 6050-040-614-00 | 3 | 6 | 6115-619-003-00 | 16 | 8 | 6115-759-002-00 | 19 | 9 |
| 6050-040-816-00 | 7 | 10 | 6115-619-024-00 | 16 | 5 | 6115-759-003-00 | 19 | 12 |
| 6050-040-818-00 | 4 | 4 | 6115-619-082-00 | 16 | 94 | 6115-779-040-00 | 17 | 131 |
| | 13 | 5 | | 19 | 18 | 6115-792-298-00 | 17 | 74 |
| 6050-040-820-00 | 10 | 29 | 6115-619-282-00 | 17 | 22 | 6181-129-040-00 | 20 | 1 |
| | 14 | 16 | 6115-622-003-00 | 16 | 22 | 6182-410-033-00 | 15 | 5 |
| 6050-040-822-00 | 10 | 35 | 6115-629-001-00 | 16 | 23 | 6183-539-044-00 | 17 | 871 |
| | 13 | 11 | 6115-639-003-00 | 16 | 58 | 6509-000-069-00 | 7 | 7 |
| 6050-040-825-00 | 4 | 12 | 6115-639-088-00 | 16 | 79 | 6509-000-084-10 | 10 | 16 |
| | 11 | 3 | | 16 | 90 | 6509-000-158-00 | 14 | 12 |
| | 13 | 4 | 6115-649-001-00 | 16 | 16 | 6509-030-013-10 | 14 | 13 |
| | 14 | 14 | 6115-721-014-00 | 17 | 10 | 6509-030-020-00 | 3 | 13 |
| 6050-040-830-00 | 4 | 13 | 6115-721-030-00 | 17 | 1 | 6509-030-042-10 | 10 | 36 |
| 6050-040-835-00 | 10 | 28 | 6115-722-017-00 | 17 | 24 | 6509-300-062-00 | 2 | 35 |
| | 11 | 10 | 6115-723-073-00 | 17 | 40 | 6509-400-025-00 | 20 | 4 |
| | 13 | 14 | 6115-723-146-00 | 17 | 38 | 6509-409-016-00 | 6 | 9 |
| 6050-040-840-00 | 4 | 11 | 6115-723-219-00 | 17 | 65 | 6509-503-082-00 | 7 | 14 |
| | 10 | 17 | 6115-725-011-00 | 17 | 58 | 6509-503-127-00 | 6 | 24 |
| 6050-040-845-00 | 3 | 14 | 6115-725-015-00 | 17 | 57 | 6509-600-013-00 | 1 | 5 |
| | 3 | 15 | 6115-725-017-00 | 17 | 68 | | 2 | 12 |
| 6050-040-850-00 | 13 | 15 | 6115-729-001-00 | 17 | 76 | 6509-605-005-00 | 10 | 14 |
| 6050-040-870-00 | 2 | 36 | 6115-729-002-00 | 17 | 77 | 6509-605-019-20 | 2 | 19 |
| 6050-041-032-00 | 8 | 17 | 6115-729-015-00 | 17 | 2 | 6509-623-002-00 | 9 | 2 |
| 6050-041-035-00 | 13 | 3 | 6115-729-038-00 | 17 | 3 | | 22 | 20 |
| 6050-051-225-00 | 13 | 27 | 6115-729-092-00 | 17 | 43 | 6509-675-018-10 | 9 | 4 |
| 6050-051-228-00 | 13 | 6 | 6115-729-093-00 | 17 | 82 | 6509-800-038-00 | 16 | 64 |
| 6050-140-616-00 | 13 | 22 | 6115-729-098-00 | 17 | 50 | 6509-800-380-00 | 16 | 66 |
| 6050-140-818-00 | 12 | 28 | 6115-729-099-00 | 17 | 51 | 6509-810-013-10 | 3 | 25 |
| 6050-140-825-00 | 5 | 5 | 6115-729-172-00 | 17 | 12 | 6511-129-003-00 | 2 | 18 |
| 6050-141-025-00 | 14 | 17 | 6115-729-279-00 | 17 | 44 | 6511-129-006-00 | 1 | 3 |
| 6094-110-840-00 | 10 | 42 | 6115-729-293-00 | 17 | 47 | | 2 | 17 |
| 6109-468-002-10 | 12 | 30 | 6115-729-294-00 | 17 | 70 | 6511-219-008-00 | 2 | 10 |
| 6109-600-005-10 | 1 | 2 | 6115-729-295-00 | 17 | 71 | 6511-219-015-00 | 1 | 6 |
| | 2 | 11 | 6115-729-296-00 | 17 | 72 | | 2 | 13 |
| 6109-600-011-20 | 1 | 4 | 6115-729-297-00 | 17 | 73 | 6511-219-017-00 | 2 | 9 |
| 6109-623-013-00 | 16 | 12 | 6115-729-299-00 | 17 | 75 | 6511-219-018-00 | 2 | 8 |
| 6109-623-016-00 | 19 | 13 | 6115-729-301-00 | 17 | 55 | | 2 | 16 |
| | 19 | 14 | 6115-729-372-00 | 17 | 28 | 6511-321-009-00 | 3 | 4 |
| 6109-623-052-00 | 16 | 19 | 6115-729-689-00 | 17 | 411 | 6511-321-035-00 | 3 | 29 |
| 6109-630-085-00 | 15 | 10 | 6115-729-891-00 | 17 | 35 | 6511-321-100-00 | 3 | 31 |
| 6109-700-160-00 | 13 | 17 | 6115-729-892-00 | 17 | 36 | 6511-322-043-10 | 3 | 32 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 22 | 32 | 6515-619-110-00 | 16 | 53 | 6519-619-049-00 | 16 | 93 |
| 6511-721-016-00 | 1 | 8 | 6515-619-136-00 | 16 | 10 | 6581-129-022-00 | 20 | 2 |
| 6512-235-009-00 | 6 | 8A | 6515-619-156-00 | 16 | 98 | 6581-129-024-00 | 20 | 34 |
| 6512-519-002-10 | 7 | 8 | 6515-625-001-00 | 16 | 18 | 6581-129-156-00 | 20 | 36 |
| 6512-525-013-00 | 3 | 23 | 6515-629-015-00 | 16 | 69 | 6581-129-158-00 | 20 | 31 |
| 6512-563-001-00 | 1 | 11 | | 16 | 80 | 6581-129-159-00 | 20 | 30 |
| 6512-565-004-00 | 7 | 25 | 6515-629-016-00 | 16 | 70 | 6581-129-160-00 | 20 | 29 |
| 6512-569-006-00 | 1 | 10 | | 16 | 81 | 6581-219-189-00 | 21 | 18 |
| | 22 | 31 | 6515-629-017-00 | 16 | 71 | 6894-110-480-10 | 7 | 9 |
| 6513-212-075-10 | 8 | 11 | | 16 | 82 | 6894-110-560-00 | 10 | 6 |
| 6513-642-064-00 | 10 | 8 | 6515-629-018-00 | 16 | 72 | 6894-111-615-00 | 10 | 10 |
| 6513-671-100-00 | 10 | 37 | | 16 | 83 | 6894-114-727-00 | 10 | 5 |
| 6513-721-043-10 | 2 | 37 | 6515-629-019-00 | 16 | 73 | 6894-121-113-00 | 1 | 22 |
| 6514-149-079-00 | 22 | 34 | | 16 | 84 | 6894-122-262-50 | 12 | 5 |
| 6515-411-223-10 | 12 | 15 | 6515-629-020-00 | 16 | 74 | 6894-122-263-30 | 18 | 2 |
| 6515-619-001-00 | 16 | 28 | | 16 | 85 | 6894-122-264-20 | 18 | 1 |
| 6515-619-002-00 | 16 | 29 | 6515-629-038-00 | 16 | 75 | 6894-123-350-50 | 6 | 14 |
| 6515-619-003-00 | 16 | 30 | | 16 | 86 | 6894-123-623-10 | 1 | 19 |
| 6515-619-004-00 | 16 | 31 | 6515-629-045-00 | 16 | 104 | 6894-125-859-10 | 12 | 8 |
| 6515-619-005-00 | 16 | 32 | 6515-629-090-00 | 16 | 78 | | 22 | 30 |
| 6515-619-007-00 | 16 | 33 | | 16 | 89 | 6894-126-822-00 | 15 | 8 |
| 6515-619-008-00 | 16 | 34 | 6515-637-002-00 | 16 | 57 | 6894-127-797-40 | 7 | 1 |
| 6515-619-009-00 | 16 | 35 | 6515-639-002-00 | 16 | 101 | 6894-129-326-00 | 7 | 17 |
| 6515-619-010-00 | 16 | 36 | 6515-643-001-00 | 16 | 15 | 6894-129-348-10 | 14 | 11 |
| 6515-619-011-00 | 16 | 37 | 6515-643-009-00 | 16 | 54 | | 22 | 27 |
| 6515-619-012-00 | 16 | 38 | 6515-644-017-00 | 16 | 17 | 6894-129-380-00 | 7 | 20 |
| 6515-619-013-00 | 16 | 39 | 6515-723-136-00 | 17 | 79 | 6894-129-381-10 | 1 | 20 |
| 6515-619-015-00 | 16 | 40 | 6515-725-017-00 | 17 | 60 | 6894-129-384-00 | 7 | 19 |
| 6515-619-025-00 | 16 | 47 | 6515-729-000-10 | 17 | 761 | 6894-130-021-10 | 2 | 26 |
| 6515-619-026-00 | 16 | 48 | 6515-729-027-00 | 17 | 7 | 6894-130-558-00 | 1 | 7 |
| 6515-619-027-00 | 16 | 49 | 6515-729-033-00 | 17 | 17 | 6894-130-559-00 | 1 | 9 |
| 6515-619-034-00 | 16. | 25 | 6515-729-034-00 | 17 | 26 | 6894-131-130-00 | 19 | 16 |
| 6515-619-035-00 | 16 | 26 | 6515-729-053-00 | 17 | 14 | 6894-133-207-50 | 1 | 18 |
| 6515-619-036-00 | 16 | 27 | 6515-729-054-00 | 17 | 15 | 6894-133-275-10 | 7 | 21 |
| 6515-619-037-00 | 16 | 50 | 6515-729-099-00 | 17 | 81 | 6894-133-731-20 | 7 | 24 |
| 6515-619-039-00 | 16 | 77 | 6515-729-123-00 | 17 | 8 | 6894-133-759-60 | 15 | 3 |
| | 16 | 88 | 6515-729-167-00 | 17 | 20 | 6894-133-969-00 | 6 | 13 |
| 6515-619-041-80 | 16 | 24 | | 17 | 21 | 6894-139-526-10 | 11 | 9 |
| 6515-619-044-00 | 16 | 4 | 6515-729-209-00 | 17 | 41 | 6894-139-738-00 | 11 | 2A |
| 6515-619-048-00 | 14 | 7 | 6515-729-286-00 | 17 | 33 | 6894-142-156-10 | 6 | 18 |
| 6515-619-049-00 | 17 | 25 | 6515-729-287-00 | 17 | 34 | 6894-142-159-00 | 11 | 2 |
| 6515-619-106-00 | 16 | 45 | 6515-729-372-00 | 17 | 281 | | 22 | 24 |
| 6515-619-107-00 | 16 | 46 | 6515-751-012-00 | 19 | 1 | 6894-142-160-20 | 11 | 15 |
| 6515-619-108-00 | 16 | 51 | 6515-754-001-00 | 19 | 6 | 6894-142-941-00 | 1 | 21 |
| 6515-619-109-00 | 16 | 52 | 6515-759-027-00 | 19 | 17 | 6894-143-203-00 | 7 | 27 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 6894-143-477-10 | 8 | 10 | 6894-170-125-30 | 10 | 1 | 6894-174-163-00 | 18 | 27 |
| 6894-143-479-00 | 8 | 14 | 6894-170-127-00 | 10 | 3 | 6894-174-164-00 | 18 | 28 |
| 6894-144-588-00 | 17 | 42 | 6894-170-128-00 | 10 | 4 | 6894-174-165-00 | 18 | 29 |
| 6894-147-529-00 | 4 | 7 | 6894-170-129-20 | 10 | 23 | 6894-174-166-00 | 18 | 30 |
| | 22 | 17 | 6894-170-132-10 | 12 | 21 | 6894-174-167-00 | 18 | 31 |
| 6894-149-359-10 | 10 | 30 | 6894-170-133-00 | 12 | 20 | 6894-174-168-00 | 18 | 32 |
| 6894-152-283-00 | 7 | 29 | 6894-170-140-10 | 10 | 25 | 6894-174-169-00 | 18 | 33 |
| 6894-152-344-00 | 7 | 28 | 6894-171-109-00 | 16 | 6 | 6894-174-170-00 | 18 | 34 |
| 6894-152-345-10 | 7 | 33 | 6894-171-110-00 | 16 | 11 | 6894-174-171-00 | 18 | 35 |
| 6894-152-346-00 | 7 | 31 | 6894-171-163-00 | 17 | 85 | 6894-174-172-00 | 18 | 36 |
| 6894-152-353-00 | 12 | 10 | 6894-171-185-00 | 19 | 4 | 6894-174-173-00 | 18 | 37 |
| 6894-152-595-00 | 10 | 20 | 6894-171-289-00 | 7 | 13 | 6894-174-174-00 | 18 | 38 |
| 6894-152-905-10 | 14 | 15 | 6894-171-290-00 | 6 | 16 | 6894-174-175-00 | 18 | 39 |
| 6894-152-989-10 | 12 | 16 | 6894-171-294-00 | 10 | 27 | 6894-174-176-00 | 18 | 40 |
| 6894-153-051-00 | 1 | 27 | 6894-171-295-00 | 14 | 4 | 6894-174-177-00 | 18 | 41 |
| | 22 | 3 | 6894-171-296-30 | 15 | 1 | 6894-174-178-00 | 18 | 42 |
| 6894-153-723-10 | 15 | 4 | 6894-171-898-00 | 22 | 6 | 6894-174-179-00 | 18 | 43 |
| 6894-167-784-00 | 16 | 13 | 6894-171-944-00 | 9 | 8 | 6894-174-180-00 | 18 | 44 |
| 6894-167-785-00 | 16 | 14 | 6894-172-365-00 | 6 | 21 | 6894-174-181-00 | 18 | 45 |
| 6894-167-786-00 | 16 | 91 | 6894-173-430-00 | 1 | 26 | 6894-174-182-00 | 18 | 46 |
| 6894-167-787-00 | 16 | 96 | 6894-173-951-00 | 6 | 25 | 6894-174-183-00 | 18 | 56 |
| 6894-167-792-00 | 17 | 18 | 6894-174-139-00 | 18 | 3 | 6894-174-184-00 | 18 | 57 |
| 6894-167-793-00 | 17 | 19 | 6894-174-140-00 | 18 | 4 | 6894-175-276-00 | 2 | 41 |
| 6894-167-798-00 | 17 | 83 | 6894-174-141-00 | 18 | 5 | 6894-177-886-00 | 12 | 1 |
| 6894-167-803-00 | 14 | 5 | 6894-174-142-00 | 18 | 6 | 6894-177-887-00 | 12 | 2 |
| 6894-167-882-00 | 8 | 2 | 6894-174-143-00 | 18 | 7 | 6894-177-888-00 | 12 | 3 |
| 6894-167-883-00 | 8 | 3 | 6894-174-144-00 | 18 | 8 | 6894-177-889-00 | 12 | 4 |
| 6894-167-884-00 | 8 | 5 | 6894-174-145-00 | 18 | 9 | 6894-178-017-00 | 20 | 3 |
| 6894-167-885-00 | 8 | 6 | 6894-174-146-00 | 18 | 10 | 6894-178-026-00 | 20 | 6 |
| 6894-167-886-00 | 8 | 7 | 6894-174-147-00 | 18 | 11 | 6894-178-027-00 | 20 | 7 |
| 6894-168-553-00 | 6 | 1 | 6894-174-148-00 | 18 | 12 | 6894-178-028-00 | 20 | 8 |
| 6894-170-107-30 | 2 | 40 | 6894-174-149-00 | 18 | 13 | 6894-178-029-00 | 20 | 10 |
| 6894-170-108-50 | 2 | 32 | 6894-174-150-00 | 18 | 14 | 6894-178-030-00 | 20 | 11 |
| 6894-170-111-00 | 3 | 16 | 6894-174-151-00 | 18 | 15 | 6894-178-031-00 | 20 | 12 |
| 6894-170-112-00 | 3 | 17 | 6894-174-152-00 | 18 | 16 | 6894-178-032-00 | 20 | 13 |
| | 22 | 14 | 6894-174-153-00 | 18 | 17 | 6894-178-033-00 | 20 | 14 |
| 6894-170-113-00 | 3 | 24 | 6894-174-154-00 | 18 | 18 | 6894-178-034-00 | 20 | 16 |
| 6894-170-114-00 | 3 | 27 | 6894-174-155-00 | 18 | 19 | 6894-178-035-00 | 20 | 17 |
| 6894-170-115-00 | 6 | 15 | 6894-174-156-00 | 18 | 20 | 6894-178-037-00 | 20 | 21 |
| 6894-170-117-00 | 7 | 11 | 6894-174-157-00 | 18 | 21 | 6894-178-038-00 | 20 | 22 |
| 6894-170-118-00 | 7 | 18 | 6894-174-158-00 | 18 | 22 | 6894-178-039-00 | 20 | 23 |
| 6894-170-120-60 | 4 | 1 | 6894-174-159-00 | 18 | 23 | 6894-178-041-00 | 20 | 25 |
| 6894-170-122-40 | 5 | 1 | 6894-174-160-00 | 18 | 24 | 6894-178-042-00 | 20 | 26 |
| 6894-170-123-10 | 9 | 3 | 6894-174-161-00 | 18 | 25 | 6894-178-043-00 | 20 | 27 |
| 6894-170-124-00 | 9 | 7 | 6894-174-162-00 | 18 | 26 | 6894-178-044-00 | 20 | 28 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 6894-178-045-00 | 20 | 32 | | 22 | 1 | 6894-410-404-00 | 8 | 15A |
| 6894-178-046-00 | 20 | 33 | 6894-333-119-00 | 6 | 7 | 6894-411-001-00 | 2 | 49 |
| 6894-178-047-00 | 20 | 18 | 6894 334-770-00 | 7 | 3 | 6894-413-822-00 | 10 | 26 |
| 6894-178-048-00 | 20 | 19 | 6894-335-957-20 | 10 | lA | 6894-414-688-00 | 10 | 44 |
| 6894-178-049-00 | 20 | 35 | 6894-337-863-00 | 13 | 13 | 6894-417-854-00 | 6 | 2 |
| 6894-178-052-00 | 20 | 40 | 6894-338-096-00 | 15 | 2 | 6894-417-856-00 | 6 | 3 |
| 6894-178-053-00 | 20 | 41 | 6894-338-193-00 | 10 | 34 | 6894-418-848-00 | 20 | 38 |
| 6894-178-054-00 | 20 | 42 | 6894-340-444-00 | 20 | 15 | 6894-418-866-00 | 20 | 39 |
| 6894-178-055-00 | 20 | 43 | 6894-360-426-00 | 8 | 4A | 6894-418-867-00 | 20 | 37 |
| 6894-178-843-00 | 14 | 3 | 6894-362-202-00 | 10 | 21 | 6894-419-086-00 | 4 | 2 |
| 6894-226-008-00 | 10 | 7 | 6894-364-098-00 | 11 | 1 | 6894-419-087-00 | 4 | 3 |
| 6894-235-369-00 | 2 | 25 | 6894-365-670-00 | 2 | 33 | | 22 | 15 |
| | 22 | 7 | | 22 | 8 | 6894-419-455-00 | 6 | 10 |
| 6894-238-610-00 | 12 | 12 | 6894-365-674-00 | 10 | 21A | 6894-419-729-10 | 6 | 8 |
| 6894-247-355-10 | 1 | 13 | | 22 | 22 | 6894-420-529-00 | 8 | 1 |
| 6894-247-867-10 | 6 | 6 | 6894-369-281-00 | 6 | 5A | 6894-422-429-00 | 10 | 15 |
| 6894-247-875-10 | 7 | 22 | 6894-370-837-00 | 22 | 12 | 6894-424-373-00 | 21 | 19 |
| 6894-247-903-10 | 1 | 25 | 6894-370-840-00 | 3 | 30 | 6894-426-566-10 | 15 | 6 |
| | 22 | 2 | | 22 | 13 | 6894-427-196-10 | 2 | 4 |
| 6894-247-970-00 | 6 | 12 | 6894-376-186-20 | 6 | 22 | 6894-427-198-10 | 2 | 5 |
| 6894-248-161-00 | 15 | 9 | 6894-382-546-00 | 10 | 22 | 6894-427-200-10 | 2 | 6 |
| 6894-250-172-00 | 1 | 15 | 6894-386-596-00 | 16 | 7 | 6894-427-848-00 | 17 | 401 |
| 6894-250-514-00 | 2 | 15 | 6894-388-326-00 | 4 | 16 | 6894-428-807-00 | 12 | 17 |
| 6894-250-615-10 | 1 | 17 | 6894-389-232-00 | 21 | 4 | 6894-428-931-00 | 8 | 4 |
| | 11 | 16 | 6894-389-233-00 | 21 | 5 | 6894-429-670-20 | 8 | 15 |
| 6894-252-536-10 | 7 | 23 | 6894-389-234-00 | 21 | 6 | 6894-429-925-00 | 4 | 14 |
| 6894-311-165-00 | 3 | 3 | 6894-389-235-00 | 21 | 8 | 6894-429-998-00 | 4 | 17 |
| | 22 | 11 | 6894-389-236-00 | 21 | 9 | 6894-430-000-00 | 12 | 26 |
| 6894-311-168-10 | 13 | 2 | 6894-389-237-00 | 21 | 10 | 6894-430-001-00 | 12 | 27 |
| 6894-312-723-00 | 18 | 4A | 6894-389-238-00 | 21 | 13 | 6894-431-523-00 | 1 | 1 |
| 6894-314-068-00 | 6 | 23 | 6894-389-239-00 | 21 | 14 | 6894-432-642-00 | 2 | 3 |
| 6894-319-331-00 | 6 | 27 | 6894-389-240-00 | 21 | 17 | 6894-433-302-00 | 7 | 38 |
| 6894-319-381-00 | 14 | 2 | 6894-389-241-00 | 21 | 15 | 6894-433-303-00 | 7 | 34 |
| 6894-321-211-00 | 17 | 84 | 6894-389-242-00 | 21 | 2 | 6894-433-304-00 | 7 | 36 |
| 6894-321-212-00 | 17 | 86 | 6894-389-243-00 | 21 | 11 | 6894-433-427-00 | 12 | 9 |
| 6894-321-213-00 | 17 | 62 | 6894-389-244-00 | 21 | 12 | 6894-433-717-10 | 12 | 24 |
| 6894-321-214-00 | 17 | 63 | 6894-389-245-00 | 21 | 1 | 6894-433-991-00 | 6 | 17 |
| 6894-321-215-00 | 17 | 69 | 6894-389-246-00 | 21 | 3 | 6894-434-729-00 | 3 | 2 |
| 6894-321-686-00 | 20 | 5 | 6894-401-798-00 | 3 | 26 | | 22 | 10 |
| 6894-324-159-00 | 6 | 11 | 6894-402-004-00 | 7 | 12 | 6894-434-827-10 | 9 | 1 |
| 6894-326-439-00 | 12 | 7 | 6894-402-005-00 | 7 | 2 | 6894-438-305-00 | 7 | 26 |
| | 22 | 29 | 6894-408-079-00 | 10 | 33 | 6894-438-404-40 | 2 | 1 |
| 6894-326-721-00 | 12 | 6 | 6894-408-206-00 | 13 | 1 | 6894-438-877-00 | 20 | 20 |
| 6894-327-563-10 | 12 | 25 | 6894-410-344-00 | 21 | 20 | 6894-438-878-00 | 20 | 24 |
| 6894-332-327-00 | 1 | 12 | 6894-410-345-00 | 21 | 16 | 6894-440-286-00 | 14 | 9 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 6894-440-383-30 | 3 | 1 | 6897-031-699-00 | 11 | 1A | 6904-411-020-00 | 8 | 16 |
| 6894-441-964-10 | 6 | 5 | 6897-031-729-00 | 1 | 20A | 6908-000-718-00 | 7 | 6 |
| 6894-446-623-10 | 15 | 7 | 6897-033-115-00 | 17 | 621 | 6908-150-825-00 | 6 | 26 |
| 6894-446-900-00 | 13 | 21 | 6897-035-883-00 | 11 | 18 | 6908-151-020-00 | 2 | 30 |
| 6894-447-967-10 | 11 | 14 | | 22 | 33 | 6908-151-050-00 | 2 | 31 |
| 6894-447-982-00 | 13 | 29 | 6897-037-237-00 | 14 | 19 | 6908-161-022-00 | 2 | 46 |
| 6894-448-191-30 | 13 | 20 | 6897-044-349-00 | 5 | 3 | 6908-161-032-00 | 2 | 38 |
| 6894-448-889-10 | 6 | 20 | 6897-047-872-00 | 6 | 15A | 6909-110-408-00 | 3 | 9 |
| 6894-449-463-00 | 11 | 8 | 6897-065-983-00 | 8 | 8A | | 3 | 18 |
| 6894-453-344-00 | 2 | 29 | | 22 | 19 | | 10 | 18 |
| 6894-454-479-00 | 6 | 12A | 6897-065-984-10 | 6 | 17A | | 11 | 12 |
| 6894-454-604-00 | 6 | 4 | 6897-066-741-10 | 11 | 28 | | 13 | 8 |
| 6894-455-240-10 | 6 | 14A | 6897-090-879-00 | 10 | 27A | 6909-110-410-00 | 2 | 47 |
| 6894-457-517-00 | 14 | 6 | 6897-090-897-00 | 22 | 23 | | 3 | 21 |
| 6894-462-130-00 | 2 | 2 | 6897-095-512-00 | 10 | 15A | 6909-110-506-00 | 13 | 24 |
| 6894-462-850-00 | 21 | 7 | | 22 | 21 | 6909-110-508-00 | 10 | 38 |
| 6894-468-231-00 | 11 | 7 | 6897-109-216-10 | 22 | 25 | | 11 | 5 |
| 6894-471-358-00 | 2 | 14 | 6897-118-698-00 | 3 | 5A | 6909-110-510-00 | 8 | 19 |
| 6894-473-967-00 | 12 | 11 | 6899-425-298-00 | 8 | 8 | 6909-111-508-00 | 7 | 30 |
| 6894-476-121-10 | 14 | 1 | 6900-090-657-00 | 3 | 28 | 6909-150-506-00 | 7 | 5 |
| 6894-476-696-00 | 1 | 14 | 6900-090-677-00 | 16 | 63 | | 13 | 25 |
| 6897-012-836-00 | 16 | 102 | | 16 | 65 | 6909-150-508-00 | 1 | 24 |
| 6897-014-416-00 | 4 | 8 | 6900-090-679-00 | 6 | 19 | | 3 | 10 |
| | 22 | 18 | 6900-813-023-00 | 17 | 451 | | 3 | 19 |
| 6897-016-473-00 | 2 | 24 | | 17 | 80 | | 4 | 10 |
| 6897-017-795-10 | 12 | 1A | 6901-065-860-00 | 7 | 15 | | 9 | 11 |
| 6897-017-796-10 | 12 | 2A | 6901-900-612-00 | 9 | 6 | | 10 | 12 |
| 6897-017-797-10 | 12 | 3A | 6901-900-614-00 | 16 | 92 | | 10 | 19 |
| 6897-017-798-10 | 12 | 4A | 6901-900-616-00 | 17 | 23 | | 10 | 39 |
| 6897-018-534-00 | 13 | 2A | | 17 | 64 | | 11 | 6 |
| 6897-021-499-00 | 16 | 1 | 6901-900-818-00 | 17 | 5 | | 11 | 13 |
| 6897-021-500-00 | 16 | 62 | 6901-900-825-00 | 5 | 4 | | 13 | 9 |
| 6897-021-553-00 | 8 | 1A | 6901-970-830-00 | 8 | 9 | 6909-150-510-00 | 2 | 48 |
| 6897-027-432-00 | 18 | 47 | 6902-040-610-00 | 13 | 18 | | 3 | 22 |
| 6897-027-433-00 | 18 | 48 | 6902-050-612-00 | 7 | 4 | | 8 | 18 |
| 6897-027-434-00 | 18 | 49 | 6902-050-812-00 | 9 | 10 | 6909-150-512-00 | 3 | 12 |
| 6897-027-435-00 | 18 | 50 | 6902-061-030-00 | 2 | 42 | 6909-150-605-00 | 17 | 87 |
| 6897-027-436-00 | 18 | 51 | 6902-361-236-00 | 2 | 44 | 6909-150-610-00 | 16 | 100 |
| 6897-027-437-00 | 18 | 52 | 6903-065-816-00 | 10 | 13 | 6909-150-808-00 | 7 | 16 |
| 6897-027-438-00 | 18 | 53 | 6903-910-408-00 | 1 | 16 | 6909-150-810-00 | 2 | 43 |
| 6897-027-439-00 | 18 | 54 | 6904-101-030-00 | 16 | 97 | 6909-150-812-00 | 2 | 45 |
| 6897-027-440-00 | 18 | 55 | .6904-110-822-00 | 3 | 7 | 6909-160-505-00 | 13 | 26 |
| 6897-028-597-00 | 10 | 2 | 6904-110-825-00 | 11 | 4 | 6909-160-506-00 | 13 | 19 |
| 6897-028-906-00 | 2 | 40A | 6904-110-835-00 | 11 | 11 | 6909-160-508-00 | 13 | 10 |
| 6897-030-187-00 | 14 | 18 | 6904-110-840-00 | 3 | 8 | 6909-160-606-00 | 13 | 28 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 6909-164-010-00 | 7 | 37 | 6913-260-056-20 | 8 | 12 | 6981-351-410-00 | 19 | 8 |
| 6909-164-510-00 | 16 | 99 | 6913-639-001-00 | 10 | 9 | 6981-351-602-00 | 19 | 10 |
| 6909-164-708-00 | 13 | 12 | 6913-642-076-10 | 10 | 31 | 6981-351-702-00 | 19 | 11 |
| 6909-180-019-00 | 7 | 35 | 6913-642-079-00 | 10 | 32 | 6981-355-025-00 | 19 | 15 |
| 6909-185-404-00 | 13 | 23 | 6981-215-115-00 | 16 | 2 | 6981-355-035-00 | 19 | 5 |
| | 17 | 59 | 6981-215-144-00 | 16 | 9 | 6981-391-906-00 | 17 | 66 |
| 6909-185-415-00 | 17 | 49 | 6981-221-223-00 | 16 | 20 | 6981-391-907-00 | 17 | 78 |
| 6909-571-316-00 | 10 | 40 | 6981-222-220-00 | 16 | 21 | 6988-120-125-00 | 20 | 9 |
| 6909-571-408-00 | 9 | 9 | 6981-225-033-00 | 16 | 76 | 6988-410-037-00 | 17 | 45 |
| | 12 | 19 | | 16 | 87 | 6988-410-502-00 | 14 | 8 |
| | 22 | 28 | 6981-225-047-00 | 16 | 67 | 6994-411-025-00 | 3 | 20 |
| 6909-571-414-00 | 2 | 21 | | 16 | 68 | 6999-202-314-00 | 2 | 20 |
| | 22 | 4 | 6981-225-057-00 | 16 | 59 | 6999-202-316-00 | 2 | 22 |
| 6909-571-416-00 | 2 | 23 | 6981-225-058-00 | 16 | 60 | | | |
| | 22 | 5 | 6981-235-003-00 | 16 | 61 | | | |
| 6909-572-008-00 | 2 | 27 | 6981-235-015-00 | 16 | 55 | | | |
| | 9 | 5 | 6981-235-017-00 | 16 | 3 | | | |
| | 22 | 9 | 6981-235-021-00 | 16 | 56 | | | |
| 6909-572-010-00 | 16 | 103 | 6981-235-042-00 | 16 | 41 | | | |
| 6909-572-014-00 | 8 | 13 | 6981-235-043-00 | 16 | 42 | | | |
| | 12 | 14 | 6981-235-044-00 | 16 | 43 | | | |
| | 12 | 22 | 6981-235-045-00 | 16 | 44 | | | |
| | 22 | 26 | 6981-315-065-00 | 17 | 4 | | | |
| 6909-606-535-00 | 2 | 39 | 6981-321-205-00 | 17 | 48 | | | |
| 6909-630-020-00 | 11 | 17 | 6981-321-749-00 | 17 | 46 | | | |
| 6909-661-005-00 | 10 | 24 | 6981-322-235-00 | 17 | 39 | | | |
| | 10 | 41 | 6981-325-030-00 | 17 | 54 | | | |
| 6909-662-007-00 | 14 | 10 | 6981-325-062-00 | 17 | 61 | | | |
| 6909-662-012-00 | 4 | 5 | 6981-325-081-00 | 17 | 13 | | | |
| 6909-664-001-00 | 2 | 7 | 6981-325-086-00 | 17 | 27 | | | |
| 6909-800-997-10 | 13 | 7 | 6981-325-088-00 | 17 | 29 | | | |
| 6909-801-079-10 | 13 | 7A | 6981-325-097-00 | 17 | 52 | | | |
| 6909-804-180-00 | 4 | 9 | 6981-325-177-00 | 17 | 16 | | | |
| 6909-814-014-10 | 10 | 11 | 6981-325-210-00 | 17 | 67 | | | |
| 6909-878-597-00 | 2 | 28 | 6981-325-237-00 | 17 | 9 | | | |
| 6909-903-631-00 | 10 | 43 | 6981-325-318-00 | 17 | 53 | | | |
| 6909-906-314-10 | 12 | 18 | 6981-325-397-00 | 17 | 6 | | | |
| 6909-906-325-10 | 12 | 13 | 6981-325-429-00 | 17 | 11 | | | |
| 6909-915-642-20 | 10 | 45 | 6981-325-488-00 | 17 | 56 | | | |
| 6909-916-755-00 | 13 | 16 | 6981-325-551-00 | 17 | 30 | | | |
| 6909-920-651-00 | 4 | 6 | 6981-325-552-00 | 17 | 31 | | | |
| | 22 | 16 | 6981-325-553-00 | 17 | 32 | | | |
| 6911-229-058-00 | 2 | 34 | 6981-351-205-00 | 19 | 2 | | | |
| 6912-626-005-00 | 7 | 32 | 6981-351-303-00 | 19 | 3 | | | |
| 6913-113-077-10 | 5 | 2 | 6981-351-403-00 | 19 | 7 | | | |

# NUMERICAL INDEX

1597-098-100-10


| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1104-240-003-00 | 79 | 7 | | 142 | 22 | 1415-505-014-00 | 56 | 35 |
| | 99 | 5 | | 142 | 24 | 1415-505-015-00 | 79 | 5 |
| 1110-401-002-00 | 95 | 27 | | 150 | 4 | | 94 | 21 |
| | 96 | 20 | | 150 | 17 | | 95 | 28 |
| | 98 | 26 | 1401-906-005-00 | 177 | 2 | | 96 | 21 |
| 1302-225-003-00 | 28 | 5 | 1402-511-600-00 | 90 | 27 | | 97 | 20 |
| | 29 | 11 | 1403-209-006-00 | 74 | 3 | | 98 | 27 |
| | 34 | 4 | 1404-117-008-00 | 16 | 6 | 1416-101-011-00 | 2 | 10 |
| | 35 | 9 | | 78 | 14 | 1416-621-037-00 | 136 | 5 |
| | 39 | 5 | 1404-120-008-00 | 19 | 21 | | 137 | 5 |
| | 40 | 6 | | 52 | 12 | | 138 | 5 |
| 1305-931-003-00 | 87 | 19 | 1404-312-006-00 | 50 | 8 | | 139 | 15 |
| | 92 | 6 | 1404-401-017-00 | 58 | 27 | 1416-621-044-00 | 136 | 17 |
| | 92 | 30 | | 59 | 21 | | 137 | 19 |
| | 93 | 5 | | 90 | 15 | 1417-102-009-00 | 1 | 20 |
| | 100 | 13 | | 91 | 20 | 1419-101-010-00 | 3 | 4 |
| 1326-706-002-10 | 23 | 8 | 1404-503-006-00 | 56 | 15 | | 4 | 7 |
| | 30 | 38 | 1404-511-801-10 | 90 | 21 | 1421-101-313-00 | 6 | 2 |
| | 56 | 23 | | 91 | 17 | | 6 | 10 |
| | 80 | 25 | 1405-401-006-00 | 59 | 22 | 1421-502-002-00 | 22 | 22 |
| | 81 | 16 | 1407-111-001-00 | 10 | 12 | | 22 | 26 |
| | 81 | 44 | | 11 | 11 | | 86 | 15 |
| | 82 | 26 | | 12 | 10 | | 87 | 22 |
| | 85 | 16 | | 13 | 10 | | 88 | 20 |
| 1326-708-005-00 | 59 | 20 | | 14 | 5 | | 89 | 5 |
| 1342-402-006-00 | 8 | 13 | 1411-411-002-00 | 59 | 15 | | 90 | 33 |
| | 9 | 14 | 1411-411-003-00 | 59 | 16 | 1421-507-007-00 | 76 | 2 |
| | 12 | 28 | 1414-120-006-00 | 27 | 36 | | 77 | 11 |
| | 14 | 19 | | 27 | 45 | 1421-507-014-00 | 114 | 7 |
| | 15 | 11A | 1414-312-002-00 | 16 | 32 | 1421-507-015-00 | 128 | 4 |
| | 16 | 31 | | 150 | 19 | 1421-601-005-00 | 105 | 13 |
| | 102 | 24 | 1415-102-007-00 | 1 | 14 | 1421-602-005-10 | 105 | 22 |
| | 140 | 29 | 1415-102-008-00 | 1 | 16 | | 122 | 29A |
| | 141 | 27 | 1415-102-012-00 | 1 | 21 | | 123 | 15A |
| | 142 | 25 | 1415-102-013-00 | 1 | 22 | | 124 | 26A |
| | 150 | 16 | 1415-120-004-00 | 17 | 21 | | 125 | 24A |
| | 174 | 30 | | 18 | 25 | 1421-621-007-00 | 1 | 5 |
| 1365-121-005-00 | 16 | 23A | 1415-121-009-00 | 29 | 7A | 1421-621-008-10 | 1 | 6 |
| 1366-701-202-00 | 29 | 16 | 1415-125-021-00 | 94 | 26 | 1421-621-038-00 | 12 | 27 |
| 1376-402-003-00 | 22 | 36 | | 95 | 33 | 1421-906-001-00 | 177 | 1 |
| | 101 | 39 | | 96 | 22 | 1421-906-003-00 | 177 | 12 |
| | 140 | 27 | | 97 | 24 | 1422-687-001-00 | 127 | 18 |
| | 140 | 28 | | 98 | 31 | 1422-900-051-10 | 177 | 14 |
| | 141 | 24 | 1415-205-016-00 | 62 | 7 | 1422-906-002-20 | 177 | 15 |
| | 141 | 26 | 1415-403-006-00 | 62 | 5 | 1422-906-200-00 | 177 | 16 |

| PART CODE | FIG. | KEY |
|---|---|---|
| 1422-906-202-00 | 177 | 17 |
| 1423-616-004-00 | 172 | 58 |
| 1423-621-021-00 | 127 | 14 |
| 1424-101-203-00 | 6 | 25 |
| 1424-101-204-00 | 6 | 26 |
| 1425-132-015-00 | 61 | 3 |
| 1425-431-008-00 | 62 | 6 |
| 1425-433-018-00 | 32 | 6 |
| 1425-433-031-00 | 59 | 14 |
| 1425-433-200-00 | 59 | 34 |
| | 67 | 5 |
| 1425-621-004-00 | 99 | 26 |
| | 100 | 21 |
| | 100 | 23 |
| | 124 | 17 |
| | 125 | 17 |
| | 127 | 12 |
| | 140 | 10 |
| | 140 | 30 |
| | 141 | 7 |
| | 141 | 28 |
| | 142 | 5 |
| | 142 | 26 |
| | 142 | 29 |
| 1426-153-310-00 | 5 | 1 |
| 1426-153-311-00 | 5 | 2 |
| | 5 | 5 |
| 1426-153-313-00 | 5 | 3 |
| | 5 | 6 |
| 1426-258-200-10 | 36 | 25 |
| | 37 | 19 |
| | 38 | 12 |
| 1426-402-001-10 | 58 | 24 |
| 1426-423-001-00 | 59 | 2 |
| 1426-423-002-00 | 59 | 12 |
| 1426-423-003-00 | 59 | 7 |
| 1426-426-002-00 | 59 | 28 |
| | 67 | 4 |
| 1426-426-212-00 | 59 | 35 |
| | 59 | 40 |
| | 59 | 44 |
| | 59 | 48 |
| | 67 | 6 |
| | 67 | 11 |
| | 67 | 15 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 67 | 19 |
| 1426-426-220-00 | 59 | 47 |
| | 67 | 18 |
| 1426-428-001-00 | 59 | 4 |
| 1426-574-014-00 | 77 | 13 |
| 1426-621-036-00 | 136 | 15 |
| | 137 | 17 |
| 1426-621-038-00 | 144 | 14 |
| | 146 | 21 |
| | 146 | 22 |
| | 147 | 23 |
| | 148 | 21 |
| 1426-621-040-00 | 132 | 43 |
| 1426-621-041-00 | 132 | 46 |
| 1426-621-043-00 | 132 | 48 |
| 1426-621-044-00 | 132 | 47 |
| 1426-621-045-00 | 132 | 49 |
| 1426-621-046-00 | 132 | 50 |
| 1426-621-220-10 | 132 | 29 |
| 1426-621-226-00 | 132 | 32 |
| 1426-621-227-00 | 132 | 33 |
| 1426-621-228-00 | 132 | 35 |
| 1426-621-232-00 | 132 | 38 |
| 1427-117-001-00 | 120 | 8 |
| 1427-201-016-00 | 58 | 6 |
| | 63 | 19 |
| | 110 | 17 |
| | 156 | 7 |
| 1427-210-003-00 | 163 | 23 |
| | 164 | 23 |
| 1427-301-005-00 | 62 | 18 |
| 1427-317-004-00 | 32 | 9 |
| | 32 | 10 |
| 1427-431-003-00 | 22 | 31 |
| 1427-432-005-00 | 62 | 20 |
| 1427-601-003-00 | 42 | 3 |
| | 43 | 12 |
| | 43 | 26 |
| 1427-934-013-00 | 176 | 35 |
| 1427-941-016-00 | 176 | 29 |
| | 176 | 54 |
| | 176 | 62 |
| 1431-566-001-00 | 88 | 18 |
| 1432-101-283-00 | 3 | 3 |
| | 4 | 8 |

| PART CODE | FIG. | KEY |
|---|---|---|
| 1432-120-004-00 | 17 | 22 |
| | 18 | 26 |
| | 52 | 24 |
| 1432-120-214-00 | 17 | 6 |
| | 18 | 6 |
| 1432-120-216-00 | 17 | 8 |
| | 18 | 8 |
| 1432-120-217-00 | 17 | 9 |
| | 18 | 9 |
| 1432-124-003-00 | 78 | 9 |
| 1432-124-004-00 | 78 | 10 |
| 1432-242-001-00 | 19 | 15 |
| | 42 | 7 |
| | 52 | 9 |
| 1432-242-004-00 | 78 | 24 |
| 1432-318-210-20 | 53 | 1 |
| | 53 | 11 |
| 1432-403-006-10 | 59 | 29 |
| 1432-403-007-10 | 59 | 30 |
| 1432-406-007-00 | 54 | 25 |
| | 54 | 28 |
| 1432-406-212-00 | 59 | 42 |
| | 59 | 46 |
| | 67 | 13 |
| | 67 | 17 |
| 1432-406-301-00 | 55 | 29 |
| 1432-435-201-00 | 68 | 7 |
| | 68 | 16 |
| | 69 | 2 |
| | 69 | 6 |
| 1432-520-002-10 | 74 | 10 |
| 1432-520-004-00 | 22 | 24 |
| 1432-521-003-00 | 92 | 16 |
| 1432-616-002-00 | 122 | 30 |
| | 123 | 16 |
| | 124 | 27 |
| | 125 | 25 |
| 1432-621-006-10 | 136 | 20 |
| | 138 | 22 |
| | 139 | 6 |
| 1432-621-011-00 | 23 | 7 |
| | 117 | 5 |
| | 118 | 5 |
| | 158 | 10 |
| 1432-621-012-00 | 132 | 40 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1432-621-273-00 | 101 | 36 | | 142 | 16 | 1444-408-326-00 | 55 | 33 |
| 1432-625-431-00 | 148 | 3 | 1444-101-440-00 | 7 | 8 | 1444-408-327-00 | 55 | 34 |
| 1432-625-432-00 | 148 | 2 | | 8 | 6 | 1444-408-331-00 | 55 | 37 |
| 1432-625-441-00 | 148 | 4 | | 9 | 4 | 1444-408-332-00 | 55 | 5 |
| 1432-625-460-10 | 148 | 13 | | 9 | 20 | 1444-411-003-00 | 62 | 10 |
| 1432-651-021-00 | 16 | 33 | 1444-102-202-00 | 1 | 13 | 1444-411-004-00 | 62 | 12 |
| | 122 | 33 | 1444-102-204-00 | 1 | 18 | 1444-411-005-00 | 62 | 13 |
| | 123 | 19 | 1444-102-206-00 | 1 | 23 | 1444-413-002-10 | 65 | 2 |
| | 124 | 30 | 1444-116-007-00 | 79 | 8 | 1444-413-004-10 | 65 | 9 |
| | 125 | 28 | | 99 | 4 | 1444-503-006-00 | 75 | 36 |
| 1432-651-028-00 | 109 | 15 | 1444-116-008-00 | 78 | 14A | 1444-514-003-00 | 92 | 28 |
| | 109 | 16 | | 91 | 25 | 1444-514-005-10 | 22 | 41 |
| | 111 | 6 | 1444-122-002-00 | 19 | 18 | | 88 | 10 |
| | 113 | 15 | | 50 | 14 | | 88 | 20A |
| | 149 | 18 | | 51 | 29 | | 88 | 21 |
| | 160 | 3 | 1444-218-009-00 | 45 | 6 | | 90 | 30 |
| | 161 | 3 | 1444-301-004-00 | 30 | 27 | | 90 | 31 |
| | 167 | 22 | 1444-307-011-00 | 40 | 21 | | 91 | 30 |
| 1432-665-014-00 | 166 | 20 | 1444-314-004-10 | 24 | 16 | | 91 | 36 |
| 1432-665-015-00 | 166 | 21 | | 25 | 13 | 1444-514-006-00 | 90 | 32 |
| 1432-906-210-10 | 177 | 19 | 1444-314-008-00 | 65 | 25 | 1444-601-009-00 | 1 | 3 |
| 1432-924-004-00 | 87 | 14 | 1444-314-009-10 | 20 | 18 | 1444-601-015-00 | 103 | 15 |
| 1432-924-009-00 | 87 | 15 | | 21 | 24 | | 105 | 4 |
| 1434-611-002-10 | 74 | 8 | | 32 | 7 | | 105 | 7 |
| | 110 | 16 | | 38 | 19 | | 108 | 17 |
| | 124 | 7 | 1444-327-003-00 | 49 | 19 | | 175 | 15 |
| | 125 | 7 | 1444-327-203-00 | 49 | 2 | 1444-601-026-00 | 116 | 43 |
| | 126 | 8 | | 49 | 7 | 1444-604-009-00 | 103 | 6 |
| | 152 | 15 | 1444-328-272-00 | 51 | 22 | 1444-621-002-10 | 127 | 19A |
| | 153 | 19 | 1444-328-273-00 | 51 | 21 | | 127 | 20 |
| | 167 | 25 | 1444-406-001-00 | 54 | 19 | 1444-621-008-00 | 132 | 52 |
| 1435-203-001-00 | 38 | 16 | 1444-406-002-00 | 54 | 21 | 1444-621-016-00 | 109 | 14 |
| 1440-101-014-00 | 2 | 13 | 1444-408-006-00 | 85 | 58 | | 113 | 14 |
| | 3 | 7 | 1444-408-202-00 | 55 | 42 | | 167 | 20 |
| | 11 | 16 | 1444-408-301-00 | 55 | 7 | | 167 | 21 |
| 1440-103-201-00 | 1 | 17 | 1444-408-302-00 | 55 | 10 | 1444-621-242-00 | 132 | 31 |
| 1442-101-238-00 | 2 | 8 | 1444-408-303-00 | 55 | 8 | 1444-621-311-00 | 133 | 31 |
| 1442-101-239-00 | 2 | 9 | 1444-408-306-00 | 55 | 13 | | 134 | 28 |
| 1442-313-200-10 | 51 | 18 | 1444-408-308-00 | 55 | 16 | | 135 | 28 |
| 1442-313-201-00 | 51 | 19 | 1444-408-316-00 | 55 | 2 | 1444-621-312-00 | 133 | 32 |
| 1442-313-202-00 | 51 | 20 | | 55 | 24 | | 134 | 29 |
| 1442-313-203-00 | 51 | 23 | 1444-408-317-00 | 55 | 3 | | 135 | 29 |
| 1443-316-011-10 | 48 | 15 | | 55 | 25 | 1444-621-313-00 | 133 | 33 |
| 1444-101-016-10 | 140 | 23 | 1444-408-318-00 | 55 | 4 | | 134 | 30 |
| | 141 | 20 | 1444-408-325-00 | 55 | 32 | | 135 | 30 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1444-621-320-00 | 133 | 34 | 1488-302-002-10 | 46 | 29 | 1506-301-007-00 | 46 | 20 |
| | 134 | 31 | 1488-302-003-00 | 46 | 32 | 1506-310-002-00 | 49 | 13 |
| | 135 | 31 | | 165 | 11 | 1506-413-011-00 | 66 | 1 |
| 1444-902-003-00 | 175 | 14 | | 165 | 15 | 1507-621-200-00 | 127 | 4 |
| 1445-514-002-00 | 92 | 11 | 1488-310-220-00 | 49 | 18 | 1508-102-007-00 | 6 | 31 |
| 1445-514-005-00 | 92 | 20 | 1488-404-200-00 | 59 | 1 | 1509-623-001-00 | 138 | 19 |
| 1445-514-240-00 | 92 | 19 | 1488-408-002-00 | 56 | 28 | 1509-623-242-00 | 101 | 37 |
| 1446-216-202-10 | 27 | 13 | 1488-410-003-00 | 61 | 8 | | 140 | 21 |
| 1446-216-207-10 | 27 | 16 | 1488-410-200-00 | 61 | 4 | | 141 | 18 |
| 1446-216-208-00 | 27 | 18 | 1488-412-003-00 | 58 | 13 | 1510-317-005-10 | 22 | 23 |
| 1446-216-209-00 | 27 | 19 | 1488-501-006-00 | 73 | 37 | 1513-102-205-00 | 6 | 3 |
| 1446-216-213-10 | 27 | 21 | 1488-501-007-00 | 73 | 38 | | 6 | 11 |
| 1446-216-216-00 | 27 | 14 | 1488-505-009-00 | 77 | 18 | 1513-111-009-00 | 10 | 5 |
| 1446-216-218-00 | 27 | 23 | 1488-510-002-00 | 80 | 2 | 1513-120-001-00 | 17 | 20 |
| | 27 | 34 | | 81 | 2 | | 18 | 24 |
| 1446-511-222-00 | 85 | 20 | | 82 | 2 | 1513-120-210-00 | 17 | 1 |
| | 85 | 43 | 1488-510-011-00 | 80 | 12 | 1513-120-211-00 | 17 | 2 |
| 1446-511-223-00 | 85 | 22 | | 81 | 10 | 1513-121-210-00 | 18 | 1 |
| | 85 | 34 | | 82 | 13 | 1513-121-211-00 | 18 | 2 |
| | 85 | 45 | 1488-514-230-00 | 90 | 19 | 1513-121-212-00 | 17 | 3 |
| 1446-511-224-00 | 85 | 24 | | 91 | 15 | | 18 | 3 |
| | 85 | 36 | 1488-541-023-00 | 102 | 25 | 1513-121-213-00 | 17 | 4 |
| | 85 | 47 | 1488-621-272-00 | 128 | 2 | | 18 | 4 |
| 1446-511-225-00 | 85 | 25 | 1491-623-222-00 | 139 | 2 | 1513-121-214-00 | 17 | 5 |
| | 85 | 37 | | 139 | 4 | | 18 | 5 |
| | 85 | 48 | 1491-623-223-00 | 139 | 3 | 1513-121-215-00 | 17 | 7 |
| 1446-511-226-00 | 85 | 26 | 1500-501-210-00 | 71 | 6 | | 18 | 7 |
| | 85 | 38 | | 73 | 6 | 1513-121-223-00 | 17 | 13 |
| | 85 | 49 | 1500-501-212-00 | 71 | 7 | 1513-247-001-10 | 86 | 7 |
| 1446-511-227-00 | 85 | 27 | | 73 | 7 | 1513-247-002-10 | 86 | 8 |
| | 85 | 39 | 1500-501-213-00 | 71 | 8 | | 87 | 10 |
| | 85 | 50 | | 73 | 9 | 1513-301-001-10 | 46 | 10 |
| 1446-511-228-00 | 85 | 32 | 1500-501-214-00 | 71 | 9 | 1513-301-002-00 | 46 | 11 |
| 1446-511-229-00 | 85 | 29 | | 73 | 10 | 1513-301-005-00 | 46 | 17 |
| | 85 | 40 | 1500-511-001-00 | 92 | 3 | 1513-301-006-10 | 46 | 18 |
| | 85 | 52 | 1501-508-242-00 | 83 | 7 | 1513-301-007-10 | 46 | 21 |
| 1446-622-003-00 | 101 | 9 | 1501-508-243-00 | 83 | 8 | 1513-301-011-00 | 46 | 24 |
| 1479-457-005-00 | 132 | 30 | 1501-621-001-00 | 81 | 8 | 1513-301-012-00 | 46 | 25 |
| 1480-541-004-00 | 102 | 27 | | 82 | 11 | 1513-301-013-00 | 46 | 19 |
| 1480-601-008-00 | 129 | 29 | 1502-432-002-00 | 62 | 2 | 1513-302-001-10 | 46 | 28 |
| 1486-935-·205-00 | 83 | 9 | 1502-433-012-20 | 66 | 7 | 1513-306-001-10 | 48 | 1 |
| 1488-209-242-00 | 24 | 36 | 1506-247-004-00 | 86 | 12 | 1513-306-002-10 | 48 | 2 |
| | 25 | 32 | | 87 | 20 | 1513-306-004-00 | 48 | 4 |
| | 26 | 12 | 1506-247-005-00 | 86 | 13 | 1513-310-001-00 | 49 | 11 |
| 1488-247-250-00 | 89 | 4 | 1506-301-004-00 | 46 | 16 | 1513-310-202-00 | 49 | 5 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 49 | 10 | | 12 | 12 | 1518-621-560-00 | 130 | 28 |
| 1513-402-001-00 | 58 | 9 | | 13 | 12 | 1518-621-631-00 | 148 | 14 |
| | 63 | 14 | 1518-618-002-00 | 157 | 9 | 1518-621-644-00 | 148 | 5 |
| | 64 | 14 | | 159 | 9A | 1518-621-645-00 | 148 | 6 |
| 1513-402-002-00 | 58 | 10 | 1518-621-111-00 | 167 | 13 | 1518-621-650-00 | 148 | 7 |
| | 63 | 12 | 1518-621-112-00 | 167 | 14 | 1518-621-651-00 | 148 | 8 |
| | 64 | 12 | 1518-621-118-00 | 149 | 10 | | 148 | 11 |
| 1513-402-003-00 | 58 | 11 | 1518-621-208-00 | 133 | 8 | | 167 | 23 |
| | 63 | 15 | | 134 | 8 | 1518-621-653-00 | 148 | 9 |
| | 64 | 15 | | 135 | 8 | 1518-621-660-00 | 148 | 12 |
| 1513-404-001-00 | 59 | 18 | 1518-621-209-00 | 133 | 9 | 1518-621-720-00 | 149 | 1 |
| 1513-404-002-00 | 59 | 19 | | 134 | 9 | 1518-621-722-00 | 149 | 2 |
| 1513-408-002-00 | 56 | 42 | | 135 | 9 | 1518-621-723-00 | 149 | 3 |
| 1513-408-213-00 | 55 | 6 | 1518-621-211-00 | 133 | 10 | 1518-621-724-00 | 149 | 4 |
| 1513-408-217-00 | 55 | 19 | | 134 | 10 | 1518-621-725-00 | 149 | 5 |
| 1513-408-223-00 | 55 | 31 | | 135 | 10 | 1518-621-726-00 | 149 | 6 |
| 1513-510-001-10 | 80 | 1 | 1518-621-214-00 | 133 | 11 | 1518-621-730-00 | 149 | 7 |
| | 81 | 1 | | 134 | 11 | 1518-621-740-00 | 149 | 8 |
| | 82 | 1 | | 135 | 11 | 1518-622-012-10 | 144 | 2 |
| 1513-515-250-00 | 92 | 18 | 1518-621-320-00 | 136 | 19 | | 146 | 2 |
| 1514-248-002-00 | 88 | 18A | | 138 | 21 | 1518-722-107-00 | 122 | 34 |
| 1518-111-006-00 | 10 | 14 | | 139 | 5 | | 123 | 20 |
| | 11 | 9 | 1518-621-442-00 | 127 | 3 | | 124 | 31 |
| 1518-111-007-00 | 12 | 18 | | 127 | 6 | | 125 | 29 |
| 1518-112-002-00 | 127 | 19 | 1518-621-443-00 | 127 | 2 | 1518-730-122-00 | 163 | 5 |
| 1518-112-003-00 | 15 | 7A | | 127 | 5 | | 164 | 4 |
| 1518-116-006-00 | 110 | 5 | 1518-621-470-00 | 136 | 21 | 1518-745-552-00 | 162 | 24 |
| | 111 | 5 | | 138 | 26 | | 166 | 17 |
| | 112 | 5 | | 139 | 7 | 1518-760-560-00 | 167 | 2 |
| 1518-306-200-00 | 63 | 3 | 1518-621-480-00 | 151 | 5 | 1518-760-570-00 | 167 | 3 |
| | 64 | 3 | 1518-621-483-00 | 151 | 6 | 1518-760-601-00 | 167 | 4 |
| 1518-306-203-00 | 56 | 22 | 1518-621-484-00 | 151 | 7 | 1518-782-550-10 | 174 | 5 |
| | 63 | 4 | 1518-621-485-00 | 151 | 11 | 1518-783-501-00 | 168 | 18 |
| | 64 | 4 | 1518-621-521-00 | 143 | 8 | | 169 | 18 |
| | 72 | 17 | | 145 | 8 | | 170 | 18 |
| | 73 | 26 | 1518-621-523-00 | 143 | 5 | 1518-783-507-00 | 169 | 20 |
| 1518-406-006-00 | 54 | 41 | | 145 | 5 | 1518-783-508-00 | 168 | 13 |
| 1518-406-008-00 | 54 | 36 | 1518-621-524-00 | 143 | 6 | | 169 | 13 |
| 1518-407-240-00 | 56 | 21 | | 145 | 6 | | 170 | 13 |
| 1518-431-200-00 | 72 | 24 | 1518-621-525-00 | 143 | 7 | 1518-784-504-00 | 168 | 14 |
| | 73 | 28 | | 145 | 7 | | 169 | 14 |
| 1518-432-250-00 | 72 | 16 | 1518-621-532-00 | 143 | 12 | | 170 | 14 |
| | 73 | 25 | | 145 | 12 | 1518-785-514-00 | 171 | 28 |
| 1518-607-002-00 | 114 | 17 | 1518-621-540-00 | 143 | 9 | 1518-786-512-00 | 168 | 21 |
| 1518-616-001-00 | 11 | 13 | | 145 | 9 | | 169 | 21 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 170 | 21 |
| | 171 | 25 |
| | 172 | 34 |
| 1518-903-006-00 | 94 | 31 |
| | 95 | 38 |
| | 96 | 25 |
| | 97 | 29 |
| | 98 | 36 |
| 1518-903-007-00 | 94 | 32 |
| | 95 | 39 |
| | 96 | 26 |
| | 97 | 30 |
| | 98 | 37 |
| 1518-906-200-00 | 177 | 18 |
| 1518-924-001-00 | 86 | 10 |
| | 87 | 12 |
| 1518-935-500-00 | 148 | 31 |
| 1518-935-501-00 | 148 | 32 |
| 1518-935-556-00 | 172 | 23 |
| 1518-938-016-00 | 22 | 21 |
| 1518-938-018-00 | 22 | 34 |
| 1519-101-004-00 | 3 | 10 |
| 1519-604-005-00 | 114 | 14 |
| 1521-433-018-00 | 66 | 13 |
| | 66 | 138 |
| 1521-621-542-00 | 147 | 27 |
| 1521-621-543-00 | 147 | 28 |
| 1521-621-544-00 | 147 | 29 |
| 1521-621-550-00 | 147 | 24 |
| 1522-112-001-00 | 127 | 17 |
| 1522-317-210-00 | 53 | 24 |
| | 53 | 33 |
| 1522-506-017-00 | 76 | 22 |
| 1524-102-222-00 | 2 | 3 |
| | 4 | 3 |
| 1524-102-232-00 | 2 | 4 |
| 1524-102-242-00 | 2 | 7 |
| 1524-102-252-10 | 2 | 11 |
| 1524-103-001-00 | 5 | 14 |
| 1524-103-222-00 | 4 | 4 |
| 1524-122-001-00 | 19 | 10 |
| | 52 | 5 |
| 1524-209-200-00 | 24 | 35 |
| | 25 | 31 |
| | 26 | 11 |
| 1524-236-005-00 | 33 | 7 |
| | 33 | 19 |
| | 36 | 11 |
| | 36 | 20 |
| | 37 | 12 |
| 1524-244-005-00 | 36 | 24 |
| | 37 | 18 |
| | 38 | 11 |
| 1524-247-001-10 | 87 | 9 |
| 1524-301-001-00 | 46 | 13 |
| 1524-413-200-00 | 59 | 43 |
| | 67 | 14 |
| 1524-413-210-00 | 59 | 39 |
| | 67 | 10 |
| 1524-611-200-00 | 115 | 1 |
| | 116 | 1 |
| 1524 611 210-00 | 115 | 32 |
| | 116 | 32 |
| 1524-611-220-00 | 115 | 33 |
| | 116 | 33 |
| 1524-611-230-20 | 115 | 3 |
| | 116 | 3 |
| 1524-611-231-00 | 115 | 4 |
| | 116 | 4 |
| 1524-611-232-00 | 115 | 5 |
| | 116 | 5 |
| 1524-611-233-10 | 115 | 6 |
| | 116 | 6 |
| 1524-611-234-10 | 115 | 7 |
| | 116 | 7 |
| 1524-611-235-00 | 115 | 8 |
| | 116 | 8 |
| 1524-611-236-00 | 115 | 9 |
| | 116 | 9 |
| 1524-611-237-00 | 115 | 10 |
| | 116 | 10 |
| 1524-611-238-00 | 115 | 11 |
| | 116 | 11 |
| 1524-611-239-00 | 115 | 12 |
| | 116 | 12 |
| 1524-611-241-00 | 115 | 13 |
| | 116 | 13 |
| 1524-611-242 10 | 115 | 14 |
| | 116 | 14 |
| 1524-611-243-00 | 115 | 15 |
| | 116 | 15 |
| 1524-611-244-00 | 115 | 16 |
| | 116 | 16 |
| 1524-611-245-00 | 115 | 17 |
| | 116 | 17 |
| 1524-611-246-00 | 115 | 18 |
| | 116 | 18 |
| 1524-611-247-00 | 115 | 19 |
| | 116 | 19 |
| 1524-611-248-10 | 115 | 25 |
| | 116 | 25 |
| 1524-611-249-00 | 115 | 28 |
| | 116 | 28 |
| 1524-611-261-00 | 115 | 30 |
| | 116 | 30 |
| 1525-102-004-00 | 12 | 29 |
| | 14 | 20 |
| | 174 | 37 |
| 1525-247-001-00 | 86 | 14 |
| 1525-317-211-00 | 53 | 8 |
| | 53 | 18 |
| 1525-406 250-00 | 54 | 18 |
| 1526-416-211-00 | 60 | 2 |
| 1526-416-220-10 | 60 | 1 |
| 1526-417-220-00 | 69 | 1 |
| | 69 | 5 |
| 1526-417-220-10 | 69 | lA |
| | 69 | 5A |
| 1526-911-001-00 | 177 | 10 |
| 1527-604-002-00 | 110 | 10 |
| | 111 | 14 |
| | 112 | 13 |
| | 122 | 12 |
| | 122 | 20 |
| | 122 | 31 |
| | 123 | 17 |
| | 124 | 19 |
| | 124 | 28 |
| | 125 | 26 |
| 1533-604-002-00 | 122 | 11 |
| 1544-104-205-00 | 3 | 5 |
| | 4 | 6 |
| 1544-117-005-10 | 16 | 9 |
| | 42 | 4 |
| 1544-123-005-00 | 19 | 23 |

**1597-098-100-10**

| PART CODE | FIG. | KEY |
|---|---|---|
| 1544-218-005-00 | 43 | 21 |
| | 44 | 14 |
| 1544-219-005-00 | 43 | 13 |
| | 43 | 22 |
| | 43 | 32 |
| | 44 | 5 |
| 1544-219-006-00 | 44 | 15 |
| 1544-304-006-10 | 62 | 23 |
| 1544-606-014-00 | 114 | 13 |
| 1544-619-220-00 | 151 | 1 |
| 1544-623-001-00 | 133 | 36 |
| | 134 | 33 |
| | 135 | 33 |
| 1544-623-232-00 | 133 | 37 |
| | 134 | 34 |
| | 135 | 34 |
| 1544-623-233-00 | 133 | 38 |
| | 134 | 35 |
| | 135 | 35 |
| 1544-623-234-00 | 133 | 39 |
| | 134 | 36 |
| | 135 | 36 |
| 1544-623-235-00 | 133 | 40 |
| | 134 | 37 |
| | 135 | 37 |
| 1544-641-250-10 | 102 | 1 |
| 1544-905-002-00 | 102 | 26 |
| 1550-408-321-00 | 55 | 23 |
| 1550-408-324-00 | 55 | 21 |
| 1550-408-325-00 | 55 | 22 |
| 1550-408-326-00 | 55 | 18 |
| 1550-432-002-00 | 62 | 15 |
| 1550-432-003-00 | 62 | 22 |
| 1550-432-004-00 | 62 | 21 |
| 1550-501-004-00 | 102 | 2 |
| 1550-514-290-00 | 90 | 26 |
| 1550-902-007-00 | 176 | 16 |
| 1554-101-222-10 | 2 | 2 |
| 1554-101-223-00 | 2 | 6 |
| 1554-111-210-00 | 10 | 3 |
| | 11 | 3 |
| | 12 | 3 |
| | 13 | 3 |
| 1554-621-230-00 | 151 | 19 |
| | 151 | 32 |
| 1554-621-232-00 | 151 | 20 |
| | 151 | 33 |
| 1554-621-233-00 | 151 | 21 |
| | 151 | 34 |
| 1554-621-234-00 | 151 | 22 |
| | 151 | 35 |
| 1554-621-235-00 | 151 | 23 |
| | 151 | 36 |
| 1554-621-236-00 | 151 | 24 |
| | 151 | 37 |
| 1554-781-520-00 | 171 | 4 |
| 1554-781-520-10 | 171 | 4A |
| 1554-781-521-00 | 171 | 5 |
| 1554-781-521-10 | 171 | 5A |
| 1554-781-522-00 | 171 | 6 |
| 1554-781-522-10 | 171 | 6A |
| 1560-102-001-50 | 72 | 26 |
| | 73 | 30 |
| 1560-104-005-50 | 22 | 35 |
| 1560-104-010-40 | 6 | 24 |
| 1560-104-206-40 | 6 | 8 |
| | 6 | 16 |
| 1560-111-003-20 | 10 | 6 |
| 1560-112-003-00 | 106 | 5 |
| 1560-116-008-30 | 16 | 19 |
| | 16 | 27 |
| 1560-116-230-50 | 16 | 18 |
| 1560-116-250-50 | 16 | 1 |
| 1560-116-280-60 | 16 | 26 |
| 1560-116-330-30 | 16 | 36 |
| 1560-116-340-10 | 16 | 34A |
| 1560-130-001-00 | 19 | 2 |
| 1560-132-001-10 | 19 | 22 |
| | 52 | 13 |
| 1560-132-007-30 | 19 | 19 |
| | 50 | 16 |
| | 50 | 19 |
| | 51 | 31 |
| 1560-140-002-00 | 22 | 44 |
| 1560-140-330-00 | 22 | 42 |
| 1560-206-002-30 | 24 | 10 |
| | 25 | 7 |
| 1560-206-003-00 | 24 | 7 |
| | 24 | 42 |
| | 25 | 2 |
| | 25 | 38 |
| 1560-208-009-30 | 24 | 22 |
| | 24 | 28 |
| | 24 | 33 |
| | 25 | 18 |
| | 25 | 24 |
| | 25 | 29 |
| 1560-208-022-40 | 24 | 25 |
| | 25 | 21 |
| 1560-214-003-00 | 33 | 27 |
| 1560-216-008-30 | 26 | 10 |
| 1560-220-004-00 | 27 | 36A |
| | 27 | 45A |
| 1560-223-001-60 | 28 | 19 |
| 1560-223-001-70 | 28 | 19A |
| 1560-223-001-80 | 28 | 19B |
| 1560-223-002-50 | 28 | 20 |
| 1560-223-002-60 | 28 | 20A |
| 1560-223-007-40 | 28 | 12 |
| 1560-223-008-50 | 28 | 17 |
| | 41 | 3 |
| | 45 | 3 |
| 1560-223-012-40 | 28 | 10 |
| 1560-223-016-00 | 28 | 9 |
| | 39 | 3 |
| | 39 | 11 |
| | 40 | 3 |
| | 40 | 14 |
| | 44 | 3 |
| 1560-225-001-50 | 29 | 1 |
| 1560-225-002-30 | 29 | 6 |
| 1560-225-002-40 | 29 | 6A |
| 1560-225-002-50 | 29 | 6B |
| 1560-225-220-00 | 29 | 13 |
| 1560-230-002-00 | 30 | 26 |
| 1560-243-013-40 | 33 | 16 |
| | 33 | 22 |
| 1560-243-015-40 | 33 | 17 |
| | 33 | 23 |
| 1560-243-017-30 | 33 | 18 |
| 1560-259-001-40 | 34 | 8 |
| 1560-259-012-30 | 34 | 6 |
| 1560-265-002-00 | 35 | 8 |
| 1560-265-002-10 | 35 | 8A |
| 1560-265-220-20 | 35 | 14 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1560-265-230-00 | 35 | 16 | 1560-432-002-30 | 62 | 17 | 1560-519-206-00 | 182 | 10 |
| 1560-273-003-00 | 36 | 23 | 1560-432-003-30 | 62 | 19 | | 184 | 13 |
| | 37 | 17 | 1560-433-212-00 | 22 | 4 | 1560-519-207-00 | 182 | 11 |
| | 38 | 10 | 1560-501-230-00 | 71 | 6A | | 184 | 17 |
| 1560-280-004-40 | 41 | 6 | 1560-501-231-00 | 71 | 7A | 1560-519-208-00 | 182 | 13 |
| 1560-281-007-40 | 41 | 8 | 1560-505-004-00 | 74 | 5 | | 184 | 16 |
| | 45 | 9 | 1560-507-007-00 | 75 | 32 | 1560-519-210-00 | 182 | 12 |
| 1560-281-007-50 | 41 | 8A | 1560-509-002-00 | 76 | 27 | 1560-519-230-00 | 182 | 15 |
| | 45 | 9A | 1560-509-004-50 | 76 | 17 | | 184 | 11 |
| 1560-285-008-40 | 40 | 28 | 1560-509-005-30 | 76 | 19 | 1560-520-211-30 | 86 | 18 |
| | 43 | 25 | 1560-509-006-40 | 76 | 12 | 1560-525-003-00 | 90 | 12A |
| 1560-287-002-30 | 43 | 29 | 1560-509-008-40 | 76 | 26 | 1560-527-002-00 | 92 | 14 |
| | 44 | 13 | 1560-509-009-00 | 76 | 28 | 1560-541-002-00 | 100 | 22 |
| 1560-290-006-30 | 41 | 4 | 1560-509-012-00 | 76 | 25 | 1560-541-220-30 | 100 | 16 |
| | 45 | 5 | 1560-509-211-00 | 99 | 24 | 1560-601-014-30 | 103 | 11 |
| 1560-304-003-00 | 47 | 9 | 1560-509-240-40 | 76 | 16 | 1560-601-017-00 | 103 | 10 |
| 1560-310-003-40 | 49 | 21 | 1560-509-320-00 | 76 | 31 | 1560-602-001-40 | 106 | 7 |
| 1560-310-004-40 | 49 | 23 | 1560-509-320-10 | 76 | 31A | 1560-603-003-00 | 106 | 19 |
| 1560-310-210-40 | 50 | 2 | 1560-509-340-00 | 76 | 11 | 1560-604-017-40 | 107 | 28 |
| 1560-314-001-00 | 52 | 21 | 1560-509-350-00 | 76 | 21 | | 108 | 37 |
| 1560-314-250-30 | 52 | 8 | 1560-511-005-40 | 78 | 18 | 1560-604-018-40 | 107 | 29 |
| 1560-314-291-00 | 52 | 16 | | 99 | 11 | | 108 | 38 |
| 1560-314-360-10 | 52 | 22 | 1560-511-006-50 | 78 | 8 | 1560-604-022-70 | 107 | 23 |
| 1560-314-360-20 | 52 | 22A | | 99 | 22 | | 108 | 32 |
| 1560-316-002-40 | 78 | 20 | 1560-511-012-00 | 78 | 16 | | 165 | 24 |
| | 79 | 13 | 1560-511-013-00 | 78 | lOA | 1560-604-362-40 | 107 | 33 |
| | 99 | 13 | 1560-511-014-00 | 78 | 9A | | 108 | 42 |
| 1560-316-210-00 | 47 | 16 | 1560-511-015-00 | 78 | 2A | 1560-604-362-50 | 107 | 33A |
| 1560-401-002-50 | 54 | 7 | 1560-513-001-30 | 78 | 31 | | 108 | 42A |
| 1560-401-004-40 | 54 | 3 | 1560-515-001-40 | 84 | 11 | 1560-604-380-30 | 107 | 27 |
| 1560-401-005-00 | 54 | 8 | | 85 | 60 | | 108 | 36 |
| 1560-401-006-00 | 54 | 8A | 1560-515-003-10 | 80 | 13 | 1560-606-001-40 | 109 | 23 |
| 1560-401-200-30 | 54 | 1 | | 81 | 11 | | 110 | 7 |
| 1560-401-202-30 | 54 | 2 | | 81 | 25 | 1560-606-008-00 | 85 | 7 |
| 1560-402-001-00 | 54 | 19A | | 82 | 14 | 1560-606-010-00 | 103 | 17 |
| 1560-402-210-30 | 54 | 16 | 1560-517-001-40 | 85 | 1 | 1560-606-011-00 | 163 | 4 |
| 1560-402-220-30 | 54 | 17 | 1560-517-002-60 | 85 | 8 | | 164 | 5 |
| 1560-404-001-00 | 54 | 35 | 1560-519-201-00 | 182 | 1 | 1560-606-013-00 | 110 | 12 |
| 1560-404-002-30 | 54 | 42 | 1560-519-202-00 | 182 | 2 | 1560-606-240-40 | 109 | 7 |
| 1560-404-210-10 | 54 | 33 | | 184 | 12 | | 113 | 7 |
| 1560-406-001-00 | 56 | 3 | 1560-519-203-00 | 182 | 6 | 1560-606-330-00 | 109 | 6 |
| 1560-406-003-00 | 57 | 8 | | 184 | 14 | | 113 | 6 |
| 1560-407-003-00 | 56 | 37 | 1560-519-204-00 | 182 | 8 | 1560-606-340-10 | 109 | 2 |
| 1560-407-292-40 | 55 | 14 | 1560-519-205-00 | 182 | 9 | | 110 | 2 |
| 1560-407-293-40 | 55 | 20 | | 184 | 15 | | 111 | 2 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 112 | 2 | 1560-654-916-00 | 131 | 4 | 1560-666-012-30 | 141 | 29 |
| | 113 | 2 | | 143 | 21 | | 142 | 27 |
| 1560-606-400-00 | 109 | 11 | | 145 | 24 | 1560-666-014-00 | 146 | 10 |
| | 113 | 11 | | 147 | 10 | | 146 | 11 |
| 1560-608-220-30 | 114 | 3 | 1560-654-921-00 | 131 | 5 | 1560-666-212-00 | 140 | 2 |
| | 114 | 10 | | 143 | 22 | | 141 | 2 |
| 1560-609-201-30 | 114 | 15 | | 145 | 25 | | 150 | 3 |
| 1560-609-210-30 | 114 | 16 | | 147 | 11 | 1560-669-503-00 | 8 | 15 |
| 1560-630-003-00 | 122 | 4 | 1560-654-922-00 | 131 | 9 | 1560-680-210-00 | 151 | 3 |
| | 123 | 4 | 1560-654-923-00 | 131 | 10 | 1560-690-001-40 | 102 | 5 |
| | 124 | 4 | 1560-658-202-00 | 133 | 16 | 1560-690-003-50 | 102 | 9 |
| | 125 | 4 | | 134 | 16 | 1560-690-004-40 | 102 | 13 |
| 1560-630-020-50 | 122 | 2 | | 135 | 16 | 1560-690-005-40 | 102 | 14 |
| | 123 | 2 | 1560-658-220-40 | 133 | 3 | 1560-690-006-00 | 102 | 21 |
| | 124 | 2 | | 134 | 3 | 1560-690-007-00 | 101 | 34 |
| | 125 | 2 | | 135 | 3 | 1560-690-202-00 | 101 | 16 |
| 1560-630-021-50 | 122 | 3 | 1560-658-230-40 | 133 | 4 | 1560-690-203-00 | 101 | 17 |
| | 123 | 3 | | 134 | 4 | 1560-690-204-00 | 101 | 19 |
| | 124 | 3 | | 135 | 4 | 1560-690-205-00 | 101 | 20 |
| | 125 | 3 | 1560-658-250-40 | 133 | 7 | 1560-690-206-00 | 101 | 22 |
| 1560-630-024-00 | 122 | 29 | | 134 | 7 | 1560-690-207-00 | 101 | 24 |
| | 123 | 15 | | 135 | 7 | 1560-690-208-00 | 101 | 25 |
| | 124 | 26 | 1560-658-282-40 | 133 | 15 | 1560-690-210-00 | 101 | 26 |
| | 125 | 24 | | 134 | 15 | 1560-690-220-00 | 101 | 35 |
| 1560-630-028-00 | 85 | 5 | | 135 | 15 | 1560-690-230-30 | 102 | 18 |
| | 85 | 12 | 1560-664-210-30 | 143 | 16 | 1560-690-233-00 | 102 | 19 |
| | 85 | 13 | | 145 | 17A | 1560-690-240-00 | 101 | 38 |
| 1560-630-029-00 | 85 | 6 | | 145 | 18 | 1560-690-250-00 | 101 | 10 |
| | 122 | 35 | 1560-664-240-00 | 136 | 14 | 1560-690-252-00 | 101 | 12 |
| | 123 | 21 | | 137 | 16 | 1560-690-260-00 | 101 | 27 |
| | 124 | 32 | 1560-664-250-00 | 136 | 1 | 1560-690-270-00 | 101 | 28 |
| | 125 | 30 | | 137 | 1 | 1560-690-280-00 | 101 | 29 |
| 1560-630-031-00 | 85 | 14 | | 138 | 1 | 1560-690-300-10 | 102 | 22 |
| 1560-630-367-00 | 105 | 14 | 1560-664-252-00 | 136 | 2 | 1560-695-021-00 | 43 | 4A |
| | 105 | 15 | | 137 | 2 | | 44 | 19A |
| 1560-652-200-00 | 128 | 1 | | 138 | 2 | 1560-702-102-10 | 154 | 8 |
| 1560-654-910-50 | 131 | 1 | 1560-664-253-00 | 136 | 3 | | 155 | 8 |
| 1560-654-911-00 | 131 | 2 | | 137 | 3 | 1560-902-003-40 | 175 | 10 |
| | 143 | 19 | | 138 | 3 | 1560-903-003-70 | 175 | 12 |
| | 145 | 22 | 1560-664-264-00 | 140 | 8 | 1560-903-004-60 | 175 | 5A |
| | 147 | 8 | 1560-666-004-00 | 141 | 25 | | 175 | 13 |
| 1560-654-915-00 | 131 | 3 | | 142 | 21 | 1560-904-001-50 | 176 | 23 |
| | 143 | 20 | | 142 | 23 | 1560-904-001-60 | 176 | 23A |
| | 145 | 23 | 1560-666-010-00 | 142 | 14 | 1560-904-004-50 | 176 | 11 |
| | 147 | 9 | | 150 | 2 | 1560-904-012-50 | 176 | 4 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 176 | 13 | 1561-674-320-00 | 150 | 11 | 1564-111-360-10 | 14 | 16A |
| | 176 | 49 | 1561-674-322-00 | 150 | 12 | 1564-111-361-00 | 12 | 20 |
| 1560-904-015-10 | 176 | 15 | 1564-101-303-00 | 1 | 9 | | 14 | 15 |
| 1560-904-016-00 | 176 | 17 | 1564-101-310-00 | 1 | 10 | 1564-111-370-20 | 14 | 8 |
| 1560-904-017-00 | 176 | 18 | 1564-103-003-10 | 2 | 14 | 1564-111-380-00 | 10 | 10 |
| 1560-904-018-10 | 176 | 19 | | 3 | 8 | 1564-112-.004-30 | 15 | 4 |
| 1560-904":023-00 | 176 | 2 | 1564-103-240-30 | 2 | 21 | | 15 | 7 |
| | 176 | 10 | | 3 | 12 | 1564-112-260-50 | 15 | 1 |
| | 176 | 47 | 1564-104-005-20 | 6 | 44 | 1564-112-260-60 | 15 | lA |
| 1560-904-026-30 | 176 | 20 | 1564 104-013-10 | 6 | 43 | 1564-116-001-30 | 16 | 14 |
| 1560-904-026-40 | 176 | 20A | 1564-104-017-00 | 6 | 22 | 1564-120-003-00 | 17 | 19 |
| 1560-906-001-00 | 177 | 13 | 1564-104-203-30 | 6 | 6 | | 18 | 20 |
| 1561-121-212-40 | 17 | 13A | | 6 | 14 | 1564-121-001-50 | 18 | 15 |
| | 18 | 13 | 1564-104-240 20 | 6 | 34 | 1564-132-002-00 | 19 | 9 |
| 1561-207-004-10 | 24 | 5 | 1564 104-240-40 | 6 | 34A | 1564-132-230-00 | 19 | 8 |
| 1561-221-007-40 | 27 | 9 | 1564 104-250-20 | 6 | 35 | 1564-201-003-00 | 23 | 15 |
| 1561-221-008-40 | 27 | 10 | 1564-104-250-30 | 6 | 35A | 1564-208-001-50 | 25 | 9 |
| 1561-223-002-50 | 28 | 14 | 1564-104-270-10 | 6 | 1 | 1564-208-002-20 | 24 | 29 |
| 1561-518-001-10 | 85 | 59 | 1564-104-272-10 | 6 | 4 | | 25 | 25 |
| 1561-518-201-50 | 85 | 15 | | 6 | 12 | 1564-208-006-20 | 25 | 22 |
| 1561-518-210-20 | 85 | 18 | 1564-105-002-10 | 7 | 7 | 1564-208-008-00 | 25 | 10 |
| 1561-518-211-40 | 85 | 28 | | 8 | 5 | 1564-208-009-00 | 24 | 23 |
| | 85 | 51 | | 9 | 19 | | 25 | 19 |
| 1561-518-220-50 | 85 | 19 | 1564-105-004-00 | 8 | 19 | 1564-212-003-10 | 25 | 40 |
| | 85 | 31 | 1564-105-004-10 | 8 | 19A | 1564-214-001-10 | 26 | 1 |
| | 85 | 42 | | 9 | 13 | 1564-214-002-30 | 26 | 2 |
| 1561-518-230-00 | 85 | 17 | 1564-105-005-00 | 8 | 14 | 1564-216-002-20 | 26 | 8 |
| 1561-518-230-10 | 85 | 17A | 1564-105-240-10 | 7 | 6 | 1564-216-003-20 | 26 | 14 |
| 1561-609-200-30 | 101 | 1 | 1564-105-250-00 | 9 | 1 | 1564-216-004-10 | 24 | 18 |
| 1561-626-001-00 | 120 | 10 | 1564-105-260-00 | 8 | 11 | | 25 | 15 |
| 1561-660-411-10 | 133 | 6 | | 9 | 2 | | 26 | 16 |
| | 134 | 6 | 1564-105-270-00 | 8 | 12 | 1564-217-001-20 | 26 | 5 |
| | 135 | 6 | | 9 | 3 | 1564-218-001-20 | 26 | 17 |
| 1561-660-412-00 | 133 | 12 | 1564-105-280-10 | 8 | 14A | 1564-220-001-20 | 27 | 40 |
| | 134 | 12 | | 9 | 15 | 1564-221-001-20 | 27 | 1 |
| | 135 | 12 | 1564-111-220-30 | 10 | 7 | | 27 | 37 |
| 1561-670-200-00 | 101 | 4 | | 11 | 5 | 1564-221-002-40 | 27 | 2 |
| 1561-670-900-00 | 101 | 3 | | 12 | 5 | | 27 | 38 |
| 1561-674-003-00 | 150 | 15 | | 13 | 5 | 1564-221-003-20 | 27 | 4 |
| 1561-674-007-00 | 150 | 20 | 1564-111-230-30 | 10 | 8 | 1564-221-005-00 | 27 | 4A |
| 1561-674-008-00 | 150 | 10 | | 11 | 6 | 1564-221-006-00 | 27 | 8A |
| 1561-674-220-50 | 150 | 21 | | 12 | 6 | 1564-221-200-20 | 27 | 24 |
| 1561-674-240-00 | 150 | 5 | | 13 | 6 | 1564-221-200-30 | 27 | 24A |
| 1561-674-280-00 | 150 | 14 | 1564-111-283-00 | 14 | 17 | 1564-221-201-00 | 27 | 25 |
| 1561-674-310-20 | 150 | 18 | 1564-111-310-20 | 14 | 1 | 1564-221-202-00 | 27 | 26 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1564-221-203-00 | 27 | 29 | 1564-275-003-30 | 39 | 4A | 1564-413-201-10 | 58 | 20 |
| 1564-221-204-00 | 27 | 31 | | 40 | 5A | | 58 | 22 |
| 1564-221-205-00 | 27 | 28 | 1564-275-006-30 | 40 | 16 | 1564-415-001-10 | 59 | 25 |
| 1564-221-206-00 | 27 | 32 | 1564-275-007-00 | 40 | 32 | 1564-415-230-10 | 59 | 26 |
| 1564-221-207-00 | 27 | 33 | | 43 | 19 | 1564-433-210-10 | 64 | 10 |
| 1564-221-208-00 | 27 | 27 | 1564-275-200-20 | 40 | 12 | 1564-433-210-20 | 64 | 10A |
| 1564-223-003-30 | 28 | 7 | 1564-275-210-30 | 39 | 10 | 1564-433-212-10 | 22 | 3 |
| 1564-223-004-30 | 28 | 8 | | 40 | 13 | | 58 | 3 |
| 1564-223-005-00 | 28 | 1 | 1564-275-240-50 | 40 | 23 | | 58 | 5 |
| 1564-223-006-00 | 28 | 2 | 1564-275-260-30 | 40 | 19 | | 63 | 11 |
| 1564-226-001-20 | 29 | 10 | 1564-275-270-30 | 40 | 26 | | 64 | 11 |
| 1564-226-001-30 | 29 | 10A | | 43 | 15 | 1564-434-004-10 | 65 | 18 |
| 1564-230-001-70 . | 30 | 1 | 1564-285-200-50 | 44 | 1 | 1564-501-202-20 | 71 | 2 |
| 1564-233-201-60 | 30 | 32 | 1564-287-200-20 | 44 | 8 | | 72 | 2 |
| 1564-243-001-30 | 33 | 1 | 1564-287-220-40 | 44 | 12 | | 73 | 2 |
| 1564-243-002-10 | 33 | 3 | 1564-301-001-20 | 46 | 2 | 1564-501-203-10 | 71 | 3 |
| 1564-243-003-20 | 33 | 4 | 1564-301-002-10 | 46 | 3 | | 72 | 3 |
| 1564-243-004-20 | 33 | 5 | 1564-301-003-10 | 46 | 4 | | 73 | 3 |
| 1564-243-005-30 | 33 | 9 | 1564-301-004-30 | 46 | 6 | 1564-501-220-00 | 71 | 1 |
| 1564-243-006-20 | 33 | 11 | 1564-301-005-20 | 46 | 8 | | 72 | 1 |
| 1564-243-007-30 | 33 | 14 | 1564-301-006-20 | 46 | 9 | | 73 | 1 |
| 1564-243-008-20 | 33 | 20 | 1564-304-003-00 | 47 | 10 | 1564-502-001-00 | 73 | 39 |
| 1564-243-011-00 | 33 | 6 | 1564-310-210-30 | 50 | 1 | | 170 | 30 |
| 1564-250-001-20 | 33 | 25 | 1564-310-220-20 | 50 | 5 | 1564-505-001-40 | 74 | 1 |
| 1564-259-001-30 | 34 | 1 | 1564-310-230-20 | 50 | 6 | 1564-505-002-40 | 74 | 2 |
| 1564-259-002-30 | 34 | 2 | 1564-310-261-10 | 49 | 4 | 1564-507-001-10 | 75 | 1 |
| 1564-259-002-40 | 34 | 2A | | 49 | 9 | 1564-507-002-10 | 75 | 2 |
| 1564-259-003-30 | 34 | 3 | 1564-314-240-20 | 52 | 3 | 1564-507-003-30 | 75 | 4 |
| 1564-259-003-40 | 34 | 3A | 1564-314-300-10 | 52 | 14 | 1564-507-004-10 | 75 | 5 |
| 1564-261-004-00 | 35 | 1 | 1564-314-300-20 | 52 | 14A | 1564-507-005-30 | 75 | 14 |
| 1564-263-002-00 | 35 | 3 | 1564-314-300-30 | 52 | 148 | 1564-507-007-00 | 75 | 7 |
| 1564-273-003-20 | 36 | 18 | 1564-314-300-40 | 52 | 14C | 1564-507-008-00 | 75 | 17 |
| 1564-273-004-20 | 37 | 9A | 1564-314-320-20 | 52 | 19 | 1564-509-210-20 | 76 | 6 |
| 1564-273-005-20 | 36 | 10 | 1564-316-002-00 | 47 | 18 | 1564-509-210-30 | 76 | 6A |
| | 37 | 11 | 1564-402-203-40 | 54 | 13 | 1564-509-240-00 | 76 | 1 |
| 1564-273-007-20 | 36 | 15 | 1564-402-211-00 | 54 | 10 | 1564-509-250-00 | 76 | 4 |
| | 37 | 9 | 1564-402-212-00 | 54 | 11 | 1564-510-001-20 | 77 | 3 |
| 1564-273-008-20 | 36 | 9 | 1564-404-200-10 | 54 | 26 | 1564-510-002-20 | 77 | 5 |
| | 36 | 14 | 1564-407-001-00 | 56 | 30 | 1564-510-003-20 | 77 | 6 |
| | 37 | 10 | 1564-407-003-00 | 56 | 5 | 1564-510-004-20 | 77 | 17 |
| | 37 | 15 | 1564-407-004-00 | 56 | 6 | 1564-510-004-30 | 77 | 17A |
| 1564-275-002-20 | 40 | 4 | 1564-407-220-00 | 56 | 24 | 1564-510-005-10 | 77 | 19 |
| 1564-275-002-30 | 40 | 4A | 1564-407-280-10 | 56 | 18 | 1564-510-006-20 | 77 | 20 |
| 1564-275-003-20 | 39 | 4 | 1564-407-290-00 | 56 | 29 | 1564-510-007-30 | 77 | 22 |
| | 40 | 5 | 1564-407-300-10 | 56 | 34 | 1564-510-008-10 | 77 | 26 |

| PART CODE | FIG. | KEY |
|---|---|---|
| 1564-510-210-20 | 77 | 9 |
| 1564-510-230-20 | 77 | 16 |
| 1564-510-240-00 | 77 | 8 |
| 1564-510-240-10 | 77 | 8A |
| 1564-510-250-00 | 77 | 15 |
| 1564-511-230-40 | 78 | 1 |
| 1564-511-230-50 | 78 | 1A |
| 1564-511-250-00 | 78 | 6 |
| 1564-511-270-10 | 78 | 26 |
| 1564-512-001-00 | 79 | 2 |
| | 99 | 2 |
| 1564-512-002-00 | 79 | 12 |
| | 99 | 6 |
| 1564-512-003-10 | 78 | 27 |
| | 99 | 10 |
| 1564-512-230-10 | 99 | 1 |
| 1564-513-220-00 | 78 | 29 |
| 1564-515-001-10 | 80 | 22 |
| | 81 | 41 |
| | 82 | 23 |
| 1564-515-001-20 | 80 | 22A |
| | 81 | 41A |
| | 82 | 23A |
| 1564-515-290-30 | 84 | 9 |
| 1564-515-300-00 | 80 | 7 |
| | 81 | 31 |
| | 82 | 7 |
| 1564-515-341-00 | 80 | 16 |
| | 81 | 35 |
| | 82 | 17 |
| 1564-519-200-20 | 100 | 2 |
| 1564-519-210-10 | 182 | 14 |
| 1564-519-900-30 | 100 | 1 |
| 1564-520-200-00 | 89 | 1 |
| 1564-520-200-10 | 89 | 1A |
| 1564-521-200-40 | 89 | 6 |
| 1564-521-200-50 | 89 | 6A |
| 1564-522-001-10 | 88 | 9 |
| | 88 | 19 |
| 1564-522-002-00 | 88 | 8 |
| 1564-522-200-40 | 88 | 3 |
| 1564-522-200-50 | 88 | 3A |
| 1564-522-210-40 | 88 | 6 |
| 1564-522-210-50 | 88 | 6A |
| 1564-522-210-60 | 88 | 6B |
| 1564-525-001-00 | 88 | 7 |
| | 90 | 29 |
| 1564-525-002-00 | 90 | 8 |
| | 91 | 8 |
| 1564-527-004-00 | 92 | 10 |
| 1564-530-001-00 | 94 | 33 |
| | 95 | 3 |
| | 97 | 31 |
| | 98 | 3 |
| 1564-530-002-00 | 97 | 11 |
| 1564-530-003-00 | 97 | 12 |
| 1564-530-230-10 | 97 | 27 |
| | 98 | 34 |
| 1564-531-250-20 | 99 | 19 |
| 1564-531-270-00 | 99 | 27 |
| 1564-601-004-20 | 103 | 13 |
| 1564-601-009-10 | 104 | 1 |
| 1564-601-009-20 | 104 | 1A |
| 1564-601-011-10 | 105 | 3 |
| 1564-601-011-20 | 105 | 3A |
| 1564-601-012-00 | 104 | 2 |
| 1564-601-012-10 | 104 | 2A |
| 1564-601-013-00 | 103 | 16 |
| 1564-601-014-10 | 103 | 5 |
| 1564-601-015-00 | 105 | 13A |
| 1564-601-211-30 | 103 | 7 |
| 1564-601-272-20 | 105 | 2 |
| 1564-601-300-10 | 104 | 3 |
| 1564-601-310-10 | 105 | 11 |
| 1564-601-320-10 | 105 | 20 |
| 1564-601-330-30 | 104 | 5 |
| 1564-601-340-10 | 104 | 6 |
| 1564-601-350-10 | 105 | 17 |
| 1564-601-370-20 | 105 | 1 |
| 1564-601-370-30 | 105 | 1A |
| 1564-601-380-10 | 105 | 11A |
| 1564-601-390-00 | 105 | 20A |
| 1564-602-001-00 | 106 | 12 |
| | 106 | 13 |
| 1564-602-350-00 | 106 | 11 |
| 1564-602-370-10 | 106 | 17 |
| 1564-603-002-20 | 106 | 18 |
| 1564-603-002-30 | 106 | 18A |
| 1564-604-003-00 | 107 | 2 |
| | 108 | 2 |
| 1564-604-005-00 | 107 | 6 |
| | 108 | 6 |
| 1564-604-011-20 | 107 | 13 |
| | 108 | 20 |
| 1564-604-012-20 | 107 | 14 |
| | 108 | 21 |
| 1564-604-018-20 | 107 | 9 |
| | 108 | 11 |
| 1564-604-024-00 | 108 | 15 |
| 1564-604-025-00 | 107 | 19 |
| | 108 | 28 |
| 1564-606-260-00 | 109 | 5 |
| | 110 | 14 |
| | 111 | 16 |
| | 112 | 15 |
| 1564-606-260-10 | 109 | 5A |
| | 110 | 14A |
| | 111 | 16A |
| | 112 | 15A |
| | 113 | 5 |
| 1564-608-230-00 | 114 | 9 |
| 1564-608-240-10 | 114 | 11 |
| 1564-608-250-10 | 114 | 9A |
| 1564-621-030-00 | 140 | 25 |
| | 141 | 22 |
| | 142 | 18 |
| 1564-625-220-20 | 117 | 1 |
| | 118 | 1 |
| 1564-630-003-10 | 124 | 22 |
| | 125 | 20 |
| 1564-630-004-20 | 122 | 25 |
| 1564-630-007-20 | 122 | 26 |
| | 123 | 13 |
| | 124 | 24 |
| | 125 | 22 |
| 1564-630-008-10 | 122 | 27 |
| | 123 | 14 |
| | 124 | 25 |
| | 125 | 23 |
| 1564-630-011-00 | 122 | 28 |
| 1564-630-012-00 | 122 | 7 |
| | 122 | 8 |
| | 123 | 5 |
| | 124 | 5 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 125 | 5 | 1564-664-210-30 | 137 | 8A | 1566-284-200-20 | 42 | 6 |
| 1564-630-013-00 | 122 | 22 | 1564-664-210-40 | 137 | 88 | 1566-284-200-30 | 42 | 6A |
| 1564-630-013-10 | 122 | 22A | 1564-664-213-10 | 137 | 10 | 1566-291-200-00 | 45 | 15 |
| 1564-630-290-10 | 124 | 8 | 1564-664-213-20 | 137 | 10A | 1566-314-240-10 | 52 | 1 |
| 1564-630-310-30 | 124 | 11 | 1564-664-230-00 | 136 | 4 | 1566-404-001-00 | 54 | 32 |
| 1564-630-310-40 | 124 | llA | | 137 | 4 | 1566-525-101-00 | 90 | 28 |
| 1564-630-310-50 | 124 | 118 | | 138 | 4 | 1566-601-002-00 | 105 | 9 |
| 1564-630-320-30 | 122 | 1 | 1564-666-004-00 | 140 | 9 | 1566-601-003-00 | 105 | 38 |
| | 123 | 1 | | 141 | 6 | | 105 | 6 |
| | 124 | 1 | | 142 | 4 | 1566-602-200-00 | 106 | 1 |
| | 125 | 1 | 1564-666-202-00 | 140 | 5 | 1566-602-210-10 | 106 | 2 |
| 1564-654-201-20 | 129 | 15 | | 141 | 5 | 1566-618-200-30 | 116 | 39 |
| | 132 | 9 | 1564-690-001-00 | 102 | 29 | 1566-618-200-40 | 116 | 39A |
| 1564-654-202-00 | 129 | 16 | 1564-690-310-00 | 102 | 28 | 1566-626-540-10 | 119 | 3 |
| | 129 | 25 | 1564-743-102-00 | 162 | 14 | 1566-626-550-10 | 119 | 4 |
| | 132 | 16 | 1564-902-003-00 | 175 | 9 | 1566-630-102-00 | 124 | 21 |
| | 132 | 25 | 1565-130-200-20 | 19 | 1 | | 125 | 19 |
| 1564-654-212-00 | 129 | 10 | 1565-130-200-30 | 19 | lA | 1566-630-102-10 | 123 | 7 |
| | 129 | 19 | 1565-132-200-00 | 19 | 6A | | 124 | 21A |
| | 132 | 11 | 1565-201-001-60 | 23 | 1 | | 125 | 19A |
| | 132 | 20 | 1565-285-001-30 | 44 | 6 | 1566-630-104-00 | 124 | 23 |
| 1564-654-213-00 | 129 | 4 | 1565-285-210-20 | 44 | 2 | | 125 | 21 |
| | 132 | 4 | 1565-285-220-00 | 44 | 6A | 1566-654-101-00 | 131 | 14 |
| | 132 | 12 | 1565-288-201-30 | 44 | 16 | 1566-656-001-30 | 132 | 41 |
| | 132 | 21 | 1565-511-220-10 | 78 | 25 | 1566-656-200-30 | 129 | 1 |
| 1564-654-215-00 | 129 | 13 | 1565-513-200-20 | 78 | 32 | | 132 | 1 |
| | 129 | 22 | 1565-514-201-40 | 79 | 14 | 1566-656-202-00 | 129 | 2 |
| 1564-654-221-20 | 129 | 24 | | 99 | 15 | | 132 | 2 |
| | 132 | 18 | 1565-530-210-10 | 97 | 5 | 1566-656-203-00 | 129 | 3 |
| 1564-658-202-20 | 133 | 17 | 1565-530-210-20 | 98 | 6 | | 132 | 3 |
| | 134 | 17 | 1565-530-220-10 | 97 | 6 | 1566-656-204-00 | 129 | 5 |
| | 135 | 17 | 1565-530-220-20 | 98 | 7 | | 132 | 5 |
| 1564-658-203-00 | 133 | 19 | 1565-530-260-20 | 98 | 9 | 1566-656-205-00 | 129 | 7 |
| | 134 | 19 | 1565-530-270-20 | 98 | 8 | | 132 | 7 |
| | 135 | 19 | 1566-111-500-10 | 12 | 8 | 1566-656-206-00 | 129 | 8 |
| 1564-658-412-10 | 133 | 5 | | 13 | 7 | | 132 | 8 |
| | 134 | 5 | 1566-116-200-30 | 16 | 34 | 1566-656-210-30 | 132 | 10 |
| | 135 | 5 | 1566-209-001-30 | 25 | 16 | | 132 | 19 |
| 1564-660-411-00 | 133 | 22 | 1566-209-002-20 | 25 | 27 | 1566-656-211-00 | 129 | 11 |
| | 134 | 22 | 1566-209-003-20 | 25 | 34 | | 129 | 20 |
| | 135 | 22 | 1566-213-001-20 | 25 | 36 | | 132 | 13 |
| 1564-664-003-00 | 136 | 7 | 1566-213-002-10 | 25 | 41 | | 132 | 22 |
| | 137 | 7 | 1566-213-003-10 | 25 | 42 | 1566-656-212-10 | 132 | 15 |
| | 138 | 7 | 1566-283-200-30 | 42 | 1 | | 132 | 24 |
| 1564-664-210-20 | 137 | 8 | 1566-284-001-40 | 42 | 11 | 1566-658-210-20 | 135 | 2 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1566-664-200-00 | 139 | 1 | | 160 | 6 | 1566-731-107-00 | 162 | 3 |
| 1566-664-230-10 | 136 | 22 | | 161 | 6 | | 165 | 7 |
| | 138 | 27 | 1566-705-007-00 | 158 | 11 | | 166 | 11 |
| | 139 | 8 | 1566-705 012-00 | 161 | 4A | 1566-731-500-00 | 165 | 8 |
| 1566-669-107-00 | 148 | 27 | 1566-705-102-00 | 157 | 18A | 1566-731-510-00 | 165 | 12 |
| 1566-669 108-10 | 148 | 28 | | 158 | 8 | 1566-731-540-10 | 165 | 20 |
| 1566-669-109-00 | 148 | 29 | | 159 | 18A | 1566-731-550-10 | 165 | 21 |
| 1566-669-112-00 | 167 | 16 | 1566-705-103-00 | 161 | 1 | 1566-732-113-00 | 165 | 39 |
| 1566-669-116-00 | 146 | 17 | 1566-705-104-00 | 161 | 4 | 1566-733-101-20 | 165 | 42 |
| | 149 | 15 | 1566-705-200-20 | 158 | 1 | 1566 733-102-00 | 165 | 44 |
| 1566-669-520-00 | 147 | 26 | 1566-705-210-00 | 158 | 2 | 1566-733-500-00 | 165 | 45 |
| 1566-669-540-00 | 143 | 4 | 1566-705-220-00 | 158 | 3 | 1566-733-510-00 | 165 | 46 |
| | 145 | 4 | 1566-721-102-10 | 126 | 1 | 1566-733-520-00 | 165 | 47 |
| 1566-669-580-20 | 143 | 10 | 1566-721-103-00 | 126 | 6 | 1566-733-530-00 | 165 | 48 |
| | 145 | 10 | | 162 | 5 | 1566-733-550-00 | 165 | 49 |
| 1566-669-582-10 | 143 | 11 | | 162 | 30 | 1566-743-102-00 | 166 | 3 |
| | 145 | 11 | 1566-722-101-10 | 162 | 31 | 1566-743-103-00 | 162 | 16 |
| 1566-669-583-00 | 143 | 13 | 1566-722-102-10 | 126 | 2 | | 166 | 5 |
| | 145 | 13 | | 162 | 32 | 1566-743-520-00 | 162 | 23 |
| 1566-682-200-10 | 151 | 12 | 1566-722-103-10 | 126 | 3 | | 166 | 16 |
| | 151 | 25 | | 162 | 33 | 1566-744-103-10 | 166 | 23 |
| | 151 | 38 | 1566-730-101-10 | 163 | 7 | 1566-770-103-00 | 148 | 22 |
| 1566-682-200-30 | 151 | 12A | | 164 | 6 | 1566-770-104-00 | 148 | 23 |
| | 151 | 38A | 1566-730-102-10 | 163 | 8 | 1566-780-002-00 | 174 | 29 |
| 1566-682-210-10 | 151 | 13 | | 164 | 7 | 1566-782-104-00 | 174 | 24A |
| | 151 | 26 | 1566-730-103-10 | 163 | 9 | 1566-782-105-00 | 174 | 25A |
| | 151 | 39 | | 164 | 8 | 1566-901-002-40 | 175 | 8 |
| 1566-682-210-30 | 151 | 13A | 1566-730-104-10 | 163 | 10 | 1566-902-003-00 | 175 | 11 |
| | 151 | 39A | | 164 | 9 | 1566-902-003-10 | 175 | 11A |
| 1566-682-500-00 | 151 | 16 | 1566-730-105-10 | 163 | 12 | 1567-120-001-00 | 17 | 20A |
| | 151 | 42 | | 164 | 12 | | 18 | 24A |
| 1566-682-510-00 | 151 | 17 | 1566-730-106-00 | 163 | 17 | 1567-120-201-20 | 17 | 12 |
| | 151 | 43 | | 164 | 17 | 1567-120-201-30 | 17 | 12A |
| 1566-701-101-10 | 153 | 20 | 1566-730-107-00 | 163 | 19 | 1567-121-001-10 | 18 | 21 |
| 1566-702-101-10 | 154 | 6 | | 164 | 20 | 1567-207-001-20 | 24 | 1 |
| | 155 | 6 | 1566-730-108-00 | 163 | 22 | 1568-101-310-00 | 1 | 4 |
| 1566-703-540-10 | 156 | 8 | | 164 | 22 | 1568-102-002-10 | 1 | 25 |
| 1566-703-540-20 | 156 | 8A | 1566-730-113-00 | 163 | 20 | 1568-102-220-00 | 1 | 24 |
| 1566-705-001-00 | 158 | 5 | | 164 | 19 | 1568-103-002-00 | 2 | 12 |
| 1566-705-002-00 | 158 | 7 | 1566-730-114-00 | 164 | 28 | | 3 | 6 |
| 1566-705-005-00 | 157 | 14A | 1566-730-540-00 | 163 | 11 | 1568-103-210-20 | 3 | 1 |
| | 158 | 9 | | 164 | 11 | 1568-103-212-00 | 3 | 2 |
| | 159 | 14A | 1566-730-560-10 | 164 | 25 | | 4 | 2 |
| 1566-705-006-00 | 158 | 6 | 1566-730-570-10 | 164 | 26 | 1568-104-003-20 | 6 | 30 |
| | 159 | 9 | 1566-731-106-00 | 165 | 23 | 1568-104-004-30 | 6 | 32 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1568-104-005-00 | 6 | 17 | | 37 | 3A | 1568-415-001-10 | 59 | 24 |
| 1568-104-006-00 | 6 | 18 | 1568-273-001-00 | 36 | 6 | 1568-431-001-10 | 61 | 1 |
| 1568-104-240-00 | 6 | 27 | | 37 | 6 | 1568-431-200-10 | 61 | 5 |
| 1568-105-230-10 | 7 | 1 | 1568-275-001-20 | 40 | 8 | 1568-432-001-20 | 62 | 8 |
| | 8 | 1 | 1568-281-001-00 | 41 | 14 | 1568-432-002-10 | 62 | 3 |
| 1568-111-003-20 | 14 | 7 | 1568-291-200-10 | 45 | 16 | 1568-432-004-10 | 62 | 9 |
| 1568-111-101-00 | 11 | 14 | 1568-291-210-10 | 45 | 16A | 1568-432-005-10 | 62 | 11 |
| | 12 | 13 | 1568-302-001-00 | 46 | 5 | 1568-432-006-00 | 62 | 16 |
| | 13 | 13 | 1568-302-200-30 | 46 | 1 | 1568-432-200-10 | 62 | 1 |
| 1568-111-102-00 | 11 | 17 | 1568-303-001-20 | 46 | 22 | 1568-433-001-20 | 63 | 20 |
| | 12 | 16 | 1568-303-002-20 | 46 | 23 | | 64 | 19 |
| | 13 | 16 | 1568-303-003-00 | 46 | 17A | 1568-433-018-00 | 66 | 13A |
| 1568-111-220-30 | 12 | 25 | 1568-303-200-10 | 46 | 30 | 1568-433-200-30 | 63 | 1 |
| | 14 | 14 | 1568-304-001-30 | 47 | 1 | | 64 | 1 |
| 1568-111-270-10 | 14 | 10 | 1568-304-002-30 | 47 | 2 | 1568-433-210-20 | 64 | 17 |
| 1568-111-280-00 | 14 | 16 | 1568-304-003-00 | 47 | 8 | 1568-433-212-10 | 63 | 18 |
| 1568-111-310-30 | 10 | 1 | 1568-307-001-10 | 48 | 6 | | 64 | 18 |
| | 11 | 1 | 1568-307-002-20 | 48 | 7 | 1568-434-001-20 | 65 | 1 |
| | 12 | 1 | 1568-307-003-10 | 48 | 8 | 1568-434-002-20 | 65 | 3 |
| | 13 | 1 | 1568-307-200-20 | 48 | 9 | 1568-434-003-10 | 65 | 11 |
| 1568-111-310-40 | 10 | lA | 1568-307-200-30 | 48 | 9A | 1568-434-004-10 | 65 | 19 |
| | 11 | lA | 1568-310-001-00 | 49 | 12 | 1568-434-005-20 | 65 | 20 |
| | 12 | lA | 1568-310-200-30 | 50 | 13 | 1568-434-006-20 | 66 | 6 |
| | 13 | lA | 1568-310-210-20 | 49 | 1 | 1568-434-006-30 | 66 | 6A |
| 1568-111-320-00 | 12 | 23 | 1568-310-220-00 | 49 | 6 | 1568-434-007-20 | 66 | 8 |
| | 14 | 18 | 1568-316-200-10 | 47 | 15 | 1568-434-008-30 | 66 | 9 |
| 1568-116-002-00 | 16 | 23 | 1568-320-211-00 | 53 | 25 | 1568-434-009-10 | 66 | 10 |
| 1568-116-210-00 | 16 | 24 | | 53 | 34 | 1568-434-011-20 | 66 | 11 |
| 1568-116-230-00 | 16 | 10 | 1568-404-220-20 | 54 | 40 | 1568-434-012-20 | 66 | 12 |
| 1568-116-230-10 | 16 | 10A | 1568-407-201-00 | 55 | 41 | 1568-434-013-30 | 66 | 17 |
| 1568-132-200-00 | 19 | 6 | 1568-407-260-30 | 55 | 1 | 1568-434-014-10 | 66 | 18 |
| 1568-132-210-00 | 19 | 7 | 1568-407-261-00 | 55 | 35 | 1568-434-015-10 | 66 | 19 |
| 1568-206-001-00 | 24 | 2 | 1568-407-262-00 | 55 | 39 | 1568-434-016-20 | 66 | 21 |
| 1568-209-002-00 | 24 | 24 | 1568-407-292-00 | 55 | 17 | 1568-434-017-20 | 66 | 22 |
| | 24 | 34 | | 55 | 28 | 1568-434-018-30 | 66 | 25 |
| | 25 | 20 | 1568-407-302-00 | 55 | 26 | 1568-434-018-40 | 66 | 25A |
| | 25 | 30 | 1568-407-303-00 | 55 | 27 | 1568-434-024-00 | 66 | 12A |
| 1568-220-001-10 | 27 | 35 | 1568-407-320-00 | 56 | 39 | 1568-434-200-20 | 65 | 13 |
| | 27 | 44 | 1568-410-001-30 | 57 | 6 | 1568-434-200-30 | 65 | 13A |
| 1568-240-001-50 | 32 | 2 | 1568-410-220-30 | 57 | 1 | 1568-434-202-10 | 65 | 14 |
| 1568-270-001-00 | 36 | 2 | 1568-410-220-40 | 57 | lA | | 65 | 16 |
| | 36 | 5 | 1568-410-220-50 | 57 | 18 | 1568-434-210-20 | 65 | 15 |
| | 37 | 2A | 1568-412-200-10 | 58 | 1 | 1568-434-210-30 | 65 | 15A |
| | 37 | 5A | 1568-413-200-10 | 58 | 19 | 1568-434-222-10 | 66 | 32 |
| 1568-270-002-00 | 36 | 3 | 1568-413-220-10 | 58 | 21 | | 66 | 34 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 66 | 36 |
| | 66 | 38 |
| 1568-435-001-10 | 65 | 27 |
| 1568-435-002-10 | 65 | 28 |
| 1568-436-001-10 | 67 | 1 |
| 1568-436-002-10 | 67 | 2 |
| 1568-507-001-00 | 75 | 38A |
| 1568-507-200-10 | 75 | 38 |
| 1568-510-002-00 | 77 | 1 |
| 1568-510-003-00 | 77 | 2 |
| 1568-515-001-10 | 80 | 11 |
| | 81 | 9 |
| | 82 | 12 |
| 1568-515-002-20 | 80 | 35 |
| | 81 | 49 |
| | 82 | 31 |
| 1568-515-003-00 | 80 | 26 |
| | 81 | 45 |
| | 82 | 27 |
| 1568-515-210-20 | 80 | 10 |
| | 82 | 10 |
| 1568-515-220-30 | 80 | 24 |
| | 81 | 43 |
| | 82 | 25 |
| 1568-515-230-20 | 80 | 30 |
| 1568-515-240-20 | 84 | 10 |
| 1568-515-260-30 | 84 | 1 |
| 1568-515-280-00 | 84 | 13 |
| 1568-515-290-00 | 84 | 3 |
| 1568-518-200-00 | 85 | 41 |
| 1568-520-200-50 | 86 | 1 |
| 1568-525-001-00 | 90 | 12 |
| 1568-525-002-00 | 90 | 6A |
| | 91 | 6A |
| 1568-525-002-10 | 90 | 6B |
| | 91 | 6B |
| 1568-525-003-00 | 90 | 7A |
| | 91 | 7A |
| 1568-525-003-10 | 90 | 7B |
| | 91 | 7B |
| 1568-525-200-20 | 90 | 1 |
| | 91 | 1 |
| 1568-525-210-20 | 90 | 2 |
| | 91 | 2 |
| 1568-525-220-40 | 90 | 6 |
| 1568-525-230-20 | 90 | 16 |
| | 91 | 12 |
| 1568-525-250-10 | 90 | 18 |
| | 91 | 14 |
| 1568-525-260-30 | 93 | 1 |
| 1568-525-260-40 | 93 | 1A |
| 1568-525-270-30 | 93 | 2 |
| 1568-525-270-40 | 93 | 2A |
| 1568-525-280-10 | 90 | 7 |
| | 91 | 7 |
| 1568-525-290-00 | 90 | 24 |
| 1568-525-300-00 | 90 | 25 |
| 1568-525-310-00 | 90 | 17 |
| | 91 | 13 |
| 1568-525-310-10 | 90 | 17A |
| | 91 | 13A |
| 1568-525-340-00 | 90 | 6C |
| | 91 | 6C |
| 1568-525-340-10 | 90 | 6D |
| | 91 | 6D |
| 1568-525-350-00 | 90 | 7C |
| | 91 | 7C |
| 1568-525-350-10 | 90 | 7D |
| | 91 | 7D |
| 1568-526-001-10 | 92 | 5 |
| | 92 | 29 |
| | 93 | 4 |
| 1568-526-200-20 | 93 | 3 |
| 1568-526-220-30 | 93 | 6 |
| 1568-541-001-00 | 100 | 19 |
| 1568-541-901-00 | 100 | 12 |
| 1568-602-310-20 | 106 | 8 |
| 1568-604-001-20 | 107 | 10 |
| | 108 | 12 |
| 1568-604-003-00 | 107 | 11 |
| | 108 | 18 |
| 1568-604-006-00 | 108 | 13 |
| 1568-604-007-00 | 108 | 14 |
| 1568-604-008-10 | 108 | 9 |
| 1568-604-009-10 | 108 | 10 |
| 1568-604-012-00 | 108 | 26 |
| 1568-604-012-10 | 108 | 26A |
| 1568-604-013-00 | 108 | 27 |
| 1568-604-013-10 | 108 | 27A |
| 1568-604-250-00 | 107 | IIA |
| | 108 | 18A |
| 1568-604-250-10 | 107 | IIB |
| | 108 | 18B |
| 1568-604-361-20 | 107 | 31 |
| | 108 | 40 |
| 1568-604-361-30 | 107 | 31A |
| | 108 | 40A |
| 1568-604-400-10 | 108 | 1 |
| 1568-604-420-00 | 108 | 5 |
| 1568-604-440-10 | 108 | 23 |
| 1568-604-450-10 | 108 | 24 |
| 1568-604-460-00 | 107 | 20 |
| | 108 | 29 |
| 1568-604-470-00 | 107 | 21 |
| | 108 | 30 |
| 1568-606-250-20 | 110 | 4 |
| 1568-606-260-40 | 110 | 1 |
| 1568-606-260-50 | 110 | 1A |
| 1568-626-002-00 | 6 | 45 |
| 1568-626-500-10 | 119 | 1 |
| | 121 | 1 |
| | 121 | 12 |
| 1568-626-510-10 | 119 | 2 |
| | 121 | 2 |
| | 121 | 13 |
| 1568-630-500-10 | 124 | 15 |
| | 125 | 15 |
| 1568-630-510-10 | 124 | 13 |
| | 125 | 13 |
| 1568-630-510-20 | 125 | 13A |
| 1568-630-510-30 | 124 | 13A |
| | 125 | 13B |
| 1568-650-004-00 | 127 | 8 |
| | 127 | 15 |
| 1568-650-004-10 | 127 | 8A |
| | 127 | 15A |
| 1568-650-005-00 | 127 | 9 |
| | 127 | 16 |
| 1568-650-005-10 | 127 | 9A |
| | 127 | 16A |
| 1568-650-200-00 | 127 | 7 |
| 1568-665-210-00 | 139 | 14 |
| 1568-665-210-10 | 139 | 14A |
| 1568-668-203-00 | 140 | 17 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 141 | 14 | 1569-437-221-00 | 68 | 2 | | 166 | 2 |
| 1568-668-204-00 | 140 | 18 | | 68 | 11 | 1581-740-114-00 | 162 | 7 |
| | 141 | 15 | 1569-901-001-20 | 175 | 7 | | 165 | 4 |
| | 142 | 12 | 1572-102-003-00 | 1 | 21A | | 166 | 10 |
| 1568-668-212-10 | 142 | 28 | 1572-102-210-00 | 1 | 12 | 1581-740-552-10 | 165 | 9 |
| | 146 | 11A | 1575-511-003-00 | 100 | 18 | | 165 | 13 |
| 1568-669-101-00 | 144 | 15 | 1575-612-223-00 | 10 | 4 | 1581-740-553-10 | 165 | 10 |
| | 146 | 23 | | 11 | 4 | | 165 | 14 |
| 1568-690-001-00 | 102 | 7 | | 12 | 4 | 1581-740-556-00 | 165 | 17 |
| 1568-690-002-00 | 102 | 10 | | 13 | 4 | 1581-740-558-00 | 165 | 18 |
| 1568-690-200-20 | 101 | 15 | 1575-623-006-00 | 137 | 9 | 1581-742-102-00 | 126 | 4 |
| 1568-701-001-00 | 152 | 4 | 1575-623-006-10 | 137 | 9A | | 162 | 9 |
| | 153 | 4 | 1575-623-006-20 | 137 | 9B | | 162 | 17 |
| 1568-701-500-10 | 152 | 7 | 1575-623-007-00 | 137 | 11 | | 162 | 27 |
| | 153 | 11 | 1575-623-009-00 | 136 | 11 | | 165 | 16 |
| 1568-703-520-00 | 156 | 1 | | 137 | 12 | | 166 | 19 |
| 1568-703-530-00 | 156 | 2 | 1575-623-010-00 | 137 | 13 | 1581-742-105-00 | 162 | 15 |
| 1568-730-500-20 | 163 | 1 | | 138 | 12 | | 166 | 4 |
| | 164 | 1 | 1575-623-011-00 | 137 | 14 | 1581-742-582-00 | 162 | 11 |
| 1568-730-520-20 | 163 | 2 | | 138 | 13 | | 166 | 14 |
| | 164 | 2 | 1575-651-480-00 | 102 | 1A | 1581-742-590-00 | 162 | 12 |
| 1568-731-103-00 | 106 | 9 | 1579-112-003-00 | 127 | 19B | | 166 | 12 |
| | 165 | 22 | | 127 | 20A | 1581-742-621-00 | 162 | 19 |
| 1568-731-500-00 | 165 | 37 | 1581-307-005-00 | 48 | 16 | | 166 | 6 |
| 1568-731-510-00 | 165 | 38 | 1581-621-290-00 | 142 | 19 | 1581-780-504-00 | 171 | 12 |
| 1568-732-101-00 | 165 | 31 | | 143 | 15 | | 172 | 26 |
| 1568-732-102-00 | 165 | 32 | | 145 | 15 | 1581-780-520-00 | 171 | 3A |
| 1568-732-103-00 | 165 | 33 | | 145 | 16 | 1581-782-111-00 | 173 | 26 |
| 1568-732-104-00 | 165 | 34 | | 146 | 16 | 1581-785-503-00 | 174 | 31 |
| 1568-732-105-00 | 165 | 35 | | 147 | 5 | 1588-501-007-00 | 73 | 43 |
| 1568-732-106-00 | 165 | 36 | | 147 | 21 | 1593-307-052-10 | 27 | 10A |
| 1568-744-101-00 | 166 | 22 | | 148 | 25 | 1593-623-203-00 | 136 | 12 |
| 1568-744-102-10 | 154 | 11 | | 149 | 16 | | 144 | 5 |
| | 155 | 12 | 1581-621-530-00 | 143 | 18 | | 146 | 5 |
| 1568-744-103-00 | 154 | 12 | | 145 | 21 | 1593-623-503-00 | 144 | 6 |
| | 155 | 13 | | 147 | 7 | | 146 | 6 |
| 1568-904-002-10 | 176 | 21 | 1581-740-112-00 | 162 | 2 | 1593-623-530-00 | 145 | 17 |
| 1568-904-002-20 | 176 | 21A | | 165 | 3 | 1594-146-005-00 | 20 | 17 |
| 1569-105-200-00 | 7 | 1A | | 166 | 9 | | 21 | 23 |
| 1569-262-004-00 | 33 | 28 | 1581-740-113-00 | 126 | 5 | 1594-147-003-00 | 22 | 33 |
| 1569-262-005-00 | 35 | 6 | | 162 | 6 | 1594-218-001-00 | 25 | 5 |
| 1569-320-211-00 | 53 | 2 | | 162 | 10 | | 26 | 3 |
| | 53 | 12 | | 162 | 18 | | 27 | 41 |
| 1569-437-211-10 | 68 | 1 | | 162 | 29 | 1594-221-203-00 | 27 | 22 |
| | 68 | 10 | | 165 | 5 | 1594-272-006-00 | 38 | 17 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1594-285-003-00 | 43 | 17 | 1594-654-250-00 | 130 | 14 | 1596-105-001-00 | 7 | 2 |
| 1594-285-220-10 | 43 | 14 | 1594-654-261-00 | 130 | 20 | | 8 | 2 |
| 1594-287-200-00 | 43 | 28 | 1594-654-261-10 | 130 | 20A | 1596-105-200-00 | 7 | 19 |
| 1594-312-001-10 | 51 | 13 | 1594-654-281-00 | 130 | 2 | 1596-111-200-10 | 10 | 9 |
| 1594-312-003-10 | 50 | 20 | 1594-658-240-00 | 133 | 25 | 1596-111-500-10 | 11 | 7 |
| 1594-312-004-00 | 50 | 21 | 1594-669-510-00 | 143 | 2 | 1596-121-210-00 | 18 | 11 |
| 1594-312-005-00 | 51 | 17 | | 145 | 2 | 1596-121-210-20 | 18 | 11A |
| 1594-314-001-00 | 51 | 27 | 1594-672-200-10 | 150 | 1 | 1596-121-211-00 | 18 | 12 |
| 1594-314-002-00 | 51 | 28 | 1594-903-001-00 | 175 | 5 | 1596-121-211-10 | 18 | 12A |
| 1594-517-003-00 | 94 | 12 | 1594-903-002-00 | 175 | 6 | 1596-146-002-00 | 20 | 14 |
| | 95 | 16 | 1594-903-002-10 | 175 | 6A | | 21 | 19 |
| | 96 | 11 | 1594-904-003-00 | 176 | 26 | 1596-146-003-00 | 20 | 15 |
| | 98 | 15 | | 176 | 51 | | 21 | 20 |
| 1594-517-004-00 | 94 | 13 | | 176 | 59 | 1596-146-004-00 | 20 | 16 |
| | 95 | 17 | 1594-904-004-10 | 176 | 27 | | 21 | 21 |
| | 96 | 12 | | 176 | 52 | 1596-146-006-10 | 21 | 27 |
| | 98 | 16 | | 176 | 60 | 1596-146-210-00 | 20 | 2 |
| 1594-518-200-00 | 85 | 30 | 1594-904-007-00 | 176 | 32 | 1596-146-211-00 | 20 | 4 |
| 1594-606-001-10 | 109 | 17 | 1594-904-008-00 | 176 | 33 | | 21 | 4 |
| | 111 | 8 | 1594-904-011-00 | 176 | 39 | 1596-146-212-00 | 20 | 5 |
| | 112 | 7 | 1594-904-012-00 | 176 | 40 | | 21 | 5 |
| | 113 | 16 | 1594-904-012-10 | 176 | 40A | 1596-146-310-00 | 21 | 2 |
| 1594-606-002-10 | 109 | 18 | 1594-904-015-00 | 176 | 42 | 1596-146-311-00 | 21 | 13 |
| | 111 | 9 | 1594-904-016-00 | 176 | 41 | 1596-146-312-00 | 21 | 14 |
| | 112 | 8 | 1594-904-017-00 | 176 | 28 | 1596-147-001-00 | 22 | 15 |
| | 113 | 17 | | 176 | 53 | 1596-147-230-10 | 22 | 29 |
| 1594-609-001-00 | 114 | 6 | | 176 | 61 | 1596-147-240-00 | 22 | 37 |
| 1594-609-200-00 | 114 | 5 | 1594-904-018-00 | 176 | 34 | 1596-147-250-00 | 22 | 17 |
| 1594-625-001-00 | 117 | 7 | 1594-904-019-00 | 176 | 3 | 1596-147-260-00 | 22 | 19 |
| | 120 | 6 | | 176 | 48 | 1596-147-270-00 | 22 | 25 |
| 1594-652-001-20 | 128 | 6 | 1594-904-021-00 | 176 | 30 | 1596-147-280-10 | 22 | 27 |
| | 128 | 10 | | 176 | 55 | 1596-147-290-10 | 22 | 28 |
| | 128 | 14 | | 176 | 63 | 1596-209-001-10 | 24 | 12 |
| 1594-652-002-00 | 128 | 7 | 1594-904-022-00 | 176 | 36 | 1596-209-002-00 | 24 | 20 |
| | 128 | 11 | 1594-904-023-10 | 176 | 5 | 1596-209-003-00 | 24 | 26 |
| | 128 | 15 | | 176 | 50 | 1596-209-004-00 | 24 | 31 |
| 1594-652-200-10 | 128 | 5 | 1594-904-024-00 | 176 | 6 | 1596-209-005-00 | 24 | 38 |
| 1594-652-220-00 | 128 | 9 | 1594-904-025-00 | 176 | 7 | 1596-209-007-00 | 24 | 15 |
| 1594-652-230-00 | 128 | 13 | 1596-103-200-00 | 2 | 1 | | 25 | 12 |
| 1594-654-001-10 | 130 | 34 | 1596-103-200-10 | 2 | 1A | 1596-209-008-00 | 24 | 13 |
| 1594-654-003-10 | 130 | 32 | 1596-103-211-00 | 2 | 5 | 1596-209-009-00 | 24 | 19 |
| 1594-654-004-10 | 130 | 33 | | 4 | 5 | 1596-213-001-00 | 24 | 40 |
| 1594-654-211-00 | 130 | 11 | 1596-103-230-00 | 2 | 18 | 1596-213-002-00 | 24 | 44 |
| | 130 | 15 | 1596-103-232-00 | 2 | 8A | 1596-213-003-00 | 24 | 45 |
| 1594-654-230-00 | 130 | 10 | 1596-103-233-00 | 2 | 10A | 1596-213-004-00 | 24 | 46 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1596-221-200-00 | 27 | 11 | 1596-512-001-00 | 79 | 3 | | 95 | 25 |
| 1596-221-201-00 | 27 | 12 | 1596-512-002-00 | 79 | 6 | | 97 | 19 |
| 1596-221-202-00 | 27 | 15 | | 99 | 3 | | 98 | 24 |
| 1596-230-001-00 | 31 | 1 | 1596-512-200-00 | 79 | 1 | 1596-530-270-00 | 95 | 26 |
| 1596-240-001-00 | 32 | 14 | 1596-515-200-00 | 80 | 15 | | 96 | 19 |
| 1596-240-002-00 | 32 | 15 | | 81 | 34 | | 98 | 25 |
| 1596-240-200-00 | 32 | 11 | | 82 | 16A | 1596-530-290-00 | 94 | 24 |
| 1596-243-001-00 | 33 | 13 | 1596-515-200-10 | 80 | 15A | | 95 | 31 |
| 1596-250-001-00 | 33 | 24 | | 81 | 34A | | 97 | 23 |
| 1596-270-001-00 | 37 | 1 | | 82 | 168 | | 98 | 30 |
| 1596-272-001-00 | 38 | 2 | 1596-515-200-20 | 80 | 158 | 1596-530-310-00 | 94 | 22 |
| 1596-272-002-00 | 38 | 13 | | 81 | 348 | | 95 | 29 |
| 1596-272-003-00 | 38 | 14 | | 82 | 16C | | 97 | 21 |
| 1596-272-004-00 | 38 | 8 | 1596-515-210-00 | 81 | 17 | | 98 | 28 |
| 1596-272-005-00 | 38 | 7 | 1596-515-210-10 | 81 | 17A | 1596-601-200-00 | 105 | 10 |
| 1596-272-200-00 | 38 | 1 | 1596-515-211-00 | 81 | 18 | 1596-601-220-10 | 105 | lOA |
| 1596-273-001-00 | 37 | 4 | 1596-520-001-00 | 88 | 1 | 1596-606-200-20 | 109 | 1 |
| 1596-273-002-00 | 37 | 7 | 1596-520-220-00 | 88 | 1A | | 111 | 1 |
| 1596-273-003-00 | 37 | 16 | 1596-522-001-00 | 88 | 14 | | 113 | 1 |
| 1596-273-005-00 | 37 | 13 | 1596-522-200-00 | 88 | 11 | 1596-606-210-20 | 109 | 4 |
| 1596-273-200-10 | 36 | 22 | 1596-522-200-10 | 88 | 11A | | 111 | 4 |
| 1596-275-001-00 | 39 | 1 | 1596-522-210-10 | 88 | 17 | | 113 | 4 |
| 1596-275-200-00 | 39 | 12 | 1596-527-002-00 | 92 | 32 | 1596-606-230-10 | 112 | 1 |
| 1596-281-200-00 | 41 | 10 | 1596-530-200-00 | 94 | 5 | 1596-606-240-10 | 112 | 4 |
| 1596-281-210-00 | 41 | 11 | | 95 | 7 | 1596-606-250-00 | 109 | 9 |
| 1596-285-001-00 | 43 | 1 | 1596-530-200-10 | 94 | 5A | | 113 | 9 |
| 1596-285-001-10 | 43 | 1A | | 95 | 7A | 1596-606-260-00 | 109 | 10 |
| 1596-285-200-00 | 43 | 7 | 1596-530-210-00 | 94 | 6 | | 113 | 10 |
| 1596-285-210-00 | 43 | 9 | | 95 | 8 | 1596-608-001-00 | 114 | 1 |
| 1596-285-230-00 | 43 | 23 | 1596-530-210-10 | 94 | 6A | 1596-608-002-00 | 114 | 2 |
| 1596-288-001-00 | 43 | 33 | | 95 | 8A | 1596-611-200-10 | 115 | 38 |
| 1596-291-200-00 | 45 | 11 | 1596-530-220-10 | 95 | 9 | 1596-625-001-00 | 117 | 6 |
| 1596-291-210-00 | 45 | 12 | 1596-530-220-20 | 95 | 9A | | 118 | 6 |
| 1596-310-210-00 | 50 | 11 | | 96 | 5 | | 119 | 5 |
| 1596-310-220-00 | 50 | 12 | 1596-530-230-00 | 95 | 10 | | 120 | 3 |
| 1596-312-003-00 | 50 | 17 | 1596-530-230-10 | 95 | lOA | | 121 | 5 |
| 1596-312-270-00 | 51 | 12 | | 96 | 6 | | 121 | 16 |
| 1596-312-350-00 | 51 | 7 | 1596-530-240-00 | 94 | 16 | 1596-625-002-00 | 118 | 11 |
| 1596-314-300-00 | 51 | 24 | | 95 | 20 | | 119 | 9 |
| 1596-402-200-00 | 54 | 12 | | 97 | 15 | | 121 | 10 |
| 1596-404-200-00 | 54 | 23 | | 98 | 19 | | 121 | 21 |
| 1596-433-210-00 | 58 | 2 | 1596-530-250-00 | 95 | 21 | 1596-625-003-00 | 117 | 9 |
| | 63 | 10 | | 96 | 15 | | 118 | 10 |
| 1596-511-001-00 | 78 | 22 | | 98 | 20 | | 119 | 10 |
| 1596-511-200-00 | 78 | 21 | 1596-530-260-00 | 94 | 20 | | 121 | 9 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 121 | 20 |
| 1596-625-200-00 | 117 | 2 |
| | 118 | 2 |
| 1596-625-210-00 | 117 | 12 |
| 1596-625-220-00 | 117 | 13 |
| 1596-630-001-10 | 122 | 10 |
| 1596-630-003-00 | 122 | 23 |
| 1596-630-004-00 | 122 | 24 |
| 1596-630-200-00 | 122 | 5 |
| 1596-630-210-00 | 122 | 6 |
| 1596-630-220-00 | 122 | 13 |
| | 123 | 8 |
| | 125 | 8 |
| 1596-630-220-10 | 122 | 13A |
| | 123 | 8A |
| | 125 | 8A |
| 1596-630-230-20 | 122 | 16 |
| | 123 | 11 |
| | 125 | 11 |
| 1596-630-230-30 | 122 | 16A |
| | 123 | 11A |
| | 125 | 11A |
| 1596-630-230-40 | 122 | 16B |
| | 123 | I1B |
| | 125 | 11B |
| 1596-630-240-00 | 122 | 18 |
| 1596-654-210-10 | 129 | 9 |
| | 129 | 18 |
| 1596-654-211-10 | 129 | 12 |
| | 129 | 21 |
| 1596-658-201-10 | 133 | 41 |
| 1596-658-241-00 | 134 | 38 |
| | 135 | 38 |
| 1596-664-200-00 | 136 | 8 |
| 1596-664-211-00 | 140 | 6 |
| 1596-664-212-00 | 136 | 9 |
| 1596-664-213-00 | 136 | 10 |
| | 140 | 7 |
| 1596-666-220-00 | 140 | 26 |
| 1596-666-240-00 | 141 | 23 |
| 1596-669-104-00 | 144 | 10 |
| | 144 | 16 |
| 1596-669-105-00 | 144 | 11 |
| | 146 | 12 |
| 1596-669-106-00 | 144 | 8 |
| 1596-669-107-00 | 144 | 13 |
| | 146 | 20 |
| 1596-669-108-00 | 144 | 12 |
| | 146 | 19 |
| 1596-669-109-00 | 146 | 18 |
| 1596-669-510-00 | 143 | 1 |
| | 145 | 1 |
| 1596-669-530-00 | 143 | 3 |
| | 145 | 3 |
| 1596-669-560-00 | 144 | 1 |
| | 146 | 1 |
| 1596-669-560-10 | 146 | 1A |
| 1596-669-571-00 | 144 | 3 |
| | 146 | 3 |
| 1596-669-580-00 | 144 | 4 |
| | 146 | 4 |
| 1596-669-590-00 | 144 | 7 |
| | 146 | 7 |
| 1596-669-590-10 | 146 | 7A |
| 1596-669-611-00 | 147 | 19 |
| 1596-669-612-00 | 147 | 20 |
| 1596-669-651-00 | 147 | 4 |
| 1596-669-652-00 | 147 | 3 |
| 1596-682-500-00 | 151 | 29 |
| 1596-682-510-00 | 151 | 30 |
| 1596-701-500-10 | 152 | 1 |
| | 153 | 1 |
| 1596-701-510-10 | 152 | 2 |
| | 153 | 2 |
| 1596-701-520-00 | 153 | 5 |
| 1596-701-520-10 | 153 | 5A |
| 1596-702-500-00 | 155 | 1 |
| 1596-702-500-10 | 155 | 1A |
| 1596-702-500-20 | 155 | 1B |
| 1596-702-510-30 | 155 | 2 |
| 1596-705-101-00 | 157 | 10 |
| | 159 | 10 |
| 1596-705-102-00 | 157 | 14 |
| | 159 | 14 |
| 1596-705-103-00 | 157 | 15 |
| | 159 | 15 |
| 1596-705-104-00 | 157 | 16 |
| | 159 | 16 |
| 1596-705-106-00 | 157 | 17 |
| | 159 | 17 |
| 1596-705-107-00 | 157 | 18 |
| | 159 | 18 |
| 1596-705-500-00 | 157 | 1 |
| | 159 | 1 |
| 1596-705-520-00 | 157 | 3 |
| | 159 | 3 |
| 1596-705-530-00 | 157 | 4 |
| | 159 | 4 |
| 1596-705-540-00 | 157 | 6 |
| | 159 | 6 |
| 1596-705-550-00 | 157 | 8 |
| 1596-705-610-00 | 157 | 12 |
| | 159 | 12 |
| 1596-705-620-00 | 159 | 8 |
| 1596-721-101-00 | 162 | 1 |
| 1596-721-102-00 | 162 | 26 |
| 1596-731-101-00 | 165 | 1 |
| 1596-731-102-00 | 165 | 2 |
| 1596-743-101-00 | 166 | 1 |
| 1596-752-101-00 | 157 | 19 |
| 1596-760-500-00 | 167 | 1 |
| 1596-760-500-10 | 167 | 1A |
| 1596-762-101-00 | 167 | 6 |
| 1596-762-101-10 | 167 | 6A |
| 1596-710-101-00 | 167 | 9 |
| 1596-770-101-20 | 167 | 9A |
| 1596-710-102-00 | 167 | 15 |
| 1596-710-102-20 | 167 | 15A |
| 1596-710-500-00 | 167 | 7 |
| 1596-710-500-10 | 167 | 7A |
| 1596-710-510-00 | 167 | 12 |
| 1596-780-101-00 | 168 | 26 |
| 1596-780-501-00 | 168 | 3 |
| | 169 | 3 |
| 1596-780-502-00 | 168 | 4 |
| | 169 | 4 |
| | 170 | 4 |
| 1596-780-503-00 | 168 | 5 |
| | 169 | 5 |
| | 170 | 5 |
| 1596-780-504-00 | 168 | 6 |
| | 169 | 6 |
| | 170 | 6 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1596-780-505-00 | 168 | 9 | 1597-112-200-10 | 15 | 2 | 1597-434-200-00 | 66 | 31 |
| | 169 | 9 | 1597-112-200-20 | 15 | 2A | 1597-434-210-00 | 66 | 33 |
| | 170 | 9 | 1597-112-200-30 | 15 | 18 | 1597-434-220-00 | 66 | 35 |
| 1596-780-507-00 | 168 | 15 | | 15 | 28 | 1597-434-230-00 | 66 | 37 |
| | 169 | 15 | | 15 | 58 | 1597-501-001-00 | 72 | 15 |
| | 170 | 15 | 1597-120-001-00 | 17 | 15 | | 73 | 24 |
| 1596-780-512-00 | 168 | 8 | 1597-120-002-00 | 17 | 23 | 1597-501-001-10 | 72 | 15A |
| | 169 | 8 | 1597-120-210-00 | 17 | 11 | | 73 | 24A |
| | 170 | 8 | 1597-120-210-10 | 17 | llA | 1597-501-002-00 | 73 | 33 |
| | 171 | 14 | 1597-146-001-00 | 20 | 13 | 1597-515-001-00 | 82 | 16 |
| | 172 | 28 | | 21 | 18 | 1597-515-002-00 | 83 | 3 |
| 1596-780-520-00 | 168 | 1 | 1597-146-002-00 | 21 | 26 | | 83 | 16 |
| | 169 | 1 | 1597-146-200-00 | 20 | 1 | 1597-515-200-00 | 83 | 1 |
| | 170 | 1 | 1597-146-300-00 | 21 | 1 | 1597-515-210-00 | 83 | 6 |
| 1596-780-530-00 | 168 | 2 | 1597-147-200-10 | 22 | 1 | 1597-515-220-00 | 83 | 14 |
| | 169 | 2 | 1597-147-230-10 | 22 | 2 | 1597-515-230-00 | 83 | 19 |
| | 170 | 2 | 1597-147-300-00 | 22 | 11 | 1597-515-250-00 | 81 | 7 |
| 1596-780-550-00 | 168 | 7 | 1597-206-001-00 | 25 | 1 | | 82 | 10A |
| | 169 | 7 | 1597-206-002-00 | 25 | 4 | 1597-520-210-00 | 87 | 1 |
| | 170 | 7 | 1597-218-001-00 | 26 | 18 | 1597-520-210-10 | 87 | lA |
| 1596-780-600-00 | 168 | 24 | | 27 | 3 | 1597-525-200-00 | 92 | 1 |
| 1596-782-101-00 | 174 | 23A | | 27 | 39 | 1597-525-200-10 | 92 | lA |
| 1596-901-001-00 | 175 | 1 | 1597-240-001-00 | 32 | 1 | 1597-525-210-00 | 92 | 2 |
| 1596-901-002-00 | 175 | 2 | 1597-240-001-10 | 32 | lA | 1597-525-210-10 | 92 | 2A |
| 1596-904-001-00 | 176 | 1 | 1597-270-001-00 | 36 | 1 | 1597-526-001-10 | 92 | 7 |
| | 176 | 45 | 1597-270-002-00 | 37 | 2 | 1597-526-001-20 | 92 | 7A |
| 1596-904-002-00 | 176 | 25 | | 37 | 5 | 1597-526-200-00 | 92 | 4 |
| | 176 | 46 | 1597-273-001-00 | 36 | 4 | | 93 | 3A |
| | 176 | 58 | 1597-273-002-00 | 36 | 7 | 1597-527-001-10 | 92 | 26 |
| 1596-904-003-00 | 176 | 38 | 1597-273-002-10 | 36 | 7A | 1597-527-001-20 | 92 | 26A |
| 1596-904-004-00 | 176 | 56 | 1597-273-003-00 | 36 | 12 | 1597-527-200-00 | 92 | 9 |
| 1596-904-005-00 | 176 | 31 | 1597-273-004-00 | 36 | 16 | 1597-530-001-00 | 94 | 27 |
| 1597-103-001-00 | 5 | 15 | 1597-273-005-00 | 36 | 19 | | 95 | 34 |
| 1597-103-002-00 | 5 | 17 | 1597-275-001-00 | 39 | 7 | | 96 | 23 |
| 1597-103-210-00 | 5 | 9 | 1597-275-002-00 | 40 | 1 | | 97 | 25 |
| 1597-103-210-10 | 5 | 9A | 1597-275-003-00 | 40 | 9 | | 98 | 32 |
| 1597-103-210-20 | 5 | 98 | 1597-275-200-00 | 40 | 15 | 1597-530-003-00 | 94 | 29 |
| 1597-103-220-00 | 5 | 10 | 1597-285-001-00 | 43 | 18 | | 95 | 36 |
| 1597-103-220-10 | 5 | 10A | 1597-307-001-00 | 48 | 12 | 1597-530-200-10 | 95 | 1 |
| 1597-103-220-20 | 5 | 108 | 1597-310-200-00 | 49 | 17 | 1597-530-210-00 | 94 | 1 |
| 1597-103-230-00 | 5 | 18 | 1597-312-250-00 | 51 | 11 | 1597-530-210-10 | 94 | lA |
| 1597-103-240-00 | 5 | 11 | 1597-312-300-00 | 51 | 1 | 1597-530-220-10 | 98 | 1 |
| 1597-103-240-10 | 5 | llA | 1597-312-330-10 | 51 | 3 | 1597-530-230-00 | 97 | 1 |
| 1597-104-200-00 | 6 | 9 | 1597-412-200-00 | 58 | 4 | 1597-530-300-00 | 96 | 1 |
| 1597-111-200-00 | 12 | 21 | 1597-433-200-10 | 63 | 17 | 1597-531-200-00 | 99 | 23 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| 1597-601-200-00 | 103 | 1 | 1597-702-200-00 | 154 | 1 | 1599-221-003-00 | 27 | 8 |
| 1597-601-200-10 | 103 | 1A | 1597-702-200-10 | 154 | 1A | 1599-303-003-00 | 46 | lOA |
| 1597-601-210-00 | 103 | 2 | 1597-702-200-20 | 154 | 1B | 1599-303-003-20 | 46 | lOB |
| 1597-601-210-10 | 103 | 2A | 1597-780-511-00 | 171 | 17 | 1599-303-004-00 | 46 | 18A |
| 1597-601-210-20 | 103 | 2B | 1597-780-511-10 | 171 | 17A | 1599-303-005-00 | 46 | 19A |
| 1597-602-200-00 | 106 | 8A | 1597-780-511-20 | 171 | 17B | 1599-303-005-10 | 46 | 19B |
| 1597-604-200-00 | 107 | 1 | 1597-780-511-30 | 171 | 17C | 1599-303-006-00 | 46 | 11A |
| 1597-604-200-10 | 107 | 1A | 1597-780-512-00 | 171 | 18 | 1599-303-007-00 | 46 | 13A |
| 1597-604-220-00 | 107 | 5 | 1597-780-512-10 | 171 | 18A | 1599-303-008-00 | 46 | 15 |
| 1597-604-220-10 | 107 | 5A | 1597-780-512-20 | 171 | 18B | 1599-303-009-00 | 46 | 14A |
| 1597-604-240-00 | 107 | 16 | 1597-901-001-00 | 175 | 3 | 1599-505-001-30 | 74 | 7A |
| 1597-604-250-00 | 107 | 17 | 1597-901-001-10 | 175 | 3A | 1599-505-001-40 | 74 | 7B |
| 1597-611-200-00 | 115 | 36 | 1597-901-002-00 | 175 | 4 | 1599-505-002-20 | 74 | 7 |
| 1597-611-210-00 | 116 | 36 | 1597-901-002-10 | 175 | 4A | 1599-601-500-00 | 104 | 5A |
| 1597-626-200-10 | 120 | 1 | 1597-904-001-00 | 176 | 9 | 1599-669-101-00 | 146 | 13 |
| 1597-626-210-10 | 120 | 2 | 1597-904-002-00 | 176 | 12 | | 148 | 24 |
| 1597-626-500-10 | 121 | 3 | 1597-904-003-00 | 176 | 14 | | 149 | 14 |
| | 121 | 14 | 1599-103-210-10 | 2 | 21A | 1599-669-102-10 | 146 | 14 |
| 1597-626-510-10 | 121 | 4 | 1599-103-220-10 | 2 | 22 | 1599-669-104-00 | 146 | 15 |
| | 121 | 15 | 1599-103-230-00 | 2 | 15 | 1599-669-105-00 | 146 | 15A |
| 1597-650-200-00 | 127 | 1 | | 4 | 10 | 1599-669-105-10 | 146 | 15B |
| 1597-650-200-10 | 127 | 1A | 1599-103-250-00 | 4 | 1 | 1599-705-003-00 | 160 | 4 |
| 1597-650-200-20 | 127 | 1B | 1599-103-300-00 | 2 | 22A | 1599-705-101-00 | 160 | 1 |
| 1597-658-200-20 | 133 | 1 | | 4 | 17 | 1599-705-240-00 | 161 | 8 |
| 1597-658-211-10 | 133 | 2 | 1599-104-002-00 | 6 | 39 | 1599-705-250-00 | 161 | 9 |
| | 134 | 2 | 1599-104-003-00 | 6 | 40 | 1599-705-500-00 | 161 | 10 |
| 1597-658-230-10 | 134 | 1 | 1599-104-004-00 | 6 | 41 | 1599-705-510-10 | 160 | 5 |
| 1597-658-240-00 | 133 | 26 | 1599-112-001-00 | 15 | 8A | | 161 | 5 |
| | 134 | 23 | 1599-112-002-00 | 15 | 11 | 1599-705-520-00 | 160 | 7 |
| | 135 | 23 | 1599-112-003-00 | 15 | 7B | 1599-770-101-00 | 167 | 26 |
| 1597-658-250-00 | 133 | 35 | 1599-112-200-20 | 15 | 5 | 1599-770-500-00 | 167 | 8 |
| | 134 | 32 | 1599-112-200-30 | 15 | 5A | 1599-770-500-10 | 167 | 8A |
| | 135 | 32 | 1599-112-201-20 | 15 | 8 | 1599-770-500-20 | 167 | 8B |
| 1597-658-260-00 | 135 | 1 | 1599-112-300-00 | 15 | 5C | 1599-780-105-00 | 171 | 31 |
| 1597-666-200-20 | 140 | 1 | 1599-112-300-10 | 15 | 5D | | 172 | 44 |
| 1597-666-210-20 | 140 | 19 | 1599-112-300-20 | 15 | 5E | 1599-780-106-00 | 171 | 32 |
| 1597-666-220-10 | 141 | 16 | 1599-112-310-00 | 15 | 10 | | 172 | 45 |
| 1597-666-240-00 | 141 | 1 | 1599-116-200-00 | 16 | 11 | 1599-780-107-00 | 168 | 22 |
| 1597-668-200-00 | 142 | 1 | | 16 | 12 | | 169 | 25 |
| 1597-668-200-10 | 142 | 1A | 1599-116-200-10 | 16 | llA | | 170 | 25 |
| 1597-668-210-10 | 142 | 13 | | 16 | 12A | 1599-780-108-00 | 168 | 23 |
| 1597-668-210-20 | 142 | 13A | 1599-207-002-00 | 24 | 6 | | 169 | 26 |
| 1597-668-220-10 | 142 | 20 | 1599-207-002-10 | 24 | 6A | | 170 | 26 |
| 1597-690-200-00 | 101 | 30 | 1599-218-001-00 | 26 | 17A | 1599-780-109-00 | 168 | 31 |
| 1597-690-210-00 | 101 | 32 | 1599-220-001-00 | 27 | 43 | | 169 | 28 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 170 | 31 | 1599-780-586-10 | 171 | 21A | 1599-780-672-00 | 172 | 12 |
| 1599-780-111-00 | 169 | 30 | 1599-780-586-30 | 172 | 32 | 1599-780-673-00 | 172 | 13 |
| | 170 | 33 | 1599-780-587-00 | 171 | 22 | 1599-782-001-00 | 174 | 10 |
| 1599-780-112-00 | 171 | 39 | 1599-780-587-10 | 171 | 22A | 1599-782-002-00 | 174 | 9 |
| | 172 | 52 | 1599-780-587-30 | 172 | 33 | 1599-782-101-00 | 173 | 28 |
| 1599-780-113-00 | 169 | 31 | 1599-780-588-00 | 171 | 23 | 1599-782-102-10 | 173 | 29 |
| | 170 | 34 | 1599-780-588-10 | 171 | 23A | 1599-782-103-00 | 173 | 31 |
| 1599-780-500-00 | 169 | 22 | 1599-780-588-20 | 172 | 43 | 1599-782-104-00 | 174 | 23 |
| | 170 | 22 | 1599-780-589-00 | 171 | 24 | 1599-782-105-00 | 174 | 24 |
| | 171 | 33 | 1599-780-589-10 | 171 | 24A | 1599-782-106-10 | 174 | 25 |
| 1599-780-500-10 | 161 | 11 | 1599-780-592-00 | 171 | 26 | 1599-782-107-00 | 174 | 22 |
| | 170 | 22A | 1599-780-593-00 | 171 | 27 | 1599-782-108-00 | 173 | 33 |
| | 172 | 46 | | 172 | 35 | 1599-782-109-00 | 174 | 33 |
| 1599-780-510-00 | 169 | 23 | 1599-780-595-00 | 171 | 29 | 1599-782-109-10 | 174 | 33A |
| | 170 | 23 | | 172 | 37 | 1599-782-210-10 | 172 | 55 |
| 1599-780-541-00 | 171 | 10 | 1599-780-611-00 | 168 | 16 | 1599-782-500-00 | 173 | 1 |
| | 172 | 24 | | 169 | 16 | 1599-782-500-10 | 173 | lA |
| 1599-780-542-00 | 171 | 11 | | 170 | 16 | 1599-782-500-20 | 173 | 18 |
| | 172 | 25 | 1599-780-612-00 | 168 | 19 | 1599-782-520-00 | 173 | 8 |
| 1599-780-543-00 | 171 | 7 | | 169 | 19 | 1599-782-530-00 | 173 | 12 |
| | 172 | 4 | | 170 | 19 | 1599-782-531-00 | 173 | 13 |
| 1599-780-544-00 | 171 | 8 | 1599-780-613-00 | 168 | 11 | | 173 | 22 |
| | 172 | 5 | | 169 | 11 | 1599-782-532-00 | 173 | 14 |
| 1599-780-545-00 | 171 | 2 | | 170 | 11 | | 173 | 23 |
| 1599-780-546-00 | 171 | 15 | 1599-780-614-00 | 168 | 12 | 1599-782-533-00 | 173 | 15 |
| | 172 | 29 | | 169 | 12 | | 173 | 24 |
| 1599-780-550-10 | 171 | 9 | | 170 | 12 | 1599-782-534-00 | 173 | 16 |
| 1599-780-551-00 | 172 | 7 | 1599-780-616-00 | 168 | 10 | | 173 | 25 |
| 1599-780-552-00 | 172 | 8 | | 169 | 10 | 1599-782-535-00 | 173 | 18 |
| 1599-780-559-00 | 172 | 14 | | 170 | 10 | 1599-782-540-00 | 173 | 17 |
| 1599-780-560-00 | 171 | 1 | 1599-780-620-00 | 168 | 17 | | 173 | 21 |
| 1599-780-560-10 | 171 | lA | | 169 | 17 | 1599-782-550-00 | 173 | 19 |
| 1599-780-560-20 | 172 | 1 | | 170 | 17 | 1599-782-560-10 | 174 | 1 |
| 1599-780-570-00 | 171 | 13 | 1599-780-650-00 | 168 | 30 | 1599-782-560-20 | 174 | lA |
| | 172 | 27 | | 169 | 27 | 1599-782-570-10 | 174 | 2 |
| 1599-780-581-00 | 171 | 16 | | 170 | 27 | 1599-782-570-20 | 174 | 2A |
| 1599-780-582-20 | 172 | 41 | 1599-780-661-00 | 172 | 15 | 1599-782-580-00 | 174 | 14 |
| 1599-780-583-30 | 172 | 42 | 1599-780-662-00 | 172 | 16 | 1599-782-590-00 | 174 | 7 |
| 1599-780-584-00 | 171 | 19 | 1599-780-663-00 | 172 | 17 | 1599-782-610-00 | 174 | 8 |
| 1599-780-584-10 | 171 | 19A | 1599-780-664-00 | 172 | 18 | 1599-782-700-00 | 2 | 218 |
| 1599-780-584-30 | 172 | 30 | 1599-780-665-00 | 172 | 19 | | 4 | 16 |
| 1599-780-585-00 | 171 | 20 | 1599-780-666-00 | 172 | 20 | 1599-782-720-00 | 174 | 18 |
| 1599-780-585-10 | 171 | 20A | 1599-780-667-00 | 172 | 21 | 1599-782-730-00 | 174 | 2B |
| 1599-780-585-30 | 172 | 31 | 1599-780-668-00 | 172 | 22 | 1599-782-750-10 | 174 | 14A |
| 1599-780-586-00 | 171 | 21 | 1599-780-670-00 | 172 | 11 | 1599-782-750-20 | 174 | 148 |

| PART CODE | FIG. | KEY |
|---|---|---|
| 1600-505-007-00 | 16 | 2 |
| | 16 | 3 |
| | 78 | 13 |
| 1600-515-001-00 | 22 | 30 |
| 1600-622-232-00 | 130 | 3 |
| | 130 | 12 |
| | 130 | 16 |
| 1600-622-233-00 | 130 | 4 |
| | 130 | 23 |
| 1600-622-240-00 | 130 | 1 |
| 1600-622-252-00 | 130 | 13 |
| | 130 | 17 |
| 1600-622-291-00 | 130 | 22 |
| 1600-622-300-00 | 130 | 21 |
| 1600-623-002-00 | 138 | 17 |
| 1600-623-200-00 | 133 | 23 |
| 1600-623-210-00 | 133 | 24 |
| 1600-624-001-00 | 138 | 15 |
| 1600-624-202-00 | 138 | 23 |
| 1600-624-270-10 | 138 | 8 |
| 1600-624-270-20 | 138 | 8A |
| 1600-624-271-00 | 136 | 13 |
| | 138 | 11 |
| 1600-624-300-00 | 138 | 9 |
| 1600-624-300-10 | 138 | 9A |
| 1600-624-301-00 | 138 | 10 |
| 1600-902-023-00 | 176 | 43 |
| 1607-104-003-10 | 6 | 46 |
| 1607-602-200-00 | 106 | llA |
| 1614-680-250-00 | 136 | 1A |
| | 137 | 1A |
| | 138 | 1A |
| 1617-112-213-00 | 127 | 6A |
| 1627-621-040-00 | 132 | 43A |
| 1627-621-041-00 | 132 | 44 |
| 1627-780-631-00 | 172 | 39 |
| 1627-780-650-00 | 171 | 3 |
| 1627-780-690-00 | 171 | 3B |
| 1627-780-721-00 | 171 | 30 |
| | 172 | 36 |
| 1627-780-740-00 | 172 | 38 |
| 1627-780-780-10 | 172 | 3 |
| 1627-780-830-00 | 172 | 2 |
| 1627-903-103-00 | 172 | 54 |
| 1627-903-103-10 | 172 | 54A |
| 1632-103-001-00 | 2 | 12A |
| | 3 | 6A |
| 1632-270-001-00 | 37 | 1A |
| 1632-273-001-00 | 37 | 4A |
| 1632-273-002-00 | 37 | 13A |
| 1632-273-003-00 | 36 | 28 |
| | 36 | 32 |
| 1632-273-004-00 | 36 | 29 |
| | 37 | 20 |
| 1632-273-200-00 | 36 | 23A |
| | 37 | 17A |
| 1632-304-001-00 | 47 | 11 |
| 1632-304-002-00 | 47 | 12 |
| 1632-501-001-10 | 72 | 25 |
| | 73 | 29 |
| 1632-501-004-00 | 72 | 24A |
| | 73 | 28A |
| 1632-501-200-00 | 72 | 18 |
| | 73 | 6A |
| 1632-501-202-00 | 72 | 19 |
| | 73 | 7A |
| 1632-501-203-00 | 72 | 20 |
| | 73 | 8 |
| 1632-501-204-00 | 72 | 21 |
| | 73 | 9A |
| 1632-501-205-00 | 72 | 22 |
| | 73 | lOA |
| 1632-501-210-10 | 72 | 23 |
| | 73 | 27 |
| 1632-604-001-00 | 108 | 15A |
| 1632-702-200-00 | 154 | 2 |
| 1632-702-200-10 | 154 | 2A |
| 1632-702-200-20 | 154 | 2B |
| 1632-702-200-30 | 154 | 2C |
| 1632-904-002-00 | 176 | 8 |
| | 176 | 24 |
| 1634-132-200-00 | 19 | 8A |
| 1634-201-001-20 | 23 | 1A |
| 1634-240-001-00 | 32 | 2A |
| 1634-403-001-00 | 54 | 20 |
| 1634-621-631-00 | 148 | 14A |
| 1634-650-200-00 | 127 | 14A |
| 1635-103-001-00 | 2 | 14A |
| | 4 | 9 |
| 1635-116-001-00 | 16 | 12B |
| 1635-116-210-00 | 16 | 26A |
| 1635-780-221-10 | 171 | 16A |
| 1635-780-221-20 | 171 | 16B |
| 1635-780-221-30 | 172 | 40 |
| 1635-780-230-00 | 171 | 9A |
| 1635-780-230-10 | 172 | 6 |
| 1635-780-231-00 | 172 | 9 |
| 1635-780-232-00 | 172 | 10 |
| 1640-626-001-00 | 90 | 4A |
| | 91 | 4A |
| | 119 | 11A |
| | 121 | 22 |
| 1640-904-003-00 | 176 | 51A |
| | 176 | 59A |
| 1640-904-016-00 | 176 | 37 |
| | 176 | 44 |
| | 176 | 57 |
| | 176 | 64 |
| 1642-104-001-00 | 6 | 47 |
| 1642-105-004-00 | 8 | 5A |
| 1643-103-220-00 | 5 | 4 |
| 1643-103-221-00 | 5 | 7 |
| 1643-103-222-00 | 5 | 8 |
| 1643-501-001-00 | 72 | 25A |
| | 73 | 29A |
| 1643-501-001-10 | 72 | 25B |
| | 73 | 29B |
| 1643-501-001-20 | 72 | 25C |
| | 73 | 29C |
| 1643-515-200-20 | 81 | 17B |
| 1643-515-202-10 | 81 | 18A |
| 1643-515-203-00 | 81 | 19 |
| 1644-103-002-00 | 5 | 14A |
| 1644-103-003-00 | 2 | 24 |
| 1644-103-210-00 | 5 | 9C |
| 1644-103-220-00 | 5 | 10C |
| 1644-103-220-10 | 5 | 10D |
| 1644-515-200-00 | 81 | 20 |
| 1644-515-200-10 | 81 | 20A |
| 1644-515-210-00 | 81 | 13 |
| 1644-515-210-10 | 81 | 13A |
| 1644-515-220-00 | 81 | 22 |
| 1644-515-220-10 | 81 | 22A |
| 1644-515-230-00 | 81 | 27 |
| 1646-703-001-00 | 156 | 6A |

| PART CODE | FIG. | KEY |
|---|---|---|
| 1647-437-211-00 | 70 | 2 |
| | 70 | 6 |
| 1647-437-212-00 | 70 | 3 |
| | 70 | 7 |
| 1647-437-213-00 | 70 | 1 |
| | 70 | 5 |
| 1650-658-213-00 | 149 | 13 |
| 1659-650-200-00 | 127 | 4A |
| 2120-409-004-00 | 51 | 14 |
| 2130-407-003-00 | 91 | 27 |
| 2130-601-018-00 | 94 | 28 |
| | 95 | 35 |
| | 96 | 24 |
| | 97 | 26 |
| | 98 | 33 |
| 2130-931-210-00 | 177 | 4 |
| 2142-901-021-00 | 176 | 22 |
| 2144-117-002-00 | 163 | 24 |
| | 164 | 24 |
| 2144-501-008-10 | 129 | 29A |
| 2500-502-008-00 | 174 | 21 |
| 2701-101-052-00 | 149 | 12 |
| 3506-301-311-00 | 131 | 7 |
| | 143 | 24 |
| | 145 | 27 |
| | 147 | 13 |
| 3560-201-015-00 | 6 | 42 |
| | 109 | 25 |
| | 110 | 9 |
| 3610-440-018-00 | 16 | 4 |
| 3614-725-006-00 | 94 | 17 |
| | 95 | 22 |
| | 96 | 16 |
| | 97 | 16 |
| | 98 | 21 |
| 3621-211-003-00 | 43 | 30 |
| | 44 | 10 |
| 3621-304-001-00 | 3 | 9 |
| | 11 | 15 |
| 3622-822-008-00 | 131 | 13 |
| 3631-201-008-00 | 100 | 10 |
| 3631-350-201-10 | 56 | 33A |
| | 100 | 15 |
| | 184 | 33 |
| 3631-352-001-10 | 87 | 18 |
| 3640-109-002-00 | 106 | 3 |
| 3640-220-004-00 | 43 | 4 |
| | 44 | 19 |
| 3640-547-007-00 | 65 | 25A |
| 3646-102-011-10 | 40 | 20 |
| | 40 | 27 |
| | 43 | 10 |
| | 43 | 16 |
| | 43 | 24 |
| | 54 | 24 |
| | 54 | 27 |
| 3650-261-261-00 | 140 | 4 |
| | 141 | 4 |
| | 142 | 3 |
| 3650-270-214-00 | 133 | 14 |
| | 134 | 14 |
| | 135 | 14 |
| 3650-440-014-00 | 78 | 2 |
| | 99 | 20 |
| 3652-261-202-00 | 140 | 3 |
| | 141 | 3 |
| | 142 | 2 |
| 3652-273-001-00 | 101 | 11 |
| 3652-273-240-00 | 143 | 28 |
| | 145 | 31 |
| | 147 | 1 |
| | 147 | 17 |
| 3652-273-241-00 | 143 | 29 |
| | 145 | 32 |
| | 147 | 2 |
| | 147 | 18 |
| 3653-108-007-00 | 36 | 6A |
| 3659-352-007-00 | 105 | 15A |
| 3664-540-001-00 | 51 | 4 |
| 3670-246-510-00 | 148 | 1 |
| 3670-703-008-00 | 52 | 4 |
| | 52 | 15 |
| 3737-172-009-00 | 56 | 45 |
| | 140 | 13 |
| | 141 | 10 |
| | 142 | 8 |
| 3737-172-011-00 | 100 | 7 |
| | 132 | 39 |
| 3746-261-205-00 | 116 | 42 |
| 3750-412-003-00 | 177 | 11 |
| 3768-164-008-00 | 10 | 15 |
| | 11 | 18 |
| 3768-185-022-10 | 56 | 33 |
| | 100 | 14 |
| 4101-102-038-00 | 109 | 25A |
| | 110 | 9A |
| 4319-601-004-00 | 140 | 20 |
| | 141 | 17 |
| 6894-248-161-00 | 1 | 31 |
| 7900-611-200-00 | 22 | 38 |
| | 91 | 31 |
| 7918-101-240-00 | 20 | 9 |
| | 21 | 9 |
| 7918-101-242-00 | 20 | 10 |
| | 21 | 10 |
| 7918-101-250-00 | 20 | 6 |
| | 21 | 6 |
| 7918-101-252-00 | 20 | 7 |
| | 21 | 7 |
| 7927-101-204-00 | 21 | 17 |
| 7927-101-205-00 | 21 | 15 |
| 7927-601-001-00 | 22 | 40 |
| 7927-601-002-30 | 91 | 24 |
| 7927-601-004-40 | 91 | 35 |
| 7930-601-001-20 | 91 | 26 |
| 7930-601-002-00 | 91 | 34 |
| 7930-601-200-20 | 91 | 23 |
| 7932-201-002-00 | 37 | 3 |
| 7956-205-016-00 | 71 | 19 |
| 7957-405-003-00 | 177 | 21 |
| 7957-501-004-00 | 79 | 16 |
| | 99 | 17 |
| 7963-201-003-00 | 65 | 6 |
| 7963-611-003-00 | 22 | 49 |
| | 90 | 22 |
| | 91 | 21 |
| | 177 | 20 |
| 7963-611-230-00 | 22 | 43 |
| 7963-615-210-00 | 91 | 32 |
| 7964-201-007-00 | 36 | 26 |
| 7964-201-008-00 | 36 | 27 |
| | 36 | 31 |
| 7967-101-303-00 | 20 | 8 |
| | 21 | 8 |
| 7967-161-201-00 | 20 | 3 |

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 21 | 3 | | 13 | 15 | K211-005-006-00 | 181 | 13 |
| 7982-101-230-00 | 21 | 16 | J910-000-200-00 | 175 | 17 | K211-005-007-00 | 181 | 14 |
| 7986-601-001-00 | 91 | 29 | | 175 | 18 | K211-005-008-00 | 181 | 15 |
| J061-108-016-00 | 1 | 27 | | 175 | 19 | K211-005-009-00 | 181 | 16 |
| | 12 | 24 | KllO-001-106-00 | 181 | 9 | K211-005-010-10 | 181 | 18 |
| | 13 | 17 | | 183 | 3 | K211-005-011-00 | 181 | 20 |
| | 14 | 2 | | 184 | 21 | K211-005-012-00 | 181 | 21 |
| | 56 | 44 | K135-002-009-00 | 56 | 13 | K211-005-0 13-00 | 181 | 27 |
| J061-116-025-00 | 56 | 38 | K135-015-002-00 | 56 | 8 | K211-005-100-10 | 181 | 2 |
| | 56 | 43 | K135-018-000-00 | 56 | 7 | K211-005-100-20 | 181 | 2A |
| | 72 | 27 | K182-034-002-00 | 178 | 8 | K211-005-800-10 | 181 | 1 |
| | 73 | 31 | K182-034-003-00 | 178 | 9A | K211-008-0 10-00 | 179 | 6 |
| J061-132-050-00 | 77 | 27 | K185-004-001-00 | 178 | 2 | | 179 | 19 |
| J061-170-090-00 | 77 | 28 | K185-004-003-00 | 178 | 6 | | 180 | 6 |
| J061-208-010-00 | 12 | 19 | K185-004-007-00 | 178 | 9 | | 180 | 19 |
| J061-210-012-00 | 1 | 26 | K185-004-300-00 | 178 | 7 | K211-008-011-00 | 179 | 7 |
| | 14 | 4 | K185-005-001-00 | 185 | 2 | | 180 | 7 |
| J061-210-015-00 | 6 | 33 | K185-005-002-00 | 185 | 6 | K211-008-012-00 | 179 | 8 |
| | 12 | 17 | K185-005-005-00 | 185 | 8 | | 180 | 8 |
| | 12 | 26 | K185-005-006-00 | 185 | 9 | K211-008-0 15-00 | 179 | 16 |
| | 49 | 22 | K185-005-300-00 | 185 | 7 | | 180 | 16 |
| J061-220-024-00 | 168 | 20 | K185-006-000-00 | 100 | 11 | K211-008-0 16-00 | 179 | 17 |
| | 170 | 20 | K185-006-000-10 | 100 | llA | | 180 | 17 |
| J061-222-026-00 | 12 | 22 | K185-006-100-00 | 185 | 1 | K211-008-017-00 | 179 | 18 |
| | 14 | 3 | K185-006-100-10 | 185 | 1A | | 180 | 18 |
| J061-232-040-00 | 80 | 14 | K185-013-001-00 | 178 | 10 | K211-008-018-10 | 179 | 4 |
| | 81 | 12 | K185-020-000-00 | 22 | 20 | | 180 | 4 |
| | 81 | 26 | K185-020-200-00 | 178 | 1 | K211-008-200-00 | 179 | 13 |
| | 82 | 15 | K200-019-100-00 | 184 | 10 | K211-009-000-00 | 75 | 10 |
| | 83 | 4 | K200-020-000-00 | 100 | 2A | K211-009-000-10 | 75 | lOA |
| | 83 | 17 | K211-001-007-00 | 179 | 5 | K211-009-001-00 | 179 | 2 |
| J061-238-046-00 | 6 | 19 | | 180 | 5 | K211-009-100-00 | 179 | 1 |
| | 6 | 20 | K211-001-008-00 | 179 | 9 | K211-013-000-00 | 75 | 11 |
| | 83 | 5 | | 180 | 9 | K211-013-000-10 | 75 | 11A |
| | 83 | 18 | K211-001-011-00 | 181 | 6 | K211-013-001-00 | 180 | 2 |
| J061-240-048-00 | 6 | 21 | K211-004-006-00 | 181 | 17 | K211-013-006-00 | 179 | 5A |
| J061-252-063-00 | 2 | 18 | K211-004-007-00 | 181 | 3 | | 180 | 5A |
| | 4 | 13 | K211-005-000-10 | 94 | 2 | K211-013-007-00 | 179 | 16A |
| | 12 | 14 | | 95 | 2 | | 180 | 16A |
| | 13 | 14 | | 96 | 2 | K211-0 13-100-00 | 180 | 1 |
| J061-259-070-00 | 2 | 19 | | 97 | 2 | K211-013-100-10 | 180 | 1A |
| | 4 | 14 | | 98 | 2 | K211-013-200-00 | 180 | 13 |
| | 5 | 19 | K211-005-003-10 | 181 | 4 | K221-001-001-00 | 183 | 11 |
| J061-269-080-00 | 5 | 16 | K211-005-004-00 | 181 | 7 | K221-001-002-00 | 183 | 1 |
| | 12 | 15 | K211-005-005-00 | 181 | 8 | | 184 | 19 |

1597-098-100-10

| PART CODE | FIG. | KEY |
|---|---|---|
| K221-001-003-00 | 183 | 2 |
| | 184 | 20 |
| K221-001-004-00 | 183 | 4 |
| | 184 | 22 |
| K221-001-005-10 | 183 | 6 |
| | 184 | 24 |
| K221-001-007-00 | 183 | 9 |
| | 184 | 27 |
| K221-002-000-00 | 100 | 8 |
| | 184 | 18 |
| K221-002-001-00 | 183 | 8 |
| | 184 | 26 |
| K231-004-000-00 | 75 | 24 |
| K231-004-000-10 | 75 | 24A |
| K231-004-000-20 | 75 | 24B |
| K231-004-006-00 | 75 | 27 |
| K231-004-007-00 | 75 | 29 |
| K234-001-003-00 | 184 | 3 |
| K234-001-004-00 | 184 | 4 |
| K234-001-005-00 | 184 | 5 |
| K234-002-000-00 | 184 | 1 |
| K234-002-100-00 | 184 | 2 |
| K250-011-000-00 | 80 | 6 |
| | 81 | 6 |
| | 82 | 6 |
| K250-017-000-00 | 74 | 12 |
| K250-032-000-00 | 184 | 7 |
| P117-401-028-00 | 107 | 12 |
| | 108 | 19 |
| V111-163-001-00 | 8 | 20 |
| | 9 | 9 |
| V111-163-002-00 | 150 | 22 |
| V111-164-001-20 | 148 | 18 |
| V111-164-001-60 | 130 | 5 |
| | 148 | 19 |
| V111-164-003-00 | 101 | 5 |
| | 136 | 23 |
| | 138 | 29 |
| | 139 | 9 |
| | 150 | 6 |
| V111-165-001-00 | 129 | 27 |
| | 132 | 27 |
| V111-165-001-20 | 151 | 8 |
| V111-165-002-50 | 148 | 30 |
| | 167 | 24 |
| V111-165-003-00 | 130 | 19 |
| | 138 | 24 |
| | 149 | 9 |
| V111-165-006-00 | 129 | 14 |
| | 129 | 23 |
| | 132 | 14 |
| | 132 | 23 |
| V111-166-002-00 | 1 | 2 |
| V111-166-003-50 | 128 | 3 |
| V111-166-004-00 | 75 | 33 |
| V111-176-001-00 | 165 | 25 |
| V112-163-000-80 | 101 | 18 |
| V112-165-001-20 | 78 | 19 |
| | 99 | 12 |
| V112-165-001-60 | 165 | 51 |
| V112-165-002-50 | 109 | 19 |
| | 111 | 10 |
| | 112 | 9 |
| | 113 | 18 |
| V113-124-001-20 | 132 | 34 |
| V120-264-000-80 | 133 | 28 |
| | 134 | 25 |
| | 135 | 25 |
| V120-264-001-20 | 168 | 32 |
| | 169 | 29 |
| V120-265-000-80 | 133 | 30 |
| | 134 | 27 |
| | 135 | 27 |
| V120-266-001-60 | 138 | 14 |
| V120-266-002-00 | 162 | 13 |
| | 166 | 13 |
| V120-364-001-20 | 102 | 23 |
| V120-365-001-20 | 164 | 27 |
| V120-366-001-20 | 15 | 9A |
| V120-366-001-60 | 163 | 21 |
| | 101 | 2 |
| | 102 | 30 |
| | 133 | 42 |
| | 134 | 39 |
| | 135 | 39 |
| | 143 | 14 |
| | 143 | 17 |
| | 144 | 9 |
| | 145 | 14 |
| | 145 | 19 |
| | 145 | 20 |
| | 146 | 9 |
| | 147 | 6 |
| | 157 | 5 |
| | 157 | 11 |
| | 157 | 13 |
| | 159 | 5 |
| | 159 | 11 |
| | 159 | 13 |
| | 160 | 2 |
| | 161 | 2 |
| | 165 | 50 |
| | 166 | 15 |
| | 167 | 10 |
| | 167 | 11 |
| | 174 | 32 |
| V120-366-002-00 | 16 | 25 |
| | 174 | 18 |
| V120-366-002-50 | 126 | 7 |
| | 162 | 8 |
| | 162 | 28 |
| V120-368-002-00 | 54 | 9 |
| | 106 | 20 |
| V120-376-001-60 | 162 | 20 |
| | 165 | 6 |
| V195-163-008-30 | 133 | 18 |
| | 134 | 18 |
| | 135 | 18 |
| V195-164-008-40 | 129 | 17 |
| | 129 | 26 |
| | 132 | 17 |
| V195-164-012-40 | 133 | 13 |
| | 134 | 13 |
| | 135 | 13 |
| V195-164-020-40 | 131 | 6 |
| | 143 | 25 |
| | 145 | 28 |
| | 147 | 14 |
| V195-164-025-30 | 129 | 6 |
| | 132 | 6 |
| V200-260-501-00 | 139 | 16 |
| V200-260-501-0B | 136 | 6 |
| | 137 | 6 |
| | 138 | 6 |

| PART CODE | FIG. | KEY |
|---|---|---|
| V200-260-603-50 | 102 | 3 |
| V200-360-608-00 | 84 | 5 |
| V200-360-611-00 | 84 | 15 |
| V201-260-801-20 | 10 | 13 |
| | 11 | 12 |
| | 12 | 11 |
| | 13 | 11 |
| | 14 | 6 |
| | 41 | 1 |
| | 45 | 1 |
| | 87 | 16 |
| V201 260-801-60 | 94 | 8 |
| | 95 | 12 |
| | 98 | 11 |
| | 107 | 24 |
| | 108 | 33 |
| | 130 | 24 |
| | 161 | 7 |
| V201-260-802-00 | 19 | 13 |
| V201-260-802-50 | 14 | 11 |
| V201-260-802-80 | 115 | 20 |
| | 116 | 20 |
| V201-260-803-00 | 19 | 11 |
| | 75 | 15 |
| V201-260-806-50 | 1 | 28 |
| V201-260-808-50 | 85 | 56 |
| V201-260-817-00 | 78 | 3 |
| V201-260-817-50 | 78 | 4 |
| V201-261-002-50 | 83 | 12 |
| V201-261-004-00 | 85 | 9 |
| V201-261-005-00 | 40 | 29 |
| | 43 | 18 |
| | 80 | 18 |
| | 81 | 37 |
| | 82 | 19 |
| V201-261-005-50 | 79 | 11 |
| | 99 | 8 |
| V201-261-006-50 | 7 | 10 |
| | 8 | 7 |
| | 9 | 5 |
| | 9 | 21 |
| V201-261-008-50 | 100 | 5 |
| V201-261-013-00 | 97 | 3 |
| V201-261-013-50 | 94 | 3 |
| V201-261-018-00 | 95 | 5 |
| | 96 | 3 |
| | 98 | 4 |
| V201-261-201-60 | 73 | 36 |
| V201-261-202-00 | 80 | 36 |
| | 81 | 50 |
| | 82 | 32 |
| | 143 | 26 |
| | 145 | 29 |
| | 147 | 15 |
| | 154 | 9 |
| V201-261-202-50 | 106 | 14 |
| V201-261-203-00 | 30 | 36 |
| V201-261-203-50 | 58 | 14 |
| | 63 | 25 |
| | 64 | 24 |
| V201-261-606-50 | 86 | 9 |
| | 87 | 11 |
| V201-360-802-50 | 40 | 18 |
| V201-360-803-50 | 41 | 12 |
| | 45 | 13 |
| | 45 | 17 |
| V201-360-804-00 | 54 | 38 |
| V201-360-805-00 | 28 | 15 |
| V201-360-805-0B | 28 | 18 |
| V201-360-806-50 | 34 | 10 |
| V201-360-809-00 | 173 | 9 |
| V201-361-002-50 | 152 | 5 |
| | 153 | 9 |
| V201-361-003-00 | 87 | 23 |
| V201-361-005-50 | 47 | 3 |
| V201-361-006-00 | 47 | 4 |
| | 47 | 13 |
| V201-361-006-50 | 59 | 31 |
| | 100 | 17 |
| V201-361-007-00 | 73 | 18 |
| V201-361-007-0B | 71 | 15 |
| | 72 | 10 |
| | 73 | 19 |
| V201-361-007-50 | 47 | 5 |
| V201-361-009-00 | 71 | 13 |
| | 72 | 8 |
| | 73 | 13 |
| | 73 | 15 |
| V201-361-009-0B | 71 | 12 |
| | 72 | 7 |
| | 73 | 14 |
| V201-361-015-50 | 47 | 6 |
| V201-361-202-00 | 118 | 7 |
| | 120 | 4 |
| | 121 | 6 |
| V201-361-202-50 | 22 | 12 |
| V201-361-203-00 | 66 | 5 |
| | 152 | 11 |
| | 153 | 15 |
| V201-361-203-50 | 22 | 5 |
| | 23 | 5 |
| | 30 | 22 |
| | 31 | 18 |
| | 65 | 7 |
| | 75 | 19 |
| V201-361-204-00 | 22 | 13 |
| | 30 | 8 |
| | 30 | 9 |
| | 31 | 7 |
| V201-361-204-50 | 23 | 4 |
| V201-361-205-00 | 30 | 10 |
| V201-361-206-00 | 75 | 20 |
| V201-361-208-00 | 153 | 6 |
| | 155 | 9 |
| V201-361-210-00 | 30 | 21 |
| | 31 | 17 |
| V201-361-403-00 | 22 | 8 |
| V201-361-403-50 | 86 | 2 |
| V201-361-404-00 | 30 | 3 |
| | 30 | 19 |
| | 31 | 3 |
| | 31 | 15 |
| | 58 | 17 |
| | 63 | 27 |
| | 64 | 26 |
| | 90 | 9 |
| | 91 | 9 |
| V201-361-404-50 | 30 | 4 |
| | 31 | 4 |
| V201-361-405-00 | 30 | 5 |
| V201-361-405-50 | 87 | 2 |
| V201-361-406-00 | 90 | 10 |
| | 91 | 10 |
| V201-361-603-50 | 86 | 4 |
| | 87 | 7 |

1597-098-100-10

| PART CODE | FIG. | KEY |
|---|---|---|
| | 88 | 4 |
| | 88 | 12 |
| | 88 | 15 |
| | 89 | 2 |
| | 89 | 7 |
| | 118 | 3 |
| V201-361-604-00 | 68 | 19 |
| | 69 | 9 |
| | 70 | 9 |
| V201-371-403-00 | 57 | 7 |
| V201-371-604-50 | 57 | 2 |
| V201-371-605-50 | 57 | 3 |
| V201-371-606-50 | 57 | 4 |
| V201-460-803-00 | 156 | 9 |
| V201-460-803-50 | 173 | 4 |
| V201-461-002-50 | 117 | 14 |
| V201-461-003-00 | 86 | 16 |
| V201-461-003-50 | 156 | 3 |
| V201-461-004-50 | 173 | 11 |
| V201-461-202-00 | 117 | 8 |
| | 119 | 6 |
| | 121 | 17 |
| V201-461-203-00 | 55 | 38 |
| | 60 | 5 |
| V201-461-207-50 | 117 | 11 |
| | 118 | 8 |
| | 119 | 7 |
| | 120 | 7 |
| | 121 | 7 |
| | 121 | 18 |
| V201-461-218-50 | 90 | 3 |
| | 91 | 3 |
| V201-461-603-50 | 117 | 3 |
| V203-261-002-50 | 170 | 28 |
| V203-261-003-00 | 8 | 16 |
| | 9 | 16 |
| V203-261-004-00 | 172 | 56 |
| V203-371-604-00 | 56 | 1 |
| V203-461-004-00 | 173 | 2 |
| | 173 | 6 |
| V203-461-005-00 | 173 | 34 |
| V210-260-601-20 | 59 | 17 |
| | 136 | 18 |
| | 137 | 20 |
| V210-260-601-60 | 5 | 13 |
| | 88 | 4 |
| | 88 | 12 |
| | 88 | 15 |
| | 89 | 2 |
| | 89 | 7 |
| | 118 | 3 |
| V201-361-604-00 | 68 | 19 |
| | 69 | 9 |
| | 70 | 9 |
| V201-371-403-00 | 57 | 7 |
| V201-371-604-50 | 57 | 2 |
| V201-371-605-50 | 57 | 3 |
| V201-371-606-50 | 57 | 4 |
| V201-460-803-00 | 156 | 9 |
| V201-460-803-50 | 173 | 4 |
| V201-461-002-50 | 117 | 14 |
| V201-461-003-00 | 86 | 16 |
| V201-461-003-50 | 156 | 3 |
| V201-461-004-50 | 173 | 11 |
| V201-461-202-00 | 117 | 8 |
| | 119 | 6 |
| | 121 | 17 |
| V201-461-203-00 | 55 | 38 |
| | 60 | 5 |
| V201-461-207-50 | 117 | 11 |
| | 118 | 8 |
| | 119 | 7 |
| | 120 | 7 |
| | 121 | 7 |
| | 121 | 18 |
| V201-461-218-50 | 90 | 3 |
| | 91 | 3 |
| V201-461-603-50 | 117 | 3 |
| V203-261-002-50 | 170 | 28 |
| V203-261-003-00 | 8 | 16 |
| | 9 | 16 |
| V203-261-004-00 | 172 | 56 |
| V203-371-604-00 | 56 | 1 |
| V203-461-004-00 | 173 | 2 |
| | 173 | 6 |
| V203-461-005-00 | 173 | 34 |
| V210-260-601-20 | 59 | 17 |
| | 136 | 18 |
| | 137 | 20 |
| V210-260-601-60 | 5 | 13 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 131 | 8 |
| | 136 | 16 |
| | 137 | 18 |
| | 138 | 18 |
| | 143 | 23 |
| | 145 | 26 |
| | 147 | 12 |
| | 173 | 30 |
| | 173 | 32 |
| V210-260-602-50 | 97 | 13 |
| V210-260-603-00 | 56 | 32 |
| | 56 | 41 |
| V210-260-603-50 | 84 | 2 |
| V210-260-604-00 | 94 | 14 |
| | 95 | 18 |
| | 96 | 13 |
| | 98 | 17 |
| V210-360-601-20 | 116 | 41 |
| | 124 | 16 |
| | 124 | 18 |
| | 125 | 16 |
| | 125 | 18 |
| V210-360-601-60 | 1 | 1 |
| | 6 | 37 |
| | 15 | 9B |
| | 20 | 19 |
| | 21 | 25 |
| | 56 | 27 |
| | 101 | 31 |
| | 105 | 12 |
| | 137 | 15 |
| | 147 | 22 |
| | 148 | 26 |
| | 149 | 17 |
| | 160 | 8 |
| | 161 | 12 |
| | 163 | 18 |
| | 164 | 18 |
| | 164 | 21 |
| | 168 | 25 |
| | 174 | 15 |
| | 174 | 34 |
| V210-360-602-00 | 162 | 25 |
| | 166 | 18 |
| V210-360-602-50 | 172 | 53 |
| | 131 | 8 |
| | 136 | 16 |
| | 137 | 18 |
| | 138 | 18 |
| | 143 | 23 |
| | 145 | 26 |
| | 147 | 12 |
| | 173 | 30 |
| | 173 | 32 |
| V210-260-602-50 | 97 | 13 |
| V210-260-603-00 | 56 | 32 |
| | 56 | 41 |
| V210-260-603-50 | 84 | 2 |
| V210-260-604-00 | 94 | 14 |
| | 95 | 18 |
| | 96 | 13 |
| | 98 | 17 |
| V210-360-601-20 | 116 | 41 |
| | 124 | 16 |
| | 124 | 18 |
| | 125 | 16 |
| | 125 | 18 |
| V210-360-601-60 | 1 | 1 |
| | 6 | 37 |
| | 15 | 9B |
| | 20 | 19 |
| | 21 | 25 |
| | 56 | 27 |
| | 101 | 31 |
| | 105 | 12 |
| | 137 | 15 |
| | 147 | 22 |
| | 148 | 26 |
| | 149 | 17 |
| | 160 | 8 |
| | 161 | 12 |
| | 163 | 18 |
| | 164 | 18 |
| | 164 | 21 |
| | 168 | 25 |
| | 174 | 15 |
| | 174 | 34 |
| V210-360-602-00 | 162 | 25 |
| | 166 | 18 |
| V210-360-602-50 | 172 | 53 |

| PART CODE | FIG. | KEY |
|---|---|---|
| V211-160-801-60 | 97 | 8 |
| V211-260-801-20 | 78 | 28 |
| | 99 | 14 |
| V211-260-801-60 | 2 | 20 |
| | 2 | 23 |
| | 3 | 11 |
| | 3 | 13 |
| | 4 | 15 |
| | 4 | 18 |
| | 6 | 5 |
| | 6 | 13 |
| | 6 | 23 |
| | 6 | 28 |
| | 6 | 36 |
| | 10 | 2 |
| | 11 | 10 |
| | 12 | 2 |
| | 12 | 7 |
| | 13 | 2 |
| | 13 | 9 |
| | 14 | 9 |
| | 16 | 13 |
| | 16 | 15 |
| | 36 | 30 |
| | 43 | 8 |
| | 44 | 9 |
| | 49 | 24 |
| | 52 | 17 |
| | 54 | 34 |
| | 61 | 11 |
| | 76 | 3 |
| | 76 | 32 |
| | 77 | 12 |
| | 78 | 23 |
| | 78 | 33 |
| | 79 | 4 |
| | 81 | 15 |
| | 81 | 24 |
| | 101 | 33 |
| | 102 | 6 |
| | 106 | 16 |
| | 109 | 24 |
| | 110 | 8 |
| | 115 | 2 |
| | 115 | 31 |
| V211-160-801-60 | 97 | 8 |
| V211-260-801-20 | 78 | 28 |
| | 99 | 14 |
| V211-260-801-60 | 2 | 20 |
| | 2 | 23 |
| | 3 | 11 |
| | 3 | 13 |
| | 4 | 15 |
| | 4 | 18 |
| | 6 | 5 |
| | 6 | 13 |
| | 6 | 23 |
| | 6 | 28 |
| | 6 | 36 |
| | 10 | 2 |
| | 11 | 10 |
| | 12 | 2 |
| | 12 | 7 |
| | 13 | 2 |
| | 13 | 9 |
| | 14 | 9 |
| | 16 | 13 |
| | 16 | 15 |
| | 36 | 30 |
| | 43 | 8 |
| | 44 | 9 |
| | 49 | 24 |
| | 52 | 17 |
| | 54 | 34 |
| | 61 | 11 |
| | 76 | 3 |
| | 76 | 32 |
| | 77 | 12 |
| | 78 | 23 |
| | 78 | 33 |
| | 79 | 4 |
| | 81 | 15 |
| | 81 | 24 |
| | 101 | 33 |
| | 102 | 6 |
| | 106 | 16 |
| | 109 | 24 |
| | 110 | 8 |
| | 115 | 2 |
| | 115 | 31 |

1597-098-100-10

| PART CODE | FIG. | KEY |
|---|---|---|
| | 116 | 2 |
| | 116 | 31 |
| | 122 | 17 |
| | 124 | 12 |
| | 127 | 13 |
| | 130 | 9 |
| | 136 | 27 |
| | 138 | 16 |
| | 138 | 20 |
| | 138 | 28 |
| | 139 | 13 |
| | 140 | 11 |
| | 141 | 8 |
| | 142 | 6 |
| | 174 | 3 |
| V211-260-802-00 | 10 | 11 |
| | 16 | 35 |
| | 17 | 14 |
| | 18 | 14 |
| | 32 | 13 |
| | 35 | 11 |
| | 50 | 3 |
| | 51 | 5 |
| | 51 | 8 |
| | 51 | 26 |
| | 54 | 22 |
| | 62 | 14 |
| | 94 | 30 |
| | 95 | 37 |
| | 97 | 28 |
| | 98 | 35 |
| | 99 | 28 |
| | 105 | 19 |
| | 106 | 6 |
| | 107 | 22 |
| | 108 | 31 |
| | 109 | 26 |
| | 110 | 15 |
| | 111 | 17 |
| | 112 | 16 |
| | 113 | 22 |
| | 115 | 37 |
| | 116 | 37 |
| | 151 | 2 |
| | 151 | 4 |
| V211-260-802-50 | 2 | 25 |
| | 32 | 12 |
| | 83 | 15 |
| | 94 | 7 |
| | 94 | 25 |
| | 95 | 11 |
| | 95 | 32 |
| | 96 | 7 |
| | 97 | 7 |
| | 97 | 32 |
| | 98 | 10 |
| | 98 | 39 |
| | 106 | 10 |
| V211-260-803-00 | 61 | 9 |
| | 140 | 12 |
| | 141 | 9 |
| | 142 | 7 |
| V211-260-804-00 | 75 | 13 |
| | 116 | 38 |
| V211-260-805-00 | 102 | 11 |
| V211-261-001-60 | 73 | 40 |
| V211-261-002-00 | 34 | 7 |
| | 44 | 7 |
| | 51 | 25 |
| | 80 | 33 |
| | 81 | 30 |
| | 82 | 18 |
| | 83 | 22 |
| V211-261-002-50 | 32 | 16 |
| | 47 | 17 |
| V211-261-003-00 | 38 | 3 |
| | 81 | 21 |
| | 84 | 7 |
| | 84 | 17 |
| V211-360-801-20 | 15 | 9 |
| | 100 | 20 |
| | 100 | 24 |
| V211-360-801-60 | 12 | 9 |
| | 13 | 8 |
| | 15 | 12 |
| | 21 | 28 |
| | 30 | 28 |
| | 32 | 8 |
| | 37 | 21 |
| | 38 | 20 |
| | 52 | 18 |
| | 56 | .19 |
| | 80 | 23 |
| | 80 | 34 |
| | 81 | 42 |
| | 82 | 24 |
| | 83 | 2 |
| | 86 | 19 |
| | 88 | 2 |
| | 96 | 8 |
| | 103 | 3 |
| | 104 | 4 |
| | 105 | 21 |
| | 107 | 15 |
| | 108 | 22 |
| | 110 | 13 |
| | 114 | 4 |
| | 114 | 12 |
| | 122 | 9 |
| | 122 | 14 |
| | 122 | 19 |
| | 124 | 6 |
| | 124 | 9 |
| | 124 | 14 |
| | 140 | 22 |
| | 140 | 24 |
| | 141 | 19 |
| | 141 | 21 |
| | 142 | 15 |
| | 142 | 17 |
| | 167 | 19 |
| | 172 | 60 |
| | 174 | 15A |
| V211-360-802-00 | 6 | 29 |
| | 29 | 2 |
| | 104 | 7 |
| | 105 | 18 |
| | 115 | 39 |
| | 131 | 15 |
| | 174 | 11 |
| V211-360-802-50 | 1 | 30 |
| V211-360-803-00 | 103 | 4 |
| | 107 | 32 |
| | 108 | 41 |
| | 174 | 16 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| V211-360-803-50 | 56 | 20 | | 123 | 12 | V240-461-606-00 | 68 | 3 |
| | 85 | 3 | | 125 | 6 | | 68 | 12 |
| V211-360-804-50 | 115 | 40 | | 125 | 9 | V240-461-608-50 | 53 | 3 |
| V211-360-805-00 | 122 | 15 | | 125 | 12 | | 53 | 13 |
| | 123 | 10 | | 125 | 14 | | 53 | 26 |
| | 124 | 10 | | 167 | 5 | | 53 | 35 |
| | 125 | 10 | | 169 | 24 | V251-260-802-00 | 30 | 13 |
| V211-361-0OZ-50 | 80 | 9 | | 170 | 24 | | 31 | 10 |
| | 81 | 33 | | 171 | 34 | V251-260-802-0C | 23 | 9 |
| | 82 | 9 | | 172 | 47 | | 23 | 11 |
| V211-361-003-00 | 80 | 17 | | 173 | 20 | | 30 | 14 |
| | 81 | 36 | | 174 | 4 | V251-341-002-50 | 66 | 28 |
| | 82 | 18A | | 174 | 38 | V251-341-002-5C | 63 | 5 |
| V211-361-003-50 | 73 | 17 | V211-660-802-00 | 5 | 12 | | 64 | 5 |
| V211-560-801-60 | 6 | 38 | | 11 | 2 | V251-341-002-80 | 71 | 10 |
| | 15 | 3 | | 17 | 24 | | 73 | 11 |
| | 15 | 6 | | 18 | 22 | V251-341-002-8C | 71 | 11 |
| | 24 | 11 | | 109 | 8 | | 72 | 6 |
| | 25 | 8 | | 110 | 6 | | 73 | 12 |
| | 28 | 13 | | 111 | 7 | V251-341-203-20 | 23 | 2 |
| | 38 | 18 | | 112 | 6 | | 32 | 4 |
| | 42 | 10 | | 113 | 8 | V251-341-203-50 | 23 | 12 |
| V211-560-802-00 | 17 | 16 | | 152 | 10 | V251-341-204-00 | 155 | 7 |
| | 18 | 16 | | 153 | 14 | V251-341-204-50 | 154 | 7 |
| | 65 | 12 | | 157 | 2 | V251-341-208-00 | 30 | 2 |
| V211-560-802-50 | 6 | 48 | | 159 | 2 | | 31 | 2 |
| | 29 | 7 | | 163 | 16 | V251-341-403-20 | 32 | 3 |
| | 54 | 37 | | 164 | 13 | V251-341-603-50 | 87 | 3 |
| | 163 | 3 | | 165 | 43 | V251-341-604-00 | 68 | 22 |
| | 164 | 3 | | 171 | 35 | | 69 | 12 |
| V211-560-803-00 | 54 | 15 | | 172 | 48 | | 70 | 11 |
| | 56 | 4 | V211-660-802-50 | 34 | 9 | V251-440-802-5C | 23 | 14 |
| | 66 | 24 | V211-661-002-00 | 120 | 11 | V251-440-803-5C | 23 | 13 |
| V211-561-002-50 | 46 | 7 | | 151 | 18 | V272-260-601-20 | 6 | 7 |
| | 49 | 15 | | 151 | 31 | | 6 | 15 |
| | 66 | 27 | | 151 | 44 | V273-360-601-20 | 174 | 6 |
| V211-561-003-00 | 46 | 26 | | 152 | 3 | V290-106-001-20 | 103 | 8 |
| | 71 | 14 | | 153 | 3 | V300-200-005-00 | 101 | 23 |
| | 72 | 9 | | 157 | 7 | V300-260-003-00 | 8 | 21 |
| | 73 | 16 | | 159 | 7 | | 9 | 10 |
| | 77 | 23 | V220-540-505-00 | 182 | 7 | V300-260-004-00 | 101 | 7 |
| V211-660-801-60 | 11 | 8 | | 184 | 34 | | 130 | 6 |
| | 42 | 12 | V220-540-508-50 | 100 | 9 | | 132 | 51 |
| | 123 | 6 | | 184 | 32 | | 136 | 25 |
| | 123 | 9 | V220-540-601-60 | 181 | 23 | | 138 | 30 |

1597-098-100-10

| PART CODE | FIG. | KEY |
|---|---|---|
| | 139 | 11 |
| | 150 | 8 |
| V300-260-005-00 | 1 | 7 |
| V300-260-006-00 | 148 | 15 |
| | 165 | 40 |
| | 166 | 7 |
| V300-260-008-00 | 115 | 21 |
| | 116 | 21 |
| V300-460-016-00 | 53 | 4 |
| | 53 | 14 |
| V301-260-004-00 | 133 | 20 |
| | 134 | 20 |
| | 135 | 20 |
| V301-260-005-00 | 109 | 20 |
| | 111 | 11 |
| | 112 | 10 |
| | 113 | 19 |
| V301-260-006-00 | 12 | 30 |
| | 14 | 21 |
| | 76 | 29 |
| | 78 | 12 |
| | 78 | 30 |
| | 101 | 13 |
| | 102 | 4 |
| | 102 | 20 |
| | 127 | 22A |
| | 130 | 29 |
| | 140 | 14 |
| | 141 | 11 |
| | 142 | 9 |
| | 162 | 21 |
| | 168 | 27 |
| | 174 | 19 |
| | 174 | 35 |
| V302-460-016-00 | 53 | 5 |
| | 53 | 15 |
| | 53 | 28 |
| | 53 | 37 |
| | 63 | 9 |
| | 64 | 9 |
| | 68 | 5 |
| | 68 | 14 |
| V303-260-008-00 | 151 | 10 |
| V303-460-010-00 | 77 | 25 |
| | 86 | 17 |
| | 156 | 6 |
| V303-460-012-00 | 22 | 32 |
| V303-460-016-00 | 53 | 27 |
| | 53 | 36 |
| | 68 | 4 |
| | 68 | 13 |
| V304-200-008-00 | 77 | 14 |
| V304-260-008-00 | 14 | 13 |
| | 19 | 12 |
| | 19 | 14 |
| | 19 | 20 |
| | 29 | 3 |
| | 30 | 29 |
| | 35 | 12 |
| | 41 | 13 |
| | 43 | 5 |
| | 44 | 4 |
| | 44 | 20 |
| | 45 | 14 |
| | 45 | 18 |
| | 50 | 15 |
| | 50 | 18 |
| | 51 | 30 |
| | 54 | 39 |
| | 56 | 16 |
| | 61 | 10 |
| | 75 | 16 |
| | 76 | 23 |
| | 77 | 7 |
| | 94 | 10 |
| | 95 | 14 |
| | 96 | 9 |
| | 97 | 9 |
| | 98 | 13 |
| | 102 | 31 |
| | 105 | 23 |
| | 107 | 34 |
| | 108 | 43 |
| | 109 | 12 |
| | 113 | 12 |
| | 115 | 34 |
| | 116 | 34 |
| | 122 | 32 |
| | 123 | 18 |
| | 124 | 29 |
| | 125 | 27 |
| | 127 | 10 |
| | 127 | 22 |
| | 130 | 27 |
| | 132 | 37 |
| | 165 | 28 |
| | 171 | 36 |
| | 172 | 49 |
| | 174 | 13 |
| V304-260-010-00 | 7 | 16 |
| | 8 | 10 |
| | 9 | 8 |
| | 9 | 24 |
| | 43 | 20 |
| | 73 | 42 |
| | 75 | 35 |
| | 80 | 4 |
| | 81 | 4 |
| | 82 | 4 |
| | 106 | 4 |
| V304-260-012-00 | 131 | 11 |
| V304-260-014-00 | 50 | 22 |
| V304-260-016-00 | 22 | 48 |
| | 90 | 13 |
| | 90 | 20 |
| | 91 | 16 |
| | 91 | 18 |
| | 151 | 14 |
| | 151 | 27 |
| | 151 | 40 |
| V304-260-020-00 | 58 | 12 |
| V304-460-008-00 | 17 | 17 |
| | 18 | 17 |
| V304-460-010-00 | 59 | 32 |
| | 63 | 7 |
| | 64 | 7 |
| | 66 | 29 |
| | 87 | 24 |
| | 152 | 6 |
| | 153 | 10 |
| V304-460-012-00 | 22 | 7 |
| | 23 | 3 |
| | 30 | 6 |
| | 30 | 23 |
| | 31 | 5 |

**1597-098-100-10**

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 31 | 19 | V328-261-110-00 | 16 | 7 | | 136 | 24 |
| | 46 | 14 | V328-262-110-00 | 54 | 4 | | 138 | 31 |
| | 90 | 4 | V333-260-020-00 | 59 | 27 | | 139 | 10 |
| | 91 | 4 | | 67 | 3 | | 148 | 20 |
| | 119 | 11 | V333-460-022-00 | 48 | 17 | | 150 | 7 |
| | 120 | 9 | V333-500-010-00 | 7 | 4 | V401-160-005-00 | 109 | 21 |
| | 121 | 11 | | 8 | 3 | | 111 | 12 |
| | 152 | 12 | V334-260-010-00 | 2 | 16 | | 112 | 11 |
| | 153 | 8 | | 4 | 11 | | 113 | 20 |
| | 153 | 16 | V334-260-016-00 | 59 | 23 | | 128 | 8 |
| | 154 | 4 | V334-460-010-00 | 172 | 59 | | 128 | 12 |
| | 155 | 4 | V335-500-010-00 | 8 | 4 | | 128 | 16 |
| | 155 | 11 | V340-120-006-00 | 174 | 26 | | 138 | 25 |
| V304-460-014-00 | 22 | 10 | V350-160-006-00 | 103 | 9 | V401-160-006-00 | 12 | 31 |
| | 30 | 20 | | 103 | 14 | | 14 | 22 |
| | 31 | 16 | | 105 | 5 | | 75 | 34 |
| V304-460-016-00 | 58 | 25 | | 105 | 8 | | 78 | 11 |
| | 68 | 21 | | 108 | 16 | | 84 | 6 |
| | 69 | 11 | | 175 | 16 | | 84 | 16 |
| | 70 | 12 | V360-260-005-00 | 129 | 28 | | 101 | 14 |
| | 86 | 5 | | 130 | 18 | | 181 | 24 |
| | 87 | 4 | | 132 | 28 | | 130 | 30 |
| V305-260-008-00 | 132 | 42 | V360-260-006-00 | 1 | 8 | | 140 | 16 |
| V305-260-010-00 | 40 | 31 | | 147 | 25 | | 141 | 13 |
| | 78 | 17 | | 147 | 30 | | 142 | 11 |
| | 79 | 9 | | 167 | 17 | | 148 | 16 |
| | 99 | 7 | V360-260-008-00 | 102 | 12 | | 162 | 22 |
| V305-260-012-00 | 154 | 5 | V362-260-008-00 | 107 | 18 | | 166 | 8 |
| | 155 | 5 | | 107 | 26 | | 168 | 28 |
| | 163 | 14 | | 107 | 30 | | 174 | 27 |
| | 164 | 15 | | 108 | 25 | V401-160-008-00 | 1 | 29 |
| V305-260-016-00 | 22 | 45 | | 108 | 35 | | 17 | 18 |
| V305-260-020-00 | 22 | 39 | | 108 | 39 | | 18 | 18 |
| | 63 | 16 | | 158 | 4 | | 28 | 16 |
| | 64 | 16 | | 174 | 12 | | 29 | 4 |
| | 91 | 33 | V401-120-008-00 | 132 | 36 | | 29 | 8 |
| *V327-262-214-00* | 59 | 36 | V401-160-003-00 | 8 | 22 | | 30 | 30 |
| | 59 | 41 | | 9 | 11 | | 34 | 11 |
| | 59 | 45 | | 150 | 23 | | 35 | 13 |
| | 59 | 49 | V401-160-004-00 | 101 | 6 | | 43 | 6 |
| | 67 | 7 | | 130 | 7 | | 44 | 21 |
| | 67 | 12 | | 132 | 45 | | 56 | 17 |
| | 67 | 16 | | 133 | 21 | | 74 | 6 |
| | 67 | 20 | | 134 | 21 | | 78 | 5 |
| V327-262-220-00 | 59 | 10 | | 135 | 21 | | 85 | 57 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 87 | 17 |
| | 94 | 11 |
| | 95 | 15 |
| | 96 | 10 |
| | 97 | 10 |
| | 98 | 14 |
| | 102 | 8 |
| | 102 | 32 |
| | 107 | 35 |
| | 108 | 44 |
| | 109 | 13 |
| | 113 | 13 |
| | 115 | 24 |
| | 115 | 35 |
| | 116 | 24 |
| | 116 | 35 |
| | 127 | 11 |
| | 130 | 26 |
| | 151 | 9 |
| | 156 | 11 |
| | 165 | 29 |
| | 171 | 37 |
| | 172 | 50 |
| | 173 | 5 |
| | 173 | 10 |
| | 174 | 17 |
| V401-160-010-00 | 2 | 17 |
| | 4 | 12 |
| | 7 | 12 |
| | 8 | 8 |
| | 8 | 17 |
| | 9 | 6 |
| | 9 | 17 |
| | 9 | 22 |
| | 47 | 7 |
| | 47 | 14 |
| | 59 | 33 |
| | 63 | 6 |
| | 64 | 6 |
| | 66 | 30 |
| | 71 | 16 |
| | 72 | 11 |
| | 73 | 20 |
| | 73 | 41 |
| | 77 | 24 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 80 | 5 |
| | 80 | 19 |
| | 81 | 5 |
| | 81 | 38 |
| | 82 | 5 |
| | 82 | 20 |
| | 83 | 11 |
| | 85 | 10 |
| | 94 | 4 |
| | 95 | 6 |
| | 96 | 4 |
| | 97 | 4 |
| | 98 | 5 |
| | 100 | 6 |
| | 117 | 15 |
| | 152 | 8 |
| | 153 | 12 |
| | 156 | 4 |
| | 170 | 29 |
| | 173 | 3 |
| | 173 | 7 |
| | 173 | 27 |
| | 173 | 35 |
| V401-160-012-00 | 20 | 20 |
| | 21 | 22 |
| | 22 | 6 |
| | 22 | 14 |
| | 23 | 6 |
| | 30 | 11 |
| | 30 | 24 |
| | 30 | 37 |
| | 31 | 8 |
| | 31 | 20 |
| | 46 | 12 |
| | 55 | 40 |
| | 58 | 15 |
| | 60 | 6 |
| | 63 | 26 |
| | 64 | 25 |
| | 65 | 8 |
| | 66 | 4 |
| | 75 | 21 |
| | 77 | 21 |
| | 80 | 37 |
| | 81 | 51 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 82 | 33 |
| | 90 | 5 |
| | 91 | 5 |
| | 106 | 15 |
| | 117 | 10 |
| | 118 | 9 |
| | 119 | 8 |
| | 120 | 5 |
| | 121 | 8 |
| | 121 | 19 |
| | 131 | 12 |
| | 143 | 27 |
| | 145 | 30 |
| | 147 | 16 |
| | 152 | 13 |
| | 153 | 7 |
| | 153 | 17 |
| | 155 | 10 |
| | 163 | 15 |
| | 164 | 16 |
| V401-160-014-00 | 22 | 9 |
| | 30 | 7 |
| | 30 | 25 |
| | 31 | 6 |
| | 31 | 21 |
| | 58 | 18 |
| | 63 | 28 |
| | 64 | 27 |
| | 86 | 3 |
| | 87 | 8 |
| | 90 | 11 |
| | 91 | 11 |
| V401-160-016-00 | 22 | 47 |
| | 53 | 6 |
| | 53 | 16 |
| | 53 | 29 |
| | 53 | 38 |
| | 58 | 26 |
| | 68 | 6 |
| | 68 | 15 |
| | 68 | 20 |
| | 69 | 10 |
| | 70 | 10 |
| | 86 | 6 |
| | 86 | 11 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 87 | 5 |
| | 87 | 13 |
| | 88 | 5 |
| | 88 | 13 |
| | 88 | 16 |
| | 89 | 3 |
| | 89 | 8 |
| | 90 | 14 |
| | 91 | 19 |
| | 117 | 4 |
| | 118 | 4 |
| | 151 | 15 |
| | 151 | 28 |
| | 151 | 41 |
| V401-160-022-00 | 48 | 18 |
| V401-170-006-00 | 165 | 26 |
| V401-170-008-00 | 56 | 14 |
| V401-170-016-00 | 56 | 2 |
| | 57 | 5 |
| V411-150-004-00 | 133 | 27 |
| | 134 | 24 |
| | 135 | 24 |
| V411-260-003-00 | 8 | 23 |
| | 9 | 12 |
| V411-260-004-00 | 101 | 8 |
| | 107 | 3 |
| | 107 | 7 |
| | 108 | 3 |
| | 108 | 7 |
| | 130 | 8 |
| | 136 | 26 |
| | 138 | 32 |
| | 139 | 12 |
| | 150 | 9 |
| V411-260-005-00 | 109 | 22 |
| | III | 13 |
| | 112 | 12 |
| | 113 | 21 |
| | 133 | 29 |
| | 134 | 26 |
| | 135 | 26 |
| | 149 | 11 |
| V411-260-006-00 | 16 | 20 |
| | 16 | 28 |
| | 16 | 37 |
| | 19 | 25 |
| | 76 | 13 |
| | 94 | 19 |
| | 95 | 24 |
| | 96 | 18 |
| | 97 | 18 |
| | 98 | 23 |
| | 130 | 31 |
| | 140 | 15 |
| | 141 | 12 |
| | 142 | 10 |
| | 148 | 17 |
| | 165 | 41 |
| | 167 | 18 |
| | 168 | 29 |
| | 174 | 20 |
| | 174 | 28 |
| | 174 | 36 |
| V411-260-008-00 | 14 | 12 |
| | 19 | 16 |
| | 20 | 11 |
| | 21 | 11 |
| | 29 | 5 |
| | 29 | 9 |
| | 30 | 31 |
| | 34 | 12 |
| | 42 | 8 |
| | 50 | 9 |
| | 51 | 32 |
| | 52 | 10 |
| | 76 | 7 |
| | 76 | 20 |
| | 79 | 15 |
| | 94 | 9 |
| | 95 | 13 |
| | 98 | 12 |
| | 99 | 16 |
| | 102 | 16 |
| | 102 | 33 |
| | 107 | 25 |
| | 108 | 34 |
| | 110 | 11 |
| | 111 | 15 |
| | 112 | 14 |
| | 115 | 22 |
| | 116 | 22 |
| | 122 | 21 |
| | 124 | 20 |
| | 127 | 21 |
| | 130 | 25 |
| | 156 | 10 |
| | 162 | 4 |
| | 165 | 30 |
| | 171 | 38 |
| | 172 | 51 |
| V411-260-010-00 | 7 | 14 |
| | 8 | 9 |
| | 8 | 18 |
| | 9 | 7 |
| | 9 | 18 |
| | 9 | 23 |
| | 16 | 5 |
| | 16 | 16 |
| | 40 | 30 |
| | 43 | 2 |
| | 43 | 34 |
| | 44 | 17 |
| | 51 | 15 |
| | 54 | 6 |
| | 54 | 29 |
| | 78 | 15 |
| | 80 | 3 |
| | 80 | 20- |
| | 81 | 3 |
| | 81 | 39 |
| | 82 | 3 |
| | 82 | 21 |
| | 115 | 23 |
| | 116 | 23 |
| | 117 | 16 |
| | 152 | 9 |
| | 153 | 13 |
| | 156 | 5 |
| | 172 | 57 |
| V411-260-0 12-00 | 152 | 14 |
| | 153 | 18 |
| | 154 | 3 |
| | 154 | 10 |
| | 155 | 3 |
| V411-260-014-00 | 59 | 52 |

1597-098-100-10

| PART CODE | FIG. | KEY | PART CODE | FIG. | KEY | PART CODE | FIG. | KEY |
|---|---|---|---|---|---|---|---|---|
| | 67 | 23 | | 114 | 18 | V580-140-402-00 | 76 | 15 |
| V411-260-016-00 | 22 | 46 | V500-162-002-50 | 54 | 5 | | 77 | 10 |
| | 87 | 6 | V500-162-501-50 | 20 | 12 | | 78 | 7 |
| | 163 | 13 | | 21 | 12 | | 94 | 23 |
| | 164 | 14 | V500-162-502-00 | 16 | 8 | | 95 | 30 |
| V411-260-018-00 | 72 | 28 | | 19 | 17 | | 97 | 22 |
| | 73 | 32 | | 39 | 9 | | 98 | 29 |
| V411-260-020-00 | 52 | 6 | | 40 | 11 | | 115 | 29 |
| V411-260-022-00 | 92 | 33 | | 52 | 11 | | 116 | 29 |
| V411-270-006-00 | 165 | 27 | V500-163-002-00 | 16 | 21 | V580-140-402-50 | 52 | 20 |
| V413-160-004-00 | 148 | 10 | | 16 | 30 | | 115 | 26 |
| V420-160-006-00 | 101 | 21 | | 49 | 20 | | 116 | 26 |
| V420-160-010-00 | 150 | 13 | | 79 | 17 | V580-140-501-80 | 92 | 21 |
| V420-160-014-00 | 1 | 11 | | 90 | 23 | V580-140-503-20 | 92 | 12 |
| V500-105-005-00 | 55 | 43 | | 91 | 22 | V580-140-601-60 | 165 | 19 |
| V500-152-002-00 | 17 | 10 | | 99 | 18 | V580-140-602-00 | 41 | 9 |
| | 18 | 10 | V500-163-002-50 | 22 | 50 | | 45 | 10 |
| V500-153-003-00 | 59 | 37 | | 39 | 8 | V580-140-602-50 | 28 | 3 |
| | 59 | 50 | | 40 | 10 | | 35 | 17 |
| | 67 | 8 | | 51 | 16 | | 52 | 23 |
| | 67 | 21 | V500-163-003-00 | 59 | 53 | V580-140-602-80 | 40 | 24 |
| V500-161-601-50 | 114 | 8 | | 67 | 24 | V580-140-806-00 | 75 | 8 |
| V500-162-001-50 | 94 | 18 | V500-164-003-00 | 74 | 11 | V590-130-910-00 | 92 | 17 |
| | 95 | 23 | | 92 | 31 | V590-131-007-00 | 41 | 7 |
| | 96 | 17 | V500-164-004-00 | 59 | 11 | | 45 | 8 |
| | 97 | 17 | V511-100-603-60 | 29 | 14 | V590-131-010-00 | 76 | 10 |
| | 98 | 22 | V511-100-805-00 | 51 | 2 | V590-131-015-00 | 28 | 4 |
| V500-162-002-00 | 16 | 17 | | 52 | 2 | V590-131-018-00 | 45 | 7 |
| | 16 | 22 | V520-100-601-60 | 41 | 5 | V590-131-215-00 | 19 | 3 |
| | 16 | 29 | | 45 | 4 | V590-131-217-00 | 75 | 9 |
| | 16 | 38 | V520-101-002-20 | 23 | 10 | V590-131-228-00 | 74 | 4 |
| | 19 | 24 | | 30 | 12 | V600-110-600-40 | 26 | 4 |
| | 42 | 9 | | 31 | 9 | | 92 | 22 |
| | 43 | 3 | | 32 | 5 | V600-110-600-50 | 27 | 6 |
| | 43 | 35 | | 38 | 4 | | 27 | 42 |
| | 44 | 18 | | 58 | 16 | | 35 | 2 |
| | 50 | 10 | | 63 | 24 | V600-110-600-80 | 62 | 24 |
| | 51 | 33 | | 64 | 23 | V600-110-601-00 | 65 | 10 |
| | 76 | 8 | | 66 | 3 | V600-11 0-601-60 | 66 | 15 |
| | 76 | 14 | | 66 | 26 | V600-110-620-50 | 27 | 7 |
| | 76 | 18 | V520-101-202-50 | 66 | 23 | | 33 | 26 |
| | 91 | 28 | V521-101-002-00 | 63 | 2 | V600-110-620-70 | 24 | 41 |
| | 99 | 25 | | 64 | 2 | | 25 | 37 |
| | 102 | 15 | V580-140-301-60 | 42 | 5 | | 33 | 10 |
| | 102 | 17 | | 76 | 9 | | 38 | 9 |

**1597-098-100-10**

| PART CODE | FIG. | KEY |
|---|---|---|
| | 65 | 4 |
| V600-110-620-90 | 66 | 14 |
| V600-110-621-30 | 48 | 14 |
| V600-110-621-40 | 46 | 27 |
| V600-110-630-50 | 24 | 14 |
| | 25 | 11 |
| | 26 | 6 |
| | 27 | 5 |
| | 65 | 21 |
| V600-110-630-60 | 26 | 7 |
| V600-110-631-00 | 48 | 3 |
| V600-110-631-10 | 48 | 13 |
| V600-130-600-30 | 54 | 30 |
| V607-110-630-50 | 38 | 15 |
| V610-115-110-40 | 92 | 13 |
| V610-115-110-70 | 65 | 17 |
| V634-113-020-40 | 59 | 5 |
| V634-113-200-70 | 59 | 6 |
| V654-422-291-80 | 66 | 20 |
| V654-430-351-70 | 33 | 2 |
| V654-430-352-40 | 24 | 39 |
| | 25 | 35 |
| V654-432-371-70 | 26 | 9 |
| | 26 | 15 |
| V654-432-372-30 | 24 | 21 |
| | 24 | 27 |
| | 24 | 32 |
| | 25 | 17 |
| | 25 | 23 |
| | 25 | 28 |
| V654-435-402-60 | 36 | 8 |
| | 37 | 14 |
| V654-440-452-70 | 36 | 13 |
| | 36 | 17 |
| | 37 | 8 |
| V654-445-501-70 | 33 | 15 |
| | 33 | 21 |
| V654-452-581-70 | 66 | 16 |
| V670-200-011-00 | 48 | 10 |
| V671-400-011-00 | 48 | 11 |
| V682-200-001-00 | 28 | 6 |
| | 29 | 12 |
| | 34 | 5 |
| | 35 | 10 |
| | 39 | 6 |
| | 40 | 7 |
| V682-200-001-90 | 49 | 3 |
| | 49 | 8 |
| V704-140-012-00 | 99 | 21 |
| V704-140-014-00 | 42 | 2 |
| | 43 | 11 |
| | 43 | 27 |
| V704-140-016-00 | 43 | 31 |
| | 44 | 11 |
| V704-140-017-00 | 54 | 14 |
| V704-140-020-00 | 52 | 7 |
| | 92 | 23 |
| V704-140-025-00 | 35 | 4 |
| | 39 | 14 |
| | 40 | 25 |
| | 50 | 7 |
| | 51 | 9 |
| | 61 | 2 |
| | 65 | 22 |
| V704-140-030-00 | 24 | 8 |
| | 25 | 3 |
| | 33 | 8 |
| | 65 | 23 |
| V704-140-035-00 | 24 | 3 |
| | 24 | 17 |
| | 24 | 43 |
| | 25 | 14 |
| | 25 | 39 |
| V704-140-036-00 | 27 | 20 |
| V705-140-021-00 | 75 | 28 |
| V705-140-024-00 | 181 | 12 |
| V705-140-032-00 | 41 | 2 |
| | 45 | 2 |
| | 55 | 15 |
| V705-140-035-00 | 54 | 31 |
| V705-140-042-00 | 92 | 24 |
| V705-140-047-00 | 35 | 7 |
| V705-140-095-00 | 27 | 17 |
| | 27 | 30 |
| V706-140-040-00 | 33 | 12 |
| V706-140-045-00 | 48 | 5 |
| | 49 | 14 |
| V706-140-050-00 | 24 | 30 |
| | 24 | 37 |
| | 25 | 26 |
| | 25 | 33 |
| | 26 | 13 |
| V706-140-055-00 | 22 | 18 |
| | 74 | 9 |
| V707-140-062-00 | 18 | 19 |
| | 30 | 33 |
| | 65 | 24 |
| V707-140-072-00 | 30 | 34 |
| | 36 | 33 |
| | 37 | 22 |
| | 38 | 5 |
| V707-140-110-00 | 49 | 16 |
| V71O-140-004-00 | 181 | 22 |
| V710-140-007-00 | 28 | 11 |
| V710-140-008-00 | 40 | 17 |
| | 76 | 5 |
| | 76 | 24 |
| | 76 | 30 |
| | 77 | 4 |
| V710-140-009-00 | 79 | 10 |
| | 99 | 9 |
| | 179 | 3 |
| | 180 | 3 |
| | 105 | 16 |
| V710-140-010-00 | 115 | 27 |
| | 116 | 27 |
| V720-101-004-40 | 1 | 19 |
| V720-101-900-80 | 55 | 30 |
| | 83 | 13 |
| V720-102-401-00 | 1 | 15 |
| | 39 | 2 |
| | 40 | 2 |
| V720-102-401-20 | 56 | 26 |
| V720-102-401-40 | 35 | 15 |
| V720-102-401-60 | 46 | 31 |
| V720-102-402-10 | 39 | 13 |
| | 40 | 22 |
| V720-103-502-80 | 87 | 21 |
| V720-103-503-10 | 56 | 25 |
| V720-103-503-50 | 59 | 3 |
| V720-103-503-80 | 61 | 6 |
| V720-103-504-00 | 63 | 22 |
| | 64 | 21 |
| V720-103-504-10 | 61 | 7 |
| V720-105-707-50 | 63 | 21 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 64 | 20 |
| V720-111-900-50 | 182 | 5 |
| | 184 | 30 |
| V720-111-900-60 | 56 | 12 |
| | 181 | 5 |
| V720-111-900-80 | 183 | 10 |
| | 184 | 28 |
| V720-111-900-90 | 85 | 53 |
| V720-112-401-00 | 75 | 25 |
| V720-112-401-10 | 100 | 4 |
| | 184 | 31 |
| V720-112-401-20 | 73 | 35 |
| | 74 | 13 |
| | 85 | 23 |
| | 85 | 35 |
| | 85 | 46 |
| | 179 | 12 |
| | 180 | 12 |
| | 181 | 26 |
| | 182 | 4 |
| | 183 | 5 |
| | 184 | 23 |
| | 184 | 29 |
| V720-112-401-40 | 30 | 35 |
| | 71 | 17 |
| | 72 | 12 |
| | 73 | 21 |
| | 75 | 12 |
| | 80 | 27 |
| | 81 | 46 |
| | 82 | 28 |
| | 84 | 4 |
| | 84 | 14 |
| | 85 | 11 |
| | 85 | 55 |
| | 94 | 34 |
| | 95 | 4 |
| | 97 | 33 |
| | 98 | 38 |
| | 100 | 3 |
| | 179 | 11 |
| | 179 | 20 |
| | 180 | 11 |
| | 180 | 20 |
| | 181 | 25 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 184 | 9 |
| V720-112-401-60 | 75 | 31 |
| | 85 | 21 |
| | 85 | 33 |
| | 85 | 44 |
| | 181 | 10 |
| | 182 | 3 |
| | 184 | 6 |
| | 184 | 8 |
| V720-112-401-80 | 56 | 36 |
| | 73 | 34 |
| | 74 | 14 |
| | 183 | 7 |
| | 184 | 25 |
| V720-112-402-00 | 56 | 31 |
| | 56 | 40 |
| | 75 | 37 |
| | 80 | 21 |
| | 80 | 28 |
| | 81 | 40 |
| | 81 | 47 |
| | 82 | 22 |
| | 82 | 29 |
| | 84 | 12 |
| | 85 | 2 |
| | 85 | 54 |
| | 85 | 61 |
| V720-112-402-20 | 56 | 11 |
| | 75 | 30 |
| V720-113-502-40 | 80 | 29 |
| | 81 | 48 |
| | 82 | 30 |
| V720-115-705-00 | 178 | 3 |
| V720-115-706-00 | 185 | 3 |
| V720-115-707-50 | 75 | 6 |
| V721-103-103-00 | 81 | 14 |
| | 81 | 23 |
| V721-103-103-50 | 80 | 31 |
| | 81 | 28 |
| | 83 | 20 |
| V721-103-104-50 | 80 | 8 |
| | 80 | 32 |
| | 81 | 29 |
| | 81 | 32 |
| | 82 | 8 |

| PART CODE | FIG. | KEY |
|---|---|---|
| | 83 | 21 |
| V721-103-106-00 | 17 | 25 |
| V721-103-107-00 | 18 | 23 |
| V721-103-107-50 | 55 | 9 |
| V721-103-109-50 | 65 | 5 |
| V721-103-114-00 | 83 | 10 |
| V721-113-105-00 | 56 | 10 |
| V721-113-105-50 | 178 | 11 |
| V721-113-106-50 | 185 | 10 |
| V721-113-108-00 | 75 | 18 |
| V721-113-109-50 | 75 | 3 |
| V723-102-002-50 | 55 | 11 |
| V723-102-003-60 | 55 | 12 |
| V723-102-005-30 | 55 | 36 |
| V723-102-006-30 | 178 | 12 |
| V723-102-007-10 | 185 | 11 |
| V723-111-501-20 | 179 | 15 |
| | 180 | 15 |
| V723-111-501-40 | 179 | 14 |
| | 180 | 14 |
| V723-111-501-60 | 178 | 5 |
| V723-111-502-00 | 185 | 5 |
| V730-101-401-00 | 75 | 26 |
| V730-106-005-00 | 178 | 4 |
| V730-107-006-00 | 185 | 4 |
| V742-116-240-40 | 71 | 5 |
| | 72 | 5 |
| | 73 | 5 |
| V742-148-650-70 | 59 | 9 |
| V742-155-700-60 | 58 | 7 |
| | 63 | 13 |
| | 64 | 13 |
| V744-114-250-70 | 29 | 15 |
| V744-114-280-70 | 56 | 9 |
| V744-120-420-80 | 92 | 25 |
| V744-125-400-70 | 25 | 6 |
| V744-125-470-80 | 35 | 5 |
| V744-130-450-80 | 24 | 9 |
| V744-135-500-80 | 24 | 4 |
| V744-140-651-20 | 62 | 4 |
| V744-145-600-90 | 36 | 21 |
| V744-148-650-90 | 59 | 8 |
| V744-150-680-90 | 59 | 13 |
| V744-155-720-90 | 71 | 4 |
| | 72 | 4 |

1597-098-100-10

| PART CODE | FIG. | KEY |
|---|---|---|
| | 73 | 4 |
| V760-150-000-00 | 163 | 6 |
| | 164 | 10 |
| V761-150-000-00 | 58 | 8 |
| | 58 | 23 |
| | 63 | 23 |
| | 64 | 22 |
| | 66 | 2 |
| V762-150-000-00 | 92 | 15 |
| V763-150-000-00 | 19 | 4 |
| | 22 | 16 |
| | 50 | 4 |
| | 51 | 6 |
| | 51 | 10 |
| | 92 | 8 |
| | 92 | 27 |
| V764-150-000-00 | 19 | 5 |
| V767-400-000-00 | 59 | 38 |
| | 59 | 51 |
| | 67 | 9 |
| | 67 | 22 |
| V780-140-000-2T | 95 | 19 |
| | 181 | 11 |
| V780-140-000-4T | 179 | 10 |
| | 180 | 10 |
| V780-140-000-60 | 71 | 18 |
| | 72 | 13 |
| | 73 | 22 |
| V781-100-000-60 | 97 | 14 |
| V781-100-000-80 | 30 | 15 |
| | 31 | 11 |
| V781-160-000-20 | 75 | 23 |
| V781-160-000-40 | 75 | 22 |
| | 85 | 4 |
| V781-160-000-60 | 71 | 20 |
| | 72 | 14 |
| | 73 | 23 |
| | 94 | 15 |
| | 96 | 14 |
| | 98 | 18 |
| V781-160-000-6B | 38 | 6 |
| | 65 | 26 |
| V781-160-000-80 | 30 | 17 |
| | 31 | 13 |
| | 84 | 8 |
| | 84 | 18 |
| V781-160-000-8B | 30 | 16 |
| | 30 | 18 |
| | 31 | 12 |
| | 31 | 14 |
| V793-108-110-30 | 181 | 19 |
| V888-260-113-20 | 53 | 7 |
| | 53 | 17 |
| V888-261-492-80 | 53 | 21 |
| | 53 | 30 |
| V889-000-113-20 | 53 | 9 |
| | 53 | 19 |
| V889-000-132-80 | 53 | 22 |
| | 53 | 31 |
| V889-000-832-00 | 68 | 8 |
| | 68 | 17 |
| | 69 | 3 |
| | 69 | 7 |
| V889-007-501-60 | 60 | 3 |
| V920-550-801-00 | 177 | 5 |
| V920-551-201-40 | 177 | 6 |
| V920-551-301-70 | 177 | 7 |
| V920-551-902-20 | 177 | 8 |
| V920-552-402-70 | 177 | 9 |
| V936-150-015-00 | 177 | 3 |
| V999-300-001-00 | 53 | 10 |
| | 53 | 20 |
| | 53 | 23 |
| | 53 | 32 |
| | 60 | 4 |
| | 68 | 9 |
| | 68 | 18 |
| | 69 | 4 |
| | 69 | 8 |
| | 70 | 4 |
| | 70 | 8 |
| W201-361-609-00 | 63 | 8 |
| | 64 | 8 |
| W296-134-007-00 | 103 | 12 |
| | 107 | 4 |
| | 107 | 8 |
| | 108 | 4 |
| | 108 | 8 |
| | 116 | 40 |
| W296-203-206-30 | 109 | 3 |
| | 110 | 3 |
| | 111 | 3 |
| | 112 | 3 |
| | 113 | 3 |

# ALPHABETICAL INDEX




| DESCRIPTION | FIG. | KEY |
|---|---|---|
| ADAPTER | 16 | 4 |
| ADAPTER | 16 | 3 |
| ADAPTER | 17 | 4 |
| ADAPTER, CHECK VALVE | 19 | 12 |
| ARM,ROCKER | 7 | 28 |
| ARMATURE ASSY | 20 | 37 |
| BALL, BEARING | 3 | 28 |
| BEARING | 16 | 66 |
| BEARING | 21 | 2 |
| BEARING | 6 | 19 |
| BEARING UNIT | 10 | 6 |
| BEARING,BALL | 21 | 15 |
| BEARING,BALL | 20 | 38 |
| BEARING, BALL | 20 | 39 |
| BEARING, IDLE GEAR | 3 | 25 |
| BEARING,RB | 16 | 64 |
| BEARING,RB/MR30203J | 16 | 63 |
| BEARING, RB/MR30203J | 16 | 65 |
| BELT, COOLING B=1130 | 10 | 37 |
| BOLT | 3 | 11 |
| BOLT | 13 | 30 |
| BOLT | 3 | 6 |
| BOLT | 7 | 10 |
| BOLT | 4 | 4 |
| BOLT | 13 | 5 |
| BOLT | 10 | 29 |
| BOLT | 14 | 16 |
| BOLT | 10 | 35 |
| BOLT | 13 | 11 |
| BOLT | 10 | 28 |
| BOLT | 11 | 10 |
| BOLT | 13 | 14 |
| BOLT | 3 | 14 |
| BOLT | 13 | 15 |
| BOLT | 8 | 17 |
| BOLT | 13 | 3 |
| BOLT | 13 | 27 |
| BOLT | 13 | 6 |
| BOLT | 13 | 22 |
| BOLT | 12 | 28 |
| BOLT | 5 | 5 |
| BOLT | 14 | 17 |
| BOLT | 16 | 94 |
| BOLT | 19 | 18 |
| BOLT | 17 | 22 |
| BOLT | 7 | 7 |
| BOLT | 14 | 12 |
| BOLT | 10 | 36 |
| BOLT | 9 | 4 |
| BOLT | 17 | 7 |
| BOLT | 17 | 17 |
| BOLT | 17 | 15 |
| BOLT | 17 | 20 |
| BOLT | 17 | 21 |
| BOLT | 19 | 17 |
| BOLT | 7 | 19 |
| BOLT | 17 | 85 |
| BOLT | 20 | 6 |
| BOLT | 20 | 17 |
| BOLT | 20 | 33 |
| BOLT | 20 | 35 |
| BOLT | 1 | 13 |
| BOLT | 6 | 23 |
| BOLT | 17 | 86 |
| BOLT | 21 | 11 |
| BOLT | 21 | 12 |
| BOLT | 6 | 8 |
| BOLT | 2 | 3 |
| BOLT | 7 | 38 |
| BOLT | 7 | 36 |
| BOLT | 12 | 24 |
| BOLT | 6 | 17 |
| BOLT | 14 | 6 |
| BOLT | 16 | 92 |
| BOLT | 17 | 23 |
| BOLT | 17 | 64 |
| BOLT | 17 | 5 |
| BOLT | 8 | 9 |
| BOLT | 7 | 4 |
| BOLT | 9 | 10 |
| BOLT | 2 | 44 |
| BOLT | 14 | 10 |
| BOLT | 4 | 9 |
| BOLT L=70 | 2 | 36 |
| BOLT L=103 | 13 | 7 |
| BOLT L=110 | 13 | 7A |
| BOLT L=25 | 2 | 41 |
| BOLT L=40 | 4 | 11 |
| BOLT L=40 | 10 | 17 |
| BOLT L=55 | 10 | 16 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| BOLT L=70 | 3 | 13 |
| BOLT L=95 | 14 | 13 |
| BOLT, CASE FIX | 7 | 15 |
| BOLT, CLIP | 1 | 23 |
| BOLT, CONN ROD | 6 | 8A |
| BOLT,COVER,FIX L=25 | 5 | 4 |
| BOLT, EYE | 16 | 102 |
| BOLT, FLYWHEEL | 6 | 17A |
| BOLT, GEAR CASE-BODY | 3 | 15 |
| BOLT, JOINT | 9 | 8 |
| BOLT, JOINT | 12 | 18 |
| BOLT, JOINT | 12 | 13 |
| BOLT, OIL PAN L=25 | 4 | 12 |
| BOLT, OIL PAN L=25 | 11 | 3 |
| BOLT, OIL PAN L=25 | 13 | 4 |
| BOLT, OIL PAN L=25 | 14 | 14 |
| BOLT, OIL PAN L=30 | 4 | 13 |
| BOLT, REAR PLATE FIX | 2 | 42 |
| BOLT,SEMS/M6XI2 | 9 | 6 |
| BOLT,SET | 16 | 5 |
| BOLT, THROUGH | 21 | 18 |
| BOLT, THROUGH | 21 | 19 |
| BOLT/L=43 | 2 | 39 |
| BOLT/M6XlO | 13 | 18 |
| BRACKET | 14 | 15 |
| BRACKET | 16 | 96 |
| BRACKET | 17 | 83 |
| BRACKET | 17 | 84 |
| BRACKET | 8 | 15A |
| BRACKET | 8 | 15 |
| BRACKET | 13 | 20 |
| BRACKET, CENTER | 20 | 32 |
| BRACKET, CENTER ASSY | 20 | 25 |
| BRACKET,FRONT ASSY | 20 | 20 |
| BRACKET, GENERATOR | 13 | 13 |
| BRACKET, HOLDER | 12 | 9 |
| BRACKET, REAR | 20 | 16 |
| BRACKET, REAR ASSY | 20 | 15 |
| BRACKET, ROCKER SHAFT | 7 | 33 |
| BRUSH,+ | 20 | 42 |
| BRUSH,- | 20 | 41 |
| BRUSH, SPRING | 20 | 18 |
| BUSH | 16 | 23 |
| BUSH | 17 | 47 |
| BUSH | 6 | 27 |

| DESCRIPTION. | FIG. | KEY |
|---|---|---|
| BUSH | 6 | 10 |
| BUSH | 17 | 11 |
| BUSH ASSY | 21 | 7 |
| BUSH, GUM | 20 | 12 |
| BUSH, INSULATOR | 20 | 10 |
| CAP | 4 | 15 |
| CAP | 17 | 18 |
| CAP | 12 | 11 |
| CAP | 17 | 67 |
| CAP,HEATER PIPE | 10 | 44 |
| CAP, OIL FILLER | 1 | 18 |
| CAP, SEALING | 1 | 5 |
| CAP, SEALING | 2 | 12 |
| CAPSULE,SPRING | 17 | 79 |
| CAPSULE,SPRING | 17 | 401 |
| CARTRIDGE KIT | 8 | 4A |
| CARTRIDGE KIT | 8 | 4 |
| CASE, TIMING GEAR | 3 | 1 |
| CLIP | 13 | 16 |
| CLIP,BY PASS | 10 | 26 |
| CLIP, CAP | 10 | 45 |
| CLIP,HOSE | 12 | 23 |
| CLIP,HOSE | 1 | 22 |
| CLIP, HOSE | 1 | 21 |
| CLIP,LOW | 12 | 27 |
| CLIP, RUBBER HOSE | 12 | 12 |
| CLIP,SOLENOID | 13 | 29 |
| CLIP, UP | 12 | 26 |
| CLUTCH ASSY | 20 | 24 |
| COIL, FIELD ASSY | 20 | 40 |
| COLLAR | 17 | 55 |
| COLLAR, SPLIT | 7 | 25 |
| COLLAR, THRUST | 7 | 13 |
| CONDENSER ASSY | 21 | 10 |
| CONNECTOR | 15 | 4 |
| COUPLING | 14 | 5 |
| COVER | 3 | 4 |
| COVER | 16 | 91 |
| COVER | 17 | 19 |
| COVER | 10 | 3 |
| COVER | 16 | 6 |
| COVER | 4 | 2 |
| COVER | 2 | 24 |
| COVER,CYLINDER HEAD | 1 | 14 |
| COVER, FRONT ASSY | 21 | 13 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| COVER, FUEL FILTER | 8 | 11 |
| COVER, GOV. | 17 | 10 |
| COVER, OIL PUMP | 5 | 2 |
| COVER, PTO PUMP | 3 | 31 |
| COVER,PUMP | 3 | 29 |
| COVER,REAR | 21 | 5 |
| COVER, REAR ASSY | 21 | 4 |
| CRANK SHAFT | 6 | 14 |
| CRANK SHAFT | 6 | 14A |
| CUP CYL | 2 | 9 |
| CUP, SEALING | 1 | 2 |
| CUP, SEALING | 2 | 11 |
| CUP,SEALING | 1 | 4 |
| CUP,SEALING | 2 | 10 |
| CUP, SEALING | 1 | 6 |
| CUP, SEALING | 2 | 13 |
| CUP,SEALING | 2 | 15 |
| CUP, SEARING | 2 | 8 |
| CUP,SEARING | 2 | 16 |
| CYLINDER BLOCK ASSY | 2 | 1 |
| DIODE ASSY | 21 | 9 |
| DOWEL | 2 | 29 |
| DOWEL | 2 | 34 |
| DUCT, WATER | 2 | 14 |
| ELEMENT KIT FUEL | 8 | 14 |
| FAN, BLADE D=380 ASSY | 10 | 33 |
| FAN. CENTER | 10 | 8 |
| FILLER. OIL | 4 | 14 |
| FILTER, FUEL ASSY | 8 | 10 |
| FILTER, OIL ASSY | 8 | 1 |
| FILTER. OIL ASSY | 8 | lA |
| FLY WEIGHT ASSY | 17 | 24 |
| FLYWHEEL ASSY | 6 | 15 |
| FLYWHEEL ASSY | 6 | 15A |
| GADKET | 16 | 7 |
| GASKET | 16 | 16 |
| GASKET | 17 | 76 |
| GASKET | 17 | 77 |
| GASKET | 16 | 95 |
| GASKET | 19 | 19 |
| GASKET | 19 | 20 |
| GASKET | 17 | 761 |
| GASKET | 17 | 42 |
| GASKET | 2 | 21 |
| GASKET | 22 | 4 |
| GASKET | 16 | 9 |
| GASKET,CHAMBER | 19 | 5 |
| GASKET, CYLINDER HEAD | 1 | 12 |
| GASKET, CYLINDER HEAD | 22 | 1 |
| GASKET, EXH. MANIFOLD | 11 | 9 |
| GASKET,EXH.MANIFOLD | 22 | 25 |
| GASKETG | 16 | 103 |
| GAUGE, LEVEL | 2 | 18 |
| GAUGE,OIL LEVEL ASSY | 4 | 17 |
| GEAR | 7 | 18 |
| GEAR | 14 | 4 |
| GEAR | 7 | 12 |
| GEAR, CAM ASSY | 7 | 2 |
| GEAR, CRANK SHAFT | 6 | 21 |
| GEAR, HYDRAULIC | 3 | 23 |
| GEAR. PTO PUMP DRIVE | 3 | 26 |
| GEAR,RING | 6 | 16 |
| GENERATOR FIG. 21ASSY | 15 | 2 |
| GOVERNOR ASSY FIG 17 | 14 | 2 |
| GOVERNOR ASSY FIG. 17 | 14 | 19 |
| GUIDE | 19 | 9 |
| GUIDE | 16 | 24 |
| GUIDE TUBE | 4 | 16 |
| GUIDE, FAN | 21 | 8 |
| GUIDE, VALVE | 1 | 8 |
| HANGER, ENGINE FRONT | 13 | 1 |
| HANGER. ENGINE REAR | 13 | 2A |
| HANGER, ENGINE RH | 13 | 2 |
| HARNESS. CL IP | 13 | 17 |
| HEAD,CYLINDER ASSY | 1 | 1 |
| HOLDER | 16 | 17 |
| HOLDER. BRUSH ASSY | 20 | 19 |
| HOLDER, NOZZLE ASSY | 18 | 2 |
| HOSE, FUEL | 12 | 10 |
| HOSE,FUEL | 12 | 16 |
| HOSE. OVER FLOW | 12 | 31 |
| HOSE, RUBBER | 1 | 20 |
| HOSE. RUBBER | 10 | 25 |
| HOSE. RUBBER | 1 | 20A |
| HOUSING | 17 | 1 |
| HOUSING ASSY | 10 | 23 |
| HOUSING, PUMP | 19 | 1 |
| IMPELLER | 10 | 5 |
| JOINT | 10 | 10 |
| KEY | 17 | 25 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| KEY | 16 | 93 |
| KEY | 7 | 6 |
| KEY | 17 | 54 |
| KEY,FEATHER | 6 | 20 |
| KIT, SCREW | 21 | 16 |
| KIT, SEAL | 20 | 43 |
| LEVER | 17 | 62 |
| LEVER | 17 | 63 |
| LEVER | 17 | 621 |
| LEVER | 17 | 46 |
| LEVER ASM | 17 | 68 |
| LEVER ASM, GUIDE | 17 | 57 |
| LEVER. TENSION | 17 | 60 |
| LINER, CYL | 2 | 2 |
| LINK | 17 | 58 |
| LOCK PLATE | 14 | 9 |
| MANIFOLD, EXH. | 11 | 7 |
| MANIFOLD, INLET | 11 | 15 |
| MANIFOLD, INLET | 11 | 1 |
| MANIFOLD, INLET | 11 | lA |
| METAL | 20 | 21 |
| METAL | 20 | 26 |
| METAL KIT SID | 6 | 1 |
| METAL KIT SID | 2 | 4 |
| METAL KIT UN=0.5 | 2 | 5 |
| METAL KIT UN=0. 50 | 6 | 2 |
| METAL KIT UN=l. 00 | 6 | 3 |
| METAL KIT UN=l. 00 | 2 | 6 |
| METAL SET | 6 | 11 |
| NIPPLE,INJ.PUMP | 2 | 26 |
| NOZZLE FUEL INJ | 18 | 1 |
| NOZZLEASSY INJ FIG18 | 12 | 5 |
| NUT | 17 | 411 |
| NUT | 17 | 131 |
| NUT | 20 | 4 |
| NUT | 6 | 9 |
| NUT | 16 | 101 |
| NUT | 17 | 41 |
| NUT | 16 | 11 |
| NUT | 17 | 451 |
| NUT | 17 | 80 |
| NUT | 13 | 24 |
| NUT | 8 | 19 |
| NUT | 7 | 30 |
| NUT | 17 | 13 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| NUT | 17 | 27 |
| NUT | 17 | 9 |
| NUT | 17 | 45 |
| NUT, BEARING | 18 | 57 |
| NUT, CAP | 12 | 30 |
| NUT, CAP | 17 | 43 |
| NUT,CAP | 17 | 82 |
| NUT, COUPL! NG | 14 | 8 |
| NUT. PULLEY | 21 | 20 |
| NUT,SPECIAL | 1 | 26 |
| NUT/MI0 | 2 | 47 |
| NUT/MI0 | 3 | 21 |
| NUT/M8 | 3 | 9 |
| NUT/M8 | 3 | 18 |
| NUT/M8 | 10 | 18 |
| NUT/M8 | 11 | 12 |
| NUT/M8 | 13 | 8 |
| NUT/M8 | 10 | 38 |
| NUT/M8 | 11 | 5 |
| a-RING | 16 | 12 |
| O-RING | 19 | 13 |
| O-RING | 19 | 14 |
| a-RING | 16 | 19 |
| O-RING | 17 | 2 |
| O-RING | 16 | 98 |
| O-RING | 8 | 5 |
| a-RING | 8 | 6 |
| a-RING | 8 | 7 |
| O-RING · | 17 | 48 |
| a-RING | 17 | 66 |
| a-RING | 17 | 78 |
| O-RING. NOZZLE HOLDER | 12 | 7 |
| a-RING, NOZZLE HOLDER | 22 | 29 |
| OIL PAN ASSY | 4 | 1 |
| PACKING | 15 | 10 |
| PACKING | 3 | 5 |
| PACKING | 9 | 2 |
| PACKING | 17 | 81 |
| PACKING | 12 | 8 |
| PACKING | 22 | 30 |
| PACKING | 14 | 11 |
| PACKING | 22 | 27 |
| PACKING | 1 | 27 |
| PACKING | 22 | 3 |
| PACKING | 3 | 17 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| PACKING | 22 | 14 | PACKING, OIL PAN | 22 | 15 |
| PACKING | 10 | 4 | PACKING,OIL PUMP | 22 | 20 |
| PACKING | 10 | 27 | PACKING, OUTLET PIPE | 10 | 21 |
| PACKING | 2 | 33 | PACKING, OUTLET PIPE | 10 | 21A |
| PACKING | 10 | 15 | PACKING, OUTLET PIPE | 22 | 22 |
| PACKING | 4 | 8 | PACKING, PIPE JOINT | 9 | 9 |
| PACKING | 22 | 18 | PACKING,PIPE JOINT | 12 | 19 |
| PACKING | 8 | 8A | PACKING,PIPE JOINT | 22 | 28 |
| PACKING | 10 | 27A | PACKING, PUMP | 10 | 15A |
| PACKING | 8 | 8 | PACKING, THERMOMETER | 10 | 40 |
| PACKING | 2 | 23 | PACKING,WATER INLET | 22 | 6 |
| PACKING | 22 | 5 | PACKING,WOTER PUMP | 22 | 21 |
| PACKING | 2 | 27 | PIN | 18 | 3 |
| PACKING | 9 | 5 | PIN | 2 | 30 |
| PACKING | 8 | 13 | PIN | 2 | 31 |
| PACKING | 12 | 14 | PIN | 16 | 21 |
| PACKING | 12 | 22 | PIN, CYL. BODY | 2 | 28 |
| PACKING | 22 | 26 | PIN, LEVER | 20 | 1 |
| PACKING | 4 | 6 | PIN, PISTON D=16 | 6 | 12A |
| PACKING | 22 | 16 | PIN,PISTON ID=18 | 6 | 12 |
| PACKING COVER | 22 | 34 | PIN, ROLLER | 19 | 8 |
| PACKING COVER | 22 | 13 | PIN,STRAIGHT | 6 | 26 |
| PACKING,CHECK COVER | 22 | 12 | PIN,STRAIGHT | 2 | 46 |
| PACKING,CHECK COVER | 3 | 5A | PIN,STRAIGHT | 2 | 38 |
| PACKING,COVER | 3 | 32 | PIN, TENSION LEVER | 17 | 61 |
| PACKING, COVER | 22 | 32 | PINION | 16 | 59 |
| PACKING, COVER | 3 | 30 | PIPE | 11 | 16 |
| PACKING,FRT, PLATE | 22 | 8 | PIPE ASSY | 9 | 7 |
| PACKING, GEAR CASE | 3 | 2 | PIPE ASSY | 12 | 21 |
| PACKING,GEAR CASE | 22 | 10 | PIPE ASSY NO. 1 | 12 | 1 |
| PACKING, HEAD COVER | 1 | 25 | PIPE ASSY NO. 1 | 12 | 1A |
| PACKING,HEAD COVER | 22 | 2 | PIPE ASSY NO. 2 | 12 | 2 |
| PACKING, HOUSING | 22 | 23 | PIPE ASSY NO. 2 | 12 | 2A |
| PACKING,INJ.MANIFOLD | 11 | 2 | PIPE ASSY NO. 3 | 12 | 3 |
| PACKING, INJ.MANIFOLD | 22 | 24 | PIPE ASSY NO. 3 | 12 | 3A |
| PACKING, INL PIPE | 22 | 33 | PIPE ASSY NO.4 | 12 | 4 |
| PACKING, INL,MANIFOLD | 11 | 2A | PIPE ASSY NO.4 | 12 | 4A |
| PACKING,INL,MANIFOLD | 11 | 2B | PIPE,BREATHER | 1 | 17 |
| PACKING, INLET PIPED | 11 | 18 | PIPE,FILTER ASSY | 12 | 25 |
| PACKING,NIPPLE | 22 | 9 | PIPE, FUEL | 12 | 6 |
| PACKING, OIL CAP | 1 | 19 | PIPE, FUEL | 12 | 17 |
| PACKING, OIL FILTER | 22 | 19 | PIPE, FUEL ASSY | 12 | 15 |
| PACKING, OIL PAN | 4 | 7 | PIPE,HEATER | 10 | 43 |
| PACKING,OIL PAN | 22 | 17 | PIPE, OIL ASSY | 9 | 3 |
| PACKING, OIL PAN | 4 | 3 | PIPE, OIL ASSY | 9 | 1 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PIPE,OUTLET WATER | 10 | 20 |
| PIPE, WATER DRAIN | 2 | 37 |
| PIPE" ASSY | 12 | 20 |
| PISTON | 6 | 5A |
| PISTON | 6 | 5 |
| PISTON | 19 | 2 |
| PISTON,STOPPER | 20 | 23 |
| PLATE | 16 | 18 |
| PLATE | 2 | 32 |
| PLATE | 10 | 34 |
| PLATE | 17 | 6 |
| PLATE, REAR | 2 | 40 |
| PLATE,REAR | 2 | 40A |
| PLATE, TACHO SENSOR | 7 | 3 |
| PLATE, THRUST | 7 | 9 |
| PLUG | 17 | 3 |
| PLUG | 10 | 14 |
| PLUG | 16 | 10 |
| PLUG | 17 | 14 |
| PLUG | 8 | 3 |
| PLUG | 19 | 4 |
| PLUG | 7 | 32 |
| PLUG | 17 | 53 |
| PLUG | 2 | 20 |
| PLUG | 2 | 22 |
| PLUG WATER DRAIN 1/4 | 2 | 7 |
| PLUG, GLOW | 15 | 3 |
| PLUG, OIL DRAIN | 4 | 5 |
| PLUG, TAPPER | 2 | 19 |
| PLUG, THERMOMETER | 10 | 24 |
| PLUG, THERMOMETER | 10 | 41 |
| PLUNGER ASSY | 16 | 13 |
| PROTECTOR,HEAT | 11 | 14 |
| PULLEY | 10 | 30 |
| PULLEY | 6 | 22 |
| PULLEY ASSY | 21 | 17 |
| PUMP ASSY | 19 | 16 |
| PUMP ASSY INJ FIG 16 | 14 | 1 |
| PUMP ASSY INJ FIG. 16 | 14 | 18 |
| PUMP, ASM FEED FIG 19 | 14 | 3 |
| PUMP, HOUSING | 16 | 1 |
| PUMP, OIL ASSY | 5 | 1 |
| PUMP, WATER ASSY | 10 | 1 |
| PUMP, WATER ASSY | 10 | lA |
| RACK | 16 | 57 |
| RACKET,RETAINER | 21 | 14 |
| REGULATOR ASSY | 21 | 6 |
| RELAY | 15 | 9 |
| REPAIR KIT/WATERPUMP | 10 | 2 |
| RING | 16 | 67 |
| RING | 16 | 68 |
| RING,CLIP | 20 | 22 |
| RING, PISTON SET | 6 | 6 |
| RING,SNAP | 6 | 13 |
| RING, SNAP | 7 | 35 |
| RING, SNAP | 13 | 23 |
| RING,SNAP | 17 | 59 |
| RING,SNAP | 17 | 49 |
| RING, TAPPET SNAP | 19 | 15 |
| RIVET | 20 | 14 |
| ROD,CONN ASSY | 6 | 7 |
| ROD,LINK | 13 | 21 |
| ROD, PUSH | 7 | 27 |
| ROLLER | 16 | 22 |
| ROLLER | 19 | 7 |
| ROTOR ASSY | 21 | 1 |
| SCREW | 16 | 8 |
| SCREW | 16 | 58 |
| SCREW | 17 | 12 |
| SCREW | 17 | 8 |
| SCREW | 20 | 34 |
| SCREW | 10 | 13 |
| SCREW | 1 | 16 |
| SCREW | 13 | 26 |
| SCREW | 10 | 11 |
| SCREW | 16 | 61 |
| SCREW | 17 | 16 |
| SCREW,ADJUST | 7 | 29 |
| SEAL UNIT | 10 | 7 |
| SEAL, OIL | 17 | 50 |
| SEAL, OIL | 2 | 25 |
| SEAL,OIL | 22 | 7 |
| SEAL,OIL | 3 | 3 |
| SEAL, OIL | 22 | 11 |
| SEAL, VALVE | 1 | 10 |
| SEAL, VALVE STEM | 22 | 31 |
| SEAL, WASHER | 20 | 2 |
| SEALING, CAP | 1 | 3 |
| SEALING,CAP | 2 | 17 |
| SEAT, INSERT VALVE | 1 | 9 |

| DESCRIPTION | FIG. | KEY | DESCRI PTION | FIG. | KEY |
|---|---|---|---|---|---|
| SEAT, INSULATOR | 20 | 11 | SHIM T=0. 12 | 16 | 70 |
| SEAT, INSULATOR | 20 | 13 | SHIM T=0. 2 | 18 | 48 |
| SEAT,SPRING | 1 | 11 | SHIM T=0. 20 | 16 | 47 |
| SEAT, SPRING | 18 | 4 | SHIM T=0. 25 | 16 | 48 |
| SEAT,SPRING | 18 | 4A | SHIM T=0. 3 | 18 | 49 |
| SEAT, SPRING | 16 | 55 | SHIM T=0. 30 | 16 | 25 |
| SEAT, SPRING | 16 | 56 | SHIM T=0.35 | 16 | 49 |
| SEAT,SPRING VALVE | 7 | 24 | SHIM T=0. 4 | 17 | 74 |
| SEAT. VALVE | 1 | 7 | SHIM T=0.4 | 18 | 50 |
| SENSOR, TACHO METER | 15 | 8 | SHIM T=0.40 | 16 | 26 |
| SHAFT | 3 | 24 | SHIM T=0. 45 | 16 | 50 |
| SHAFT | 20 | 28 | SHIM T=0. 5 | 18 | 51 |
| SHAFT. CAM | 7 | 1 | SHIM T=0. 50 | 16 | 27 |
| SHAFT,CAM | 16 | 62 | SHIM T=0. 500 | 18 | 6 |
| SHAFT, IDLE GEAR A | 7 | 11 | SHIM T=0. 52 | 18 | 52 |
| SHAFT. IDLE GEAR B | 7 | 17 | SHIM T=0. 525 | 18 | 7 |
| SHAFT,LEVER ASSY | 20 | 3 | SHIM T=0. 54 | 18 | 53 |
| SHAFT,PTO GEAR | 3 | 27 | SHIM T=0. 55 | 16 | 37 |
| SHAFT, ROCKER ARM | 7 | 31 | SHIM T=0. 550 | 18 | 8 |
| SHIM | 17 | 73 | SHIM T=0. 56 | 18 | 54 |
| SHIM | 17 | 33 | SHIM T=0. 515 | 18 | 9 |
| SHIM | 17 | 34 | SHIM T=0. 58 | 18 | 55 |
| SHIM | 17 | 29 | SHIM T=0. 60 | 16 | 28 |
| SHIM | 17 | 52 | SHIM T=0.600 | 18 | 10 |
| SHIM | 11 | 30 | SHIM T=0. 625 | 18 | 11 |
| SHIM | 17 | 31 | SHIM T=0. 65 | 16 | 38 |
| SHIM | 11 | 32 | SHIM T=0. 650 | 18 | 12 |
| SHIM 0.12 | 16 | 81 | SHIM T=0. 675 | 18 | 13 |
| SHIM 0. 14 | 16 | 71 | SHIM T=0. 70 | 16 | 29 |
| SHIM 0. 14 | 16 | 82 | SHIM T=0. 70 | 16 | 77 |
| SHIM 0. 16 | 16 | 72 | SHIM T=0. 700 | 18 | 14 |
| SHIM 0. 16 | 16 | 83 | SHIM T=0. 725 | 18 | 15 |
| SHIM 0. 18 | 16 | 73 | SHIM T=0. 75 | 16 | 39 |
| SHIM 0.18 | 16 | 84 | SHIM T=0. 750 | 18 | 16 |
| SHIM o. 30 | 16 | 76 | SHIM T=0. 775 | 18 | 17 |
| SHIM 0.30 | 16 | 81 | SHIM T=0.80 | 16 | 30 |
| SHIM 0. 50 | 16 | 74 | SHIM T=0. 800 | 18 | 18 |
| SHIM 0.50 | 16 | 85 | SHIM T=0. 825 | 18 | 19 |
| SHIM 0. 70 | 16 | 88 | SHIM T=0. 85 | 16 | 40 |
| SHIM 1. 00 | 16 | 75 | SHIM T=0. 850 | 18 | 20 |
| SHIM 1. 00 | 16 | 86 | SHIM T=0. 875 | 18 | 21 |
| SHIM 2. 40 | 16 | 90 | SHIM T=0. 90 | 16 | 31 |
| SHIM T=0. 1 | 16 | 80 | SHIM T=0. 900 | 18 | 22 |
| SHIM T=0. 1 | 18 | 47 | SHIM T=0. 925 | 18 | 23 |
| SHIM T=O.IO | 16 | 69 | SHIM T=0. 950 | 18 | 24 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| SHIM T=O. 975 | 18 | 25 |
| SHIM T=1. 00 | 16 | 32 |
| SHIM T=1. 000 | 18 | 26 |
| SHIM T=1. 025 | 18 | 27 |
| SHIM T=1. 050 | 18 | 28 |
| SHIM T=1. 075 | 18 | 29 |
| SHIM T=1. 10 | 16 | 33 |
| SHIM T=1. 100 | 18 | 30 |
| SHIM T=1. 125 | 18 | 31 |
| SHIM T=1. 150 | 18 | 32 |
| SHIM T=1. 175 | 18 | 33 |
| SHIM T=1. 20 | 16 | 34 |
| SHIM T=1. 200 | 18 | 34 |
| SHIM T=1. 225 | 18 | 35 |
| SHIM T=1. 250 | 18 | 36 |
| SHIM T=1. 275 | 18 | 37 |
| SHIM T=1. 30 | 16 | 35 |
| SHIM T=1. 300 | 18 | 38 |
| SHIM T=1. 325 | 18 | 39 |
| SHIM T=1. 350 | 18 | 40 |
| SHIM T=1. 375 | 18 | 41 |
| SHIM T=1. 40 | 16 | 78 |
| SHIM T=1. 40 | 16 | 89 |
| SHIM T=1. 40 | 18 | 42 |
| SHIM T=1. 425 | 18 | 43 |
| SHIM T=1. 450 | 18 | 44 |
| SHIM T=1. 475 | 18 | 45 |
| SHIM T=1. 50 | 16 | 45 |
| SHIM T=1. 500 | 18 | 46 |
| SHIM T=1. 60 | 16 | 46 |
| SHIM T=2. 0 | 17 | 35 |
| SHIM T=2. 40 | 16 | 79 |
| SHIM T=3. 0 | 17 | 36 |
| SHIM T=4. 0 | 17 | 37 |
| SHIM. T=O. 50 | 17 | 51 |
| SHIM. TAPPET/I. 35 | 16 | 51 |
| SHIM, TAPPET/I. 45 | 16 | 52 |
| SHIM, TAPPET/I. 55 | 16 | 53 |
| SHIM/I. 25 | 16 | 44 |
| SHIM/T=O. 20 | 17 | 70 |
| SHIM/T=O. 25 | 17 | 71 |
| SHHI/T=O. 30 | 17 | 72 |
| SHIM/T=0. 50 | 17 | 75 |
| SHIM/T=O. 95 | 16 | 41 |
| SHIM/T=L 05 | 16 | 42 |

| DESCRI PTION | FIG. | KEY |
|---|---|---|
| SHIM/T=1. 15 | 16 | 43 |
| SHIM/T=1. 40 | 16 | 36 |
| SLEEVE | 16 | 60 |
| SLEVE | 17 | 28 |
| SLEVE | 17 | 281 |
| SOLENOID. ENG. STOP | 15 | 7 |
| SPACER | 3 | 16 |
| SPACER | 6 | 25 |
| SPACER | 18 | 56 |
| SPACER | 10 | 31 |
| SPACER. FAN T=59. 5 | 10 | 32 |
| SPRING | 17 | 65 |
| SPRING | 16 | 15 |
| SPRING | 16 | 54 |
| SPRING | 18 | 5 |
| SPRING | 17 | 69 |
| SPRING | 7 | 34 |
| SPRING | 17 | 39 |
| SPRING | 19 | 3 |
| SPRING. CAP | 17 | 40 |
| SPRING. CAPSULE | 17 | 44 |
| SPRING. CHECK VALVE | 19 | 11 |
| SPRING. GOVERNOR | 17 | 38 |
| SPRING. VALVE | 7 | 23 |
| STARTER FIG20 ASSY | 15 | 1 |
| STARTOR ASSY | 21 | 3 |
| STOPPER | 16 | 104 |
| STRAINER ASSY | 5 | 3 |
| STUD | 10 | 42 |
| STUD | 11 | 8 |
| STUD | 16 | 97 |
| STUD | 3 | 7 |
| STUD | 11 | 4 |
| STUD | 8 | 16 |
| STUD | 16 | 2 |
| STUD | 3 | 20 |
| STUD L1=40 | 2 | 49 |
| STUD, CASE COVER/L=68 | 2 | 35 |
| STUD. INLET PIPE | 11 | 17 |
| STUD/M8X40 | 11 | 11 |
| STUD/M8X40 | 3 | 8 |
| SWITCH ASSY | 20 | 5 |
| SWITCH. OIL PRESSURE | 15 | 5 |
| TAPPET | 19 | 6 |
| TAPPET | 7 | 26 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| TAPPET | 16 | 20 |
| TERMINAL ASSY | 20 | 8 |
| THERMOSTAT | 10 | 22 |
| THROWER, BEARING UNIT | 10 | 9 |
| THRUST METAL SET | 6 | 4 |
| UNIT, THERMO METER | 15 | 6 |
| VALVE ASSY | 8 | 2 |
| VALVE,CHECK | 19 | 10 |
| VALVE,DELIVERY ASSY | 16 | 14 |
| VALVE, EXH. | 7 | 22 |
| VALVE, INLET | 7 | 21 |
| VALVE, OVER FLOW | 12 | 29 |
| VALVE,OVER FLOW ASSY | 8 | 12 |
| VENTILATOR | 1 | 15 |
| WASHER | 6 | 24 |
| WASHER | 7 | 8 |
| WASHER | 14 | 7 |
| WASHER | 20 | 36 |
| WASHER | 20 | 30 |
| WASHER | 20 | 29 |
| WASHER | 7 | 20 |
| WASHER | 1 | 24 |
| WASHER | 3 | 10 |
| WASHER | 3 | 19 |
| WASHER | 4 | 10 |
| WASHER | 9 | 11 |
| WASHER | 10 | 12 |
| WASHER | 10 | 19 |
| WASHER | 10 | 39 |
| WASHER | 11 | 6 |
| WASHER | 11 | 13 |
| WASHER | 13 | 9 |
| WASHER | 13 | 19 |
| WASHER | 13 | 28 |
| WASHER | 16 | 99 |
| WASHER | 17 | 56 |
| WASHER | 20 | 9 |
| WASHER, INSULATE | 20 | 31 |
| WASHER, INSULATOR | 20 | 27 |
| WASHER, PL/M8 | 13 | 10 |
| WASHER, PL/M8 | 13 | 12 |
| WASHER,PLAIN | 7 | 37 |
| WASHER,SP | 17 | 26 |
| WASHER,SP | 16 | 100 |
| WASHER,SP/MI0 | 2 | 48 |
| WASHER, SP/M10 | 3 | 22 |
| WASHER, SP/M10 | 8 | 18 |
| WASHER, SP/M12 | 3 | 12 |
| WASHER,SP/M5 | 17 | 871 |
| WASHER,SP/M5 | 17 | 87 |
| WASHER,SP/M6 | 7 | 5 |
| WASHER,SP/M6 | 13 | 25 |
| WASHER,SPR | 7 | 16 |
| WASHER,SPRING | 2 | 45 |
| WASHER, THRUST | 7 | 14 |
| WASHER, WLYWHEEL | 6 | 18 |
| WIRE, READ ASSY | 20 | 7 |
| WSHER;SPR. | 2 | 43 |

# ALPHABETICAL INDEX




| DESCRIPTION | FIG. | KEY |
|---|---|---|
| ADAPTER | 148 | 32 |
| ADAPTER | 183 | 6 |
| ADAPTER | 184 | 24 |
| ADAPTER (90' /PUMP) | 56 | 33 |
| ADAPTER (90' /PUMP) | 100 | 14 |
| ADAPTER, 45' | 56 | 33A |
| ADAPTER, 45' | 100 | 15 |
| ADAPTER, 45' | 184 | 33 |
| ADJUSTER | 115 | 8 |
| ADJUSTER | 116 | 8 |
| ADJUSTER, ROD | 106 | 3 |
| ADJUSTER, SEAT LH ASS | 115 | 32 |
| ADJUSTER, SEAT LH ASS | 116 | 32 |
| ADJUSTER, SEAT RH ASS | 115 | 33 |
| ADJUSTER, SEAT RH ASS | 116 | 33 |
| ANTENNA ASSY | 148 | 13 |
| ARM | 29 | 13 |
| ARM | 76 | 25 |
| ARM | 76 | 11 |
| ARM | 76 | 21 |
| ARM | 77 | 3 |
| ARM | 92 | 32 |
| ARM ASSY | 149 | 7 |
| ARM ASSY | 40 | 19 |
| ARM ASSY | 99 | 19 |
| ARM ASSY | 143 | 2 |
| ARM ASSY | 145 | 2 |
| ARM ASSY | 43 | 23 |
| ARM ASSY | 99 | 23 |
| ARM COMP | 16 | 18 |
| ARM COMP | 35 | 14 |
| ARM COMP | 52 | 22 |
| ARM COMP | 76 | 16 |
| ARM COMP | 40 | 12 |
| ARM COMP | 39 | 10 |
| ARM COMP | 40 | 13 |
| ARM COMP | 40 | 23 |
| ARM COMP | 76 | 1 |
| ARM COMP | 76 | 4 |
| ARM COMP | 77 | 9 |
| ARM COMP | 77 | 8 |
| ARM COMP | 77 | 8A |
| ARM COMP | 77 | 15 |
| ARM COMP | 78 | 6 |
| ARM COMP | 78 | 25 |

| DESCRI PTION | FIG. | KEY |
|---|---|---|
| ARM COMP | 39 | 12 |
| ARM COMP | 94 | 22 |
| ARM COMP | 95 | 29 |
| ARM COMP | 97 | 21 |
| ARM COMP | 98 | 28 |
| ARM, 1ST COMP | 94 | 16 |
| ARM, 1ST COMP | 95 | 20 |
| ARM, 1ST COMP | 97 | 15 |
| ARM, 1ST COMP | 98 | 19 |
| ARM, 2ND COMP | 95 | 21 |
| ARM, 2ND COMP | 96 | 15 |
| ARM, 2ND COMP | 98 | 20 |
| ARM, BRAKE SET | 51 | 1 |
| ARM, DRAG L. H. | 59 | 18 |
| ARM, DRAG R.H | 59 | 19 |
| ARM,KNUCKLE/LH ASSY | 66 | 31 |
| ARM.KNUCKLE/LH ASSY | 66 | 35 |
| ARM.KNUCKLE/RH ASSY | 66 | 33 |
| ARM, KNUCKLE/RH ASSY | 66 | 37 |
| ARM, LIFT | 74 | 7A |
| ARM, LIFT | 74 | 7B |
| ARM, LIFT COMP | 22 | 17 |
| ARM, LIFT COMP | 22 | 19 |
| ARM, LIFT/RH | 74 | 7 |
| ARM, PARKING | 52 | 22A |
| ARM, PARKING COMP | 51 | 11 |
| ARM, PITMAN | 55 | 41 |
| ARM, PLATE | 16 | 23 |
| ARM, PLATE COMP | 35 | 16 |
| ARM, PLATE/32X123 | 132 | 41 |
| ARM/LH COMP | 50 | 5 |
| ARM/RH COMP | 50 | 6 |
| AXLE COMP | 58 | 1 |
| AXLE (LH) ASSY | 58 | 19 |
| AXLE (RH) ASSY | 58 | 21 |
| BAG, LICENCE PLATE | 177 | 12 |
| BALL | 54 | 19A |
| BALL. SHAFT HOLDER | 54 | 18 |
| BALL,STEEL | 34 | 5 |
| BALL,STEEL | 35 | 10 |
| BALL, STEEL | 39 | 6 |
| BALL. STEEL | 49 | 3 |
| BALL. STEEL | 49 | 8 |
| BALL,STEEL/5/16 | 28 | 6 |
| BALL,STEEL/5/16 | 29 | 12 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| BALL, STEEL/5/16 | 40 | 7 |
| BAND | 141 | 25 |
| BAND | 142 | 21 |
| BAND | 142 | 23 |
| BAND | 14 | 17 |
| BAND, COVER | 21 | 17 |
| BAND, WIRE/140 | 22 | 36 |
| BAND, WIRE/140 | 101 | 39 |
| BAND, WIRE/140 | 140 | 27 |
| BAND, WIRE/140 | 140 | 28 |
| BAND, WIRE/140 | 141 | 24 |
| BAND, WIRE/140 | 141 | 26 |
| BAND, WIRE/140 | 142 | 22 |
| BAND, WIRE/140 | 142 | 24 |
| BAND, WIRE/140 | 150 | 4 |
| BAND. WIRE/140 | 150 | 17 |
| BAND, WIRE/170 | 12 | 27 |
| BAND, WIRE/250 | 8 | 13 |
| BAND, WIRE/250 | 9 | 14 |
| BAND. WIRE/250 | 12 | 28 |
| BAND, WIRE/250 | 14 | 19 |
| BAND, WIRE/250 | 15 | 11A |
| BAND, WIRE/250 | 16 | 31 |
| BAND, WIRE/250 | 102 | 24 |
| BAND, YllRE/250 | 140 | 29 |
| BAND. WIRE/250 | 141 | 27 |
| BAND, WIRE/250 | 142 | 25 |
| BAND. WIRE/250 | 150 | 16 |
| BAND, WIRE/250 | 174 | 30 |
| BAND/14 | 10 | 15 |
| BAND/14 | 11 | 18 |
| BAND/470 | 90 | 12A |
| BAR | 74 | 1 |
| BAR | 102 | 10 |
| BAR | 165 | 9 |
| BAR | 165 | 13 |
| BAR COMP | 104 | 3 |
| BAR SET | 19 | 1 |
| BAR SET | 19 | lA |
| BASE,FLASHER | 136 | 15 |
| BASE, FLASHER | 137 | 17 |
| BATTERY ASSY | 127 | 4 |
| BATTERY/130E41R-MF | 127 | 1 |
| BATTERY/130E41R-MF | 127 | lA |
| BATTERY/130E41R-MF | 127 | IB |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| BATTERY/80D26R-MF | 127 | 4A |
| BEARING | 37 | 6 |
| BEARING | 20 | 17 |
| BEARING | 21 | 23 |
| BEARING | 21 | 15 |
| BEARING RB 6213 | 48 | 14 |
| BEARING RB 6214 | 46 | 27 |
| BEARING,KT/323723 | 24 | 21 |
| BEARING,KT/323723 | 24 | 27 |
| BEARING,KT/323723 | 24 | 32 |
| BEARING,KT/323723 | 25 | 17 |
| BEARING.KT/323723 | 25 | 23 |
| BEARING.KT/323723 | 25 | 28 |
| BEARING,KT455017 | 33 | 15 |
| BEARING,KT455017 | 33 | 21 |
| BEARING.NR | 55 | 34 |
| BEARING.NR | 24 | 19 |
| BEARING.NR/KT222918 | 66 | 20 |
| BEARING.NR/KT253224E | 46 | 5 |
| BEARING.NR/KT253525 | 33 | 2 |
| BEARING.NR/KT303524 | 24 | 39 |
| BEARING,NR/KT303524 | 25 | 35 |
| BEARING.NR/KT323717 | 26 | 9 |
| BEARING.NR/KT323717 | 26 | 15 |
| BEARING,NR/KT354026 | 36 | 8 |
| BEARING,NR/KT354026 | 37 | 14 |
| BEARING.NR/KT404527 | 36 | 13 |
| BEARING,NR/KT404527 | 36 | 17 |
| BEARING.NR/KT404527 | 37 | 8 |
| BEARING.RB | 24 | 2 |
| BEARING.RB | 24 | 15 |
| BEARING,RB | 25 | 12 |
| BEARING.RB | 26 | 18 |
| BEARING.RB | 27 | 3 |
| BEARING.RB | 27 | 39 |
| BEARING,RB | 48 | 12 |
| BEARING.RB | 36 | 6A |
| BEARING,RB/6003ZZ | 54 | 30 |
| BEARING.RB/6004 | 26 | 4 |
| BEARING.RB/6004 | 92 | 22 |
| BEARING,RB/6005 | 27 | 6 |
| BEARING,RB/6005 | 27 | 42 |
| BEARING.RB/6005 | 35 | 2 |
| BEARING.RB/6008 | 62 | 24 |
| BEARING.RB/6010 | 65 | 10 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BEARING.RB/6016 | 66 | 15 | BISH/14X16X20 | 40 | 20 |
| BEARING.RB/6205 | 27 | 7 | BISH/14XI6X20 | 40 | 27 |
| BEARING.RB/6205 | 33 | 26 | BISH/14XI6X20 | 43 | 10 |
| BEARING.RB/6207 | 24 | 41 | BISH/14XI6X20 | 43 | 16 |
| BEARING.RB/6207 | 25 | 37 | BISH/14XI6X20 | 43 | 24 |
| BEARING.RB/6207 | 33 | 10 | BISH/14X16X20 | 54 | 24 |
| BEARING.RB/6207 | 38 | 9 | BISH/14X16X20 | 54 | 27 |
| BEARING.RB/6207 | 65 | 4 | BLADE ASSY | 143 | 3 |
| BEARING.RB/6209 | 66 | 14 | BLADE ASSY | 145 | 3 |
| BEARING.RB/6305 | 24 | 14 | BLADE ASSY | 149 | 8 |
| BEARING.RB/6305 | 25 | 11 | BOARD. WIRING COMP | 133 | 12 |
| BEARING.RB/6305 | 26 | 6 | BOARD. WIRING COMP | 134 | 12 |
| BEARING.RB/6305 | 27 | 5 | BOARD. WIRING COMP | 135 | 12 |
| BEARING.RB/6305 | 65 | 21 | BODY. CHECK | 183 | 11 |
| BEARING.RB/6306 | 36 | 3 | BOLT | 74 | 3 |
| BEARING.RB/6306 | 37 | 3A | BOLT | 148 | 4 |
| BEARING.RB/6306 | 26 | 7 | BOLT | 58 | 9 |
| BEARING.RB/6306SH2 | 37 | 3 | BOLT | 63 | 14 |
| BEARING.RB/6310 | 48 | 3 | BOLT | 64 | 14 |
| BEARING.RB62052RDC3 | 35 | 3 | BOLT | 55 | 22 |
| BEARING.RB62052RDC3 | 36 | 6 | BOLT | 151 | 24 |
| BEARING. RELEASE | 17 | 21 | BOLT | 151 | 37 |
| BEARING. RELEASE | 18 | 25 | BOLT | 127 | 8 |
| BEARING. SNAP RING | 36 | 2 | BOLT | 127 | 15 |
| BEARING. SNAP RING | 36 | 5 | BOLT | 102 | 3 |
| BEARING.SNAP RING | 37 | 2A | BOLT | 84 | 15 |
| BEARING. SNAP RING | 37 | 5A | BOLT BATTERY SET | 127 | 19 |
| BEARING. TAPER ROLLAR | 46 | 4 | BOLT WSEMS M8X35 | 56 | 20 |
| BEARING. TB | 55 | 31 | BOLT WSEMS M8X35 | 85 | 3 |
| BEARING. TB/40TAGIIA | 59 | 12 | BOLT(S) MI0X16 | 73 | 40 |
| BEARING. TB/51104 | 92 | 13 | BOLT(S) MI0X25 | 32 | 16 |
| BEARING. TB/51107 | 65 | 17 | BOLT(S) MIOX25 | 47 | 17 |
| BEARING. TR | 59 | 5 | BOLT(S) MI0X30 | 38 | 3 |
| BEARING. TR | 59 | 6 | BOLT(S) MI0X30 | 81 | 21 |
| BEARING/6206SH2 | 24 | 7 | BOLT(S) MI0X30 | 84 | 7 |
| BEARING/6206SH2 | 24 | 42 | BOLT(S) M10X30 | 84 | 17 |
| BEARING/6206SH2 | 25 | 2 | BOLT(S) M6X30 | 56 | 32 |
| BEARING/6206SH2 | 25 | 38 | BOLT(S) M6X30 | 56 | 41 |
| BEARING/6304SH2 | 33 | 27 | BOLT(SP) M8X20 | 6 | 29 |
| BEARING/6305 | 37 | 2 | BOLT(SP) M8X20 | 29 | 2 |
| BEARING/6305 | 37 | 5 | BOLT(SP) M8X20 | 104 | 7 |
| BEARING/6305SH2 | 25 | 5 | BOLT(SP) M8X20 | 105 | 18 |
| BEARING/6305SH2 | 26 | 3 | BOLT(SP) M8X20 | 115 | 39 |
| BEARING/6305SH2 | 27 | 41 | BOLT(SP) M8X20 | 131 | 15 |
| BELT. V/062 | 173 | 28 | BOLT(SP) M8X20 | 174 | 11 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BOLTCSP)/M6X16 | 1 | 1 | BOLT,S/M8X20 | 17 | 14 |
| BOLTCSP)/M6X16 | 6 | 37 | BOLT, S/M8X20 | 18 | 14 |
| BOLT (SP)/M6X16 | 15 | 9B | BOLT,S/M8X20 | 32 | 13 |
| BOLT (SP)/M6X16 | 20 | 19 | BOLT,S/M8X20 | 35 | 11 |
| BOLTCSP)/M6X16 | 21 | 25 | BOLT,S/M8X20 | 50 | 3 |
| BOLTCSP)/M6X16 | 56 | 27 | BOLT,S/M8X20 | 51 | 5 |
| BOLTCSP)/M6X16 | 101 | 31 | BOLT,S/M8X20 | 51 | 8 |
| BOLT (SP)/M6X16 | 105 | 12 | BOLT, S/M8X20 | 51 | 26 |
| BOLTCSP) /M6X16 | 137 | 15 | BOLT,S/M8X20 | 54 | 22 |
| BOLTCSP)/M6X16 | 147 | 22 | BOLT,S/M8X20 | 62 | 14 |
| BOLTCSP)/M6X16 | 148 | 26 | BOLT,S/M8X20 | 94 | 30 |
| BOLTCSP)/M6X16 | 149 | 17 | BOLT,S/M8X20 | 95 | 37 |
| BOLT(SP)/M6X16 | 160 | 8 | BOLT,S/M8X20 | 97 | 28 |
| BOLTCSP)/M6X16 | 161 | 12 | BOLT,S/M8X20 | 98 | 35 |
| BOLTCSP)/M6X16 | 163 | 18 | BOLT,S/M8X20 | 99 | 28 |
| BOLTCSP)/M6X16 | 164 | 18 | BOLT,S/M8X20 | 105 | 19 |
| BOLTCSP)/M6X16 | 164 | 21 | BOLT,S/M8X20 | 106 | 6 |
| BOLTCSP)/M6X16 | 168 | 25 | BOLT,S/M8X20 | 107 | 22 |
| BOLT (SP)/M6X16 | 174 | 15 | BOLT,S/M8X20 | 108 | 31 |
| BOLTCSP) /M6X16 | 174 | 34 | BOLT,S/M8X20 | 109 | 26 |
| BOLTCSP)/M6X16 | 172 | 53 | BOLT,S/M8X20 | 110 | 15 |
| BOLT, ADUSTER | 115 | 14 | BOLT,S/M8X20 | 111 | 17 |
| BOLT, ADUSTER | 116 | 14 | BOLT, S/M8X20 | 112 | 16 |
| BOLT, BATTERY SET | 127 | 19A | BOLT,S/M8X20 | 113 | 22 |
| BOLT, BATTERY SET | 127 | 20 | BOLT, S/M8X20 | 115 | 37 |
| BOLT, BATTERY/M6X250 | 127 | 19B | BOLT, S/M8X20 | 116 | 37 |
| BOLT,BATTERY/M8X250 | 127 | 20A | BOLT,S/M8X20 | 151 | 2 |
| BOLT, CENTER ASSY | 3 | 3 | BOLT,S/M8X20 | 151 | 4 |
| BOLT,CENTER ASSY | 4 | 8 | BOLT,SEAL/M10X70 | 73 | 18 |
| BOLT, CONNECTOR | 56 | 35 | BOLT,SEAL/M10X70 | 71 | 15 |
| BOLT, CONTROL | 181 | 4 | BOLT,SEAL/M10X70 | 72 | 10 |
| BOLT,FITTING | 132 | 33 | BOLT,SEAL/M10X70 | 73 | 19 |
| BOLT, HUB/M22X62 | 48 | 15 | BOLT,SEAL/M8X25 | 40 | 18 |
| BOLT,LEVER | 17 | 8 | BOLT,SEAL/SP | 15 | 9 |
| BOLT,LEVER | 18 | 8 | BOLT,SEMS | 59 | 17 |
| BOLT,M14X50,7T | 30 | 5 | BOLT,SEMS | 136 | 18 |
| BOLT, REAMER | 46 | 15 | BOLT,SEMS | 137 | 20 |
| BOLT, REAMER/M8X25 | 29 | 7A | BOLT,SEMS | 61 | 9 |
| BOLT, S/M6X25 | 97 | 13 | BOLT,SEMS | 140 | 12 |
| BOLT,S/M6X40 | 94 | 14 | BOLT,SEMS | 141 | 9 |
| BOLT, S/M6X40 | 95 | 18 | BOLT, SEMS | 142 | 7 |
| BOLT,S/M6X40 | 96 | 13 | BOLT,SEMS | 75 | 13 |
| BOLT,S/M6X40 | 98 | 17 | BOLT,SEMS | 116 | 38 |
| BOLT,S/M8X20 | 10 | 11 | BOLT,SEMS | 34 | 7 |
| BOLT,S/M8X20 | 16 | 35 | BOLT,SEMS | 44 | 7 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| BOLT,SEMS | 51 | 25 |
| BOLT,SEMS | 80 | 33 |
| BOLT,SEMS | 81 | 30 |
| BOLT,SEMS | 82 | 18 |
| BOLT,SEMS | 83 | 22 |
| BOLT,SEMS | 100 | 20 |
| BOLT,SEMS | 100 | 24 |
| BOLT,SEMS | 6 | 38 |
| BOLT,SEMS | 15 | 3 |
| BOLT,SEMS | 15 | 6 |
| BOLT,SEMS | 24 | 11 |
| BOLT,SEMS | 25 | 8 |
| BOLT,SEMS | 28 | 13 |
| BOLT,SEMS | 38 | 18 |
| BOLT,SEMS | 42 | 10 |
| BOLT,SEMS (S) | 5 | 13 |
| BOLT,SEMS (S) | 131 | 8 |
| BOLT,SEMS (S) | 136 | 16 |
| BOLT,SEMS (S) | 137 | 18 |
| BOLT,SEMS (S) | 138 | 18 |
| BOLT,SEMS (S) | 143 | 23 |
| BOLT,SEMS (S) | 145 | 26 |
| BOLT,SEMS (S) | 147 | 12 |
| BOLT,SEMS (S) | 173 | 30 |
| BOLT,SEMS (S) | 173 | 32 |
| BOLT,SEMS (SP) | 12 | 9 |
| BOLT,SEMS (SP) | 13 | 8 |
| BOLT,SEMS (SP) | 15 | 12 |
| BOLT,SEMS (SP) | 21 | 28 |
| BOLT,SEMS (SP) | 30 | 28 |
| BOLT,SEMS (SP) | 32 | 8 |
| BOLT,SEMS (SP) | 37 | 21 |
| BOLT,SEMS (SP) | 38 | 20 |
| BOLT,SEMS (SP) | 52 | 18 |
| BOLT,SEMS (SP) | 56 | 19 |
| BOLT,SEMS (SP) | 80 | 23 |
| BOLT,SEMS (SP) | 80 | 34 |
| BOLT,SEMS (SP) | 81 | 42 |
| BOLT,SEMS (SP) | 82 | 24 |
| BOLT,SEMS (SP) | 83 | 2 |
| BOLT, SEMS (SP) | 86 | 19 |
| BOLT, SEMS (SP) | 88 | 2 |
| BOLT,SEMS (SP) | 96 | 8 |
| BOLT,SEMS (SP) | 103 | 3 |
| BOLT, SEMS (SP) | 104 | 4 |
| BOLT,SEMS (SP) | 105 | 21 |
| BOLT, SEMS (SP) | 107 | 15 |
| BOLT, SEMS (SP) | 108 | 22 |
| BOLT,SEMS (SP) | 110 | 13 |
| BOLT,SEMS (SP) | 114 | 4 |
| BOLT,SEMS (SP) | 114 | 12 |
| BOLT,SEMS (SP) | 122 | 9 |
| BOLT,SEMS (SP) | 122 | 14 |
| BOLT,SEMS (SP) | 122 | 19 |
| BOLT,SEMS (SP) | 124 | 6 |
| BOLT,SEMS (SP) | 124 | 9 |
| BOLT,SEMS (SP) | 124 | 14 |
| BOLT,SEMS (SP) | 140 | 22 |
| BOLT,SEMS (SP) | 140 | 24 |
| BOLT, SEMS (SP) | 141 | 19 |
| BOLT,SEMS (SP) | 141 | 21 |
| BOLT,SEMS (SP) | 142 | 15 |
| BOLT,SEMS (SP) | 142 | 17 |
| BOLT,SEMS (SP) | 167 | 19 |
| BOLT,SEMS (SP) | 172 | 60 |
| BOLT,SEMS (SP) | 174 | 15A |
| BOLT,SEMS (SP) | 122 | 15 |
| BOLT,SEMS (SP) | 123 | 10 |
| BOLT,SEMS (SP) | 124 | 10 |
| BOLT,SEMS (SP) | 125 | 10 |
| BOLT,SEMS (S) M8X12 | 78 | 28 |
| BOLT,SEMS (S) M8X12 | 99 | 14 |
| BOLT,SEMS (S) M8X16 | 2 | 20 |
| BOLT,SEMS (S) M8X16 | 2 | 23 |
| BOLT,SEMS (S) M8X16 | 3 | 11 |
| BOLT,SEMS (S) M8X16 | 3 | 13 |
| BOLT,SEMS (S) M8X16 | 4 | 15 |
| BOLT,SEMS (S) M8X16 | 4 | 18 |
| BOLT,SEMS (S) M8X16 | 6 | 5 |
| BOLT,SEMS (S) M8X16 | 6 | 13 |
| BOLT,SEMS (S) M8X16 | 6 | 23 |
| BOLT,SEMS (S) M8X16 | 6 | 28 |
| BOLT,SEMS (S) M8X16 | 6 | 36 |
| BOLT,SEMS (S) M8X16 | 10 | 2 |
| BOLT,SEMS (S) M8X16 | 11 | 10 |
| BOLT,SEMS (S) M8X16 | 12 | 2 |
| BOLT,SEMS (S) M8X16 | 12 | 7 |
| BOLT,SEMS (S) M8X16 | 13 | 2 |
| BOLT,SEMS (S) M8X16 | 13 | 9 |
| BOLT,SEMS (S) M8X16 | 14 | 9 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BOLT.SEMS (S) M8X16 | 16 | 13 | BOLT.SEMS/M8X257T | 6 | 48 |
| BOLT,SEMS (S) M8X16 | 16 | 15 | BOLT,SEMS/M8X257T | 29 | 7 |
| BOLT, SEMS (S) M8X16 | 36 | 30 | BOLT,SEMS/M8X257T | 54 | 37 |
| BOLT,SEMS (S) M8X16 | 43 | 8 | BOLT,SEMS/M8X257T | 163 | 3 |
| BOLT.SEMS (S) M8X16 | 44 | 9 | BOLT,SEMS/M8X257T | 164 | 3 |
| BOLT,SEMS (S) M8X16 | 49 | 24 | BOLT,SEMS/SP | 73 | 17 |
| BOLT.SEMS (S) M8X16 | 52 | 17 | BOLT. SET | 17 | 20 |
| BOLT,SEMS (S) M8X16 | 54 | 34 | BOLT, SET/M12X45 | 20 | 16 |
| BOLT.SEMS (S) M8X16 | 61 | 11 | BOLT.SET/M12X45 | 21 | 21 |
| BOLT,SEMS (S) M8X16 | 76 | 3 | BOLT,SET/M6X14 | 162 | 15 |
| BOLT,SEMS (S) M8X16 | 76 | 32 | BOLT,SET/M6X14 | 166 | 4 |
| BOLT, SEMS (S) M8X16 | 77 | 12 | BOLT.SM/M12X1.5X22 | 55 | 39 |
| BOLT, SEMS (S) M8X16 | 78 | 23 | BOLT,SP/M8X45 | 115 | 40 |
| BOLT,SEMS (S) M8X16 | 78 | 33 | BOLT, STUD, SEAL | 23 | 14 |
| BOLT, SEMS (S) M8X16 | 79 | 4 | BOLT.STUD/M06X55 | 174 | 24 |
| BOLT,SEMS (S) M8X16 | 81 | 15 | BOLT,STUD/M06X65 | 174 | 24A |
| BOLT.SEMS (S) M8X16 | 81 | 24 | BOLT,STUD/M10X25 | 30 | 2 |
| BOLT,SEMS (S) M8X16 | 101 | 33 | BOLT,STUD/M10X25 | 31 | 2 |
| BOLT, SEMS (S) M8X16 | 102 | 6 | BOLT,STUD/M10X25 | 68 | 22 |
| BOLT, SEMS (S) M8X16 | 106 | 16 | BOLT,STUD/M10X25 | 69 | 12 |
| BOLT,SEMS (S) M8X16 | 109 | 24 | BOLT,STUD/M10X25 | 70 | 11 |
| BOLT, SEMS (S) M8X16 | 110 | 8 | BOLT,STUD/M12 | 154 | 8 |
| BOLT. SEMS (S) M8X16 | 115 | 2 | BOLT,STUD/M12 | 155 | 8 |
| BOLT,SEMS (S) M8X16 | 115 | 31 | BOLT,STUD/M12X35 | 23 | 12 |
| BOLT,SEMS (S) M8X16 | 116 | 2 | BOLT,STUD/MI2X40 | 155 | 7 |
| BOLT, SEMS (S) M8X16 | 116 | 31 | BOLT,STUD/MI2X45 | 154 | 7 |
| BOLT,SEMS (S) M8X16 | 122 | 17 | BOLT,STUD/M14X32 | 32 | 3 |
| BOLT,SEMS (S) M8X16 | 124 | 12 | BOLT,STUD/M16X35 | 87 | 3 |
| BOLT, SEMS (S) M8X16 | 127 | 13 | BOLT, WING/M6X12 | 6 | 7 |
| BOLT,SEMS (S) M8X16 | 130 | 9 | BOLT, WING/M6X12 | 6 | 15 |
| BOLT, SEMS (S) M8X16 | 136 | 27 | BOLT, WING/M6X12 | 174 | 6 |
| BOLT,SEMS (S) M8X16 | 138 | 16 | BOLT/8X20 | 5 | 12 |
| BOLT,SEMS (S) M8X16 | 138 | 20 | BOLT/8X20 | 11 | 2 |
| BOLT, SEMS (S) M8X16 | 138 | 28 | BOLT/8X20 | 17 | 24 |
| BOLT,SEMS (S) M8X16 | 139 | 13 | BOLT/8X20 | 18 | 22 |
| BOLT,SEMS (S) M8X16 | 140 | 11 | BOLT/8X20 | 109 | 8 |
| BOLT,SEMS (S) M8X16 | 141 | 8 | BOLT/8X20 | 110 | 6 |
| BOLT,SEMS (S) M8X16 | 142 | 6 | BOLT/8X20 | 111 | 7 |
| BOLT.SEMS (S) M8X16 | 174 | 3 | BOLT/8X20 | 112 | 6 |
| BOLT.SEMS/M6X12 | 116 | 41 | BOLT/8X20 | 113 | 8 |
| BOLT,SEMS/M6X12 | 124 | 16 | BOLT/8X20 | 152 | 10 |
| BOLT, SEMS/M6X12 | 124 | 18 | BOLT/8X20 | 153 | 14 |
| BOLT, SEMS/M6X12 | 125 | 16 | BOLT/8X20 | 157 | 2 |
| BOLT,SEMS/M6X12 | 125 | 18 | BOLT/8X20 | 159 | 2 |
| BOLT,SEMS/M8X25 | 1 | 30 | BOLT/8X20 | 163 | 16 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BOLT/8X20 | 164 | 13 | BOLT/MlOX25 | 83 | 12 |
| BOLT/8X20 | 165 | 43 | BOLT/MI0X25 | 152 | 5 |
| BOLT/8X20 | 171 | 35 | BOLT/MI0X25 | 153 | 9 |
| BOLT/8X20 | 172 | 48 | BOLT/MlOX25 | 117 | 14 |
| BOLT/M5XlO | 139 | 16 | BOLT/MlOX25 | 170 | 28 |
| BOLT/M5XlO | 136 | 6 | BOLT/MI0X25 | 172 | 56 |
| BOLT/M 5XlO | 137 | 6 | BOLT/MI0X25 | 56 | 1 |
| BOLT/M 5XlO | 138 | 6 | BOLT/MlOX25 | 80 | 9 |
| BOLT/M 8Xl2 | 10 | 13 | BOLT/MlOX25 | 81 | 33 |
| BOLT/M 8X12 | 11 | 12 | BOLT/MI0X25 | 82 | 9 |
| BOLT/M 8Xl2 | 12 | 11 | BOLT/MI0X25 | 46 | 7 |
| BOLT/M 8Xl2 | 13 | 11 | BOLT/MI0X25 | 49 | 15 |
| BOLT/M 8Xl2 | 14 | 6 | BOLT/M10X25 | 66 | 27 |
| BOLT/M 8Xl2 | 41 | 1 | BOLT/MI0X28 | 71 | 10 |
| BOLT/M 8X12 | 45 | 1 | BOLT/MI0X28 | 73 | 11 |
| BOLT/M 8X12 | 87 | 16 | BOLT/MlOX28 | 71 | 11 |
| BOLT/M 8X16 | 94 | 8 | BOLT/11l0X28 | 72 | 6 |
| BOLT/M 8X16 | 95 | 12 | BOLT/MlOX28 | 73 | 12 |
| BOLT/M 8Xl6 | 98 | 11 | BOLT/MI0X30 | 87 | 23 |
| BOLT/M 8Xl6 | 107 | 24 | BOLT/M1OX30 | 86 | 16 |
| BOLT/M 8Xl6 | 108 | 33 | BOLT/MlOX30 | 8 | 16 |
| BOLT/M 8X16 | 130 | 24 | BOLT/MI0X30 | 9 | 16 |
| BOLT/M 8X16 | 161 | 7 | BOLT/MI0X30 | 80 | 17 |
| BOLT/M 8X20 | 19 | 13 | BOLT/MI0X30 | 81 | 36 |
| BOLT/M 8X25 | 14 | 11 | BOLT/MI0X30 | 82 | 18A |
| BOLT/M 8X28 | 115 | 20 | BOLT/MI0X30 | 46 | 26 |
| BOLT/M 8X28 | 116 | 20 | BOLT/MI0X30 | 71 | 14 |
| BOLT/M 8X30 | 19 | 11 | BOLT/M10X30 | 72 | 9 |
| BOLT/M 8X30 | 75 | 15 | BOLT/M10X30 | 73 | 16 |
| BOLT/M 8X85 | 85 | 56 | BOLT/MI0X30 | 77 | 23 |
| BOLT/M10X1.25X50 | 173 | 34 | BOLT/MI0X35 | 156 | 3 |
| BOLT/MI0Xl30 | 97 | 3 | BOLT/MI0X40 | 173 | 2 |
| BOLT/MI0XI35 | 94 | 3 | BOLT/MI0X40 | 173 | 6 |
| BOLT/MI0XI55 | 47 | 6 | BOLT/MI0X45 | 173 | 11 |
| BOLT/M10X180 | 95 | 5 | BOLT/MI0X50 | 40 | 29 |
| BOLT/MI0X180 | 96 | 3 | BOLT/M10X50 | 43 | 18 |
| BOLT/M10X180 | 98 | 4 | BOLT/MlOX50 | 80 | 18 |
| BOLT/M1OX20 | 120 | 11 | BOLT/MlOX50 | 81 | 37 |
| BOLT/MI0X20 | 151 | 18 | BOLT/MI0X50 | 82 | 19 |
| BOLT/MI0X20 | 151 | 31 | BOLT/MI0X55 | 79 | 11 |
| BOLT/MI0X20 | 151 | 44 | BOLT/M10X55 | 99 | 8 |
| BOLT/MI0X20 | 152 | 3 | BOLT/MI0X55 | 47 | 3 |
| BOLT/MI0X20 | 153 | 3 | BOLT/MI0X55 | 182 | 7 |
| BOLT/MI0X20 | 157 | 7 | BOLT/MlOX55 | 184 | 34 |
| BOLT/M10X20 | 159 | 7 | BOLT/MlOX55 | 184 | 32 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BOLT/MlOX55 | 181 | 23 | BOLT/M12X35 | 63 | 25 |
| BOLT/ M10X60 | 47 | 4 | BOLT/M12X35 | 64 | 24 |
| BOLT/ M10X60 | 47 | 13 | BOLT/Ml2X35 | 22 | 5 |
| BOLT/!HOX65 | 7 | 10 | BOLT/Ml2X35 | 23 | 5 |
| BOLT/ MlOX65 | 8 | 7 | BOLT/M12X35 | 30 | 22 |
| BOLT/M10X65 | 9 | 5 | BOLT/M12X35 | 31 | 18 |
| BOLT/M10X65 | 9 | 21 | BOLT/M12X35 | 65 | 7 |
| BOLT/M10X65 | 59 | 31 | BOLT/M12X35 | 75 | 19 |
| BOLT/M10X65 | 100 | 17 | **BOLT/M12X40** | 22 | 13 |
| BOLT/M10X75 | 47 | 5 | BOLT/M12X40 | 30 | 8 |
| BOLT/M10X85 | 100 | 5 | **BOLT/M12X40** | 30 | 9 |
| BOLT/M10X90 | 71 | 13 | **BOLT/M12X40** | 31 | 7 |
| BOLT/M10X90 | 72 | 8 | BOLT/M12X45 | 23 | 4 |
| BOLT/MlOX90 | 73 | 13 | BOLT/Ml2X50 | 30 | 10 |
| BOLT/M10X90 | 73 | 15 | BOLT/Ml2X60 | 75 | 20 |
| BOLT/M10X90 | 71 | 12 | BOLT/M12X65,S=15 | 46 | 13 |
| BOLT/I.nOX90 | 72 | 7 | BOLT/M12X75 | 117 | 11 |
| BOLT/M10X90 | 73 | 14 | **BOLT/M12X75** | 118 | 8 |
| BOLT/M12X100 | 30 | 21 | BOLT/M12X75 | 119 | 7 |
| BOLT/M12X100 | 31 | 17 | BOLT/M12X75 | 120 | 7 |
| BOLT/M12X20 | 80 | 36 | BOLT/M12X75 | 121 | 7 |
| BOLT/Ml2X20 | 81 | 50 | BOLT/M12X75 | 121 | 18 |
| BOLT/M12X20 | 82 | 32 | BOLT/M12X80 | 153 | 6 |
| BOLT/M12X20 | 143 | 26 | **BOLT/M12X80** | 155 | 9 |
| BOLT/M12X20 | 145 | 29 | BOLT/Ml4X30 | 22 | 8 |
| BOLT/M12X20 | 147 | 15 | BOLT/!.n4X30 | 57 | 7 |
| BOLT/M12X20 | 154 | 9 | BOLT/Ml4X35 | 86 | 2 |
| BOLT/M12X20 | 118 | 7 | BOLT/Ml4X40 | 30 | 3 |
| BOLT/M12X20 | 120 | 4 | BOLT!M14X40 | 30 | 19 |
| BOLT/Ml2X20 | 121 | 6 | BOLT/Ml4X40 | 31 | 3 |
| BOLT/M12X20 | 119 | 6 | BOLT!M14X40 | 31 | 15 |
| BOLT/M12X25 | 106 | 14 | BOLT/Ml4X40 | 58 | 17 |
| BOLT/M12X25 | 22 | 12 | BOLT/Ml4X40 | 63 | 27 |
| BOLT!M12X25 | 66 | 28 | **BOLT/M14X40** | 64 | 26 |
| BOLT/M12X25 | 63 | 5 | BOLT/M14X40 | 90 | 9 |
| BOLT!M12X25 | 64 | 5 | BOLT/Ml4X40 | 91 | 9 |
| **BOLT/M12X30** | 30 | 36 | BOLT!M14X45 | 30 | 4 |
| **BOLT/M12X30** | 66 | 5 | BOLT!M14X45 | 31 | 4 |
| BOLT!M12X30 | 152 | 11 | BOLT/M14X55 | 87 | 2 |
| BOLT/M12X30 | 153 | 15 | BOLT/Ml4X60 | 90 | 10 |
| BOLT/M12X30 | 55 | 38 | **BOLT/M14X60** | 91 | 10 |
| BOLT/M12X30 | 60 | 5 | BOLT/M16X35 | 86 | 4 |
| **BOLT/M12X32** | 23 | 2 | BOLT/M16X35 | 87 | 7 |
| BOLT/M12X32 | 32 | 4 | BOLT/1116X35 | 88 | 4 |
| BOLT/M12X35 | 58 | 14 | BOLT/M16X35 | 88 | 12 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BOLT/M16X35 | 88 | 15 | BOLT/M8X12 | 117 | 3 |
| **BOLT/M16X35** | 89 | 2 | BOLT/M8X16 | 28 | 9 |
| BOLT/M16X35 | 89 | 7 | BOLT/M8X16 | 39 | 3 |
| BOLT/M16X35 | 118 | 3 | BOLT/M8X16 | 39 | 11 |
| BOLT/M16X40 | 68 | 19 | BOLT/M8X16 | 40 | 3 |
| BOLT/M16X40 | 69 | 9 | BOLT/M8X16 | 40 | 14 |
| BOLT/M16X40 | 70 | 9 | BOLT/M8X16 | 44 | 3 |
| BOLT/M16X45 | 57 | 2 | BOLT/M8X16 | 97 | 8 |
| **BOLT/M16X55** | 57 | 3 | BOLT/M8X16 | 11 | 8 |
| BOLT/M16X60 | 68 | 3 | BOLT/M8X16 | 42 | 12 |
| BOLT/M16X60 | 68 | 12 | BOLT/M8X16 | 123 | 6 |
| BOLT/M16X65 | 86 | 9 | BOLT/M8X16 | 123 | 9 |
| BOLT/M16X65 | 87 | 11 | BOLT/M8X16 | 123 | 12 |
| BOLT/M16X65 | 57 | 4 | BOLT/M8X16 | 125 | 6 |
| BOLT/M16X85 | 53 | 3 | BOLT/M8X16 | 125 | 9 |
| BOLT/M16X85 | 53 | 13 | BOLT/M8X16 | 125 | 12 |
| BOLT/M16X85 | 53 | 26 | **BOLT/M8X16** | 125 | 14 |
| BOLT/M16X85 | 53 | 35 | **BOLT/M8X16** | 167 | 5 |
| BOLT/M16X87 | 58 | 24 | BOLT/M8X16 | 169 | 24 |
| BOLT/M16X90 | 63 | 8 | BOLT/M8X16 | 170 | 24 |
| BOLT/M16X90 | 64 | 8 | BOLT/M8X16 | 171 | 34 |
| BOLT/M3X8 | 101 | 18 | BOLT/M8X16 | 172 | 47 |
| BOLT/M4X12 | 133 | 13 | BOLT/M8X16 | 173 | 20 |
| BOLT/M4X12 | 134 | 13 | BOLT/M8X16 | 174 | 4 |
| BOLT/M4X12 | 135 | 13 | BOLT/M8X16 | 174 | 38 |
| BOLT/M5X12 | 128 | 7 | BOLT/M8Xl70 | 78 | 3 |
| BOLT/M5X12 | 128 | 11 | BOLT/M8X175 | 78 | 4 |
| BOLT/M5X12 | 128 | 15 | BOLT/M8X20 | 54 | 9 |
| BOLT/M5X16 | 54 | 3 | BOLT/M8X20 | 106 | 20 |
| BOLT/M5X85 | 100 | 9 | BOLT/M8X20 | 17 | 16 |
| BOLT/M6X16 | 102 | 23 | BOLT/M8X20 | 18 | 16 |
| BOLT/M6X16 | 164 | 27 | BOLT/M8X20 | 65 | 12 |
| BOLT/M6X22 | 114 | 6 | BOLT/M8X25 | 163 | 23 |
| BOLT/M6X35 | 84 | 2 | **BOLT/M8X25** | 164 | 23 |
| BOLT/M6X8 | 1 | 21A | BOLT/M8X25 | 62 | 23 |
| **BOLT/M6X80** | 84 | 5 | BOLT/M8X25 | 34 | 9 |
| BOLT/M8X12 | 1 | 28 | BOLT/M8X28 11T | 56 | 13 |
| BOLT/M8X12 | 85 | 9 | BOLT/M8X30 | 103 | 4 |
| BOLT/M8X12 | 73 | 36 | BOLT/M8X30 | 107 | 32 |
| BOLT/M8X12 | 156 | 9 | BOLT/M8X30 | 108 | 41 |
| BOLT/M8X12 | 173 | 4 | BOLT/M8X30 | 174 | 16 |
| BOLT/M8X12 | 117 | 8 | BOLT/M8X30 | 54 | 15 |
| BOLT/M8X12 | 121 | 17 | BOLT/M8X30 | 56 | 4 |
| **BOLT/M8X12** | 90 | 3 | BOLT/M8X30 | 66 | 24 |
| BOLT/M8X12 | 91 | 3 | BOLT/M8X32 | 127 | 8A |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BOLT/M8X32 | 127 | 15A | BOX, FUSE | 140 | 21 |
| BOLT/ M8X35 | 41 | 12 | BOX,FUSE | 141 | 18 |
| BOLT/M8X35 | 45 | 13 | BRACKET | 143 | 8 |
| BOLT/M8X35 | 45 | 17 | BRACKET | 145 | 8 |
| BOLT/ M8X40 | 54 | 38 | BRACKET | 131 | 14 |
| BOLT/ M8X50 | 28 | 15 | BRACKET | 57 | 6 |
| BOLT/M8X50 | 28 | 18 | BRACKET | 88 | 14 |
| BOLT/M8X50 | 102 | 11 | BRACKET | 94 | 29 |
| BOLT/M8X65 7T | 34 | 10 | BRACKET | 95 | 36 |
| BOLT/M8X90 | 173 | 9 | BRACKET | 16 | 12B |
| BOLT/S | 2 | 25 | BRACKET ASSY | 78 | 1 |
| BOLT/S | 32 | 12 | BRACKET ASSY | 78 | 1A |
| BOLTIS | 83 | 15 | BRACKET ASSY | 22 | 2 |
| BOLTIS | 94 | 7 | BRACKET COMP | 16 | 34A |
| BOLTIS | 94 | 25 | BRACKET COMP | 76 | 31A |
| BOLTIS | 95 | 11 | BRACKET COMP | 109 | 7 |
| BOLTIS | 95 | 32 | BRACKET COMP | 113 | 7 |
| BOLT/S | 96 | 7 | BRACKET COMP | 109 | 6 |
| BOLTIS | 97 | 7 | BRACKET COMP | 113 | 6 |
| BOLTIS | 97 | 32 | BRACKET COMP | 44 | 8 |
| BOLTIS | 98 | 10 | BRACKET COMP | 89 | 1 |
| BOLTIS | 98 | 39 | BRACKET COMP | 89 | 1A |
| BOLTIS | 106 | 10 | BRACKET COMP | 89 | 6 |
| BOLT/SM!M08X125 | 91 | 24 | BRACKET COMP | 89 | 6A |
| BOLT/SM!M12X1. 25X65 | 46 | 13A | BRACKET COMP | 88 | 3 |
| BOLTISP | 162 | 25 | BRACKET COMP | 88 | 3A |
| BOLTISP | 166 | 18 | BRACKET COMP | 16 | 34 |
| BOOT | 139 | 3 | BRACKET COMP | 163 | 11 |
| BOOT | 133 | 40 | BRACKET COMP | 164 | 11 |
| BOOT | 134 | 37 | BRACKET COMP | 1 | 24 |
| BOOT | 135 | 37 | BRACKET COMP | 86 | 1 |
| BOOT | 41 | 6 | BRACKET COMP | 32 | 11 |
| BOOT | 49 | 21 | BRACKET COMP | 43 | 7 |
| BOOT | 114 | 3 | BRACKET COMP | 51 | 24 |
| BOOT | 114 | 10 | BRACKET COMP | 94 | 24 |
| BOOT | 136 | 3 | BRACKET COMP | 95 | 31 |
| BOOT | 137 | 3 | BRACKET COMP | 97 | 23 |
| BOOT | 138 | 3 | BRACKET COMP | 98 | 30 |
| BOOT | 150 | 15 | BRACKET COMP | 168 | 24 |
| BOOT | 77 | 26 | BRACKET COMP | 101 | 32 |
| BOOT | 54 | 32 | BRACKET COMP | 16 | 11 |
| BOOT, CHANGE LEVER | 45 | 6 | BRACKET COMP | 16 | 12 |
| BOSS, F. WHEEL | 59 | 4 | BRACKET COMP | 16 | 11A |
| BOX COMP | 177 | 18 | BRACKET COMP | 16 | 12A |
| BOX, FUSE | 101 | 37 | BRACKET COMP | 168 | 30 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| BRACKET COMP | 169 | 27 | BRACKET,HEAT COMP | 172 | 46 |
| BRACKET COMP | 170 | 27 | BRACKET, HEAT COMP | 169 | 23 |
| BRACKET COMP | 173 | 1 | BRACKET,HEAT COMP | 170 | 23 |
| BRACKET COMP | 173 | 8 | BRACKET,LAMP/FRONT | 130 | 34 |
| BRACKET COMP | 173 | 19 | BRACKET, LAMP/NO | 130 | 20A |
| BRACKET COMP | 91 | 23 | BRACKET, LICENSE COMP | 116 | 39 |
| BRACKET LH | 109 | 17 | BRACKET,LICENSE COMP | 116 | 39A |
| BRACKET LH | 111 | 8 | BRACKET,LOWER/LHCOMP | 174 | 1B |
| BRACKET LH | 112 | 7 | BRACKET,LOWER/RHCOMP | 174 | 2B |
| BRACKET LH | 113 | 16 | BRACKET, MIRROR | 151 | 7 |
| BRACKET RH | 109 | 18 | BRACKET,MIRROR/LH | 151 | 16 |
| BRACKET RH | 111 | 9 | BRACKET,MIRROR/LH | 151 | 42 |
| BRACKET RH | 112 | 8 | BRACKET,MIRROR/LH | 151 | 29 |
| BRACKET RH | 113 | 17 | BRACKET,MIRROR/RH | 151 | 17 |
| BRACKET, NOZZLE | 143 | 6 | BRACKET,MIRROR/RH | 151 | 43 |
| BRACKET, NOZZLE | 145 | 6 | BRACKET,MIRROR/RH | 151 | 30 |
| BRACKET. SUNVISOR LH | 167 | 2 | BRACKET,RAOIATOR/LH | 6 | 34 |
| BRACKET, SUNVISOR RH | 167 | 3 | BRACKET,RAOIATOR/LH | 6 | 34A |
| BRACKET,AXLE COMP | 57 | 1B | BRACKET,RAOIATOR/RH | 6 | 35 |
| BRACKET,BACK COMP | 97 | 27 | BRACKET,RAOIATOR/RH | 6 | 35A |
| BRACKET. BACK COMP | 98 | 34 | BRACKET, REAR COMP | 156 | 8 |
| BRACKET, BATTERY COMP | 15 | 1 | BRACKET, REAR COMP | 156 | 8A |
| BRACKET,BATTERY COMP | 15 | 1A | BRACKET, REAR TANK | 10 | 10 |
| BRACKET,BATTERY COMP | 15 | 2 | BRACKET, REAR TANK | 10 | 9 |
| BRACKET,BATTERY COMP | 15 | 2A | BRACKET, REAR TANK | 11 | 7 |
| BRACKET, BATTERY COMP | 15 | 1B | BRACKET,REAR/LH COMP | 120 | 1 |
| BRACKET,BATTERY COMP | 15 | 2B | BRACKET, REAR/RH COMP | 120 | 2 |
| BRACKET, BATTERY COMP | 15 | 5B | BRACKET,RECEIVERCOMP | 174 | 14 |
| BRACKET, BATTERY COMP | 15 | 5 | BRACKET,SEAT COMP | 115 | 38 |
| BRACKET, BATTERY COMP | 15 | 5A | BRACKET,SEAT COMP | 115 | 36 |
| BRACKET, BATTERY COMP | 15 | 5C | BRACKET,SEAT/E15COMP | 116 | 36 |
| BRACKET,BATTERY COMP | 15 | 50 | BRACKET, SUB TANK/F | 14 | 8 |
| BRACKET,BATTERY COMP | 15 | 5E | BRACKET, UPOER COMP | 2 | 21B |
| BRACKET, COMPRESSOR | 173 | 1A | BRACKET, UPOER COMP | 4 | 16 |
| BRACKET, COMPRESSOR | 173 | 1B | BRACKET. LAMP/NO | 130 | 20 |
| BRACKET, FAN COMP | 174 | 14A | BRACKET/AXLE COMP | 57 | 1 |
| BRACKET, FAN COMP | 174 | 14B | BRACKET/AXLE COMP | 57 | 1A |
| BRACKET,FILTER COMP | 83 | 14 | BRACKET/LH | 129 | 15 |
| BRACKET,FILTER COMP | 81 | 20 | BRACKET/LH | 132 | 9 |
| BRACKET,FILTER COMP | 81 | 20A | BRACKET/LH COMP | 10 | 7 |
| BRACKET, HEAT COMP | 169 | 22 | BRACKET/LH COMP | 11 | 5 |
| BRACKET,HEAT COMP | 170 | 22 | BRACKET/LH COMP | 12 | 5 |
| BRACKET,HEAT COMP | 171 | 33 | BRACKET/LH COMP | 13 | 5 |
| BRACKET,HEAT COMP | 161 | 11 | BRACKET/LH COMP | 117 | 1 |
| BRACKET, HEAT COMP | 170 | 22A | BRACKET/LH COMP | 118 | 1 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| BRACKET/LH COMP | 119 | 3 |
| BRACKET/LH COMP | 165 | 20 |
| BRACKET/LH COMP | 90 | 1 |
| BRACKET/LH COMP | 91 | 1 |
| BRACKET/LH CaMP | 119 | 1 |
| BRACKET/LH COMP | 121 | 1 |
| BRACKET/LH COMP | 121 | 12 |
| BRACKET/LH COMP | 121 | 3 |
| BRACKET/LH COMP | 121 | 14 |
| BRACKET/RH | 129 | 24 |
| BRACKET/RH | 132 | 18 |
| BRACKET/RH COMP | 10 | 8 |
| BRACKET/RH CaMP | 11 | 6 |
| BRACKET/RH COMP | 12 | 6 |
| BRACKET!RH COMP | 13 | 6 |
| BRACKET/RH COMP | 119 | 4 |
| BRACKET/RH COMP | 165 | .21 |
| BRACKET/RH COMP | 90 | 2 |
| BRACKET/RH COMP | 91 | 2 |
| BRACKET/RH COMP | 119 | 2 |
| BRACKET/RH COMP | 121 | 2 |
| BRACKET/RH COMP | 121 | 13 |
| BRACKET/RH COMP | 117 | 2 |
| BRACKET/RH COMP | 118 | 2 |
| BRACKET/RH COMP | 121 | 4 |
| BRACKET!RH COMP | 121 | 15 |
| BRAKE ASSY | 49 | 1 |
| BRAKE ASSY | 49 | 6 |
| BRAKE,PARKING ASSY | 51 | 18 |
| BREATHER | 55 | 26 |
| BREATHER ASSY | 71 | 6A |
| BREATHER· ASSY | 72 | 18 |
| BREATHER ASSY | 73 | 6A |
| BREATHER ASSY | 71 | 6 |
| BREATHER ASSY | 73 | 6 |
| BUCKLE, TURN/M16 | 22 | 44 |
| BUCKLE, TURN/M8 | 50 | 17 |
| BULB | 133 | 14 |
| BULB | 134 | 14 |
| BULB | 135 | 14 |
| BULB, LAMP/12V, 5W | 143 | 29 |
| BULB, LAMP/12V, 5W | 145 | 32 |
| BULB, LAMP/12V, 5W | 147 | 2 |
| BULB, LAMP/12V, 5W | 147 | 18 |
| BULB, LAMP/12V215W | 129 | 11 |
| BULB,LAMP/12V215W | 129 | 20 |
| BULB, LAMP/12V215W | 132 | 13 |
| BULB,LAMP/12V215W | 132 | 22 |
| BULB, LAMP/12V21W | 129 | 4 |
| BULB, LAMP/12V21W | 132 | 4 |
| BULB,LAMP/12V21W | 132 | 12 |
| BULB,LAMP/12V21W | 132 | 21 |
| BULB, LAMP/12V5W | 129 | 5 |
| BULB, LAMP/12V5W | 132 | 5 |
| BULB/12V. 21W | 130 | 3 |
| BULB/12V. 21W | 130 | 12 |
| BULB/12V. 21W | 130 | 16 |
| BULB/12V. 5W | 130 | 4 |
| BULB/12V. 5W | 130 | 23 |
| BULB/12V10W | 130 | 13 |
| BULB/12V10W | 130 | 17 |
| BULB/12V35W | 131 | 4 |
| BULB/12V35W | 143 | 21 |
| BULB/12V35W | 145 | 24 |
| BULB/12V35W | 147 | 10 |
| BULB/12V4545W | 128 | 2 |
| BUSH | 54 | 19 |
| BUSH | 92 | 3 |
| BUSH | 115 | 15 |
| BUSH | 116 | 15 |
| BUSH, F/10X12X15 | 95 | 27 |
| BUSH,F/10X12X15 | 96 | 20 |
| BUSH, F/10X12X15 | 98 | 26 |
| BUSH. RUBBER | 131 | 13 |
| BUSH,STEERING | 54 | 25 |
| BUSH. STEERING | 54 | 28 |
| BUSH/10X12X10 | 79 | 2 |
| BUSH/10X12X10 | 99 | 2 |
| BUSH/10X12X20 | 99 | 24 |
| BUSH/12X14X20 | 78 | 2A |
| BUSH/12X14X20 | 78 | 2 |
| BUSH/12X14X20 | 99 | 20 |
| BUSH/16X18X15 | 52 | 16 |
| BUSH/16X24X16 | 43 | 29 |
| BUSH/16X24X16 | 44 | 13 |
| BUSH/20X23X20 | 52 | 4 |
| BUSH/20X23X20 | 52 | 15 |
| BUSH/22X25X20 | 51 | 4 |
| BUSH/25X28X35 | 178 | 10 |
| BUSH/28X32X31 | 24 | 22 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| BUSH/28X32X31 | 24 | 28 |
| BUSH/28X32X31 | 24 | 33 |
| BUSH/28X32X31 | 25 | 18 |
| BUSH/28X32X31 | 25 | 24 |
| BUSH/28X32X31 | 25 | 29 |
| BUSH/30X34X20 | 19 | 9 |
| BUSH/35X40X29 | 37 | 9A |
| BUSH/35X40X35 | 58 | 20 |
| BUSH/35X40X35 | 58 | 22 |
| BUSH/35X40X37 | 36 | 15 |
| BUSH/35X40X37 | 37 | 9 |
| BUSH/35X56X30 | 36 | 18 |
| BUSH/40X44X30 | 66 | 32 |
| BUSH/40X44X30 | 66 | 34 |
| BUSH/40X44X30 | 66 | 36 |
| BUSH/40X44X30 | 66 | 38 |
| BUSH/40X58X29 | 33 | 16 |
| BUSH/40X58X29 | 33 | 22 |
| BUSH/45X50X25 | 22 | 4 |
| BUSH/55X60X40 | 65 | 14 |
| BUSH/55X60X40 | 65 | 16 |
| BUSH/55X60X50 | 22 | 3 |
| BUSH/55X60X50 | 58 | 3 |
| BUSH/55X60X50 | 58 | 5 |
| BUSH/55X60X50 | 63 | 11 |
| BUSH/55X60X50 | 64 | 11 |
| BUSH/55X60X50 | 71 | 3 |
| BUSH/55X60X50 | 72 | 3 |
| BUSH/55X60X50 | 73 | 3 |
| BUSH/60X65X50 | 71 | 2 |
| BUSH/60X65X50 | 72 | 2 |
| BUSH/60X65X50 | 73 | 2 |
| BUSH/6X8X5 | 150 | 12 |
| BUSH/85X90X40 | 63 | 18 |
| BUSH/85X90X40 | 64 | 18 |
| BUTTON | 51 | 22 |
| BUTTON | 165 | 39 |
| CABLE ASSY | 1 | 4 |
| CABLE ASSY | 16 | 10 |
| CABLE,AXLE ASSY | 16 | 26 |
| CABLE,AXLE/1695 ASSY | 16 | 26A |
| CABLE,BATTERY ASSY | 127 | 7 |
| CABLE,REVERSE ASSY | 42 | 6 |
| CABLE, REVERSE ASSY | 42 | 6A |
| CABLE, TIIROTTEL ASSY | 16 | lOA |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| CAM COMP | 46 | 30 |
| CANNECTOR | 85 | 59 |
| CANNECTOR(A) | 22 | 34 |
| CAP | 6 | 2 |
| CAP | 6 | 10 |
| CAP | 1 | 17 |
| CAP | 133 | 31 |
| CAP | 134 | 28 |
| CAP | 135 | 28 |
| CAP | 101 | 12 |
| CAP | 129 | 13 |
| CAP | 129 | 22 |
| CAP | 133 | 19 |
| CAP | 134 | 19 |
| CAP | 135 | 19 |
| CAP | 55 | 27 |
| CAP | 127 | 6A |
| CAP ASSY | 10 | 3 |
| CAP ASSY | 11 | 3 |
| CAP ASSY | 12 | 3 |
| CAP ASSY | 13 | 3 |
| CAP (10) | 10 | 14 |
| CAP (10) | 11 | 9 |
| CAP (30) | 85 | 6 |
| CAP (30) | 122 | 35 |
| CAP (30) | 123 | 21 |
| CAP (30) | 124 | 32 |
| CAP (30) | 125 | 30 |
| CAP (79) | 85 | 7 |
| CAP (M8) | 74 | 8 |
| CAP (M8) | 110 | 16 |
| CAP (M8) | 124 | 7 |
| CAP (M8) | 125 | 7 |
| CAP (M8) | 126 | 8 |
| CAP (M8) | 152 | 15 |
| CAP (M8) | 153 | 19 |
| CAP (M8) | 167 | 25 |
| CAP,BATTERY | 127 | 3 |
| CAP,BATTERY | 127 | 6 |
| CAP,BLANK/24X6 | 73 | 43 |
| CAP,BLANK/62X6 | 65 | 25A |
| CAP,BLANK/72 | 32 | 6 |
| CAP, BLANK/M12 | 58 | 6 |
| CAP, BLANK/M12 | 63 | 19 |
| CAP, BLANK/M12 | 110 | 17 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| CAP, BLANK/M12 | 156 | 7 |
| CAP,BLANK/M14 | 32 | 9 |
| CAP,BLANK/M14 | 32 | 10 |
| CAP,BLANK/M16 | 23 | 7 |
| CAP,BLANK/M16 | 117 | 5 |
| CAP,BLANK/M16 | 118 | 5 |
| CAP,BLANK/M16 | 158 | 10 |
| CAP,FUSE BOX | 144 | 6 |
| CAP,FUSE BOX | 146 | 6 |
| CAP,HOOD | 8 | 19 |
| CAP, HOOD | 8 | 19A |
| CAP,HOOD | 9 | 13 |
| CAP, OIL ASSY | 72 | 16 |
| CAP,OIL ASSY | 73 | 25 |
| CAP,OIL ASSY | 63 | 3 |
| CAP, OIL ASSY | 64 | 3 |
| CAP,OIL(B)ASSY | 56 | 21 |
| CAP,OIL/30 | 71 | 19 |
| CAP,PTO SHAFT | 20 | 18 |
| CAP,PTO SHAFT | 21 | 24 |
| CAP,PTO SHAFT | 32 | 7 |
| CAP,PTO SHAFT | 38 | 19 |
| CAP, RUBBER | 129 | 29 |
| CAP,RUBBER | 149 | 5 |
| CAP,RUBBER (20) | 16 | 33 |
| CAP,RUBBER (20) | 122 | 33 |
| CAP,RUBBER (20) | 123 | 19 |
| CAP,RUBBER (20) | 124 | 30 |
| CAP,RUBBER (20) | 125 | 28 |
| CAP,RUBBER (40) | 122 | 34 |
| CAP,RUBBER (40) | 123 | 20 |
| CAP,RUBBER (40) | 124 | 31 |
| CAP,RUBBER (40) | 125 | 29 |
| CAP,RUBBER (9) | 109 | 14 |
| CAP,RUBBER (9) | 113 | 14 |
| CAP,RUBBER (9) | 167 | 20 |
| CAP,RUBBER (9) | 167 | 21 |
| CAP,SEAL/38 | 92 | 14 |
| CAP,SEAL/47 | 23 | 15 |
| CAP, TIRE VALVE | 53 | 10 |
| CAP, TIRE VALVE | 53 | 20 |
| CAP, TIRE VALVE | 53 | 23 |
| CAP, TIRE VALVE | 53 | 32 |
| CAP, TIRE VALVE | 60 | 4 |
| CAP, TIRE VALVE | 68 | 9 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| CAP, TIRE VALVE | 68 | 18 |
| CAP, TIRE VALVE | 69 | 4 |
| CAP, TIRE VALVE | 69 | 8 |
| CAP, TIRE VALVE | 70 | 4 |
| CAP, TIRE VALVE | 70 | 8 |
| CAP, WHEEL | 59 | 15 |
| CAP/08 | 158 | 6 |
| CAP/08 | 159 | 9 |
| CAP/08 | 160 | 6 |
| CAP/08 | 161 | 6 |
| CAP/ll | 103 | 17 |
| CAP/18 | 129 | 29A |
| CAP/3D | 114 | 13 |
| CAP/35 | 85 | 14 |
| CAP/6 | 12 | 18 |
| CARPET | 167 | 6 |
| CARPET, FLOOR | 167 | 6A |
| CARTRIDGE | 80 | 16 |
| CARTRIDGE | 81 | 35 |
| CARTRIDGE | 82 | 17 |
| CARTRIDGE | 81 | 18 |
| CARTRIDGE/20 | 81 | 18A |
| CASE | 27 | 25 |
| CASE | 77 | 22 |
| CASE | 62 | 8 |
| CASE | 65 | 1 |
| CASE | 172 | 7 |
| CASE | 172 | 8 |
| CASE ASSY | 182 | 15 |
| CASE ASSY | 184 | 11 |
| CASE ASSY | 182 | 14 |
| CASE ASSY | 85 | 19 |
| CASE ASSY | 85 | 31 |
| CASE ASSY | 85 | 42 |
| CASE,CONTROL ASSY | 101 | 15 |
| CASE,CONTROL/E15 | 101 | 30 |
| CASE,CYLINDER ASSY | 71 | 1 |
| CASE, CYLINDER ASSY | 72 | 1 |
| CASE, CYLINDER ASSY | 73 | 1 |
| CASE,DIFF/LH | 46 | 10 |
| CASE,DIFF/LH | 46 | lOA |
| CASE,DIFF/LH | 46 | lOB |
| CASE,DIFF/RH | 46 | 11 |
| CASE,DIFF/RH | 46 | llA |
| CASE,FINAL/LH ASSY | 65 | 13A |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| CASE,FINAL/RH ASSY | 65 | 15A |
| CASE, FRONT DIFF | 62 | 15 |
| CASE, FUSE ASSY | 137 | 8 |
| CASE,FUSE ASSY | 137 | 8A |
| CASE, FUSE ASSY | 137 | 8B |
| CASE, FUSE ASSY | 138 | 8 |
| CASE, FUSE/Il ASSY | 138 | 8A |
| CASE,FUSE/4 | 140 | 6 |
| CASE,FUSE/4 ASSY | 144 | 4 |
| CASE,FUSE/4 ASSY | 146 | 4 |
| CASE, FUSE/4 SET | 136 | 8 |
| CASE, GLASS | 133 | 10 |
| CASE, GLASS | 134 | 10 |
| CASE,GLASS | 135 | 10 |
| CASE. PTO/MID | 38 | 2 |
| CASE, TRANSMISSION | 30 | 1 |
| CASE, TRANSMISSION | 23 | 1 |
| CASE, TRANSMISSION | 32 | 2 |
| CASE, TRANSMISSION | 31 | 1 |
| CASE, TRANSMISSION | 32 | 1 |
| CASE, TRANSMISSION | 32 | 1A |
| CASE. TRANSMISSION | 23 | 1A |
| CASE, TRANSMISSION | 32 | 2A |
| CASE, VEVEL | 92 | 10 |
| CASE, VEVEL ASSY | 92 | 9 |
| CASE/CONTROLLER COMP | 102 | 28 |
| CASE/LH ASSY | 65 | 13 |
| CASE/RH ASSY | 65 | 15 |
| CHAIN ASSY | 21 | 16 |
| CHAIN, CHECK ASSY | 90 | 16 |
| CHAIN, CHECK ASSY | 91 | 12 |
| CHAIN,CHECK COMP | 22 | 42 |
| CHAIN,CHECK COMP | 90 | 18 |
| CHAIN,CHECK COMP | 91 | 14 |
| CHAIN,CHECK COMP | 90 | 17 |
| CHAIN, CHECK COMP | 91 | 13 |
| CHAIN,CHECK COMP | 22 | 43 |
| CHAIN, CHECK/REAR | 90 | 17A |
| CHAIN, CHECK/REAR | 91 | 13A |
| CHECK VALVE ASSY | 100 | 8 |
| CHECK VALVE ASSY | 184 | 18 |
| CHECK,PIROT SET | 180 | 13 |
| CHECK, PIROT SET | 179 | 13 |
| CLAMP | 59 | 29 |
| CLAMP | 61 | 8 |
| CLAMP | 169 | 20 |
| CLAMP | 172 | 15 |
| CLAMP | 172 | 16 |
| CLAMP COMP | 7 | 8 |
| CLAMP COMP | 8 | 6 |
| CLAMP COMP | 9 | 4 |
| CLAMP COMP | 9 | 20 |
| CLAMP,HARNESS | 99 | 26 |
| CLAMP, HARNESS | 100 | 21 |
| CLAMP, HARNESS | 100 | 23 |
| CLAMP, HARNESS | 124 | 17 |
| CLAMP, HARNESS | 125 | 17 |
| CLAMP, HARNESS | 127 | 12 |
| CLAMP, HARNESS | 140 | 10 |
| CLAMP, HARNESS | 140 | 30 |
| CLAMP, HARNESS | 141 | 7 |
| CLAMP, HARNESS | 141 | 28 |
| CLAMP,HARNESS | 142 | 5 |
| CLAMP, HARNESS | 142 | 26 |
| CLAMP, HARNESS | 142 | 29 |
| CLAMP, HARNESS | 144 | 14 |
| CLAMP, HARNESS | 146 | 21 |
| CLAMP, HARNESS | 146 | 22 |
| CLAMP, HARNESS | 147 | 23 |
| CLAMP, HARNESS | 148 | 21 |
| CLAMP, HARNESS | 100 | 7 |
| CLAMP, HARNESS | 132 | 39 |
| CLAMP, MAIN HARNESS | 56 | 45 |
| CLAMP, MAIN HARNESS | 140 | 13 |
| CLAMP, MAIN HARNESS | 141 | 10 |
| CLAMP, MAIN HARNESS | 142 | 8 |
| CLAMP, RADIATOR HOSE | 140 | 23 |
| CLAMP, RADIATOR HOSE | 141 | 20 |
| CLAMP, RADIATOR HOSE | 142 | 16 |
| CLAMP, RADIATOR HOSE | 12 | 29 |
| CLAMP, RADIATOR HOSE | 14 | 20 |
| CLAMP, RADIATOR HOSE | 174 | 37 |
| CLAMP, SPEED | 132 | 52 |
| CLAMP, WIRE/10-12 | 1 | 26 |
| CLAMP, WIRE/10-12 | 14 | 4 |
| CLAMP, WIRE/10-15 | 6 | 33 |
| CLAMP, WIRE/10-15 | 12 | 17 |
| CLAMP, WIRE/10-15 | 12 | 26 |
| CLAMP, WIRE/10-15 | 49 | 22 |
| CLAMP, WIRE/20-24 | 168 | 20 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| CLAMP, WIRE/20-24 | 170 | 20 | CLIP | 101 | 34 |
| CLAMP, WIRE/22-26 | 12 | 22 | CLIP | 6 | 22 |
| CLAMP, WIRE/22-26 | 14 | 3 | CLIP | 97 | 11 |
| CLAMP, WIRE/32-40 | 80 | 14 | CLIP | 97 | 12 |
| CLAMP, WIRE/32-40 | 81 | 12 | CLIP | 174 | 31 |
| CLAMP, WIRE/32-40 | 81 | 26 | CLIP | 168 | 31 |
| CLAMP, WIRE/32-40 | 82 | 15 | CLIP | 169 | 28 |
| CLAMP, WIRE/32-40 | 83 | 4 | CLIP | 170 | 31 |
| CLAMP, WIRE/32-40 | 83 | 17 | CLIP | 171 | 29 |
| CLAMP, WIRE/38-46 | 6 | 19 | CLIP | 172 | 37 |
| CLAMP, WIRE/38-46 | 6 | 20 | CLIP | 171 | 30 |
| CLAMP, WIRE/38-46 | 83 | 5 | CLIP | 172 | 36 |
| CLAMP, WIRE/38-46 | 83 | 18 | CLIP | 3 | 9 |
| CLAMP, WIRE/40-48 | 6 | 21 | CLIP | 11 | 15 |
| CLAMP, WIRE/52-63 | 2 | 18 | CLIP B | 171 | 28 |
| CLAMP, WIRE/52-63 | 4 | 13 | CLIP C | 168 | 21 |
| CLAMP, WIRE/52-63 | 12 | 14 | CLIP C | 169 | 21 |
| CLAMP, WIRE/52-63 | 13 | 14 | CLIP C | 170 | 21 |
| CLAMP, WIRE/59-70 | 2 | 19 | CLIP C | 171 | 25 |
| CLAMP, WIRE/59-70 | 4 | 14 | CLIP C | 172 | 34 |
| CLAMP, WIRE/59-70 | 5 | 19 | CLIP(B) | 110 | 10 |
| CLAMP, WIRE/69-80 | 5 | 16 | CLIP(B) | 111 | 14 |
| CLAMP, WIRE/69-80 | 12 | 15 | CLIP(B) | 112 | 13 |
| CLAMP, WIRE/69-80 | 13 | 15 | CLIP(B) | 122 | 12 |
| CLAMP, WIRE/8X10 | 12 | 19 | CLIP(B) | 122 | 20 |
| CLAMP, WORM/16-25 | 56 | 38 | CLIP(B) | 122 | 31 |
| CLAMP, WORM/16-25 | 56 | 43 | CLIP(B) | 123 | 17 |
| CLAMP, WORM/16-25 | 72 | 27 | CLIP(B) | 124 | 19 |
| CLAMP, WORM/16-25 | 73 | 31 | CLIP(B) | 124 | 28 |
| CLAMP, WORM/32-50 | 77 | 27 | CLIP(B) | 125 | 26 |
| CLAMP, WORM/70-90 | 77 | 28 | CLIP, TRIM | 157 | 9 |
| CLAMP, WORM/8-16 | 1 | 27 | CLIP, TRIM | 159 | 9A |
| CLAMP, WORM/8X16 | 12 | 24 | CLIP/12 | 171 | 24A |
| CLAMP, WORM/8X16 | 13 | 17 | CLIP/13 | 171 | 24 |
| CLAMP, WORM/8X16 | 14 | 2 | CLIP/19X3 | 94 | 12 |
| CLAMP, WORM/8X16 | 56 | 44 | CLIP/19X3 | 95 | 16 |
| CLEANER,AIR ASSY | 3 | 1 | CLIP/19X3 | 96 | 11 |
| CLEANER,AIR ASSY | 2 | 1 | CLIP/19X3 | 98 | 15 |
| CLEANER,AIR ASSY | 2 | 1A | CLIP/19X3 | 94 | 13 |
| CLEANER,AIR ASSY | 4 | 1 | CLIP/19X3 | 95 | 17 |
| CLEANER, AIR ASSY | 2 | 1B | CLIP/19X3 | 96 | 12 |
| CLINOMETER SET | 147 | 26 | CLIP/19X3 | 98 | 16 |
| CLIP | 22 | 35 | CLIP/70 | 3 | 10 |
| CLIP | 141 | 29 | CLIP/82 | 2 | 13 |
| CLIP | 142 | 27 | CLIP/82 | 3 | 7 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| CLIP/82 | 11 | 16 |
| CLOCK ASSY | 147 | 24 |
| CLUTCH ASSY | 27 | 24 |
| CLUTCH ASSY | 27 | 24A |
| CLUTCH,DIFF LOCK | 46 | 28 |
| CLUTCH, PTO ASSY | 27 | 11 |
| COCK ASSY | 168 | 17 |
| COCK ASSY | 169 | 17 |
| COCK ASSY | 170 | 17 |
| COLLAR | 55 | 32 |
| COLLAR | 55 | 33 |
| COLLAR | 181 | 17 |
| COLLAR (20X30X10) | 92 | 11 |
| COLLAR (35X50X2) | 24 | 16 |
| COLLAR (35X50X2) | 25 | 13 |
| COLLAR, OIL SEAL | 59 | 2 |
| COLLAR, PINION | 46 | 17A |
| COLLAR, PINION THRUST | 62 | 18 |
| COLLAR,PINION THRUST | 46 | 17 |
| COLLAR, THRUST | 62 | 20 |
| COLLAR, THRUST | 58 | 13 |
| COLLAR, THRUST | 46 | 20 |
| COLLAR, THRUST/45X68 | 48 | 4 |
| COLLAR/06X12X05 | 162 | 16 |
| COLLAR/06X12X05 | 166 | 5 |
| COLLAR/07+X12X57 | 174 | 25A |
| COLLAR/07X12X46 | 174 | 25 |
| COLLAR/09X14X10 | 73 | 39 |
| COLLAR/09X14X10 | 170 | 30 |
| COLLAR/lOX15X14 | 8 | 15 |
| COLLAR/11X21X3 | 75 | 27 |
| COLLAR/13X17X19 | 105 | 14 |
| COLLAR/13X17X19 | 105 | 15 |
| COLLAR/13X17X22 | 105 | 15A |
| COLLAR/14X25X21 | 90 | 8 |
| COLLAR/14X25X21 | 91 | 8 |
| COLLAR/24X38X42 | 72 | 15 |
| COLLAR/24X38X42 | 73 | 24 |
| COLLAR/24X38X44 | 72 | 15A |
| COLLAR/24X38X44 | 73 | 24A |
| COLLAR/25X28X10 | 181 | 16 |
| COLLAR/25X46X3 | 38 | 16 |
| COLLAR/26X35X03 | 27 | lOA |
| COLLAR/30X34X10 | 33 | 3 |
| COLLAR/46X50X8 | 33 | 17 |
| COLLAR/46X50X8 | 33 | 23 |
| COLLAR/49X35X62 | 37 | 16 |
| COLLAR/60X69X05 | 66 | 10 |
| COLLAR/62X76X21 | 65 | 3 |
| COLLAR/66X76X248 | 48 | 8 |
| COLLAR/68X70X385 | 21 | 26 |
| COLLAR/6X14X40 | 47 | 9 |
| COLLAR/9X11X8 | 6 | 40 |
| COLLAR/S2 | 173 | 13 |
| COLLAR/S2 | 173 | 22 |
| COLUM ASSY | 54 | 23 |
| COLUM ASSY | 54 | 26 |
| COMPRESSOR ASSY | 171 | 1 |
| COMPRESSOR ASSY | 171 | 1A |
| COMPRESSOR ASSY | 172 | 1 |
| CONDENSER ASSY | 171 | 3A |
| CONDENSER ASSY | 171 | 3 |
| CONDENSER ASSY | 171 | 3B |
| CONDENSER ASSY | 172 | 2 |
| CONNECTOR | 85 | 58 |
| CONNECTOR | 6 | 24 |
| CONNECTOR | 56 | 30 |
| CONNECTOR | 80 | 11 |
| CONNECTOR | 81 | 9 |
| CONNECTOR | 82 | 12 |
| CONNECTOR | 80 | 26 |
| CONNECTOR | 81 | 45 |
| CONNECTOR | 82 | 27 |
| CONNECTOR | 51 | 17 |
| CONNECTOR | 168 | 22 |
| CONNECTOR | 169 | 25 |
| CONNECTOR | 170 | 25 |
| CONNECTOR, J-3P-F | 101 | 29 |
| CONNECTOR, J-3P-M | 101 | 28 |
| CONNECTOR,J-8P-F | 101 | 27 |
| CONNECTOR,J-8P-M | 101 | 26 |
| CONNECTOR/L/55X55 | 168 | 13 |
| CONNECTOR/L/55X55 | 169 | 13 |
| CONNECTOR/L/55X55 | 170 | 13 |
| COOLER ASSY | 171 | 9 |
| COOLER ASSY | 171 | 9A |
| COOLER ASSY | 172 | 6 |
| CORD ASSY | 148 | 12 |
| COUPLING | 61 | 3 |
| COUPLI NG, SIDE | 33 | 7 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| COUPLI NG, SIDE | 33 | 19 |
| COUPLING, SIDE | 36 | 11 |
| COUPLI NG. SIDE | 36 | 20 |
| COUPLI NG. SIDE | 37 | 12 |
| COUPLING/36X62 | 27 | 36 |
| COUPLI NG/36X62 | 27 | 45 |
| COUPLI NG/36X62 | 27 | 36A |
| COUPLING/36X62 | 27 | 45A |
| COUPLING/51X68XI8 | 24 | 25 |
| COUPLING/51X68XI8 | 25 | 21 |
| COVER | 5 | 2 |
| COVER | 5 | 5 |
| COVER | 73 | 37 |
| COVER | 71 | 7 |
| COVER | 73 | 7 |
| COVER | 83 | 7 |
| COVER | 10 | 6 |
| COVER | 30 | 26 |
| COVER | 54 | 2 |
| COVER | 71 | 7A |
| COVER | 85 | 8 |
| COVER | 86 | 18 |
| COVER | 110 | 12 |
| COVER | 131 | 10 |
| COVER | 101 | 16 |
| COVER | 103 | 7 |
| COVER | 106 | 18 |
| COVER | 102 | 29 |
| COVER | 129 | 8 |
| COVER | 132 | 8 |
| COVER | 158 | 5 |
| COVER | 65 | 11 |
| COVER | 66 | 25 |
| COVER | 66 | 25A |
| COVER | 174 | 23A |
| COVER | 174 | 23 |
| COVER | 72 | 19 |
| COVER | 73 | 7A |
| COVER | 181 | 18 |
| COVER | 181 | 27 |
| COVER ASSY | 27 | 12 |
| COVER F | 54 | 7 |
| COVER R | 54 | 8 |
| COVER, CLUTCH ASSY | 17 | 1 |
| COVER. CLUTCH ASSY | 17 | 2 |
| COVER,CLUTCH ASSY | 18 | 1 |
| COVER. CLUTCH SUB | 18 | 2 |
| COVER. COLUMN/REAR | 54 | 8A |
| COVER. DASH | 106 | 18A |
| COVER. DOOR/LH | 163 | 19 |
| COVER. DOOR/LH | 164 | 20 |
| COVER. DOOR/RH | 163 | 20 |
| COVER. DOOR/RH | 164 | 19 |
| COVER. DUST | 59 | 35 |
| COVER. DUST | 59 | 40 |
| COVER. DUST | 59 | 44 |
| COVER. DUST | 59 | 48 |
| COVER. DUST | 67 | 6 |
| COVER. DUST | 67 | 11 |
| COVER. DUST | 67 | 15 |
| COVER, DUST | 67 | 19 |
| COVER, END | 55 | 35 |
| COVER. FRONT | 104 | 1 |
| COVER. FRONT | 104 | 1A |
| COVER. FUSE | 137 | 9 |
| COVER. FUSE | 137 | 9A |
| COVER, FUSE | 137 | 9B |
| COVER. FUSE SET | 138 | 9 |
| COVER, FUSE SET | 138 | 9A |
| COVER, FUSE/4 | 136 | 10 |
| COVER. FUSE/4 | 140 | 7 |
| COVER.G1 | 173 | 15 |
| COVER.G1 | 173 | 24 |
| COVER.G2 | 173 | 16 |
| COVER,G2 | 173 | 25 |
| COVER, HALL COMP | 109 | 11 |
| COVER,HALL COMP | 113 | 11 |
| COVER. INNER | 21 | 14 |
| COVER.LW | 5 | 3 |
| COVER.LW | 5 | 6 |
| COVER. OUTER | 1 | 9 |
| COVER, OUTER | 21 | 13 |
| COVER. PEDAL | 54 | 41 |
| COVER,PLATE | 36 | 29 |
| COVER, PLATE | 37 | 20 |
| COVER. PUMP | 56 | 8 |
| COVER. ROD SET | 185 | 7 |
| COVER, ROD SET | 178 | 7 |
| COVER. RUBBER | 101 | 9 |
| COVER. SEALED | 21 | 27 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| COVER. SHIELD | 88 | 1 |
| COVER. SHIELD COMP | 88 | 1A |
| COVER.SIDE/LH ASSY | 108 | 1 |
| COVER.SIDE/LH ASSY | 107 | 1 |
| COVER.SIDE/LH ASSY | 107 | 1A |
| COVER.SIDE/RH ASSY | 108 | 5 |
| COVER.SIDE/RH ASSY | 107 | 5 |
| COVER.SIDE/RH ASSY | 107 | 5A |
| COVER. SPEAKER | 148 | 8 |
| COVER. SPEAKER | 148 | 11 |
| COVER, SPEAKER | 167 | 23 |
| COVER, TANK COMP | 124 | 15 |
| COVER. TANK COMP | 125 | 15 |
| COVER, TANK COMP | 124 | 13 |
| COVER, TANK COMP | 125 | 13 |
| COVER. TANK COMP | 125 | 13A |
| COVER, TANK COMP | 124 | 13A |
| COVER. TANK COMP | 125 | 13B |
| COVER, TANK COMP | 122 | 18 |
| COVER, UNDER | 72 | 20 |
| COVER. UNDER | 73 | 8 |
| COVER, UNDER/LH COMP | 108 | 23 |
| COVER. UNDER/LH COMP | 107 | 16 |
| COVER, UNDER/RH COMP | 108 | 24 |
| COVER, UNDER/RH COMP | 107 | 17 |
| CPAj13 | 163 | 4 |
| CPA/13 | 164 | 5 |
| CPA/30 | 85 | 5 |
| CPA/30 | 85 | 12 |
| CPA/30 | 85 | 13 |
| CRANK. LIFT | 74 | 2 |
| CRIP/10X1l5 | 16 | 9 |
| CRIP/10X115 | 42 | 4 |
| CUP,SPRING | 17 | 6 |
| CUP,SPRING | 18 | 6 |
| CUP,SYNCHRO | 24 | 36 |
| CUP,SYNCHRO | 25 | 32 |
| CUP.SYNCHRO | 26 | 12 |
| CUSHION,B/ RUBBER | 105 | 22 |
| CUSHION,B/ RUBBER | 122 | 29A |
| CUSHION.B/ RUBBER | 123 | 15A |
| CUSHION.B/ RUBBER | 124 | 26A |
| CUSHION.B/ RUBBER | 125 | 24A |
| CUSHION,B/RUBBER | 116 | 42 |
| CUSHION. RUBBER | 86 | 14 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| CYCLONE ASSY | 5 | 1 |
| CYLINDER | 75 | 1 |
| CYLINDER ASSY | 100 | llA |
| CYLINDER ASSY | 22 | 20 |
| CYLINDER ASSY | 100 | 11 |
| CYLONE ASSY | 5 | 4 |
| CYNCHRONIZER ASSY | 24 | 35 |
| CYNCHRONIZER ASSY | 25 | 31 |
| CYNCHRONIZER ASSY | 26 | 11 |
| DAMPER, DOOR ASSY | 163 | 22 |
| DAMPER, DOOR ASSY | 164 | 22 |
| DAMPER, WIND ASSY | 162 | 14 |
| DAMPER, WIND ASSY | 166 | 3 |
| DIODE | 140 | 2 |
| DIODE | 141 | 2 |
| DIODE | 150 | 3 |
| DISC. BRAKE | 27 | 33 |
| DISC. BRAKE | 49 | 4 |
| DISC. BRAKE | 49 | 9 |
| DISC. PLATE SET | 27 | 28 |
| DISC. WHEEL | 68 | 1 |
| DISC. WHEEL | 68 | 10 |
| DISK BRAKE | 27 | 22 |
| DISK, CLUTCH COMP | 18 | 11 |
| DISK,CLUTCH COMP | 18 | llA |
| DISK. CLUTCH/260 COMP | 17 | 11 |
| DISK,CLUTCH/260 COMP | 17 | llA |
| DISK, WHEEL/28 | 53 | 25 |
| DISK, WHEEL/28 | 53 | 34 |
| DISK, WHEEL/32 | 53 | 2 |
| DISK. WHEEL/32 | 53 | 12 |
| DOOR/LH COMP | 163 | 1 |
| DOOR/LH COMP | 164 | 1 |
| DOOR/RH COMP | 163 | 2 |
| DOOR/RH COMP | 164 | 2 |
| DRAIN. BREATHER | 72 | 24A |
| DRAIN. BREATHER | 73 | 28A |
| DRAIN. BREATHER COMP | 72 | 24 |
| DRAIN, BREATHER COMP | 73 | 28 |
| DRIER,RECEIVER | 171 | 5 |
| DRIER,RECEIVER | 171 | 5A |
| DRIER,RECEIVER ASSY | 171 | 4 |
| DRIER,RECEIVER ASSY | 171 | 4A |
| DRIER. RECEIVER ASSY | 172 | 3 |
| DUCT | 168 | 3 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| DUCT | 169 | 3 | FILTER ASSY | 80 | 15A |
| DUCT | 170 | 3 | FILTER ASSY | 81 | 34A |
| DUCT | 171 | 10 | FILTER ASSY | 82 | 16B |
| DUCT | 172 | 24 | FILTER ASSY | 80 | 15B |
| ELBOW,LH | 78 | 9 | FILTER ASSY | 81 | 34B |
| ELBOW,RH | 78 | 10 | FILTER ASSY | 82 | 16C |
| ELEMENT | 1 | 20 | FILTER,FUEL ASSY | 1 | 12 |
| ELEMENT | 83 | 8 | FILTER, SUCTION ASSY | 56 | 24 |
| ELEMENT, OUTER ASSY | 2 | 2 | FILTER,SUCTION ASSY | 80 | 7 |
| ELEMENT, PAPER ASSY | 3 | 2 | FILTER, SUCTION ASSY | 81 | 31 |
| ELEMENT. PAPER ASSY | 4 | 2 | FILTER. SUCTION ASSY | 82 | 7 |
| ELEMENT/IN | 2 | 6 | FILTER. SUCTION ASSY | 81 | 17 |
| END. ROD L.L ASSY | 59 | 34 | FILTER. SUCTION ASSY | 83 | 6 |
| END, ROD L.L ASSY | 67 | 5 | FILTER,SUCTION/20 | 81 | 17B |
| END. ROD LH RH ASSY | 59 | 47 | FILTER,SUCTION/30 | 81 | 17A |
| END. ROD LH RH ASSY | 67 | 18 | FLANGE | 84 | 11 |
| ESCUTCHEON | 133 | 7 | FLANGE | 85 | 60 |
| ESCUTCHEON | 134 | 7 | FLANGE | 85 | 1 |
| ESCUTCHEON | 135 | 7 | FLANGE | 85 | 15 |
| EVAPORATE | 172 | 9 | FLANGE. SPACER | 94 | 33 |
| FACING | 17 | 12 | FLANGE. SPACER | 95 | 3 |
| FACING | 17 | 12A | FLANGE. SPACER | 97 | 31 |
| FACING | 18 | 12 | FLANGE. SPACER | 98 | 3 |
| FACING | 18 | 12A | FLASHER SET | 136 | 14 |
| FASTENER | 105 | 13 | FLASHER SET | 137 | 16 |
| FENDER.E21/LH COMP | 112 | 1 | FLASHER ASSY | 138 | 17 |
| FENDER.E21/RH COMP | 112 | 4 | FORK.LIFT/LH | 92 | 7 |
| FENDER.SUB/LH COMP | 156 | 1 | FORK, LIFT/LH | 92 | 7A |
| FENDER,SUB/RH COMP | 156 | 2 | FORK. LIFT/RH | 92 | 26 |
| FENDER/LH COMP | 110 | 1 | FORK. LIFT/RH | 92 | 26A |
| FENDER/LH COMP | 110 | 1A | FORK. MAIN SHIFT | 28 | 19 |
| FENDER/LH COMP | 109 | 1 | FORK. MAIN/SHIFT | 28 | 20 |
| FENDER/LH COMP | 111 | 1 | FORK.SHIFT/MAIN | 28 | 19A |
| FENDER/LH COMP | 113 | 1 | FORK,SHIFT/MAIN | 28 | 19B |
| FENDER/RH COMP | 110 | 4 | FORK, SHIFT/MAIN | 28 | 20A |
| FENDER/RH COMP | 109 | 4 | FORK, SHIFT/PIO | 40 | 4 |
| FENDER/RH COMP | 111 | 4 | FORK,SHIFT/PTO | 40 | 4A |
| FENDER/RH COMP | 113 | 4 | FORK, SHIFT/PTO | 39 | 4 |
| FILTER | 71 | 8 | FORK, SHIFT/PTO | 40 | 5 |
| FILTER | 73 | 9 | FORK, SHIFT/PTO | 39 | 4A |
| FILTER | 72 | 21 | FORK.SHIFT/PTO | 40 | 5A |
| FILTER | 73 | 9A | FORK, SHIFT/REVERSE | 29 | 10 |
| FILTER ASSY | 80 | 15 | FORK, SHIFT/REVERSE | 29 | lOA |
| FILTER ASSY | 81 | 34 | FORK. SHIFT/SUB | 34 | 2 |
| FILTER ASSY | 82 | 16A | FORK. SHIFT/SUB | 34 | 2A |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| FORK, SHIFT/SUB | 34 | 3 |
| FORK,SHIFT/SUB | 34 | 3A |
| FORK/LH COMP | 93 | 6 |
| FRAME ASSY | 52 | 14 |
| FRAME ASSY | 52 | 14A |
| FRAME ASSY | 52 | 14B |
| FRAME ASSY | 52 | 14C |
| FRAME COMP | 154 | 1 |
| FRAME COMP | 154 | 1A |
| FRAME COMP | 154 | IB |
| FRAME COMP | 154 | 2 |
| FRAME COMP | 154 | 2A |
| FRAME COMP | 154 | 2B |
| FRAME COMP | 154 | 2C |
| FRAME, FRONT COMP | 152 | 7 |
| FRAME, FRONT COMP | 153 | 11 |
| FRAME, FRONT COMP | 153 | 5 |
| FRAME, FRONT COMP | 153 | 5A |
| FRAME, FRONT/LH COMP | 152 | 1 |
| FRAME, FRONT/LH COMP | 153 | 1 |
| FRAME, FRONT/RH COMP | 152 | 2 |
| FRAME, FRONT/RH COMP | 153 | 2 |
| FRAME, HOOD COMP | 106 | 8 |
| FRAME, HOOD COMP | 106 | 8A |
| FRAME, LOWER | 115 | 4 |
| FRAME, LOWER | 116 | 4 |
| FRAME, REAR COMP | 155 | 1 |
| FRAME, REAR COMP | 155 | 1A |
| FRAME, REAR COMP | 155 | 1B |
| FRAME,REAR COMP | 155 | 2 |
| FRAME, ROOF COMP | 160 | 7 |
| FRAME, ROOF!LH COMP | 161 | 8 |
| FRAME, ROOF/RH COMP | 161 | 9 |
| FRAME, SIDE | 153 | 20 |
| FRAME, UPPER | 115 | 5 |
| FRAME, UPPER | 116 | 5 |
| FRAME/LH COMP | 122 | 5 |
| FRAME/RH COMP | 122 | 6 |
| FUSE | 136 | 13 |
| FUSE | 138 | 11 |
| FUSE,BLADE/32V05A | 140 | 8 |
| FUSE/15A | 137 | 14 |
| FUSE/15A | 138 | 13 |
| FUSE/250V-2A | 140 | 20 |
| FUSE/250V-2A | 141 | 17 |
| FUSE/32V03A | 136 | 11 |
| FUSE/32V03A | 137 | 12 |
| FUSE/32V10A | 137 | 13 |
| FUSE/32V10A | 138 | 12 |
| FUSE/32V20A | 136 | 12 |
| FUSE/32V20A | 144 | 5 |
| FUSE/32V20A | 146 | 5 |
| FUSE/5 | 101 | 36 |
| GAN,GREASE | 177 | 10 |
| GASKET | 131 | 3 |
| GASKET | 143 | 20 |
| GASKET | 145 | 23 |
| GASKET | 147 | 9 |
| GASKET | 131 | 9 |
| GASKET | 101 | 25 |
| GASKET | 17 | 19 |
| GASKET | 18 | 20 |
| GASKET | 129 | 7 |
| GASKET | 132 | 7 |
| GASKET | 7 | 2 |
| GASKET | 8 | 2 |
| GASKET | 32 | 15 |
| GASKET,BASE | 132 | 50 |
| GASKET,LENS | 132 | 47 |
| GAUGE, AIR | 177 | 13 |
| GAUGE, FUEL/MAIN ASSY | 136 | 4 |
| GAUGE, FUEL/MAIN ASSY | 137 | 4 |
| GAUGE, FUEL/MAIN ASSY | 138 | 4 |
| GAUGE, FUEL/SUB ASSY | 139 | 14 |
| GAUGE, FUEL/SUB ASSY | 139 | 14A |
| GAUGE, OIL | 47 | 12 |
| GAUGE, OIL LEVEL | 47 | 10 |
| GEAR SET | 62 | 1 |
| GEAR, BEVEL (0) | 92 | 20 |
| GEAR, BEVEL /17T | 65 | 9 |
| GEAR, BEVEL COMP | 92 | 18 |
| GEAR, BEVEL/13T | 65 | 2 |
| GEAR,BEVEL/16 | 62 | 19 |
| GEAR,BEVEL/20 | 46 | 19A |
| GEAR,DIFF SIDE/20 LH | 46 | 18 |
| GEAR,DIFF SIDE/20 RH | 46 | 19 |
| GEAR,HERICAL | 36 | 1 |
| GEAR, HERICAL/14 | 25 | 9 |
| GEAR, HERICAL/17 | 24 | 12 |
| GEAR,HERICAL/18-12 | 37 | 1 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| GEAR, HERICAL/19 | 25 | 36 |
| GEAR, HERICAL/21 | 24 | 1 |
| GEAR,HERICAL/21 | 25 | 1 |
| GEAR, HERICAL/21 | 25 | 4 |
| GEAR, HERICAL/24 | 24 | 40 |
| GEAR, HERICAL/25 | 24 | 38 |
| GEAR, HERICAL/27 | 24 | 44 |
| GEAR, HERICAL/28 | 36 | 16 |
| GEAR, HERICAL/29 | 24 | 45 |
| GEAR,HERICAL/30 | 24 | 31 |
| GEAR,HERICAL/30 | 38 | 8 |
| GEAR, HERICAL/31 | 27 | 43 |
| GEAR, HERICAL/32 | 24 | 26 |
| GEAR, HERICAL/33 | 27 | 1 |
| GEAR, HERICAL/33 | 27 | 37 |
| GEAR,HERICAL/33 | 38 | 13 |
| GEAR, HERICAL/33 | 36 | 12 |
| GEAR, HERICAL/33-29 | 26 | 17A |
| GEAR, HERICAL/34 | 24 | 46 |
| GEAR, HERICAL/35 | 24 | 20 |
| GEAR, HERICAL/36 | 33 | 13 |
| GEAR, HERICAL/36 | 37 | 13 |
| GEAR, HERICAL/36 | 36 | 7 |
| GEAR,HERICAL/36 | 36 | 7A |
| GEAR, HERICAL/39 | 33 | 14 |
| GEAR, HERICAL/40 | 25 | 16 |
| GEAR, SPAR/16 | 33 | 1 |
| GEAR,SPAR/41 | 33 | 5 |
| GEAR/11X48 SET | 46 | 1 |
| GEAR/18-12T | 37 | 1A |
| GEAR/18T | 65 | 20 |
| GEAR/19T | 66 | 18 |
| GEAR/20T | 46 | 18A |
| GEAR/20T | 46 | 19B |
| GEAR/21T | 24 | 6 |
| GEAR/21T | 24 | 6A |
| GEAR/24T | 25 | 40 |
| GEAR/24T | 33 | 11 |
| GEAR/25T | 26 | 14 |
| GEAR/25T | 35 | 6 |
| GEAR/26T | 26 | 8 |
| GEAR/27T | 25 | 34 |
| GEAR/27T | 33 | 28 |
| GEAR/28T | 25 | 41 |
| GEAR/29T | 46 | 2 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| GEAR/ 30T | 26 | 1 |
| GEAR/ 30T | 37 | 7 |
| GEAR/ 31T | 27 | 8A |
| GEAR/ 31T | 25 | 27 |
| GEAR/ 31T | 27 | 8 |
| GEAR/ 32-11 | 33 | 24 |
| GEAR/32T | 25 | 42 |
| GEAR/33-29T | 26 | 17 |
| GEAR/35-11 | 33 | 25 |
| GEAR/36T | 25 | 22 |
| GEAR/36T | 37 | 13A |
| GEAR/40T | 33 | 20 |
| GEAR/41-29T | 66 | 8 |
| GEAR/55T | 48 | 7 |
| GEAR/67T | 66 | 22 |
| GLASS | 133 | 8 |
| GLASS | 134 | 8 |
| GLASS | 135 | 8 |
| GLASS,FRONT | 126 | 1 |
| GLASS,FRONT | 162 | 1 |
| GLASS,FRONT | 162 | 26 |
| GLASS,REAR | 166 | 1 |
| GLASS, SIDE | 165 | 1 |
| GLASS, SIDE | 165 | 2 |
| GLILL ASSY | 171 | 12 |
| GLILL ASSY | 172 | 26 |
| GRILL ASSY | 105 | 1 |
| GRILL ASSY | 105 | 1A |
| GRILL ASSY | 168 | 2 |
| GRILL ASSY | 169 | 2 |
| GRILL ASSY | 170 | 2 |
| GRIP | 79 | 5 |
| GRIP | 94 | 21 |
| GRIP | 95 | 28 |
| GRIP | 96 | 21 |
| GRIP | 97 | 20 |
| GRIP | 98 | 27 |
| GRIP | 51 | 23 |
| GRIP | 115 | 18 |
| GRIP | 116 | 18 |
| GRIP | 165 | 10 |
| GRIP | 165 | 14 |
| GRIP | 165 | 17 |
| GRIP, ASSIST | 109 | 23 |
| GRIP,ASSIST | 110 | 7 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| GRIP.B | 78 | 24 |
| GRIP/ 03X17X97 | 78 | 18 |
| GRIP/ 03X17X97 | 99 | 11 |
| GRIP/ 14X82 | 41 | 8 |
| GRIP/ 14X82 | 45 | 9 |
| GRIP/ 14X82 | 41 | 8A |
| GRIP/14X82 | 45 | 9A |
| GRIP/LH COMP | 165 | 8 |
| GRIP/RH COMP | 165 | 12 |
| GROMMET (9) | 110 | 5 |
| GROMMET (9) | 111 | 5 |
| GROMMET (9) | 112 | 5 |
| GROMMET/12X17X04 | 140 | 25 |
| GROMMET/12X17X04 | 141 | 22 |
| GROMMET/12X17X04 | 142 | 18 |
| GROMMET/13X17X02 | 126 | 6 |
| GROMMET/13X17X02 | 162 | 5 |
| GROMMET/13X17X02 | 162 | 30 |
| GROMMET/13X17X02 | 126 | 5 |
| GROMMET/13X17X02 | 162 | 6 |
| GROMMET/13X17X02 | 162 | 10 |
| GROMMET/13X17X02 | 162 | 18 |
| GROMMET/13X17X02 | 162 | 29 |
| GROMMET/13X17X02 | 165 | 5 |
| GROMMET/13X17X02 | 166 | 2 |
| GROMMET/13X17X5 | 166 | 20 |
| GROMMET/30 | 142 | 14 |
| GROMMET/30 | 150 | 2 |
| GROMMET/5Xl4X2 | 149 | 6 |
| GROMMET/6Xl0X5 | 166 | 21 |
| GROMMET/9X13X2 | 109 | 15 |
| GROMMET/9Xl3X2 | 109 | 16 |
| GROMMET/9Xl3X2 | 111 | 6 |
| GROMMET/9Xl3X2 | 113 | 15 |
| GROMMET/9X13X2 | 149 | 18 |
| GROMMET/9X13X2 | 160 | 3 |
| GROMMET/9Xl3X2 | 161 | 3 |
| GROMMET/9Xl3X2 | 167 | 22 |
| GUIDE | 28 | 12 |
| GUIDE | 34 | 6 |
| GUIDE | 16 | 14 |
| GUIDE | 44 | 6 |
| GUIDE | 5 | 8 |
| GUIDE COMP | 44 | 6A |
| GU IDE. GAUGE | 47 | 11 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| GUIDE. SPRING | 181 | 14 |
| GUIDE/LH | 114 | 1 |
| GUIDE/LH COMP | 114 | 9 |
| GUIDE/LH COMP | 114 | 9A |
| GUIDE/RH | 114 | 2 |
| GUIDE/RH COMP | 114 | 11 |
| HANDLE. ADJUST COMP | 92 | 19 |
| HANDLE, INNER ASSY | 165 | 46 |
| HANDLE, WIND LOCKASSY | 162 | 12 |
| HANDLE. WIND LOCKASSY | 166 | 12 |
| HARNESS | 144 | 2 |
| HARNESS | 146 | 2 |
| HARNESS | 146 | 18 |
| HARNESS | 146 | 15 |
| HARNESS | 172 | 21 |
| HARNESS ASSY | 101 | 35 |
| HARNESS ASSY | 133 | 35 |
| HARNESS ASSY | 134 | 32 |
| HARNESS ASSY | 135 | 32 |
| HARNESS COMP | 132 | 15 |
| HARNESS COMP | 132 | 24 |
| HARNESS COMP | 129 | 12 |
| HARNESS COMP | 129 | 21 |
| HARNESS. BEACON | 147 | 4 |
| HARNESS. CAB BYPASS | 144 | 3 |
| HARNESS, CAB BYPASS | 146 | 3 |
| HARNESS, CAB ENGINE | 144 | 1 |
| HARNESS, CAB ENGINE | 146 | 1 |
| HARNESS. CAB ENGINE | 146 | 1A |
| HARNESS, COCKPIT ASSY | 144 | 7 |
| HARNESS, COCKPIT ASSY | 146 | 7 |
| HARNESS. COCKPIT ASSY | 146 | 7A |
| HARNESS,COOLER | 146 | 13 |
| HARNESS,COOLER | 148 | 24 |
| HARNESS,COOLER | 149 | 14 |
| HARNESS. COOLER | 146 | 14 |
| HARNESS. COOLER | 146 | 15A |
| HARNESS,COOLER | 146 | 15B |
| HARNESS,EATH | 140 | 18 |
| HARNESS,EATH | 141 | 15 |
| HARNESS,EATH | 142 | 12 |
| HARNESS,ENGINE ASSY | 140 | 1 |
| HARNESS, ENGINE ASSY | 141 | 1 |
| HARNESS,ENGINE/E15 | 142 | 1 |
| HARNESS.ENGINE/E15 | 142 | 1A |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| HARNESS, FAN | 172 | 39 |
| HARNESS, FUSE/4 | 136 | 9 |
| HARNESS, GLOW | 140 | 17 |
| HARNESS, GLOW | 141 | 14 |
| HARNESS, HEATER | 144 | 8 |
| HARNESS, HEATER | 146 | 8 |
| HARNESS,LAMP/FRONT | 130 | 2 |
| HARNESS,LAMP/REAR | 130 | 11 |
| HARNESS,LAMP/REAR | 130 | 15 |
| HARNESS, MAIN ASSY | 140 | 19 |
| HARNESS,MAIN/E15ASSY | 142 | 13 |
| HARNESS,MAIN/E15ASSY | 142 | 13A |
| HARNESS,MAIN/E61ASSY | 141 | 16 |
| HARNESS, NUMBER PLATE | 130 | 22 |
| HARNESS,PTO ASSY | 150 | 1 |
| HARNESS,RADIO/DIN | 148 | 14A |
| HARNESS, REAR ASSY | 140 | 26 |
| HARNESS,REAR/E15ASSY | 142 | 20 |
| HARNESS,REAR/E61ASSY | 141 | 23 |
| HARNESS,ROPS | 146 | 10 |
| HARNESS.ROPS | 146 | 11 |
| HARNESS, ROPS | 142 | 28 |
| HARNESS, ROPS | 146 | 11A |
| HARNESS,ROPS | 144 | 10 |
| HARNESS, ROPS | 144 | 16 |
| HARNESS, SOCKET | 138 | 23 |
| HARNESS, SOLENOID | 101 | 38 |
| HARNESS, THERMOSTAT | 140 | 9 |
| HARNESS, THERMOSTAT | 141 | 6 |
| HARNESS, THERMOSTAT | 142 | 4 |
| HARNESS, WASHER ASSY | 143 | 10 |
| HARNESS. WASHER ASSY | 145 | 10 |
| HARNESS. WIPER/R | 146 | 17 |
| HARNESS, WIPER/R | 149 | 15 |
| HARNESS. WIRE | 148 | 14 |
| HARNESS, WIRE | 148 | 5 |
| HARNESS, WIRE/LAMP | 147 | 29 |
| HARNESS, WIRE/SPEAKER | 148 | 6 |
| HARNESS.WORK/F | 147 | 19 |
| HARNESS, WORK/F | 147 | 20 |
| HARNESS, WORKING | 144 | 11 |
| HARNESS, WORKING | 146 | 12 |
| HEAD | 75 | 17 |
| HEAD | 181 | 13 |
| HEAD. SPOOL | 179 | 2 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| HEAD,SPOOL | 180 | 2 |
| HEAT ASSY | 168 | 1 |
| HEAT ASSY | 169 | 1 |
| HEAT ASSY | 170 | 1 |
| HINGE | 162 | 2 |
| HINGE | 165 | 3 |
| HINGE | 166 | 9 |
| HINGE, DOOR/LH | 163 | 7 |
| HINGE, DOOR/LH | 164 | 6 |
| HINGE, DOOR/LH | 163 | 9 |
| HINGE,DOOR/LH | 164 | 8 |
| HINGE, DOOR/RH | 163 | 8 |
| HINGE, DOOR/RH | 164 | 7 |
| HINGE, DOOR/RH | 163 | 10 |
| HINGE. DOOR/RH | 164 | 9 |
| HITCH COMP | 87 | 1 |
| HITCH COMP | 87 | 1A |
| HOLDER | 76 | 31 |
| HOLDER | 129 | 16 |
| HOLDER | 129 | 25 |
| HOLDER | 132 | 16 |
| HOLDER | 132 | 25 |
| HOLDER ASSY | 1 | 10 |
| HOLDER ASSY | 51 | 3 |
| HOLDER COMP | 102 | 22 |
| HOLDER COMP | 99 | 27 |
| HOLDER COMP | 105 | 20 |
| HOLDER COMP | 105 | 20A |
| HOLDER COMP | 78 | 32 |
| HOLDER COMP | 54 | 16 |
| HOLDER COMP | 54 | 17 |
| HOLDER, FUSE | 138 | 15 |
| HOLDER,LAMP COMP | 105 | 11 |
| HOLDER,LAMP COMP | 105 | 11A |
| HOLDER. LAMP COMP | 105 | 10 |
| HOLDER, LAMP COMP | 105 | lOA |
| HOLDER. SPRING | 77 | 18 |
| HOOD COMP | 103 | 1 |
| HOOD COMP | 103 | 1A |
| HOOD COMP | 103 | 2 |
| HOOD COMP | 103 | 2A |
| HOOD COMP | 103 | 2B |
| HOOK COMP | 104 | 6 |
| HOOK, TOPLI NK | 90 | 28 |
| HORN | 136 | 17 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| HORN | 137 | 19 | HOSE, FUEL/1150 ASSY | 12 | 23 |
| HORN | 138 | 19 | HOSE, FUEL/1150 ASSY | 14 | 18 |
| HORN,HEAD SET | 148 | 31 | HOSE, FUEL/1600 ASSY | 14 | 16 |
| HOSE | 56 | 37 | HOSE, FUEL/2750 ASSY | 12 | 25 |
| HOSE | 2 | 12 | HOSE, FUEL/2750 ASSY | 14 | 14 |
| HOSE | 3 | 6 | HOSE, LOWER | 5 | 15 |
| HOSE | 83 | 3 | HOSE, OIL | 56 | 42 |
| HOSE | 83 | 16 | HOSE, RADIATOR/INLET | 6 | 17 |
| HOSE | 171 | 17A | HOSE,RADIATOR/OUTLET | 6 | 18 |
| HOSE | 171 | 17B | HOSE, UP/RUBBER | 6 | 3 |
| HOSE | 171 | 18 | HOSE, UP!RUBBER | 6 | 11 |
| HOSE | 171 | 18A | HOSE, UPPER | 5 | 17 |
| HOSE | 171 | 16 | HOSE, WATER B | 168 | 14 |
| HOSE | 171 | 19 | HOSE, WATER B | 169 | 14 |
| HOSE | 171 | 20 | HOSE, WATER B | 170 | 14 |
| HOSE | 171 | 21 | HOSE/100 | 80 | 13 |
| HOSE | 171 | 22 | HOSE/100 | 81 | 11 |
| HOSE | 171 | 23 | HOSE/100 | 81 | 25 |
| HOSE | 2 | 12A | HOSE/100 | 82 | 14 |
| HOSE | 3 | 6A | HOSE/1100 | 168 | 11 |
| HOSE, COOLER/HIGH | 171 | 17C | HOSE/1100 | 169 | 11 |
| HOSE,COOLER/HIGH | 171 | 18B | HOSE/1100 | 170 | 11 |
| HOSE,COOLER/HIGH | 172 | 41 | HOSE/1200 | 12 | 20 |
| HOSE,COOLER/HIGH | 172 | 42 | HOSE/1200 | 14 | 15 |
| HOSE,COOLER/HIGH | 171 | 19A | HOSE/150 | 143 | 13 |
| HOSE, COOLER/HIGH | 172 | 30 | HOSE/150 | 145 | 13 |
| HOSE,COOLER/HIGH | 171 | 20A | HOSE/1600 | 22 | 33 |
| HOSE,COOLER/HIGH | 172 | 31 | HOSE/1930 | 168 | 12 |
| HOSE,COOLER/HIGH | 171 | 16A | HOSE/1930 | 169 | 12 |
| HOSE,COOLER/HIGH | 171 | 16B | HOSE/1930 | 170 | 12 |
| HOSE, COOLER/HIGH | 172 | 40 | HOSE/210 | 6 | 32 |
| HOSE,COOLER/LOW | 171 | 21A | HOSE/250 | 1 | 25 |
| HOSE, COOLER/LOW | 172 | 32 | HOSE/255 | 72 | 26 |
| HOSE,COOLER/LOW | 171 | 22A | HOSE/255 | 73 | 30 |
| HOSE,COOLER/LOW | 172 | 33 | HOSE/280 ASS | 56 | 29 |
| HOSE, COOLER/LOW | 171 | 23A | HOSE/2840 | 143 | 11 |
| HOSE, COOLER/LOW | 172 | 43 | HOSE/2840 | 145 | 11 |
| HOSE,DRAIN | 171 | 7 | HOSE/30X420 LH | 168 | 19 |
| HOSE, DRAIN | 172 | 4 | HOSE/30X420 LH | 169 | 19 |
| HOSE, DRAIN | 171 | 8 | HOSE/30X420 LH | 170 | 19 |
| HOSE, DRAIN | 172 | 5 | HOSE/3150 | 168 | 16 |
| HOSE, FUEL | 11 | 14 | HOSE/3150 | 169 | 16 |
| HOSE,FUEL | 12 | 13 | HOSE/3150 | 170 | 16 |
| HOSE,FUEL | 13 | 13 | HOSE/330 | 6 | 30 |
| HOSE,FUEL ASSY | 14 | 16A | HOSE/450 | 11 | 17 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| HOSE/450 | 12 | 16 |
| HOSE/450 | 13 | 16 |
| HOSE/800 ASSY | 100 | 16 |
| HOSE/900 | 168 | 15 |
| HOSE/900 | 169 | 15 |
| HOSE/900 | 170 | 15 |
| HOUSING | 132 | 49 |
| HOUSING | 66 | 17 |
| HOUSING ASSY | 133 | 5 |
| HOUSING ASSY | 134 | 5 |
| HOUSING ASSY | 135 | 5 |
| HOUSING, AXLE COMP | 63 | 1 |
| HOUSING,AXLE COMP | 64 | 1 |
| HOUSING, AXLE/LH | 47 | 1 |
| HOUSING,AXLE/RH | 47 | 2 |
| HUB | 33 | 18 |
| HUB | 24 | 24 |
| HUB | 24 | 34 |
| HUB | 25 | 20 |
| HUB | 25 | 30 |
| HUB/30X62X19 | 33 | 6 |
| HUB/35X62X20 | 36 | 10 |
| HUB/35X62X20 | 37 | 11 |
| HUB/35X64X41 | 36 | 19 |
| IMPELLER | 172 | 13 |
| INPELLER | 172 | 12 |
| INSULATOR | 52 | 21 |
| INSULATOR | 100 | 22 |
| INSULATOR | 106 | 7 |
| INSULATOR | 122 | 4 |
| INSULATOR | 123 | 4 |
| INSULATOR | 124 | 4 |
| INSULATOR | 125 | 4 |
| INSULATOR | 122 | 2 |
| INSULATOR | 123 | 2 |
| INSULATOR | 124 | 2 |
| INSULATOR | 125 | 2 |
| INSULATOR | 122 | 3 |
| INSULATOR | 123 | 3 |
| INSULATOR | 124 | 3 |
| INSULATOR | 125 | 3 |
| INSULATOR | 122 | 29 |
| INSULATOR | 123 | 15 |
| INSULATOR | 124 | 26 |
| INSULATOR | 125 | 24 |
| INSULATOR | 6 | 44 |
| INSULATOR | 6 | 43 |
| INSULATOR | 79 | 12 |
| INSULATOR | 99 | 6 |
| INSULATOR | 103 | 5 |
| INSULATOR | 107 | 9 |
| INSULATOR | 108 | 11 |
| INSULATOR | 124 | 22 |
| INSULATOR | 125 | 20 |
| INSULATOR | 122 | 25 |
| INSULATOR | 122 | 26 |
| INSULATOR | 123 | 13 |
| INSULATOR | 124 | 24 |
| INSULATOR | 125 | 22 |
| INSULATOR | 122 | 27 |
| INSULATOR | 123 | 14 |
| INSULATOR | 124 | 25 |
| INSULATOR | 125 | 23 |
| INSULATOR | 122 | 7 |
| INSULATOR | 122 | 8 |
| INSULATOR | 123 | 5 |
| INSULATOR | 124 | 5 |
| INSULATOR | 125 | 5 |
| INSULATOR | 136 | 7 |
| INSULATOR | 137 | 7 |
| INSULATOR | 138 | 7 |
| INSULATOR | 124 | 23 |
| INSULATOR | 125 | 21 |
| INSULATOR | 148 | 27 |
| INSULATOR | 148 | 29 |
| INSULATOR | 154 | 6 |
| INSULATOR | 155 | 6 |
| INSULATOR | 157 | 14A |
| INSULATOR | 158 | 9 |
| INSULATOR | 159 | 14A |
| INSULATOR | 162 | 31 |
| INSULATOR | 164 | 28 |
| INSULATOR | 166 | 23 |
| INSULATOR | 174 | 29 |
| INSULATOR | 14 | 7 |
| INSULATOR | 6 | 45 |
| INSULATOR | 144 | 15 |
| INSULATOR | 146 | 23 |
| INSULATOR | 152 | 4 |
| INSULATOR | 153 | 4 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| INSULATOR | 166 | 22 |
| INSULATOR | 154 | 11 |
| INSULATOR | 155 | 12 |
| INSULATOR | 165 | 18 |
| INSULATOR | 162 | 11 |
| INSULATOR | 166 | 14 |
| INSULATOR | 117 | 6 |
| INSULATOR | 118 | 6 |
| INSULATOR | 119 | 5 |
| INSULATOR | 120 | 3 |
| INSULATOR | 121 | 5 |
| INSULATOR | 121 | 16 |
| INSULATOR | 122 | 10 |
| INSULATOR | 144 | 12 |
| INSULATOR | 146 | 19 |
| INSULATOR | 157 | 16 |
| INSULATOR | 159 | 16 |
| INSULATOR | 15 | 7B |
| INSULATOR | 171 | 15 |
| INSULATOR | 172 | 29 |
| INSULATOR | 171 | 27 |
| INSULATOR | 172 | 35 |
| INSULATOR | 172 | 22 |
| INSULATOR | 6 | 46 |
| INSULATOR | 54 | 20 |
| INSULATOR | 6 | 47 |
| INSULATOR | 174 | 21 |
| INSULATOR, HEAT | 169 | 30 |
| INSULATOR, HEAT | 170 | 33 |
| INSULATOR, HEAT | 169 | 31 |
| INSULATOR, HEAT | 170 | 34 |
| INSULATOR, PTO SWITCH | 150 | 10 |
| INSULATOR, RADIATOR | 6 | 39 |
| INSULATOR, ROOF | 157 | 19 |
| INSULATOR, WIPER | 149 | 13 |
| INSULATOR/790 | 148 | 28 |
| INSULATOR/LH | 122 | 28 |
| INSULATOR/LH | 126 | 2 |
| INSULATOR/LH | 162 | 32 |
| INSULATOR/LH | 107 | 10 |
| INSULATOR/LH | 108 | 12 |
| INSULATOR/LH | 165 | 31 |
| INSULATOR/LH | 165 | 33 |
| INSULATOR/LH | 165 | 35 |
| INSULATOR/LH | 122 | 23 |
| INSULATOR/LH SET | 165 | 37 |
| INSULATOR/RH | 126 | 3 |
| INSULATOR/RH | 162 | 33 |
| INSULATOR/RH | 165 | 32 |
| INSULATOR/RH | 165 | 34 |
| INSULATOR/RH | 165 | 36 |
| INSULATOR/RH | 154 | 12 |
| INSULATOR/RH | 155 | 13 |
| INSULATOR/RH | 122 | 24 |
| INSULATOR/RH SET | 165 | 38 |
| JACK,HYD/2T ASSY | 177 | 14 |
| JACK,HYD/2T ASSY | 177 | 16 |
| JOIN,CROSSE SET | 20 | 6 |
| JOINT | 56 | 3 |
| JOINT ASSY | 20 | 2 |
| JOINT ASSY | 21 | 2 |
| JOINT, BALL ASSY | 102 | 19 |
| JOINT, BALLILH ASSY | 59 | 43 |
| JOINT,BALLILH ASSY | 67 | 14 |
| JOINT,BALL/M06/LH | 78 | 9A |
| JOINT,BALL/M06/RH | 78 | lOA |
| JOINT,BALL/M08/RH | 43 | 4A |
| JOINT,BALL/M08/RH | 44 | 19A |
| JOINT, BALL/RH ASSY | 59 | 39 |
| JOINT,BALL/RH ASSY | 67 | 10 |
| JOINT, CROSS SET | 21 | 6 |
| JOINT,HOSE | 168 | 18 |
| JOINT,HOSE | 169 | 18 |
| JOINT, HOSE | 170 | 18 |
| JOINT,L TYPE | 1 | 23 |
| JOINT,PT3/8 | 168 | 9 |
| JOINT,PT3/8 | 169 | 9 |
| JOINT,PT3/8 | 170 | 9 |
| JOINT/38' | 168 | 10 |
| JOINT/38' | 169 | 10 |
| JOINT/38' | 170 | 10 |
| KEY ASSY | 165 | 49 |
| KEY ASSY | 133 | 34 |
| KEY ASSY | 134 | 31 |
| KEY ASSY | 135 | 31 |
| KEY, ROTARY TOP SHAFT | 59 | 20 |
| KNOB | 1 | 6 |
| KNOB | 133 | 39 |
| KNOB | 134 | 36 |
| KNOB | 135 | 36 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| KNOB | 75 | 32 |
| KNOB | 168 | 8 |
| KNOB | 169 | 8 |
| KNOB | 170 | 8 |
| KNOB | 171 | 14 |
| KNOB | 172 | 28 |
| KNOB | 101 | 11 |
| KNOB, LEVER/12 | 43 | 13 |
| KNOB,LEVER/12 | 43 | 22 |
| KNOB,LEVER/12 | 43 | 32 |
| KNOB. LEVER/12 | 44 | 5 |
| KNOB,SET | 114 | 17 |
| KNOB/12 | 44 | 15 |
| KNOB/A | 148 | 3 |
| KNOB/B | 148 | 2 |
| L-BALL RH | 43 | 4 |
| L-BALL RH | 44 | 19 |
| LABEL | 115 | 19 |
| LABEL | 116 | 19 |
| LABEL | 172 | 54 |
| LABEL | 172 | 54A |
| LABEL, CAUTION | 176 | 15 |
| LABEL, CAUTION | 2 | 5 |
| LABEL, CAUTION | 4 | 5 |
| LABEL, CAUTION | 176 | 8 |
| LABEL, CAUTION | 176 | 24 |
| LABEL, CAUTION OIL | 176 | 40A |
| LABEL, CAUTION/3P | 176 | 21 |
| LABEL, CAUTION/3P | 176 | 21A |
| LABEL, CAUTION/OIL | 176 | 20 |
| LABEL, CAUTION/OIL | 176 | 20A |
| LABEL, CAUTION/OIL | 176 | 27 |
| LABEL, CAUTION/OIL | 176 | 52 |
| LABEL, CAUTION/OIL | 176 | 60 |
| LABEL, CAUTION/OIL | 176 | 33 |
| LABEL, CAUTION/OIL | 176 | 40 |
| LABEL, CAUTION/SUB | 175 | 11 |
| LABEL, CAUTION/SUB | 175 | llA |
| LABEL, CONTROL | 101 | 17 |
| LABEL,CONTROL | 175 | 12 |
| LABEL, CONTROL | 175 | 5A |
| LABEL, CONTROL | 175 | 13 |
| LABEL, CONTROL | 176 | 38 |
| LABEL,CONTROL | 176 | 31 |
| LABEL,CONTROL | 176 | 9 |
| LABEL,CONTROL/4WD | 175 | 10 |
| LABEL, CONTROL/4WD | 175 | 9 |
| LABEL, CONTROL/4WD | 176 | 1 |
| LABEL, CONTROL/4WD | 176 | 45 |
| LABEL, CONTROL/AXLE | 175 | 5 |
| LABEL, CONTROL/POSITI | 176 | 25 |
| LABEL, CONTROL/POSITI | 176 | 46 |
| LABEL,CONTROL/POSITI | 176 | 58 |
| LABEL, CONTROL/PTO | 175 | 6 |
| LABEL, CONTROL/PTO | 175 | 6A |
| LABEL,CONTROL/SUB | 176 | 11 |
| LABEL, CONTROL/VISOR | 133 | 41 |
| LABEL, CONTROL/VISOR | 134 | 38 |
| LABEL, CONTROL/VISOR | 135 | 38 |
| LABEL, COVER | 176 | 19 |
| LABEL,D/BATTERY | 176 | 37 |
| LABEL, D/BATTERY | 176 | 44 |
| LABEL, D/BATTERY | 176 | 57 |
| LABEL, D/BATTERY | 176 | 64 |
| LABEL,DRIVE/F | 176 | 34 |
| LABEL, ELECTRICAL | 176 | 22 |
| LABEL, FILTER | 176 | 32 |
| LABEL, FILTER | 176 | 14 |
| LABEL, FILTER | 176 | 51A |
| LABEL, FILTER | 176 | 59A |
| LABEL, FUELID | 176 | 43 |
| LABEL,FUSE | 138 | 10 |
| LABEL,FUSE/4 | 176 | 56 |
| LABEL.KNOB/L | 176 | 17 |
| LABEL,KNOB/R | 176 | 18 |
| LABEL, MODEL ASSY | 175 | 17 |
| LABEL, MODEL ASSY | 175 | 18 |
| LABEL, MODEL ASSY | 175 | 19 |
| LABEL,PTO/3RD | 176 | 12 |
| LABEL, SPEED | 175 | 8 |
| LABEL, SPEED | 176 | 5 |
| LABEL, SPEED | 176 | 50 |
| LABEL,START/F | 176 | 36 |
| LAMP | 130 | 10 |
| LAMP | 130 | 14 |
| LAMP ASSY | 130 | 1 |
| LAMP,BACK ASSY | 132 | 29 |
| LAMP, COMBINATIONASSY | 129 | 1 |
| LAMP,COMBINATIONASSY | 132 | 1 |
| LAMP, COMBINATIONASSY | 132 | 10 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| LAMP,COMBINATIONASSY | 132 | 19 |
| LAMP, HEAD ASSY | 128 | 1 |
| LAMP, HEAD ASSY | 128 | 5 |
| LAMP, HEAD/F | 128 | 13 |
| LAMP, HEAD/G ASSY | 128 | 9 |
| LAMP, LICENSE PLATE | 132 | 43A |
| LAMP, NO PLATE ASSY | 130 | 21 |
| LAMP, TAIL ASSY | 129 | 9 |
| LAMP, TAIL ASSY | 129 | 18 |
| LAMP, WORKING ASSY | 131 | 1 |
| LAMP, WORKING ASSY | 143 | 18 |
| LAMP, WORKING ASSY | 145 | 21 |
| LAMP, WORKING ASSY | 147 | 7 |
| LENS | 132 | 48 |
| LENS | 132 | 30 |
| LENS | 131 | 2 |
| LENS | 143 | 19 |
| LENS | 145 | 22 |
| LENS | 147 | 8 |
| LENS | 129 | 2 |
| LENS | 132 | 2 |
| LENS | 129 | 3 |
| LENS | 132 | 3 |
| LENS COMP | 129 | 10 |
| LENS COMP | 129 | 19 |
| LENS COMP | 132 | 11 |
| LENS COMP | 132 | 20 |
| LEVER | 1 | 13 |
| LEVER | 133 | 38 |
| LEVER | 134 | 35 |
| LEVER | 135 | 35 |
| LEVER | 150 | 21 |
| LEVER | 78 | 27 |
| LEVER COMP | 16 | 1 |
| LEVER COMP | 107 | 27 |
| LEVER COMP | 108 | 36 |
| LEVER COMP | 43 | 14 |
| LEVER,BAR/12 ASSY | 44 | 12 |
| LEVER,BAR/12 ASSY | 43 | 9 |
| LEVER,BAR/16 COMP | 45 | 15 |
| LEVER, JACK | 177 | 15 |
| LEVER, JACK | 177 | 17 |
| LEVER,PARKING | 51 | 19 |
| LEVER, PISITON COMP | 78 | 26 |
| LEVER,PLATE | 99 | 10 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| LEVER,PLATE | 78 | 22 |
| LEVER, PLATE | 79 | 3 |
| LEVER, PLATE ASSY | 79 | 1 |
| LEVER,PLATE COMP | 78 | 21 |
| LEVER, PLATE/1ST COMP | 94 | 20 |
| LEVER, PLATE/1ST COMP | 95 | 25 |
| LEVER,PLATE/1ST COMP | 97 | 19 |
| LEVER,PLATE/1ST COMP | 98 | 24 |
| LEVER,PLATE/2ND ASSY | 95 | 26 |
| LEVER, PLATE/2ND ASSY | 96 | 19 |
| LEVER, PLATE/2ND ASSY | 98 | 25 |
| LEVER, PLATE/DPT ASSY | 99 | 1 |
| LEVER, REVEASE | 17 | 4 |
| LEVER, REVEASE | 18 | 4 |
| LEVER/12 ASSY | 43 | 28 |
| LEVER/14 COMP | 42 | 1 |
| LEVER/BAR/12 COMP | 44 | 1 |
| LEVER/BAR/12 COMP | 44 | 2 |
| LEVER/BAR/16 | 41 | 14 |
| LEVER/BAR/16 COMP | 45 | 16 |
| LEVER/BAR/16 COMP | 45 | 16A |
| LEVER/BAR/16 COMP | 41 | 10 |
| LEVER/BAR/16 COMP | 41 | 11 |
| LEVER/BAR/16 COMP | 45 | 11 |
| LEVER/BAR/16 COMP | 45 | 12 |
| LIGHT, NO. PLATE ASSY | 132 | 43 |
| LINING | 172 | 14 |
| LINING, HEAD ASSY | 158 | 2 |
| LINING, HEAD ASSY | 157 | 8 |
| LINING,HEAD ASSY | 159 | 8 |
| LINING, HEAD ASSY | 160 | 5 |
| LINING, HEAD ASSY | 161 | 5 |
| LINING/llX30X03 | 79 | 6 |
| LINING/llX30X03 | 99 | 3 |
| LINING/13X50X3 | 16 | 2 |
| LINING/13X50X3 | 16 | 3 |
| LINING/13X50X3 | 78 | 13 |
| LINK | 102 | 21 |
| LINK | 28 | 7 |
| LINK | 28 | 8 |
| LINK | 77 | 17 |
| LINK | 77 | 17A |
| LINK COMP | 77 | 16 |
| LINK COMP | 88 | 6 |
| LINK COMP | 88 | 6A |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| LINK COMP | 88 | 6B | MARK, CAUT! ON | 102 | 25 |
| LINK CaMP | 88 | 17 | MARK,CLASS/H | 175 | 14 |
| LINK COMP | 40 | 15 | MARK, DRIVE/D | 176 | 41 |
| LINK COMP | 40 | 26 | MARK, DRIVE/U | 176 | 28 |
| LINK CaMP | 43 | 15 | MARK, DRIVE/U | 176 | 53 |
| LINK, 3P/FRONT SET | 22 | 1 | MARK, DRIVE/U | 176 | 61 |
| LINK, A | 115 | 6 | MARK. FUEL | 176 | 29 |
| LINK, A | 116 | 6 | MARK,FUEL | 176 | 54 |
| LINK. B | 115 | 7 | MARK,FUEL | 176 | 62 |
| LINK. B | 116 | 7 | MARK, FUEL | 176 | 26 |
| LINK, DRAWBAR | 87 | 9 | MARK, FUEL | 176 | 51 |
| LINK, DRAWBER | 86 | 7 | MARK, FUEL | 176 | 59 |
| LINK, FUSIBLE | 140 | 5 | MARK, FUEL | 176 | 39 |
| LINK, FUSIBLE | 141 | 5 | MARK, FUEL/F | 176 | 35 |
| LI NK, FUS IBLE | 140 | 4 | MARK. FUSE/ll | 176 | 6 |
| LINK, FUSIBLE | 141 | 4 | MARK, FUSE/4 | 176 | 7 |
| LINK. FUSIBLE | 142 | 3 | MARK. PORT A | 94 | 31 |
| LINK. FUSIBLE | 140 | 3 | MARK,PORT A | 95 | 38 |
| LINK, FUSIBLE | 141 | 3 | MARK, PORT A | 96 | 25 |
| LINK, FUSIBLE | 142 | 2 | MARK, PORT A | 97 | 29 |
| LINK. HITCH | 86 | 8 | MARK, PORT A | 98 | 36 |
| LINK. HITCH | 87 | 10 | MARK, PORT B | 94 | 32 |
| LINK, LOWER COMP | 22 | 29 | MARK. PORT B | 95 | 39 |
| LINK, LOWER/LH COMP | 93 | 1 | MARK. PORT B | 96 | 26 |
| LINK. LOWER/LH CaMP | 93 | lA | MARK, PORT B | 97 | 30 |
| LI NK. LOWER!LH COMP | 92 | 1 | MARK, PORT B | 98 | 37 |
| LINK,LOWER/LH COMP | 92 | lA | MARK. STAR | 102 | 27 |
| LINK. LOWER/RH COMP | 93 | 2 | MARK, START CAUTION | 176 | 16 |
| LI NK. LOWER/RH CaMP | 93 | 2A | MARK. SUB | 176 | 3 |
| LI NK. LOWER/RH COMP | 92 | 2 | MARK, SUB | 176 | 48 |
| LI NK. LOWER/RH COMP | 92 | 2A | MARK. X | 102 | 26 |
| LI NK. SUPPORT | 115 | 9 | MAT | 122 | 22 |
| LINK. SUPPORT | 116 | 9 | MAT | 122 | 22A |
| LINK. TOP COMP | 22 | 38 | MAT | 124 | 21 |
| LINK, TOP COMP | 91 | 31 | MAT | 125 | 19 |
| LOCK. DOOR ASSY | 165 | 48 | MAT | 123 | 7 |
| LOCK, DOOR SET | 165 | 45 | MAT | 124 | 21A |
| LOCK. HANDLE ASSY | 165 | 47 | MAT | 125 | 19A |
| MARK | 176 | 2 | METAL | 29 | 1 |
| MARK | 176 | 10 | METAL | 34 | 8 |
| MARK | 176 | 47 | METAL | 35 | 8 |
| MARK | 176 | 42 | METAL | 36 | 23 |
| MARK | 176 | 30 | METAL | 37 | 17 |
| MARK | 176 | 55 | METAL | 38 | 10 |
| MARK | 176 | 63 | METAL | 62 | 11 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| METAL ASSY | 150 | 11 |
| METAL,BRAKE | 49 | 11 |
| METAL, BRAKE | 49 | 12 |
| METAL, DIFF/LH | 46 | 22 |
| METAL, DIFF/RH | 46 | 23 |
| METAL, DIFFERENTIAL | 62 | 10 |
| METAL, INPUT | 18 | 15 |
| METAL, INPUT | 17 | 15 |
| METAL,AIAIN | 28 | 14 |
| METAL,PINION | 46 | 6 |
| METAL, PIVOT ASSY | 64 | 10 |
| METAL,PIVOT ASSY | 64 | lOA |
| METAL, PIVOT ASSY | 64 | 17 |
| METAL, PIVOT/FRONT | 58 | 2 |
| METAL,PIVOT/FRONT | 63 | 10 |
| METAL, PIVOT/REAR | 63 | 17 |
| METAL, PIVOT/REARASSY | 58 | 4 |
| METAL, REVERSE | 30 | 32 |
| METAL, SEAL COMP | 36 | 22 |
| METAL, SHIFT | 35 | 8A |
| METAL, SLEEVE | 18 | 21 |
| METAL,SLEEVE | 17 | 23 |
| METAL/PTO/FRONT | 20 | 14 |
| METAL/PTO/FRONT | 21 | 19 |
| METAL/PTO/REAR | 20 | 15 |
| METAL/PTO/REAR | 21 | 20 |
| METER,FUEL ASSY | 133 | 3 |
| METER, FUEL ASSY | 134 | 3 |
| METER, FUEL ASSY | 135 | 3 |
| METER, HOUR ASSY | 135 | 2 |
| METER, TACHO ASSY | 133 | 2 |
| METER, TACHO ASSY | 134 | 2 |
| METER, TEMP ASSY | 133 | 4 |
| METER, TEMP ASSY | 134 | 4 |
| METER, TEMP ASSY | 135 | 4 |
| MIRROR, BACK ASSY | 151 | 5 |
| MIRROR, BACK ASSY | 151 | 19 |
| MIRROR, BACK ASSY | 151 | 32 |
| MIRROR, BACK SET | 151 | 1 |
| MIRROR/156X121,L SET | 151 | 3 |
| MOLDING | 103 | 13 |
| MOLDING,FRONT | 104 | 2 |
| MOLDING,FRONT | 104 | 2A |
| MOLDING,SIDE/LH | 108 | 9 |
| MOLDING,SIDE/RH | 108 | 10 |
| MOLDING, TOP | 103 | 16 |
| MOLDING, UNDER/LH | 108 | 26 |
| MOLDING, UNDER/LH | 108 | 26A |
| MOLDING, UNDER/RH | 108 | 27 |
| MOLDING, UNDER/RH | 108 | 27A |
| MOLDING/L | 108 | 13 |
| MOLDING/R | 108 | 14 |
| MOTOR ASSY | 143 | 1 |
| MOTOR ASSY | 145 | 1 |
| MOTOR (B) ASSY | 149 | 1 |
| MOTOR, FAN ASSY | 172 | 11 |
| MOTOR,FAN ASSY | 172 | 38 |
| MUFFLER COMP | 7 | 1 |
| MUFFLER COMP | 8 | 1 |
| MUFFLER COMP | 7 | 1A |
| NEEDLE, GAUGE | 66 | 16 |
| NET | 6 | 6 |
| NET | 6 | 14 |
| NET | 105 | 3 |
| NET | 105 | 3A |
| NET | 105 | 3B |
| NET | 105 | 6 |
| NET | 161 | 1 |
| NET | 160 | 1 |
| NET, CONDENSER/A COMP | 174 | 5 |
| NET/LH | 107 | 2 |
| NET/LH | 108 | 2 |
| NET/RH | 107 | 6 |
| NET/RH | 108 | 6 |
| NIPPLE B, 1/4-28 | 20 | 7 |
| NIPPLE B, 1/4-28 | 21 | 7 |
| NIPPLE, GREASE | 163 | 6 |
| NIPPLE,GREASE | 164 | 10 |
| NIPPLE, GREASE | 66 | 2 |
| NIPPLE, GREASE | 19 | 5 |
| NIPPLE,GREASE/B-M6F | 92 | 15 |
| NIPPLE,GREASE/BM6F | 59 | 42 |
| NIPPLE,GREASE/BM6F | 59 | 46 |
| NIPPLE,GREASE/BM6F | 67 | 13 |
| NIPPLE,GREASE/BM6F | 67 | 17 |
| NIPPLE,GREASE/BM6F | 58 | 8 |
| NIPPLE,GREASE/BM6F | 58 | 23 |
| NIPPLE,GREASE/BM6F | 63 | 23 |
| NIPPLE,GREASE/BM6F | 64 | 22 |
| NIPPLE,GREASE!M6F | 59 | 38 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| NIPPLE, GREASE/M6F | 59 | 51 |
| NIPPLE,GREASE/M6F | 67 | 9 |
| NIPPLE,GREASE/M6F | 67 | 22 |
| NIPPLE, GREASE/PT1/8 | 19 | 4 |
| NIPPLE, GREASE/PT1/8 | 22 | 16 |
| NIPPLE,GREASE/PT1/8 | 50 | 4 |
| NIPPLE,GREASE/PT1/8 | 51 | 6 |
| NIPPLE, GREASE/PT1/8 | 51 | 10 |
| NIPPLE,GREASE/PT1/8 | 92 | 8 |
| NIPPLE,GREASE/PT1/8 | 92 | 27 |
| NIPPLE/PT3/8 | 71 | 20 |
| NIPPLE/PT3/8 | 72 | 14 |
| NIPPLE/PT3/8 | 73 | 23 |
| NIPPLE/PT3/8 | 94 | 15 |
| NIPPLE/PT3/8 | 96 | 14 |
| NIPPLE/PT3/8 | 98 | 18 |
| NIPPLE/PT3/8 | 38 | 6 |
| NIPPLE/PT3/8 | 65 | 26 |
| NOZZLE, WIPER TANK | 143 | 5 |
| NOZZLE, WIPER TANK | 145 | 5 |
| NRB | 55 | 13 |
| NRB(HJ243316) | 55 | 2 |
| NRB(HJ243316) | 55 | 24 |
| NUT | 2 | 9 |
| NUT | 55 | 37 |
| NUT | 55 | 18 |
| NUT | 136 | 2 |
| NUT | 137 | 2 |
| NUT | 138 | 2 |
| NUT | 101 | 20 |
| NUT | 127 | 9 |
| NUT | 127 | 16 |
| NUT | 131 | 7 |
| NUT | 143 | 24 |
| NUT | 145 | 27 |
| NUT | 147 | 13 |
| NUT | 178 | 6 |
| NUT | 7 | 16 |
| NUT | 8 | 10 |
| NUT | 9 | 8 |
| NUT | 9 | 24 |
| NUT | 43 | 20 |
| NUT | 73 | 42 |
| NUT | 75 | 35 |
| NUT | 80 | 4 |
| NUT | 81 | 4 |
| NUT | 82 | 4 |
| NUT | 106 | 4 |
| NUT M10 | 7 | 4 |
| NUT M10 | 8 | 3 |
| NUT M10 | 8 | 4 |
| NUT M14 | 55 | 29 |
| NUT (M04) | 151 | 20 |
| NUT (M04) | 151 | 33 |
| NUT,CASTLE/M27X1.5 | 55 | 42 |
| NUT,GLASS | 126 | 4 |
| NUT,GLASS | 162 | 9 |
| NUT,GLASS | 162 | 17 |
| NUT,GLASS | 162 | 27 |
| NUT,GLASS | 165 | 16 |
| NUT, GLASS | 166 | 19 |
| NUT,LEVER | 17 | 9 |
| NUT,LEVER | 18 | 9 |
| NUT,LH THREAD/M20 | 59 | 28 |
| NUT,LH THREAD/M20 | 67 | 4 |
| NUT, LOCK | 136 | 20 |
| NUT,LOCK | 138 | 22 |
| NUT,LOCK | 139 | 6 |
| NUT, LOCK/M8 | 107 | 18 |
| NUT,LOCK/M8 | 107 | 26 |
| NUT, LOCK/M8 | 107 | 30 |
| NUT,LOCK/M8 | 108 | 25 |
| NUT,LOCK/M8 | 108 | 35 |
| NUT,LOCK/M8 | 108 | 39 |
| NUT, LOCK/M8 | 158 | 4 |
| NUT, LOCK/M8 | 174 | 12 |
| NUT,RING | 1 | 18 |
| NUT, RING/M28X1. 0 | 133 | 32 |
| NUT,RING/M28X1.0 | 134 | 29 |
| NUT, RING/M28X1. 0 | 135 | 29 |
| NUT,SM/LH | 106 | 5 |
| NUT, SM/M12X1. 25 | 46 | 14A |
| NUT,SPEED/P6 | 103 | 9 |
| NUT,SPEED/P6 | 103 | 14 |
| NUT,SPEED/P6 | 105 | 5 |
| NUT,SPEED/P6 | 105 | 8 |
| NUT,SPEED/P6 | 108 | 16 |
| NUT,SPEED/P6 | 175 | 16 |
| NUT,SPRING | 168 | 6 |
| NUT,SPRING | 169 | 6 |

| DESCRI PTION | FIG. | KEY |
|---|---|---|
| NUT,SPRING | 170 | 6 |
| NUT, TOP LINK LOCK | 90 | 27 |
| NUT, U/M16 | 86 | 10 |
| NUT, U/M16 | 87 | 12 |
| NUT,WING | 2 | 8 |
| NUT, WING | 5 | 7 |
| NUT, WING/M10 | 2 | 8A |
| NUT. ADAPTO AN11 | 48 | 10 |
| NUT/M 3 | 8 | 21 |
| NUT/M 3 | 9 | 10 |
| NUT/M 5 | 1 | 7 |
| NUT/M 6 | 148 | 15 |
| NUT/M 6 | 165 | 40 |
| NUT/M 6 | 166 | 7 |
| NUT/M 6 | 12 | 30 |
| NUT/M 6 | 14 | 21 |
| NUT/M 6 | 76 | 29 |
| NUT/M 6 | 78 | 12 |
| NUT/M 6 | 78 | 30 |
| NUT/M 6 | 101 | 13 |
| NUT/M 6 | 102 | 4 |
| NUT/M 6 | 102 | 20 |
| NUT/M 6 | 127 | 22A |
| NUT/M 6 | 130 | 29 |
| NUT/M 6 | 140 | 14 |
| NUT/M 6 | 141 | 11 |
| NUT/M 6 | 142 | 9 |
| NUT/M 6 | 162 | 21 |
| NUT/M 6 | 168 | 27 |
| NUT/M 6 | 174 | 19 |
| NUT/M 6 | 174 | 35 |
| NUT/M 8 | 115 | 21 |
| NUT/M 8 | 116 | 21 |
| NUT/M 8 | 14 | 13 |
| NUT/M 8 | 19 | 12 |
| NUT/M 8 | 19 | 14 |
| NUT/M 8 | 19 | 20 |
| NUT/M 8 | 29 | 3 |
| NUT/M 8 | 30 | 29 |
| NUT/M 8 | 35 | 12 |
| NUT/M 8 | 41 | 13 |
| NUT/M 8 | 43 | 5 |
| NUT/M 8 | 44 | 4 |
| NUT/M 8 | 44 | 20 |
| NUT/M 8 | 45 | 14 |

| DESCRI PTI ON | FIG. | KEY |
|---|---|---|
| NUT/M 8 | 45 | 18 |
| NUT/M 8 | 50 | 15 |
| NUT/M 8 | 50 | 18 |
| NUT/M 8 | 51 | 30 |
| NUT/M 8 | 54 | 39 |
| NUT/M 8 | 56 | 16 |
| NUT/M 8 | 61 | 10 |
| NUT/M 8 | 75 | 16 |
| NUT/M 8 | 76 | 23 |
| NUT/M 8 | 77 | 7 |
| NUT/M 8 | 94 | 10 |
| NUT/M 8 | 95 | 14 |
| NUT/M 8 | 96 | 9 |
| NUT/M 8 | 97 | 9 |
| NUT/M 8 | 98 | 13 |
| NUT/M 8 | 102 | 31 |
| NUT/M 8 | 105 | 23 |
| NUT/M 8 | 107 | 34 |
| NUT/M 8 | 108 | 43 |
| NUT/M 8 | 109 | 12 |
| NUT/M 8 | 113 | 12 |
| NUT/M 8 | 115 | 34 |
| NUT/M 8 | 116 | 34 |
| NUT/M 8 | 122 | 32 |
| NUT/M 8 | 123 | 18 |
| NUT/M 8 | 124 | 29 |
| NUT/M 8 | 125 | 27 |
| NUT/M 8 | 127 | 10 |
| NUT/M 8 | 127 | 22 |
| NUT/M 8 | 130 | 27 |
| NUT/M 8 | 132 | 37 |
| NUT/M 8 | 165 | 28 |
| NUT/M 8 | 171 | 36 |
| NUT/M 8 | 172 | 49 |
| NUT/M 8 | 174 | 13 |
| NUT/M10 | 77 | 25 |
| NUT/lrllO | 86 | 17 |
| NUT/MlO | 156 | 6 |
| NUT/MlO | 59 | 32 |
| NUT/MlO | 63 | 7 |
| NUT/lrllO | 64 | 7 |
| NUT/lrllO | 66 | 29 |
| NUT/lrllO | 87 | 24 |
| NUT/M10 | 152 | 6 |
| NUT/lrllO | 153 | 10 |

| DESCRI PTION | FIG. | KEY |
|---|---|---|
| NUT/MI0 | 40 | 31 |
| NUT/MI0 | 78 | 17 |
| NUT/MI0 | 79 | 9 |
| NUT/MlO | 99 | 7 |
| NUT/MlO | 48 | 17 |
| NUT/MlO | 2 | 16 |
| NUT/MlO | 4 | 11 |
| NUT/MID | 172 | 59 |
| NUT/MID ASSY | 150 | 14 |
| NUT/MlOXl. 25 | 16 | 7 |
| NUT/MlOXl. 25 | 54 | 4 |
| NUT/M12 | 131 | 11 |
| NUT/M12 | 22 | 7 |
| NUT/M12 | 23 | 3 |
| NUT/M12 | 30 | 6 |
| NUT/M12 | 30 | 23 |
| NUT/M12 | 31 | 5 |
| NUT/M12 | 31 | 19 |
| NUT/M12 | 46 | 14 |
| NUT/M12 | 90 | 4 |
| NUT/M12 | 91 | 4 |
| NUT/M12 | 119 | 11 |
| NUT/M12 | 120 | 9 |
| NUT/M12 | 121 | 11 |
| NUT/M12 | 152 | 12 |
| NUT/M12 | 153 | 8 |
| NUT/M12 | 153 | 16 |
| NUT/M12 | 154 | 4 |
| NUT/M12 | 155 | 4 |
| NUT/M12 | 155 | 11 |
| NUT/M12 | 154 | 5 |
| NUT/M12 | 155 | 5 |
| NUT/M12 | 163 | 14 |
| NUT/M12 | 164 | 15 |
| NUT/M14 | 1 | 5 |
| NUT/M14 | 50 | 21 |
| NUT/M14 | 50 | 22 |
| NUT/M14 | 22 | 10 |
| NUT/M14 | 30 | 20 |
| NUT/M14 | 31 | 16 |
| NUT/M14Xl. 5 | 59 | 36 |
| NUT/M14X1. 5 | 59 | 41 |
| NUT/M14X1. 5 | 59 | 45 |
| NUT/M14Xl. 5 | 59 | 49 |
| NUT/M14Xl. 5 | 67 | 7 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| NUT/M14Xl. 5 | 67 | 12 |
| NUT/M14X1. 5 | 67 | 16 |
| NUT/M14Xl. 5 | 67 | 20 |
| NUT/M16 | 168 | 23 |
| NUT/M16 | 169 | 26 |
| NUT/M16 | 170 | 26 |
| NUT/M16 | 53 | 4 |
| NUT/M16 | 53 | 14 |
| NUT/MI6 | 53 | 5 |
| NUT/MI6 | 53 | 15 |
| NUT/M16 | 53 | 28 |
| NUT/MI6 | 53 | 37 |
| NUT/M16 | 63 | 9 |
| NUT/M16 | 64 | 9 |
| NUT/M16 | 68 | 5 |
| NUT/M16 | 68 | 14 |
| NUT/M16 | 22 | 48 |
| NUT/M16 | 90 | 13 |
| NUT/M16 | 90 | 20 |
| NUT/M16 | 91 | 16 |
| NUT/M16 | 91 | 18 |
| NUT/M16 | 151 | 14 |
| NUT/M16 | 151 | 27 |
| NUT/M16 | 151 | 40 |
| NUT/M16 | 58 | 25 |
| NUT/M16 | 68 | 21 |
| NUT/M16 | 69 | 11 |
| NUT/M16 | 70 | 12 |
| NUT/M16 | 86 | 5 |
| NUT/M16 | 87 | 4 |
| NUT/M20 | 139 | 2 |
| NUT/M20 | 139 | 4 |
| NUT/M20 | 58 | 12 |
| NUT/M20 | 22 | 39 |
| NUT/M20 | 63 | 16 |
| NUT/M20 | 64 | 16 |
| NUT/M20 | 91 | 33 |
| NUT/M20 | 59 | 27 |
| NUT/M20 | 67 | 3 |
| NUT/M20Xl. 5 | 59 | 10 |
| NUT/M22 | 133 | 37 |
| NUT/M22 | 134 | 34 |
| NUT/M22 | 135 | 34 |
| NUT/M28X1. 5 | 62 | 3 |
| NUT/M36Xl. 5 | 46 | 3 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| NUT/M4 | 133 | 20 |
| NUT/M4 | 134 | 20 |
| NUT/M4 | 135 | 20 |
| NUT/M5 | 101 | 23 |
| NUT/M5 | 101 | 7 |
| NUT/M5 | 109 | 20 |
| NUT/M5 | 111 | 11 |
| NUT/M5 | 112 | 10 |
| NUT/M5 | 113 | 19 |
| NUT/M5 | 129 | 28 |
| NUT/M5 | 130 | 18 |
| NUT/M5 | 132 | 28 |
| NUT/M6 | 78 | 31 |
| NUT/M6 | 106 | 19 |
| NUT/M6 | 173 | 18 |
| NUT/M6 | 156 | 6A |
| NUT/M6 | 130 | 6 |
| NUT/M6 | 132 | 51 |
| NUT/M6 | 136 | 25 |
| NUT/M6 | 138 | 30 |
| NUT/M6 | 139 | 11 |
| NUT/M6 | 150 | 8 |
| NUT/M6 | 174 | 26 |
| NUT/M6 | 1 | 8 |
| NUT/M6 | 147 | 25 |
| NUT/M6 | 147 | 30 |
| NUT/M6 | 167 | 17 |
| NUT/M6X1.5 | 59 | 23 |
| NUT/M8 | 151 | 23 |
| NUT/M8 | 151 | 36 |
| NUT/M8 | 19 | 19 |
| NUT/M8 | 50 | 16 |
| NUT/M8 | 50 | 19 |
| NUT/M8 | 51 | 31 |
| NUT/M8 | 127 | 9A |
| NUT/M8 | 127 | 16A |
| NUT/M8 | 90 | 4A |
| NUT/M8 | 91 | 4A |
| NUT/M8 | 119 | 11A |
| NUT/M8 | 121 | 22 |
| NUT/M8 | 163 | 24 |
| NUT/M8 | 164 | 24 |
| NUT/M8 | 151 | 10 |
| NUT/M8 | 22 | 32 |
| NUT/M8 | 53 | 27 |
| NUT/M8 | 53 | 36 |
| NUT/M8 | 68 | 4 |
| NUT/M8 | 68 | 13 |
| NUT/M8 | 77 | 14 |
| NUT/M8 | 17 | 17 |
| NUT/M8 | 18 | 17 |
| NUT/M8 | 132 | 42 |
| NUT/M8 | 22 | 45 |
| NUT/M8 | 102 | 12 |
| NUT/M9 | 149 | 4 |
| O-RING | 55 | 10 |
| O-RING | 56 | 28 |
| O-RING | 36 | 24 |
| O-RING | 37 | 18 |
| O-RING | 38 | 11 |
| O-RING | 55 | 21 |
| O-RING | 182 | 6 |
| O-RING | 184 | 14 |
| O-RING | 55 | 17 |
| O-RING | 55 | 28 |
| O-RING | 182 | 5 |
| O-RING | 184 | 30 |
| O-RING | 183 | 10 |
| O-RING | 184 | 28 |
| O-RING | 100 | 4 |
| O-RING | 184 | 31 |
| O-RING | 178 | 3 |
| O-RING | 185 | 3 |
| O-RING | 81 | 14 |
| O-RING | 81 | 23 |
| O-RING | 178 | 11 |
| O-RING | 185 | 10 |
| O-RING | 55 | 11 |
| O-RING | 55 | 36 |
| O-RING | 178 | 12 |
| O-RING | 185 | 11 |
| O-RING | 179 | 15 |
| O-RING | 180 | 15 |
| O-RING | 179 | 14 |
| O-RING | 180 | 14 |
| O-RING | 178 | 5 |
| O-RING | 185 | 5 |
| O-RING /P41 | 61 | 7 |
| O-RING HS90 G50 | 56 | 10 |
| O-RING P31 | 56 | 25 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| O-RING P6 HS90 | 56 | 12 |
| O-RING P6 HS90 | 181 | 5 |
| 0-RING/G140 | 83 | 10 |
| 0-RING/G35 | 80 | 31 |
| 0-RING/G35 | 81 | 28 |
| 0-RING/G35 | 83 | 20 |
| 0-RING/G45 | 80 | 8 |
| 0-RING/G45 | 80 | 32 |
| 0-RING/G45 | 81 | 29 |
| 0-RING/G45 | 81 | 32 |
| 0-RING/G45 | 82 | 8 |
| 0-RING/G45 | 83 | 21 |
| 0-RING/G60 | 17 | 25 |
| 0-RING/G70 | 18 | 23 |
| 0-RING/G75 | 55 | 9 |
| 0-RING/G80 | 75 | 18 |
| 0-RING/G95 | 65 | 5 |
| 0-RING/G95 | 75 | 3 |
| O-RING/P 8 | 55 | 30 |
| O-RING/P 8 | 83 | 13 |
| O-RING/P 9 | 85 | 53 |
| O-R ING/P1 0 | 75 | 25 |
| O-RING/PlOA | 1 | 15 |
| O-RING/PlOA | 39 | 2 |
| O-RING/PlOA | 40 | 2 |
| 0-RING/P12 | 56 | 26 |
| 0-RING/P12 | 73 | 35 |
| 0-RING/P12 | 74 | 13 |
| 0-RING/P12 | 85 | 23 |
| 0-RING/P12 | 85 | 35 |
| 0-RING/P12 | 85 | 46 |
| 0-RING/P12 | 179 | 12 |
| 0-RING/P12 | 180 | 12 |
| 0-RING/P12 | 181 | 26 |
| 0-RING/P12 | 182 | 4 |
| 0-RING/P12 | 183 | 5 |
| 0-RING/Pl2 | 184 | 23 |
| 0-RING/P12 | 184 | 29 |
| 0-RING/P14 | 35 | 15 |
| 0-RING/P14 | 30 | 35 |
| 0-RING/P14 | 71 | 17 |
| 0-RING/P14 | 72 | 12 |
| 0-RING/P14 | 73 | 21 |
| 0-RING/P14 | 75 | 12 |
| 0-RING/P14 | 80 | 27 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| 0-RING/P14 | 81 | 46 |
| 0-RING/P14 | 82 | 28 |
| O-RING/P14 | 84 | 4 |
| 0-RING/P14 | 84 | 14 |
| 0-RING/P14 | 85 | 11 |
| 0-RING/P14 | 85 | 55 |
| 0-RING/P14 | 94 | 34 |
| D-RING/P14 | 95 | 4 |
| 0-RING/P14 | 97 | 33 |
| 0-RING/P14 | 98 | 38 |
| 0-RING/P14 | 100 | 3 |
| 0-RING/P14 | 179 | 11 |
| 0-RING/P14 | 179 | 20 |
| 0-RING/P14 | 180 | 11 |
| 0-RING/P14 | 180 | 20 |
| 0-RING/P14 | 181 | 25 |
| 0-RING/P14 | 184 | 9 |
| 0-RING/P16 | 46 | 31 |
| 0-RING/P16 | 75 | 31 |
| 0-RING/P16 | 85 | 21 |
| 0-RING/P16 | 85 | 33 |
| 0-RING/P16 | 85 | 44 |
| 0-RING/P16 | 181 | 10 |
| 0-RING/P16 | 182 | 3 |
| 0-RING/P16 | 184 | 6 |
| 0-RING/P16 | 184 | 8 |
| 0-RING/P18 | 56 | 36 |
| 0-RING/P18 | 73 | 34 |
| 0-RING/P18 | 74 | 14 |
| 0-RING/P18 | 183 | 7 |
| 0-RING/P18 | 184 | 25 |
| 0-RING/P20 | 56 | 31 |
| 0-RING/P20 | 56 | 40 |
| 0-RING/P20 | 75 | 37 |
| 0-RING/P20 | 80 | 21 |
| 0-RING/P20 | 80 | 28 |
| 0-RING/P20 | 81 | 40 |
| 0-RING/P20 | 81 | 47 |
| 0-RING/P20 | 82 | 22 |
| 0-RING/P20 | 82 | 29 |
| 0-RING/P20 | 84 | 12 |
| 0-RING/P20 | 85 | 2 |
| 0-RING/P20 | 85 | 54 |
| 0-RING/P20 | 85 | 61 |
| 0-RING/P21 | 39 | 13 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| 0-RING/P21 | 40 | 22 |
| 0-RING/P22 | 56 | 11 |
| 0-RING/P22 | 15 | 30 |
| 0-RING/P24 | 80 | 29 |
| 0-RING/P24 | 81 | 48 |
| 0-RING/P24 | 82 | 30 |
| 0-RING/P28 | 81 | 21 |
| 0-RING/P35 | 59 | 3 |
| 0-RING/P38 | 61 | 6 |
| 0-RING/P40 | 63 | 22 |
| 0-RING/P40 | 64 | 21 |
| 0-RING/P44 | 1 | 19 |
| D-RING/P15 | 63 | 21 |
| D-RING/P15 | 64 | 20 |
| 0-RING/P15 | 15 | 6 |
| 0-RING/S36 | 55 | 12 |
| OILER | 111 | 11 |
| ORIFICE | 85 | 28 |
| ORIFICE | 85 | 51 |
| ORNAMENT | 116 | 23 |
| ORNAMENT | 116 | 23A |
| ORNAMENT | 116 | 4 |
| ORNAMENT | 116 | 13 |
| ORNAMENT | 116 | 49 |
| ORNAMENT | 105 | 2 |
| ORNAMENT | 131 | 10 |
| ORNAMENT | 131 | 10A |
| ORNAMENT | 105 | 9 |
| ORNAMENT | 115 | 1 |
| ORNAMENT, COCKPIT | 161 | 15A |
| ORNAMENT, COKPIT | 161 | 15 |
| ORNAMENT, ISEKI | 151 | 18 |
| ORNAMENT, ISEKI | 159 | 18 |
| ORNAMENT, ROOF | 151 | 18A |
| ORNAMENT, ROOF | 158 | 8 |
| ORNAMENT, ROOF | 159 | 18A |
| ORNAMENT, ROOF | 151 | 11 |
| ORNAMENT,ROOF | 159 | 11 |
| ORNAMENT/ISEKI | 108 | 15 |
| ORNAMENT/ISEKI | 108 | 15A |
| ORNAMENT/LH | 115 | 1 |
| ORNMIENT/LH | 115 | 3 |
| ORNAMENT/LH | 115 | 3A |
| ORNAMENT/RH | 115 | 2 |
| ORNMIENT/RH | 115 | 4 |

| DESCRI PTION | FIG. | KEY |
|---|---|---|
| ORNAMENT/RH | 115 | 4A |
| PACKING | 59 | 16 |
| PACKING | 1 | 22 |
| PACKING | 6 | 26 |
| PACKING | 80 | 12 |
| PACKING | 81 | 10 |
| PACKING | 82 | 13 |
| PACKING | 56 | 22 |
| PACKING | 63 | 4 |
| PACKING | 64 | 4 |
| PACKING | 12 | 11 |
| PACKING | 13 | 26 |
| PACKING | 121 | 2 |
| PACKING | 121 | 5 |
| PACKING | 2 | 3 |
| PACKING | 4 | 3 |
| PACKING | 2 | 4 |
| PACKING | 2 | 1 |
| PACKING | 4 | 4 |
| PACKING | 81 | 19 |
| PACKING ASSY | 2 | 10A |
| PACKING (A) | 133 | 9 |
| PACKING (A) | 134 | 9 |
| PACKING (A) | 135 | 9 |
| PACKING (B) | 133 | 11 |
| PACKING (B) | 134 | 11 |
| PACKING (B) | 135 | 11 |
| PACKING ASSY | 2 | 10 |
| PACKING, NOZZLE | 143 | 1 |
| PACKING, NOZZLE | 145 | 1 |
| PACKING, BOLT, WING | 4 | 1 |
| PACKING, BOLT. WING | 3 | 4 |
| PACKING, CAP | 10 | 4 |
| PACKING,CAP | 11 | 4 |
| PACKING,CAP | 12 | 4 |
| PACKING, CAP | 13 | 4 |
| PACKING, COVER | 30 | 21 |
| PACKING,COVER | 13 | 38 |
| PACKING,LENS | 132 | 38 |
| PACKING, OIL PUMP | 56 | 15 |
| PACKING,PUMP | 80 | 2 |
| PACKING,PUMP | 81 | 2 |
| PACKING,PUMP | 82 | 2 |
| PACKING, ROD | 118 | 8 |
| PACKING,ROD | 185 | 8 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PACKING, U | 55 | 3 |
| PACKING, U | 55 | 25 |
| PACKING/RUBBER | 136 | 5 |
| PACKING/RUBBER | 137 | 5 |
| PACKING/RUBBER | 138 | 5 |
| PACKING/RUBBER | 139 | 15 |
| PAD | 19 | 10 |
| PAD | 52 | 5 |
| PALTE,L/306X21 | 15 | 8 |
| PALTE/174X120 COMP | 9 | 15 |
| PANEL, BACK COMP | 124 | 8 |
| PANEL, BACK COMP | 122 | 13 |
| PANEL,BACK COMP | 123 | 8 |
| PANEL, BACK COMP | 125 | 8 |
| PANEL,BACK COMP | 122 | 13A |
| PANEL, BACK COMP | 123 | 8A |
| PANEL, BACK COMP | 125 | 8A |
| PANEL, DUSH COMP | 122 | 1 |
| PANEL,DUSH COMP | 123 | 1 |
| PANEL,DUSH COMP | 124 | 1 |
| PANEL, DUSH COMP | 125 | 1 |
| PANEL,FLOOR COMP | 124 | 11 |
| PANEL, FLOOR COMP | 124 | llA |
| PANEL,FLOOR COMP | 124 | llB |
| PANEL,FLOOR COMP | 122 | 16 |
| PANEL, FLOOR COMP | 123 | 11 |
| PANEL,FLOOR COMP | 125 | 11 |
| PANEL,FLOOR COMP | 122 | 16A |
| PANEL,FLOOR COMP | 123 | llA |
| PANEL,FLOOR COMP | 125 | llA |
| PANEL, FLOOR COMP | 122 | 16B |
| PANEL, FLOOR COMP | 123 | llB |
| PANEL, FLOOR COMP | 125 | llB |
| PANEL,FRONT | 147 | 27 |
| PANEL, INSTRUMENT | 134 | 1 |
| PANEL, INSTRUMENT SET | 133 | 1 |
| PANEL, INSTRUMENT SET | 135 | 1 |
| PANEL,ROOF COMP | 167 | 7 |
| PANEL,ROOF COMP | 167 | 7A |
| PANEL,ROOF COMP | 167 | 8 |
| PANEL, ROOF COMP | 167 | 8A |
| PANEL,RooF COMP | 167 | 8B |
| PEDAL ASSY | 19 | 8 |
| PEDAL COMP | 47 | 15 |
| PEDAL COMP | 54 | 40 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PEDAL ASSY | 16 | 24 |
| PEDAL COMP | 47 | 16 |
| PEDAL,CLUTCH ASSY | 19 | 8A |
| PEDAL, PARKING COMP | 52 | 19 |
| PEDAL/LH SET | 52 | 1 |
| PEDAL/RH ASSY | 52 | 3 |
| PIN | 19 | 15 |
| PIN | 42 | 7 |
| PIN | 52 | 9 |
| PIN | 46 | 32 |
| PIN | 165 | 11 |
| PIN | 165 | 15 |
| PIN | 19 | 2 |
| PIN | 28 | 10 |
| PIN | 76 | 12 |
| PIN | 51 | 14 |
| PIN COMP | 50 | 1 |
| PIN COMP | 51 | 12 |
| PIN COMP | 51 | 7 |
| PIN (19X72) | 92 | 28 |
| PIN ASSY | 89 | 4 |
| PIN COMP | 50 | 2 |
| PIN SPLIT W 6.0X16 | 165 | 19 |
| PIN SPLIT W 6.0X16 | 40 | 24 |
| PIN TORQUE | 49 | 13 |
| PIN(15X30) | 49 | 19 |
| PIN,COTTER/3X18 | 115 | 25 |
| PIN,COTTER/3X18 | 116 | 25 |
| PIN,DRAWBER | 86 | 13 |
| PIN,HAIR | 87 | 19 |
| PIN,HAIR | 92 | 6 |
| PIN,HAIR | 92 | 30 |
| PIN,HAIR | 93 | 5 |
| PIN,HAIR | 100 | 13 |
| PIN, HAIR | 22 | 24 |
| PIN,HAIR | 177 | 21 |
| PIN,HAIR | 79 | 16 |
| PIN,HAIR | 99 | 17 |
| PIN, HAIR (19) | 22 | 41 |
| PIN, HAIR (19) | 88 | 10 |
| PIN, HAIR (19) | 88 | 20A |
| PIN, HAIR (19) | 88 | 21 |
| PIN, HAIR (19) | 90 | 30 |
| PIN, HAIR (19) | 90 | 31 |
| PIN,HAIR (19) | 91 | 30 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| PIN, HAIR (19) | 91 | 36 | PIN,SPLIT/2 X20 | 16 | 29 |
| PIN,KNOK | 65 | 6 | PIN, SPLIT/2 X20 | 16 | 38 |
| PIN,LINK | 22 | 22 | PIN,SPLIT/2 X20 | 19 | 24 |
| PIN, LINK | 22 | 26 | PIN, SPLIT/2 X20 | 42 | 9 |
| PIN,LINK | 86 | 15 | PIN, SPLIT/2 X20 | 43 | 3 |
| PIN,LINK | 87 | 22 | PIN, SPLIT/2 X20 | 43 | 35 |
| PIN,LINK | 88 | 20 | PIN, SPLIT/2 X20 | 44 | 18 |
| PIN,LINK | 89 | 5 | PIN, SPLIT/2 X20 | 50 | 10 |
| PIN, LINK | 90 | 33 | PIN, SPLIT/2 X20 | 51 | 33 |
| PIN,LINK, LOWER/LH | 90 | 6A | PIN, SPLIT/2 X20 | 76 | 8 |
| PIN, LINK, LOWER/LH | 91 | 6A | PIN, SPLIT/2 X20 | 76 | 14 |
| PIN, LINK, LOWER/LH | 90 | 68 | PIN, SPLIT/2 X20 | 76 | 18 |
| PIN, LINK, LOWER/LH | 91 | 68 | PIN, SPLIT/2 X20 | 91 | 28 |
| PIN,LINK, LOWER/LH | 90 | 6C | PIN, SPLIT/2 X20 | 99 | 25 |
| PIN,LINK, LOWER/LH | 91 | 6C | PIN,SPLIT/2 X20 | 102 | 15 |
| PIN, LINK, LOWER/LH | 90 | 6D | PIN,SPLIT/2 X20 | 102 | 17 |
| PIN,LINK,LOWER/LH | 91 | 6D | PIN, SPLIT/2 X20 | 114 | 18 |
| PIN,LINK, LOWER/RH | 90 | 7A | PIN, SPLIT/2 X25 | 54 | 5 |
| PIN, LINK, LOWER/RH | 91 | 7A | PIN,SPLIT/2.5XI5 | 20 | 12 |
| PIN, LINK, LOWER/RH | 90 | 78 | PIN,SPLIT/2.5XI5 | 21 | 12 |
| PIN,LINK, LOWER/RH | 91 | 78 | PIN,SPLIT/2.5X20 | 16 | 8 |
| PIN, LINK, LOWER/RH | 90 | 7C | PIN,SPLIT/2.5X20 | 19 | 17 |
| PIN, LINK, LOWER/RH | 91 | 7C | PIN,SPLIT/2.5X20 | 39 | 9 |
| PIN,LINK,LOWER/RH | 90 | 7D | PIN,SPLIT/2.5X20 | 40 | 11 |
| PIN,LINK,LOWER/RH | 91 | 7D | PIN,SPLIT/2.5X20 | 52 | 11 |
| PIN,REAR/LH COMP | 107 | 20 | PIN, SPLIT/25X15 | 114 | 8 |
| PIN,REAR/LH COMP | 108 | 29 | PIN, SPLIT/3 X20 | 16 | 21 |
| PIN,REAR/RH COMP | 107 | 21 | PIN,SPLIT/3 X20 | 16 | 30 |
| PIN,REAR/RH COMP | 108 | 30 | PIN, SPLIT/3 X20 | 49 | 20 |
| PIN,SNAP/6 | 94 | 28 | PIN,SPLIT/3 X20 | 79 | 17 |
| PIN,SNAP/6 | 95 | 35 | PIN,SPLIT/3 X20 | 90 | 23 |
| PIN,SNAP/6 | 96 | 24 | PIN, SPLIT/3 X20 | 91 | 22 |
| PIN,SNAP/6 | 97 | 26 | PIN, SPLIT/3 X20 | 99 | 18 |
| PIN,SNAP/6 | 98 | 33 | PIN, SPLIT/3 X25 | 22 | 50 |
| PIN, SPLIT | 115 | 30 | PIN, SPLIT/3 X25 | 39 | 8 |
| PIN, SPLIT | 116 | 30 | PIN, SPLIT/3 X25 | 40 | 10 |
| PIN, SPLIT/2 X15 | 94 | 18 | PIN, SPLIT/3 X25 | 51 | 16 |
| PIN, SPLIT/2 X15 | 95 | 23 | PIN, SPLIT/3 X30 | 59 | 37 |
| PIN, SPLIT/2 X15 | 96 | 17 | PIN, SPLIT/3 X30 | 59 | 50 |
| PIN, SPLIT/2 X15 | 97 | 17 | PIN, SPLIT/3 X30 | 67 | 8 |
| PIN, SPLIT/2 X15 | 98 | 22 | PIN, SPLIT/3 X30 | 67 | 21 |
| PIN, SPLIT/2 X20 | 17 | 10 | PIN,SPLIT/3 X30 | 59 | 53 |
| PIN, SPLIT/2 X20 | 18 | 10 | PIN,SPLIT/3 X30 | 67 | 24 |
| PIN,SPLIT/2 X20 | 16 | 17 | PIN, SPLIT/4 X30 | 74 | 11 |
| PIN, SPLIT/2 X20 | 16 | 22 | PIN,SPLIT/4 X30 | 92 | 31 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| PIN, *SPLIT/4* X40 | 59 | 11 | PIN,SUSPENSION PISTO | 87 | 18 |
| PIN, SPLIT/5 X50 | 55 | 43 | PIN, TAPER/8X50 | 51 | 2 |
| PIN,SPRING | 41 | 9 | PIN, TAPER/8X50 | 52 | 2 |
| PIN, SPRING | 45 | 10 | PIN, TOP LINK | 90 | 32 |
| PIN,SPRING/3 X16 W | 42 | 5 | PIN, TRAILER | 86 | 12 |
| PIN,SPRING/3 Xl6W | 75 | 9 | PIN, TRAILER | 87 | 20 |
| PIN,SPRING/4 X20 W | 76 | 15 | PIN, YOKE A | 50 | 8 |
| PIN,SPRING/4 X20 W | 77 | 10 | PIN. SPRING *W/8X60* | 75 | 8 |
| PIN,SPRING/4 X20 W | 78 | 7 | *PIN/08Xl08* | 77 | 5 |
| PIN,SPRING/4 X20 W | 94 | 23 | PIN/10 | 40 | 15 |
| PIN,SPRING/4 X20 W | 95 | 30 | PIN/12X45 | 74 | 5 |
| PIN,SPRING/4 X20 W | 97 | 22 | PIN/12X48 | 22 | 49 |
| PIN,SPRING/4 X20 W | 98 | 29 | PIN/12X48 | 90 | 22 |
| PIN,SPRING/4 X20 W | 115 | 29 | PIN/12X48 | 91 | 21 |
| PIN,SPRING/4 X20 W | 115 | 29 | PIN/12X48 | 177 | 20 |
| *PIN,SPRING/4* X25 | 52 | 20 | PIN/14X73 | 20 | 9 |
| PIN,SPRING/4 X25 | 115 | 25 | PIN/14X73 | 21 | 9 |
| PIN,SPRING/4 X25 | 115 | 26 | PIN/14X94 | 52 | 15 |
| PIN,SPRING/5 Xl8W | 92 | 21 | PIN/15X100 | 153 | 12 |
| PIN,SPRING/5 X32 W | 92 | 12 | PIN/16XlOO | 154 | 12 |
| PIN,SPRING/5 X25 W | 28 | 3 | PIN/15X23 COMP | 54 | 33 |
| PIN,SPRING/6 X25 W | 35 | 17 | PIN/16X62 | 92 | 5 |
| PIN,SPRING/5 X25 W | 52 | 23 | PIN/16X62 | 92 | 29 |
| PIN,ST *A/8X14* | 52 | 22 | PIN/15X62 | 93 | 4 |
| PIN,ST *A/8X28* | 62 | 21 | PIN/15X73 | 22 | 30 |
| PIN,ST *B/10X20* | 63 | 2 | PIN/19X122 | 88 | 7 |
| PIN, ST *B/lOX20* | 54 | 2 | PIN/19Xl22 | 90 | 29 |
| PIN,ST/5Xl6 | 41 | 5 | *PIN/19Xl41* | 91 | 29 |
| PIN,ST/5Xl6 | 45 | 4 | PIN/19Xl72 | 88 | 18A |
| PIN,ST/lOX22 | 23 | 10 | *PIN/19X220* | 88 | 18 |
| PIN, *ST/lOX22* | 30 | 12 | *PIN/19X50* | 100 | 12 |
| PIN, *ST/lOX22* | 31 | 9 | *PIN/19X77* | 22 | 40 |
| PIN, *ST/lOX22* | 32 | 5 | *PIN/19X86* | 88 | 9 |
| PIN,ST/lOX22 | 38 | 4 | *PIN/19X85* | 88 | 19 |
| PIN, *ST/lOX22* | 58 | 16 | *PIN/19X85* | 91 | 34 |
| *PIN,ST/10X22* | 53 | 24 | PIN/19X90 | 91 | 35 |
| PIN, ST/lOX22 | 54 | 23 | PIN/19X95 | 88 | 8 |
| PIN, *ST/lOX22* | 66 | 3 | PIN/22X40 | 55 | 19 |
| PIN, *ST/lOX22* | 66 | 25 | *PIN/22X85* | 74 | 10 |
| *PIN,ST/12X25* | 56 | 23 | *PIN/24X60* | 51 | 13 |
| PIN, STAY | 94 | 17 | PIN/25X77 | 22 | 23 |
| PIN,STAY | 95 | 22 | PIN/28Xl53 | 22 | 21 |
| PIN,STAY | 95 | 15 | PIN/5Xl5 | 16 | 19 |
| PIN,STAY | 97 | 15 | PIN/5Xl6 | 15 | 27 |
| PIN,STAY | 98 | 21 | *PIN/5X20* | 181 | 21 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PIN/6X30 | 29 | 14 |
| PIN/6X49 | 76 | 27 |
| PIN/77 | 87 | 14 |
| PIN/8X37 | 107 | 33 |
| PIN/8X37 | 108 | 42 |
| PIN/8X37 | 107 | 33A |
| PIN/8X37 | 108 | 42A |
| PIN/8X78 | 102 | 7 |
| PIN/9X14 | 102 | 14 |
| PIN/9X31 | 102 | 13 |
| PIN/LH COMP | 90 | 6 |
| PIN/LH COMP | 91 | 6 |
| PIN!RH COMP | 90 | 7 |
| PIN!RH COMP | 91 | 7 |
| PINION, BEVEL/11 | 62 | 17 |
| PINION, DIFF. (12) | 46 | 16 |
| PINION, WHEEL(10)(L) | 48 | 1 |
| PINION, WHEEL(10)(R) | 48 | 2 |
| PIPE | 7 | 7 |
| PIPE | 8 | 5 |
| PIPE | 9 | 19 |
| PIPE | 171 | 17 |
| PIPE | 6 | 41 |
| PIPE | 8 | 5A |
| PIPE COMP | 5 | 18 |
| PIPE COMP | 12 | 21 |
| PIPE COMP | 72 | 23 |
| PIPE COMP | 73 | 27 |
| PIPE (A) COMP | 61 | 4 |
| PIPE, lST/A COMP | 97 | 5 |
| PIPE, lST/A COMP | 98 | 6 |
| PIPE, lST/A COMP | 94 | 5 |
| PIPE, lST/A COMP | 95 | 7 |
| PIPE, lST/A COMP | 94 | 5A |
| PIPE, lST/A COMP | 95 | 7A |
| PIPE, lST/B COMP | 97 | 6 |
| PIPE, lST/B COMP | 98 | 7 |
| PIPE, lST/B COMP | 94 | 6 |
| PIPE, lST/B COMP | 95 | 8 |
| PIPE, lST/B COMP | 94 | 6A |
| PIPE, lST/B COMP | 95 | 8A |
| PIPE,2OO/A COMP | 98 | 8 |
| PIPE,2ND/A COMP | 95 | 9A |
| PIPE,2OO/A COMP | 96 | 5 |
| PIPE,2OO/A COMP | 95 | 9 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PIPE, 2OO/B COMP | 98 | 9 |
| PIPE, 2ND/B COMP | 95 | 10 |
| PIPE, 2ND/B COMP | 95 | lOA |
| PIPE, 2OO/B COMP | 96 | 6 |
| PIPE, DELIVERY COMP | 84 | 9 |
| PIPE,DELIVERY/F COMP | 80 | 24 |
| PIPE,DELIVERY/F COMP | 81 | 43 |
| PIPE, DELIVERY/F COMP | 82 | 25 |
| PIPE, DELIVERY/M | 84 | 1 |
| PIPE, DELIVERY/M COM | 84 | 10 |
| PIPE, DELIVERY/REAR | 84 | 13 |
| PIPE, DELIVERY/REAR | 84 | 3 |
| PIPE, INLET | 2 | 14 |
| PIPE, INLET | 3 | 8 |
| PIPE, INLET | 2 | 14A |
| PIPE, INLET | 4 | 9 |
| PIPE, INLET COMP | 5 | 9 |
| PIPE, INLET COMP | 5 | 9A |
| PIPE, INLET COMP | 5 | 9B |
| PIPE, INLET COMP | 2 | 15 |
| PIPE, INLET COMP | 4 | 10 |
| PIPE, INLET COMP | 5 | 9C |
| PIPE, INLET COMP | 81 | 13A |
| PIPE, INLET COMP | 81 | 22 |
| PIPE, INLET COMP | 81 | 22A |
| PIPE, OIL COMP | 56 | 34 |
| PIPE,OIL COMP | 56 | 39 |
| PIPE, OUTLET COMP | 81 | 13 |
| PIPE, SUCTION COMP | 80 | 10 |
| PIPE,SUCTION COMP | 82 | 10 |
| PIPE, SUCTION/F COMP | 81 | 7 |
| PIPE, SUCTION/F COMP | 82 | lOA |
| PIPE, SUCTION/MIDCOMP | 83 | 1 |
| PIPE,SUCTION/R COMP | 80 | 30 |
| PIPE,SUCTION/REAR | 83 | 19 |
| PIPE,SUCTION/REAR | 81 | 27 |
| PIPE, TAIL/UNDER COMP | 8 | 11 |
| PIPE, TAIL/UNDER COMP | 9 | 2 |
| PIPE, TAIL/UNDER COMP | 8 | 12 |
| PIPE, TAIL/UNDER COMP | 9 | 3 |
| PIPE, TAIL/UNDER SET | 9 | 1 |
| PIPE, TAIL/UPPER COMP | 7 | 6 |
| PIPE, TAIL/UPPER COMP | 7 | 19 |
| PISTON | 27 | 13 |
| PISTON | 27 | 26 |

| DESCRI PTION | FIG. | KEY | DESCRI PTION | FIG. | KEY |
|---|---|---|---|---|---|
| PISTON | 75 | 4 | PLATE | 38 | 17 |
| PISTON | 178 | 2 | PLATE | 117 | 7 |
| PISTON | 185 | 2 | PLATE | 120 | 6 |
| PIVOT | 151 | 6 | PLATE | 32 | 14 |
| PIVOT | 151 | 21 | PLATE | 118 | 11 |
| PIVOT | 151 | 34 | PLATE | 119 | 9 |
| PLATE | 24 | 10 | PLATE | 121 | 10 |
| PLATE | 25 | 7 | PLATE | 121 | 21 |
| PLATE | 49 | 23 | PLATE | 117 | 9 |
| PLATE | 54 | 35 | PLATE | 118 | 10 |
| PLATE | 78 | 16 | PLATE | 119 | 10 |
| PLATE | 107 | 28 | PLATE | 121 | 9 |
| PLATE | 108 | 37 | PLATE | 121 | 20 |
| PLATE | 114 | 15 | PLATE | 157 | 10 |
| PLATE | 8 | 14 | PLATE | 159 | 10 |
| PLATE | 27 | 32 | PLATE | 167 | 9 |
| PLATE | 80 | 22 | PLATE | 167 | 9A |
| PLATE | 81 | 41 | PLATE | 168 | 26 |
| PLATE | 82 | 23 | PLATE | 39 | 7 |
| PLATE | 80 | 22A | PLATE | 82 | 16 |
| PLATE | 81 | 41A | PLATE | 171 | 31 |
| PLATE | 82 | 23A | PLATE | 172 | 44 |
| PLATE | 106 | 12 | PLATE | 171 | 32 |
| PLATE | 106 | 13 | PLATE | 172 | 45 |
| PLATE | 133 | 22 | PLATE | 171 | 2 |
| PLATE | 134 | 22 | PLATE | 174 | 10 |
| PLATE | 135 | 22 | PLATE | 173 | 29 |
| PLATE | 42 | 11 | PLATE | 173 | 31 |
| PLATE | 167 | 16 | PLATE | 174 | 33 |
| PLATE | 158 | 11 | PLATE | 72 | 25 |
| PLATE | 163 | 17 | PLATE | 73 | 29 |
| PLATE | 164 | 17 | PLATE | 72 | 25A |
| PLATE | 165 | 23 | PLATE | 73 | 29A |
| PLATE | 165 | 42 | PLATE | 72 | 25B |
| PLATE | 148 | 22 | PLATE | 73 | 29B |
| PLATE | 148 | 23 | PLATE | 72 | 25C |
| PLATE | 40 | 8 | PLATE | 73 | 29C |
| PLATE | 80 | 35 | PLATE ASSY | 27 | 29 |
| PLATE | 81 | 49 | PLATE COMP | 109 | 2 |
| PLATE | 82 | 31 | PLATE COMP | 110 | 2 |
| PLATE | 100 | 19 | PLATE COMP | 111 | 2 |
| PLATE | 106 | 9 | PLATE COMP | 112 | 2 |
| PLATE | 165 | 22 | PLATE COMP | 113 | 2 |
| PLATE | 162 | 19 | PLATE COMP | 114 | 16 |
| PLATE | 166 | 6 | PLATE COMP | 101 | 1 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PLATE COMP | 158 | 3 |
| PLATE COMP | 88 | 11 |
| PLATE COMP | 88 | 11A |
| PLATE COMP | 167 | 12 |
| PLATE COMP | 2 | 22 |
| PLATE COMP | 2 | 22A |
| PLATE COMP | 4 | 17 |
| PLATE COMP | 174 | 7 |
| PLATE COMP | 174 | 8 |
| PLATE COMP | 150 | 18 |
| PLATE COMP | 136 | 22 |
| PLATE COMP | 138 | 27 |
| PLATE COMP | 139 | 8 |
| PLATE COMP | 114 | 5 |
| PLATE (A) | 167 | 13 |
| PLATE (B) | 167 | 14 |
| PLATE, ARM A | 162 | 24 |
| PLATE, ARM A | 166 | 17 |
| PLATE, BACK | 27 | 16 |
| PLATE, BATTERY SET | 127 | 18 |
| PLATE, COOLER COMP | 161 | 10 |
| PLATE, DISK SET | 27 | 15 |
| PLATE, GUIDE | 54 | 36 |
| PLATE, l/155X55 | 174 | 33A |
| PLATE, l/16X196 | 94 | 27 |
| PLATE, l/16X196 | 95 | 34 |
| PLATE, l/16Xl96 | 96 | 23 |
| PLATE, l/16X196 | 97 | 25 |
| PLATE, l/16Xl96 | 98 | 32 |
| PLATE, l/25X96 | 174 | 9 |
| PLATE, l/64X110 | 147 | 3 |
| PLATE,L/174X120 COMP | 8 | 14A |
| PLATE,L/22X37 | 15 | 11 |
| PLATE,L/65X108 | 102 | 5 |
| PLATE,PRESSURE | 17 | 3 |
| PLATE,PRESSVER | 18 | 3 |
| PLATE,RETURN | 27 | 21 |
| PLATE, RUBBER | 15 | 7A |
| PLATE,SEAL | 149 | 3 |
| PLATE,SEAL/RH COMP | 15 | 10 |
| PLATE, SEPARATE | 49 | 5 |
| PLATE,SEPARATE | 49 | 10 |
| PLATE,SET | 87 | 15 |
| PLATE,SET BATTERY | 127 | 17 |
| PLATE/1ST | 40 | 9 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PLATE/90X127 | 120 | 10 |
| PLATE/LH COMP | 117 | 12 |
| PLATE/RH COMP | 117 | 13 |
| PLATE/V/32X82 | 100 | 18 |
| PLIERS/G150 | 177 | 3 |
| PLUG | 6 | 25 |
| PLUG | 85 | 20 |
| PLUG | 85 | 43 |
| PLUG | 85 | 22 |
| PLUG | 85 | 34 |
| PLUG | 85 | 45 |
| PLUG | 85 | 32 |
| PLUG | 182 | 1 |
| PLUG | 182 | 2 |
| PLUG | 184 | 12 |
| PLUG | 179 | 9 |
| PLUG | 180 | 9 |
| PLUG | 181 | 6 |
| PLUG | 181 | 7 |
| PLUG | 179 | 7 |
| PLUG | 180 | 7 |
| PLUG | 179 | 8 |
| PLUG | 180 | 8 |
| PLUG | 179 | 16 |
| PLUG | 180 | 16 |
| PLUG | 179 | 18 |
| PLUG | 180 | 18 |
| PLUG | 183 | 4 |
| PLUG | 184 | 22 |
| PLUG | 183 | 9 |
| PLUG | 184 | 27 |
| PLUG | 30 | 15 |
| PLUG | 31 | 11 |
| PLUG PT 1/4 | 55 | 5 |
| PLUG PTl/4 | 95 | 19 |
| PLUG PTl/4 | 179 | 10 |
| PLUG PTl/4 | 180 | 10 |
| PLUG PTl/4 | 71 | 18 |
| PLUG PTl/4 | 72 | 13 |
| PLUG PTl/4 | 73 | 22 |
| PLUG,BREATHING | 1 | 21 |
| PLUG,DRAIN | 23 | 8 |
| PLUG,DRAIN | 30 | 38 |
| PLUG,DRAIN | 56 | 23 |
| PLUG,DRAIN | 80 | 25 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| PLUG,DRAIN | 81 | 16 |
| PLUG, DRAIN | 81 | 44 |
| PLUG,DRAIN | 82 | 26 |
| PLUG, DRAIN | 85 | 16 |
| PLUG,DRAIN | 83 | 9 |
| PLUG,PTl/4 | 181 | 11 |
| PLUG,PTl/8 | 55 | 23 |
| PLUG/M16 | 179 | 5A |
| PLUG/M16 | 180 | 5A |
| PLUG/M18 | 179 | 16A |
| PLUG/M18 | 180 | 16A |
| PLUG/M18 | 184 | 5 |
| PLUG/M20 | 73 | 33 |
| PLUG/M22 | 75 | 36 |
| PLUG/PTl/2 | 30 | 17 |
| PLUG/PTl/2 | 31 | 13 |
| PLUG/PTl/2 | 84 | 8 |
| PLUG/PTl/2 | 84 | 18 |
| PLUG/PTl/2 | 30 | 16 |
| PLUG/PTl/2 | 30 | 18 |
| PLUG/PTl/2 | 31 | 12 |
| PLUG/PTl/2 | 31 | 14 |
| PLUG/PTl/8 | 75 | 23 |
| PLUG/PTl/8 | 75 | 22 |
| PLUG/PTl/8 | 85 | 4 |
| PLUG/PT3/8 | 97 | 14 |
| POPPET | 55 | 19 |
| POPPET | 182 | 11 |
| POPPET | 184 | 17 |
| POPPET | 181 | 8 |
| POPPET | 183 | 2 |
| POPPET | 184 | 20 |
| POPPET | 183 | 8 |
| POPPET | 184 | 26 |
| PTO FRONT SET | 20 | 1 |
| PTO,FRONT/E21 SET | 21 | 1 |
| PTO, MID SET | 38 | 1 |
| PULLEY, TENSION SET | 173 | 12 |
| PULLEY, *V/076* ASSY | 173 | 17 |
| PULLEY, *V/076* ASSY | 173 | 21 |
| PULLEY, *V/126* | 173 | 33 |
| PUMP,GEAR | 80 | 1 |
| PUMP,GEAR | 81 | 1 |
| PUMP,GEAR | 82 | 1 |
| PUMP,GEAR ASSY | 56 | 7 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| R. B. B | 48 | 13 |
| R. B. B | 38 | 15 |
| RADIATOR ASSY | 6 | 1 |
| RADIATOR ASSY | 6 | 9 |
| RADIO/AM ASSY | 148 | 1 |
| REFLECTOR ASSY | 130 | 28 |
| RELAY | 172 | 23 |
| RELAY | 143 | 16 |
| RELAY | 145 | 17A |
| RELAY | 145 | 18 |
| RELAY | 172 | 20 |
| RELAY, PLUG, GLOW | 1 | 31 |
| RELAY/4P | 142 | 19 |
| RELAY/4P | 143 | 15 |
| RELAY/4P | 145 | 15 |
| RELAY/4P | 145 | 16 |
| RELAY/4P | 146 | 16 |
| RELAY/4P | 147 | 5 |
| RELAY/4P | 147 | 21 |
| RELAY/4P | 148 | 25 |
| RELAY/4P | 149 | 16 |
| RELAY/5P ASSY | 145 | 17 |
| RES ISTA | 172 | 18 |
| RIM, FRONT WHEEL COMP | 69 | 1 |
| RIM, FRONT WHEEL COMP | 69 | 5 |
| RIM, WHEEL/11-32 COMP | 53 | 11 |
| RIM, WHEEL/141-32 | 53 | 1 |
| RIM, WHEEL/20XW7 COMP | 68 | 2 |
| RIM, WHEEL/20XW7 COMP | 68 | 11 |
| RING | 55 | 7 |
| RING | 55 | 8 |
| RING | 76 | 17 |
| RING | 75 | 5 |
| RING | 66 | 12 |
| RING | 66 | 12A |
| RING | 181 | 20 |
| RING, HUB(170) | 66 | 7 |
| RING, BACK UP | 75 | 26 |
| RING, BACK UP | 178 | 4 |
| RING, BACK UP | 185 | 4 |
| RING, CIRCLIP | 54 | 31 |
| RING, HUB/22 | 48 | 16 |
| RING,RETANING/E07 | 162 | 3 |
| RING, RETANING/E07 | 165 | 7 |
| RING, RETANING/E07 | 166 | 11 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| RING. SEAL (A) SET | 27 | 14 |
| RING. SEAL (B) SET | 27 | 23 |
| RING, SEAL (B) SET | 27 | 34 |
| RING. SEAL/A SET | 27 | 27 |
| RING. SNAP | 25 | 10 |
| RING. SNAP | 75 | 2 |
| RING, SNAP | 24 | 13 |
| RING, SNAP | 20 | 8 |
| RING. SNAP | 21 | 8 |
| RING. SNAP | 181 | 12 |
| RING. SNAP | 33 | 12 |
| RING. SNAP | 48 | 5 |
| RING,SNAP | 49 | 14 |
| RING. SNAP | 24 | 30 |
| RING,SNAP | 24 | 37 |
| RING, SNAP | 25 | 26 |
| RING. SNAP | 25 | 33 |
| RING, SNAP | 26 | 13 |
| RING,SNAP | 22 | 18 |
| RING, SNAP | 74 | 9 |
| RING. SNAP | 18 | 19 |
| RING, SNAP | 30 | 33 |
| RING. SNAP | 65 | 24 |
| RING, SNAP | 30 | 34 |
| RING. SNAP | 36 | 33 |
| RING,SNAP | 49 | 16 |
| RING,SNAP/4 E | 181 | 22 |
| RING,SNAP/9 E | 79 | 10 |
| RING. SNAP/ 9 E | 99 | 9 |
| RING. SNAP/ 9 E | 179 | 3 |
| RING. SNAP/ 9 E | 180 | 3 |
| RING. SNAP/ 9 E | 105 | 16 |
| RING.SNAP/12 C | 99 | 21 |
| RING.SNAP/14 C | 42 | 2 |
| RING.SNAP/14 C | 43 | 11 |
| RING,SNAP/14 C | 43 | 27 |
| RING,SNAP/16 C | 43 | 31 |
| RING.SNAP/16 C | 44 | 11 |
| RING.SNAP/17 C | 54 | 14 |
| RING,SNAP/20 C | 52 | 7 |
| RING.SNAP/20 C | 92 | 23 |
| RING.SNAP/21 C | 75 | 28 |
| RING.SNAP/25 C | 35 | 4 |
| RING,SNAP/25 C | 39 | 14 |
| RING,SNAP/25 C | 40 | 25 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| RING.SNAP/25 C | 50 | 7 |
| RING.SNAP/25 C | 51 | 9 |
| RING.SNAP/25 C | 61 | 2 |
| RING.SNAP/25 C | 65 | 22 |
| RING.SNAP/30 C | 24 | 8 |
| RING.SNAP/30 C | 25 | 3 |
| RING.SNAP/30 C | 33 | 8 |
| RING.SNAP/30 C | 65 | 23 |
| RING.SNAP/32 C | 41 | 2 |
| RING.SNAP/32 C | 45 | 2 |
| RING,SNAP/32 C | 55 | 15 |
| RING,SNAP/35 C | 24 | 3 |
| RING,SNAP/35 C | 24 | 17 |
| RING,SNAP/35 C | 24 | 43 |
| RING,SNAP/35 C | 25 | 14 |
| RING.SNAP/35 C | 25 | 39 |
| RING.SNAP/36 C | 27 | 20 |
| RING,SNAP/42 C | 92 | 24 |
| RING,SNAP/47 C | 35 | 7 |
| RING.SNAP/7 E | 28 | 11 |
| RING.SNAP/72C | 37 | 22 |
| RING,SNAP/72C | 38 | 5 |
| RING,SNAP/8 E | 40 | 17 |
| RING.SNAP/8 E | 76 | 5 |
| RING.SNAP/8 E | 76 | 24 |
| RING,SNAP/8 E | 76 | 30 |
| RING,SNAP/8 E | 77 | 4 |
| RING,SNAP/95 C | 27 | 17 |
| RING,SNAP/95 C | 27 | 30 |
| RING.SNAP/CH120 | 47 | 8 |
| RING, SNAP/ElO | 115 | 27 |
| RING,SNAP/ElO | 116 | 27 |
| RING, TEFRON | 55 | 6 |
| RIVET | 17 | 13 |
| RIVET | 17 | 13A |
| RIVET | 18 | 13 |
| RIVET. BLIND | 103 | 12 |
| RIVET. BLIND | 107 | 4 |
| RIVET. BLIND | 107 | 8 |
| RIVET,BLIND | 108 | 4 |
| RIVET. BLIND | 108 | 8 |
| RIVET. BLIND | 116 | 40 |
| RIVET, BLIND | 109 | 3 |
| RIVET, BLIND | 110 | 3 |
| RIVET. BLIND | 111 | 3 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| RIVET, BLIND | 112 | 3 |
| RIVET, BLIND | 113 | 3 |
| RIVET/6 X12 | 103 | 8 |
| ROD | 51 | 20 |
| ROD | 19 | 23 |
| ROD | 75 | 7 |
| ROD | 44 | 16 |
| ROD | 79 | 14 |
| ROD | 99 | 15 |
| ROD | 179 | 17 |
| ROD | 180 | 17 |
| ROD COMP | 52 | 8 |
| ROD COMP | 76 | 6 |
| ROD COMP | 76 | 6A |
| ROD COMP | 78 | 29 |
| ROD COMP | 19 | 6A |
| ROD COMP | 19 | 6 |
| ROD COMP | 19 | 7 |
| ROD COMP | 93 | 3 |
| ROD COMP | 92 | 4 |
| ROD COMP | 93 | 3A |
| ROD COMP | 16 | 36 |
| ROD 0 | 77 | 13 |
| ROD, BRAKE COMP | 49 | 18 |
| ROD,FORK COMP | 50 | 13 |
| ROD, FORK COMP | 22 | 27 |
| ROD,FORK COMP | 50 | 12 |
| ROD,FORK COMP | 49 | 17 |
| ROD,FPRK COMP | 50 | 11 |
| ROD,LIFT/LH COMP | 22 | 25 |
| ROD, LIFT/RH COMP | 22 | 28 |
| ROD,PISTON COMP | 185 | 1 |
| ROD,PISTON COMP | 185 | 1A |
| ROD,PTO | 43 | 1 |
| ROD,PTO | 43 | 1A |
| ROD,PTO | 43 | 33 |
| ROD,PTO | 43 | 1B |
| ROD,PUSH | 76 | 22 |
| ROD, TIE | 59 | 25 |
| ROD, TIE | 59 | 24 |
| ROD, TIE | 67 | 1 |
| ROD, TIE | 67 | 2 |
| ROD, TIE COMP | 59 | 26 |
| ROD/90 LH | 51 | 28 |
| ROD/90 RH | 51 | 27 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| ROD/LH COMP | 90 | 24 |
| ROD/PISTON COMP | 178 | 1 |
| ROD/RH COMP | 90 | 25 |
| ROLLER | 115 | 28 |
| ROLLER | 116 | 28 |
| ROOF COMP | 158 | 1 |
| ROOF COMP | 157 | 1 |
| ROOF COMP | 159 | 1 |
| RUBBER, CUSHION | 11 | 13 |
| RUBBER, CUSHION | 12 | 12 |
| RUBBER, CUSHION | 13 | 12 |
| RUBBER, BUFFER | 132 | 40 |
| RUBBER,CUHION/10X25 | 172 | 58 |
| RUBBER, CUSHION | 122 | 30 |
| RUBBER, CUSHION | 123 | 16 |
| RUBBER, CUSHION | 124 | 27 |
| RUBBER, CUSHI ON | 125 | 25 |
| RUBBER, CUSHION | 1 | 3 |
| RUBBER,CUSHION | 122 | 11 |
| RUBBER, CUSHION | 102 | 2 |
| RUBBER,CUSHION/20X20 | 116 | 43 |
| RUBBER,HOOK | 114 | 14 |
| RUBBER, HOSE | 100 | 10 |
| RUBBER, LI NE | 103 | 6 |
| RUBBER,SEAL/A | 149 | 2 |
| RUBBER, STOPPER | 115 | 17 |
| RUBBER,STOPPER | 116 | 17 |
| S. W | 132 | 36 |
| S. W | 56 | 14 |
| SCREW | 90 | 21 |
| SCREW | 91 | 17 |
| SCREW | 167 | 4 |
| SCREW | 147 | 28 |
| SCREW | 72 | 22 |
| SCREW | 73 | lOA |
| SCREW | 15 | 9A |
| SCREW | 163 | 21 |
| SCREW | 101 | 2 |
| SCREW | 102 | 30 |
| SCREW | 133 | 42 |
| SCREW | 134 | 39 |
| SCREW | 135 | 39 |
| SCREW | 143 | 14 |
| SCREW | 143 | 17 |
| SCREW | 144 | 9 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| SCREW | 145 | 14 | SCREW, TAPPING | 172 | 25 |
| SCREW | 145 | 19 | SCREW, TAPPING/M04 | 168 | 5 |
| SCREW | 145 | 20 | SCREW, TAPPING/M04 | 169 | 5 |
| SCREW | 146 | 9 | SCREW, TAPPING/M04 | 170 | 5 |
| SCREW | 147 | 6 | SCREW, TAPPING/M05 | 168 | 4 |
| SCREW | 157 | 5 | SCREW, TAPPING/M05 | 169 | 4 |
| SCREW | 157 | 11 | SCREW, TAPPING/M05 | 170 | 4 |
| SCREW | 157 | 13 | SCREW/3X8 | 133 | 18 |
| SCREW | 159 | 5 | SCREW/3X8 | 134 | 18 |
| SCREW | 159 | 11 | SCREW/3X8 | 135 | 18 |
| SCREW | 159 | 13 | SCREW/4X20 | 131 | 6 |
| SCREW | 160 | 2 | SCREW/4X20 | 143 | 25 |
| SCREW | 161 | 2 | SCREW/4X20 | 145 | 28 |
| SCREW | 165 | 50 | SCREW/4X20 | 147 | 14 |
| SCREW | 166 | 15 | SCREW/4X25 | 129 | 6 |
| SCREW | 167 | 10 | SCREW/4X25 | 132 | 6 |
| SCREW | 167 | 11 | SCREW/4X8 | 129 | 17 |
| SCREW | 174 | 32 | SCREW/4X8 | 129 | 26 |
| SCREW COMP | 91 | 32 | SCREW/4X8 | 132 | 17 |
| SCREW M3X20 | 150 | 22 | SCREW/M20 COMP | 22 | 37 |
| SCREW SEEMS/M6X16 | 138 | 14 | SCREW/M3XO.5XlO | 8 | 20 |
| SCREW, ORIFIS/O. 7 | 184 | 3 | SCREW/M3XO.5XlO | 9 | 9 |
| SCREW, PLUS/M4X12 | 132 | 34 | SCREW/M4X12 | 148 | 18 |
| SCREW,PLUS/M4X8 | 133 | 28 | SCREW/M4X16 | 132 | 44 |
| SCREW, PLUS/M4X8 | 134 | 25 | SCREW/M4X16 | 130 | 5 |
| SCREW, PLUS/M4X8 | 135 | 25 | SCREW/M4X16 | 148 | 19 |
| SCREW, PLUS/M5XO. 8X8 | 133 | 30 | SCREW/M4X20 | 71 | 9 |
| SCREW, PLUS/M5XO. 8X8 | 134 | 27 | SCREW/M4X20 | 73 | 10 |
| SCREW,PLUS/M5XO.8X8 | 135 | 27 | SCREW/M4X20 | 148 | 9 |
| SCREW, S/M4X12 | 168 | 32 | SCREW/M4X20 | 171 | 39 |
| SCREW, S/M4X12 | 169 | 29 | SCREW/M4X20 | 172 | 52 |
| SCREW,S/M4X12 | 170 | 32 | SCREW/M4X30 | 101 | 5 |
| SCREW, SEMS | 162 | 13 | SCREW/M4X30 | 136 | 23 |
| SCREW,SEMS | 166 | 13 | SCREW/M4X30 | 138 | 29 |
| SCREW,SEMS | 16 | 25 | SCREW/M4X30 | 139 | 9 |
| SCREW,SEMS | 174 | 18 | SCREW/M4X30 | 150 | 6 |
| SCREW,SP/M03X22 | 133 | 16 | SCREW/M5XO.8X25 | 148 | 30 |
| SCREW,SP/M03X22 | 134 | 16 | SCREW/M5XO. 8X25 | 167 | 24 |
| SCREW,SP/M03X22 | 135 | 16 | SCREW/M5XlO | 129 | 27 |
| SCREW,SP/M6Xl6 | 162 | 20 | SCREW/M5XlO | 132 | 27 |
| SCREW,SP/M6X16 | 165 | 6 | SCREW/M5X16 | 165 | 51 |
| SCREW,SP/M6X25 | 126 | 7 | SCREW/M5X25 | 109 | 19 |
| SCREW,SP/M6X25 | 162 | 8 | SCREW/M5X25 | 111 | 10 |
| SCREW,SP/M6X25 | 162 | 28 | SCREW/M5X25 | 112 | 9 |
| SCREW, TAPPING | 171 | 11 | SCREW/M5X25 | 113 | 18 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| SCREW/M5X30 | 130 | 19 |
| SCREW/M5X30 | 138 | 24 |
| SCREW/M5X30 | 149 | 9 |
| SCREW/M5X60 | 129 | 14 |
| SCREW/M5X60 | 129 | 23 |
| SCREW/M5X60 | 132 | 14 |
| SCREW/M5X60 | 132 | 23 |
| SCREW/M6X10 | 165 | 25 |
| SCREW/M6X20 | 1 | 2 |
| SCREW/M6X35 | 128 | 3 |
| SCREW/M6X40 | 151 | 8 |
| SCREW/M6X40 | 75 | 33 |
| SCREW/M8X16 | 78 | 19 |
| SCREW/M8X16 | 99 | 12 |
| SCREWDRIVER ASSY | 177 | 4 |
| SEAL | 28 | 17 |
| SEAL | 41 | 3 |
| SEAL | 45 | 3 |
| SEAL | 15 | 4 |
| SEAL | 15 | 7 |
| SEAL | 56 | 5 |
| SEAL | 56 | 6 |
| SEAL | 15 | 8A |
| SEAL | 181 | 19 |
| SEAL ASSY | 36 | 25 |
| SEAL ASSY | 37 | 19 |
| SEAL ASSY | 38 | 12 |
| SEAL (62) | 65 | 25 |
| SEAL,DUST | 178 | 9A |
| SEAL,DUST | 178 | 9 |
| SEAL, DUST | 185 | 9 |
| SEAL,DUST | 75 | 29 |
| SEAL,OIL | 59 | 14 |
| SEAL,OIL | 40 | 21 |
| SEAL, OIL | 54 | 21 |
| SEAL, OIL | 55 | 16 |
| SEAL, OIL | 55 | 4 |
| SEAL, OIL | 66 | 1 |
| SEAL, OIL | 55 | 14 |
| SEAL,OIL | 24 | 5 |
| SEAL, OIL | 65 | 18 |
| SEAL, OIL | 48 | 9 |
| SEAL, OIL | 63 | 20 |
| SEAL, OIL | 64 | 19 |
| SEAL, OIL | 56 | 9 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| SEAL,OIL | 25 | 6 |
| SEAL,OIL ASSY | 36 | 23A |
| SEAL,OIL ASSY | 37 | 17A |
| SEAL,OIL/TC14257 | 29 | 15 |
| SEAL,OIL/TC20428 | 92 | 25 |
| SEAL, OIL/TC25478 | 35 | 5 |
| SEAL,OIL/TC30458 | 24 | 9 |
| SEAL,OIL/TC355008 | 24 | 4 |
| SEAL,OIL/TC4,14247 | 181 | 3 |
| SEAL,OIL/TC406512 | 62 | 4 |
| SEAL, OIL/TC45609 | 36 | 21 |
| SEAL, OIL/TC48659 | 59 | 8 |
| SEAL,OIL/TC50689 | 59 | 13 |
| SEAL, OIL/TC55729 | 71 | 4 |
| SEAL,OIL/TC55729 | 72 | 4 |
| SEAL,OIL/TC55729 | 73 | 4 |
| SEAL,OIL/UNITISE | 48 | 9A |
| SEAL,OIL/UNITISE | 66 | 13A |
| SEAL,OIL/VC16244 | 71 | 5 |
| SEAL, OIL/VC16244 | 72 | 5 |
| SEAL,OIL/VC16244 | 73 | 5 |
| SEAL,OIL/VC48657 | 59 | 9 |
| SEAL, UNITISE A | 66 | 13 |
| SEAL, UNITISE A | 66 | 13B |
| SEAL. OIL/VC55706 | 58 | 7 |
| SEAL.OIL/VC55706 | 63 | 13 |
| SEAL.OIL/VC55706 | 64 | 13 |
| SEAL/63 | 5 | 14A |
| SEAL/74 | 5 | 14 |
| SEAT ASSY | 115 | 1 |
| SEAT ASSY | 116 | 1 |
| SEAT, FITTING/A | 132 | 32 |
| SEAT, FITTING/B | 132 | 35 |
| SENSOR | 81 | 8 |
| SENSOR | 82 | 11 |
| SENSOR | 172 | 17 |
| SENSOR, SLOPE ASSY | 102 | 1 |
| SENSOR,SLOPE ASSY | 102 | 1A |
| SENSOR,STROKE ASSY | 102 | 18 |
| SHAFT | 26 | 2 |
| SHAFT | 33 | 9 |
| SHAFT | 35 | 1 |
| SHAFT | 61 | 1 |
| SHAFT | 65 | 19 |
| SHAFT | 65 | 27 |

| DESCHI PTION | FIG. | KEY |
|---|---|---|
| SHAFT | 65 | 28 |
| SHAFT | 38 | 14 |
| SHAFT,DIFF PINION | 46 | 21 |
| SHAFT, IDLE | 27 | 2 |
| SHAFT, IDLE | 27 | 38 |
| SHAFT, LIFT | 22 | 15 |
| SHAFT, LOCK | 105 | 13A |
| SHAFT,PTO | 27 | 40 |
| SHAFT,PTO | 27 | 4 |
| SHAFT,PTO | 27 | 4A |
| SHAFT,PTO | 27 | 35 |
| SHAFT,PTO | 27 | 44 |
| SHAFT,PTO | 37 | 4 |
| SHAFT,PTO | 36 | 4 |
| SHAFT, PTO | 37 | 4A |
| SHAFT,PTO/MID | 38 | 7 |
| SHAFT, REVERSE | 26 | 5 |
| SHAFT,SLOW,RETURN | 75 | 38A |
| SHAFT,SLOW,RETURN | 75 | 38 |
| SHAFT,STEERING | 54 | 10 |
| SHAFT, STEERING | 54 | 11 |
| SHAFT, STEERING COMP | 54 | 13 |
| SHAFT, STEERING COMP | 54 | 12 |
| SHAFT,WHEEL | 48 | 6 |
| SHAFT, WHEEL | 66 | 6 |
| SHAFT, WHEEL | 66 | 6A |
| SHAFT, YOKE | 20 | 5 |
| SHAFT, YOKE | 21 | 5 |
| SHAFT/A | 115 | 11 |
| SHAFT/A | 116 | 11 |
| SHAFT/B | 115 | 12 |
| SHAFT/B | 116 | 12 |
| SHAFT/C | 115 | 13 |
| SHAFT/C | 116 | 13 |
| SHAFT/PTO | 20 | 13 |
| SHAFT/PTO | 21 | 18 |
| SHIFTER,DIFF LOCK | 46 | 29 |
| SHIM | 59 | 7 |
| SHIM | 85 | 27 |
| SHIM | 85 | 39 |
| SHIM | 85 | 50 |
| SHIM (A) | 46 | 24 |
| SHIM (B) | 46 | 25 |
| SHIM BT=0. 198 | 36 | 27 |
| SHIM BT=0. 198 | 36 | 31 |
| SHIM CT=0.5 | 36 | 26 |
| SHIM T=0. 1 | 46 | 9 |
| SHIM T=0. 2 | 46 | 8 |
| SHIM(A) | 62 | 12 |
| SHIM(B) | 62 | 13 |
| SHIM, A | 62 | 6 |
| SHIM, B | 62 | 7 |
| SHIM/O. 5 | 36 | 28 |
| SHIM/O. 5 | 36 | 32 |
| SHROUD | 6 | 4 |
| SHROUD | 6 | 12 |
| SLEEVE | 62 | 5 |
| SLEEVE | 17 | 20 |
| SLEEVE | 18 | 24 |
| SLEEVE | 17 | 20A |
| SLEEVE | 18 | 24A |
| SLEEVE, YOKE | 20 | 4 |
| SLEEVE, YOKE | 21 | 4 |
| SOCKET | 133 | 15 |
| SOCKET | 134 | 15 |
| SOCKET | 135 | 15 |
| SOLENOID | 85 | 29 |
| SOLENOID | 85 | 40 |
| SOLENOID | 85 | 52 |
| SOLENOID | 182 | 13 |
| SOLENOID | 184 | 16 |
| SPACER | 58 | 10 |
| SPACER | 63 | 12 |
| SPACER | 64 | 12 |
| SPACER | 115 | 16 |
| SPACER | 116 | 16 |
| SPACER | 91 | 26 |
| SPACER, I/19X120 | 2 | 24 |
| SPANNER,BOX/22 | 177 | 1 |
| SPANNER/ 8XlO | 117 | 5 |
| SPANNER/12X14 | 177 | 6 |
| SPANNER/13X17 | 117 | 7 |
| SPANNER/19X22 | 117 | 8 |
| SPANNER/24X27 | 177 | 9 |
| SPEAKER ASSY | 148 | 7 |
| SPINDLE, KNUCKLE COMP | 59 | 1 |
| SPOOL, PILOT | 183 | 1 |
| SPOOL, PILOT | 184 | 19 |
| SPRING | 51 | 21 |
| SPRING | 85 | 24 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| SPRING | 85 | 36 |
| SPRING | 85 | 47 |
| SPRING | 85 | 25 |
| SPRING | 85 | 37 |
| SPRING | 85 | 48 |
| SPRING | 85 | 26 |
| SPRING | 85 | 38 |
| SPRING | 85 | 49 |
| SPRING | 115 | 10 |
| SPRING | 116 | 10 |
| SPRING | 40 | 28 |
| SPRING | 43 | 25 |
| SPRING | 41 | 4 |
| SPRING | 45 | 5 |
| SPRING | 54 | 42 |
| SPRING | 55 | 20 |
| SPRING | 76 | 19 |
| SPRING | 76 | 26 |
| SPRING | 78 | 8 |
| SPRING | 99 | 22 |
| SPRING | 103 | 11 |
| SPRING | 107 | 23 |
| SPRING | 108 | 32 |
| SPRING | 165 | 24 |
| SPRING | 102 | 9 |
| SPRING | 27 | 31 |
| SPRING | 107 | 31A |
| SPRING | 108 | 40A |
| SPRING | 181 | 9 |
| SPRING | 183 | 3 |
| SPRING | 184 | 21 |
| SPRING | 179 | 5 |
| SPRING | 180 | 5 |
| SPRING | 181 | 15 |
| SPRING, CLUTCH | 19 | 21 |
| SPRING, CLUTCH | 52 | 12 |
| SPRING, PRESS/22 | 16 | 6 |
| SPRING, PRESS/22 | 78 | 14 |
| SPRING, PRESS/26 | 128 | 4 |
| SPRING, PRESSURE | 78 | 14A |
| SPRING, PRESSURE | 91 | 25 |
| SPRING,PRESSURE | 17 | 5 |
| SPRING,PRESSURE | 18 | 5 |
| SPRING,RETURN | 49 | 2 |
| SPRING,RETURN | 49 | 7 |
| SPRING, RETURN | 27 | 18 |
| SPRING, RETURN | 17 | 7 |
| SPRING, RETURN | 18 | 7 |
| SPRING, SHIFTER | 28 | 5 |
| SPRING,SHIFTER | 29 | 11 |
| SPRING, SHIFTER | 34 | 4 |
| SPRING, SHIFTER | 35 | 9 |
| SPRING, SHIFTER | 39 | 5 |
| SPRING, SHIFTER | 40 | 6 |
| SPRING, TENSION/31 | 17 | 22 |
| SPRING, TENSION/31 | 18 | 26 |
| SPRING, TENSION/31 | 52 | 24 |
| SPRING, TENSION/46 | 94 | 26 |
| SPRING, TENSION/46 | 95 | 33 |
| SPRING, TENSION/46 | 96 | 22 |
| SPRING, TENSION/46 | 97 | 24 |
| SPRING, TENSION/46 | 98 | 31 |
| SPRING, TENSION/53 | 16 | 32 |
| SPRING, TENSION/53 | 150 | 19 |
| SPRING, VALVE | 1 | 14 |
| SPRING/HC | 182 | 8 |
| SPRING/HC | 182 | 9 |
| SPRING/HC | 184 | 15 |
| SPRING/HC019 | 79 | 7 |
| SPRI NG/HCO 19 | 99 | 5 |
| SPRING/HC029 | 179 | 4 |
| SPRING/HC029 | 180 | 4 |
| SPRING/HC040 | 184 | 4 |
| SPRING/HC067 | 77 | 1 |
| SPRING/HC078 | 77 | 6 |
| SPRI NG/HCl2X38 | 20 | 10 |
| SPRING/HC12X38 | 21 | 10 |
| SPRING/HC19 | 179 | 6 |
| SPR ING/HC 19 | 179 | 19 |
| SPRING/HC19 | 180 | 6 |
| SPRING/HC19 | 180 | 19 |
| SPRING/HE157 | 75 | 14 |
| SPRING/HE480 | 90 | 12 |
| SPRING/HT034 | 47 | 18 |
| STAY | 29 | 6 |
| STAY COMP | 106 | 17 |
| STAY COMP | 14 | 10 |
| STAY COMP | 5 | 10 |
| STAY COMP | 5 | lOA |
| STAY COMP | 5 | lOB |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| STAY COMP | 22 | 11 |
| STAY COMP | 2 | 21A |
| STAY COMP | 5 | 10C |
| STAY COMP | 5 | 10D |
| STAY,BAR 16/LH COMP | 151 | 12 |
| STAY, BAR 16/LH COMP | 151 | 25 |
| STAY, BAR 16/LH COMP | 151 | 38 |
| STAY, BAR 16/LH COMP | 151 | 12A |
| STAY,BAR 16/LH COMP | 151 | 38A |
| STAY,BAR 16/RH COMP | 151 | 13 |
| STAY, BAR 16/RH COMP | 151 | 26 |
| STAY, BAR 16/RH COMP | 151 | 39 |
| STAY, BAR 16/RH COMP | 151 | 13A |
| STAY, BAR 16/RH COMP | 151 | 39A |
| STAY, BAR/10/UNDER | 106 | 1 |
| STAY, BAR/10/UPPER | 106 | 2 |
| STAY,FRONT | 107 | 19 |
| STAY, FRONT | 108 | 28 |
| STAY, FRONT COMP | 157 | 6 |
| STAY, FRONT COMP | 159 | 6 |
| STAY, HOSE COMP | 172 | 55 |
| STAY, LOCK COMP | 162 | 23 |
| STAY, LOCK COMP | 166 | 16 |
| STAY, PLATE | 107 | 11 |
| STAY, PLATE | 108 | 18 |
| STAY, PLATE | 128 | 6 |
| STAY, PLATE | 128 | 10 |
| STAY, PLATE | 128 | 14 |
| STAY, PLATE COMP | 2 | 21 |
| STAY, PLATE COMP | 3 | 12 |
| STAY, PLATE COMP | 104 | 5 |
| STAY, PLATE COMP | 105 | 17 |
| STAY, PLATE COMP | 107 | 11A |
| STAY, PLATE COMP | 108 | 18A |
| STAY, PLATE COMP | 107 | IIB |
| STAY, PLATE COMP | 108 | 18B |
| STAY, PLATE COMP | 5 | 11 |
| STAY, PLATE COMP | 5 | 11A |
| STAY, PLATE COMP | 104 | 5A |
| STAY,PLATE/LH | 107 | 13 |
| STAY,PLATE/LH | 108 | 20 |
| STAY,PLATE/LH | 107 | 31 |
| STAY,PLATE/LH | 108 | 40 |
| STAY,PLATE/LH COMP | 164 | 25 |
| STAY,PLATE/LH COMP | 6 | 27 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| STAY,PLATE/LH COMP | 109 | 9 |
| STAY,PLATE/LH COMP | 113 | 9 |
| STAY,PLATE/RH | 107 | 14 |
| STAY, PLATE/RH | 108 | 21 |
| STAY, PLATE/RH COMP | 106 | 11 |
| STAY, PLATE/RH COMP | 164 | 26 |
| STAY,PLATE/RH COMP | 109 | 10 |
| STAY,PLATE/RH COMP | 113 | 10 |
| STAY, PLATE/RH COMP | 106 | 11A |
| STAY, REAR COMP | 157 | 12 |
| STAY, REAR COMP | 159 | 12 |
| STAY, REFLECTOR | 130 | 32 |
| STAY, REFLECTOR | 130 | 33 |
| STAY, SHIFT/1ST | 28 | 1 |
| STAY,SHIFT/3RD | 28 | 2 |
| STAY,SHIFT/PTO | 39 | 1 |
| STAY,SHIFT/PTO | 40 | 1 |
| STAY,SHIFT/REVERSE | 29 | 6A |
| STAY, SHIFT/REVERSE | 29 | 6B |
| STAY, SHIFT/SUB | 34 | 1 |
| STAY, TANK COMP | 12 | 8 |
| STAY, TANK COMP | 13 | 7 |
| STAY/LH COMP | 157 | 3 |
| STAY/LH COMP | 159 | 3 |
| STAY/LH COMP | 174 | 1 |
| STAY/LH COMP | 174 | 1A |
| STAY/RH COMP | 157 | 4 |
| STAY/RH COMP | 159 | 4 |
| STAY/RH COMP | 174 | 2 |
| STAY/RH COMP | 174 | 2A |
| STEERING,POWER ASSY | 55 | 1 |
| STEP COMP | 109 | 5A |
| STEP COMP | 110 | 14A |
| STEP COMP | 111 | 16A |
| STEP COMP | 112 | 15A |
| STEP COMP | 113 | 5A |
| STEP/RH COMP | 109 | 5 |
| STEP/RH COMP | 110 | 14 |
| STEP/RH COMP | III | 16 |
| STEP/RH COMP | 112 | 15 |
| STEP/RH COMP | 113 | 5 |
| STOPPER | 76 | 2 |
| STOPPER | 77 | 11 |
| STOPPER | 92 | 16 |
| STRAINER | 10 | 5 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| STRAP, GROUND | 127 | 14 |
| STRAP, GROUND | 127 | 14A |
| STRIKER | 165 | 44 |
| STUD,SEAL/M8X35 | 23 | 13 |
| STUD/M 8X20 | 30 | 13 |
| STUD/M 8X20 | 31 | 10 |
| STUD/M 8X20 | 23 | 9 |
| STUD/M 8X20 | 23 | 11 |
| STUD/M 8X20 | 30 | 14 |
| SUPPORT,SHAFT | 62 | 2 |
| SUSPENSION ASSY | 115 | 3 |
| SUSPENSION ASSY | 116 | 3 |
| SWITCH | 101 | 19 |
| SWITCH | 133 | 25 |
| SWITCH | 133 | 23 |
| SWITCH ASSY | 101 | 10 |
| SWITCH ASSY | 101 | 4 |
| SWITCH SET | 101 | 3 |
| SWITCH ASSY | 133 | 36 |
| SWITCH ASSY | 134 | 33 |
| SWITCH ASSY | 135 | 33 |
| SWITCH ASSY | 150 | 5 |
| SWITCH, COOLER ASSY | 171 | 13 |
| SWITCH, COOLER ASSY | 172 | 27 |
| SWITCH, HEATER ASSY | 168 | 7 |
| SWITCH, HEATER ASSY | 169 | 7 |
| SWITCH,HEATER ASSY | 170 | 7 |
| SWITCH, LAMP ASSY | 133 | 24 |
| SWITCH, LIFTING ASSY | 143 | 28 |
| SWITCH, LIFTING ASSY | 145 | 31 |
| SWITCH, LIFTING ASSY | 147 | 1 |
| SWITCH, LIFTING ASSY | 147 | 17 |
| SWITCH, PRESSURE | 171 | 6 |
| SWITCH, PRESSURE | 171 | 6A |
| SWITCH,-PUSH | 136 | 1 |
| SWITCH, PUSH | 137 | 1 |
| SWITCH, PUSH | 138 | 1 |
| SWITCH, PUSH SET | 139 | 1 |
| SWITCH, PUSH SET | 136 | 1A |
| SWITCH, PUSH SET | 137 | 1A |
| SWITCH, PUSH SET | 138 | 1A |
| SWITCH, ROTARY | 101 | 22 |
| SWITCH,ROTARY SET | 133 | 26 |
| SWITCH,ROTARY SET | 134 | 23 |
| SWITCH, ROTARY SET | 135 | 23 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| SWITCH, SAFETY ASSY | 136 | 21 |
| SWITCH,SAFETY ASSY | 138 | 26 |
| SWITCH, SAFETY ASSY | 139 | 7 |
| SWITCH, STOP | 136 | 19 |
| SWITCH, STOP | 138 | 21 |
| SWITCH, STOP | 139 | 5 |
| SWITCH, WIPER ASSY | 143 | 9 |
| SWITCH, WIPER ASSY | 145 | 9 |
| TANK,FUEL/MAIN COMP | 10 | 1 |
| TANK, FUEL/MAIN COMP | 11 | 1 |
| TANK, FUEL/MAIN COMP | 12 | 1 |
| TANK, FUEL/MAIN COMP | 13 | 1 |
| TANK, FUEL/MAIN COMP | 10 | 1A |
| TANK,FUEL/MAIN COMP | 11 | 1A |
| TANK, FUEL/MAIN COMP | 12 | 1A |
| TANK,FUEL/MAIN COMP | 13 | 1A |
| TANK, FUEL/SUB COMP | 14 | 1 |
| TANK, OIL COMP | 56 | 18 |
| TANK, WASHER ASSY | 143 | 4 |
| TANK, WASHER ASSY | 145 | 4 |
| THERMOSTAT | 172 | 19 |
| TIRE | 53 | 8 |
| TIRE | 53 | 18 |
| TIRE | 60 | 2 |
| TIRE | 70 | 2 |
| TIRE | 70 | 6 |
| TIRE | 53 | 7 |
| TIRE | 53 | 17 |
| TIRE/14. 9/13-28-8 | 53 | 21 |
| TIRE/14. 9/13-28-8 | 53 | 30 |
| TIRE/8.3-20 6PR | 68 | 7 |
| TIRE/8. 3-20 6PR | 68 | 16 |
| TIRE/8. 3-20 6PR | 69 | 2 |
| TIRE/8.3-20 6PR | 69 | 6 |
| TOOL, BOX HANDLE COMP | 177 | 19 |
| TOOL, FUSE | 137 | 11 |
| TRIM | 158 | 7 |
| TRIM/IOO | 107 | 12 |
| TRIM/100 | 108 | 19 |
| TRIM/1025 | 157 | 15 |
| TRIM/1025 | 159 | 15 |
| TRIM/1210 | 157 | 14 |
| TRIM/1210 | 159 | 14 |
| TRIM/1360 | 174 | 22 |
| TRIM/2080 | 161 | 4A |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| TRIM/2160 | 161 | 4 |
| TRIM/2210 | 160 | 4 |
| TRIM/65 | 144 | 13 |
| TRIM/65 | 146 | 20 |
| TRIM/865 | 167 | 26 |
| TUBE | 19 | 22 |
| TUBE | 52 | 13 |
| TUBE | 150 | 20 |
| TUBE | 70 | 3 |
| TUBE | 70 | 7 |
| TUBE | 53 | 9 |
| TUBE | 53 | 19 |
| TUBE COMP | 61 | 5 |
| TUBE,STRAIGHT/50 | 78 | 20 |
| TUBE,STRAIGHT/50 | 79 | 13 |
| TUBE,STRAIGHT/50 | 99 | 13 |
| TUBE/ 13-28 | 53 | 22 |
| TUBE/ 13-28 | 53 | 31 |
| TUBE/250 | 6 | 31 |
| TUBE/60 | 43 | 21 |
| TUBE/60 | 44 | 14 |
| TUBE/750-16 | 60 | 3 |
| TUBE/8. 3/8-20 | 68 | 8 |
| TUBE/8. 3/8-20 | 68 | 17 |
| TUBE/8. 3/8-20 | 69 | 3 |
| TUBE/8. 3/8-20 | 69 | 7 |
| TURN-BUCKLE | 50 | 20 |
| TURN-BUCKLE COMP | 90 | 26 |
| TURNBUCKLE COMP | 90 | 19 |
| TURNBUCKLE COMP | 91 | 15 |
| TURNBUCKLE/M8 | 19 | 18 |
| TURNBUCKLE/M8 | 50 | 14 |
| TURNBUCKLE/M8 | 51 | 29 |
| U-NUT | 173 | 26 |
| U-NUT | 185 | 6 |
| UNION | 171 | 26 |
| Uナット(M05) | 149 | 10 |
| VALVE | 132 | 46 |
| VALVE | 132 | 31 |
| VALVE | 2 | 11 |
| VALVE | 3 | 5 |
| VALVE | 4 | 6 |
| VALVE SET | 100 | 1 |
| VALVE SET | 181 | 2A |
| VALVE SET | 179 | 1 |
| VALVE SET | 180 | 1 |
| VALVE SET | 180 | 1A |
| VALVE SET | 184 | 2 |
| VALVE FROCON ASSY | 75 | 24A |
| VALVE PTO ASSY | 85 | 30 |
| VALVE SET | 181 | 2 |
| VALVE, CHECK | 143 | 12 |
| VALVE, CHECK | 145 | 12 |
| VALVE, CONTROL ASSY | 181 | 1 |
| VALVE, CONTROL ASSY | 75 | 10 |
| VALVE, CONTROL ASSY | 75 | lOA |
| VALVE, CONTROL ASSY | 75 | 11A |
| VALVE, CONTROL ASSY | 75 | 11 |
| VALVE, CONTROL ASSY | 85 | 17 |
| VALVE, CONTROL ASSY | 94 | 2 |
| VALVE, CONTROL ASSY | 95 | 2 |
| VALVE,CONTROL ASSY | 96 | 2 |
| VALVE, CONTROL ASSY | 97 | 2 |
| VALVE,CONTROL ASSY | 98 | 2 |
| VALVE, DRESSURE CONTR | 85 | 17A |
| VALVE,EXPANSION | 172 | 10 |
| VALVE, FROCON ASSY | 75 | 24B |
| VALVE,FROCON ASSY | 184 | 1 |
| VALVE, FRONT ASSY | 75 | 24 |
| VALVE,HYDRO ASSY | 100 | 2A |
| VALVE,LEVEL ASSY | 100 | 2 |
| VALVE,PTO ASSY | 85 | 18 |
| VALVE, PTO ASSY | 85 | 41 |
| VALVE,RELIEF | 80 | 6 |
| VALVE, RELIEF | 81 | 6 |
| VALVE,RELIEF | 82 | 6 |
| VALVE, RELIEF ASSY | 182 | 12 |
| VALVE, RELIEF ASSY | 74 | 12 |
| VALVE,RELIEF ASSY | 184 | 7 |
| VALVE,REMOTE SET | 94 | 1 |
| VALVE, REMOTE/1 SET | 94 | 1A |
| VALVE,REMOTE/1/REAR | 97 | 1 |
| VALVE,REMOTE/2 SET | 95 | 1 |
| VALVE,REMOTE/2 SET | 96 | 1 |
| VALVE,REMOTE/2/REAR | 98 | 1 |
| VALVE, SOLENOID ASSY | 184 | 10 |
| VIS | 1 | 16 |
| VISOR | 133 | 6 |
| VISOR | 134 | 6 |
| VISOR | 135 | 6 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| VISOR | 133 | 17 |
| VISOR | 134 | 17 |
| VISOR | 135 | 17 |
| VISOR,SUN SET | 167 | 1 |
| VISOR,SUN SET | 167 | 1A |
| WASHER | 59 | 30 |
| WASHER | 133 | 33 |
| WASHER | 134 | 30 |
| WASHER | 135 | 30 |
| WASHER | 27 | 19 |
| WASHER | 151 | 11 |
| WASHER | 6 | 8 |
| WASHER | 6 | 16 |
| WASHER | 182 | 10 |
| WASHER | 184 | 13 |
| WASHER | 131 | 5 |
| WASHER | 143 | 22 |
| WASHER | 145 | 25 |
| WASHER | 147 | 11 |
| WASHER | 149 | 12 |
| WASHER | 16 | 4 |
| WASHER | 43 | 30 |
| WASHER | 44 | 10 |
| WASHER | 109 | 25A |
| WASHER | 110 | 9A |
| WASHER | 165 | 27 |
| WASHER / 1.116 | 22 | 46 |
| WASHER / 1.116 | 87 | 6 |
| WASHER / 1.116 | 163 | 13 |
| WASHER / 1.116 | 164 | 14 |
| WASHER / M6 | 16 | 20 |
| WASHER / 1.16 | 16 | 28 |
| WASHER / 1.16 | 16 | 37 |
| WASHER / 1.16 | 19 | 25 |
| WASHER / M6 | 76 | 13 |
| WASHER / M6 | 94 | 19 |
| WASHER / 1.16 | 95 | 24 |
| WASHER / 1.16 | 96 | 18 |
| WASHER / 1.16 | 97 | 18 |
| WASHER / M6 | 98 | 23 |
| WASHER / 1.16 | 130 | 31 |
| WASHER / 1.16 | 140 | 15 |
| WASHER / 1.16 | 141 | 12 |
| WASHER / M6 | 142 | 10 |
| WASHER / M6 | 148 | 17 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| WASHER / 1.16 | 165 | 41 |
| WASHER / M6 | 167 | 18 |
| WASHER / M6 | 168 | 29 |
| WASHER / 1.16 | 174 | 20 |
| WASHER / 1.16 | 174 | 28 |
| WASHER / 1.16 | 174 | 36 |
| WASHER /M12 | 152 | 14 |
| WASHER /M12 | 153 | 18 |
| WASHER /M12 | 154 | 3 |
| WASHER /M12 | 154 | 10 |
| WASHER /M12 | 155 | 3 |
| WASHER (lIX30X2) | 79 | 8 |
| WASHER (lIX30X2) | 99 | 4 |
| WASHER, B/M16 | 58 | 27 |
| WASHER, B/M16 | 59 | 21 |
| WASHER, B/M16 | 90 | 15 |
| WASHER, B/M16 | 91 | 20 |
| WASHER, BINDING SHAFT | 6 | 42 |
| WASHER, BINDING SHAFT | 109 | 25 |
| WASHER, BINDING SHAFT | 110 | 9 |
| WASHER, CAM | 91 | 27 |
| WASHER, PL/M 4 | 101 | 8 |
| WASHER, PL/M 4 | 107 | 3 |
| WASHER, PL/M 4 | 107 | 7 |
| WASHER, PL/M 4 | 108 | 3 |
| WASHER,PL/M 4 | 108 | 7 |
| WASHER,PL/M 4 | 130 | 8 |
| WASHER,PL/M 4 | 136 | 26 |
| WASHER, PL/M 4 | 138 | 32 |
| WASHER, PL/M 4 | 139 | 12 |
| WASHER, PL/M 4 | 150 | 9 |
| WASHER,PL/M 4 | 148 | 10 |
| WASHER,PL/M 5 | 109 | 22 |
| WASHER,PL/Irl 5 | 111 | 13 |
| WASHER, PL/M 5 | 112 | 12 |
| WASHER, PL/M 5 | 113 | 21 |
| WASHER,PL/M 5 | 133 | 29 |
| WASHER, PL/M 5 | 134 | 26 |
| WASHER, PL/M 5 | 135 | 26 |
| WASHER, PL/M 5 | 149 | 11 |
| WASHER, PL/M 8 | 14 | 12 |
| WASHER,PL/M 8 | 19 | 16 |
| WASHER,PL/M 8 | 20 | 11 |
| WASHER,PL/M 8 | 21 | 11 |
| WASHER, PL/M 8 | 29 | 5 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| WASHER, PL/M8 | 29 | 9 | WASHER,SP/M 3 | 9 | 11 |
| WASHER, PL/M8 | 30 | 31 | WASHER,SP/M 3 | 150 | 23 |
| WASHER,PL/M8 | 34 | 12 | WASHER,SP/M 4 | 101 | 6 |
| WASHER, PL/M 8 | 42 | 8 | WASHER,SP/M 4 | 130 | 7 |
| WASHER, PL/M 8 | 50 | 9 | WASHER,SP/M 4 | 132 | 45 |
| WASHER, PL/M8 | 51 | 32 | WASHER,SP/M 4 | 133 | 21 |
| WASHER, PL/M 8 | 52 | 10 | WASHER,SP!M 4 | 134 | 21 |
| WASHER, PL/M 8 | 76 | 7 | WASHER,SP/M 4 | 135 | 21 |
| WASHER, PL/M 8 | 76 | 20 | WASHER,SP/M 4 | 136 | 24 |
| WASHER, PL/M 8 | 79 | 15 | WASHER,SP/M 4 | 138 | 31 |
| WASHER, PL/M 8 | 94 | 9 | WASHER,SP/M 4 | 139 | 10 |
| WASHER, PL/M 8 | 95 | 13 | WASHER, *SP/M* 4 | 148 | 20 |
| WASHER, PL/M 8 | 98 | 12 | WASHER,SP/M 4 | 150 | 7 |
| WASHER, PL/M 8 | 99 | 16 | WASHER,SP/M 5 | 109 | 21 |
| WASHER, PL/M 8 | 102 | 16 | WASHER,SP/M 5 | 111 | 12 |
| WASHER, PL/M 8 | 102 | 33 | WASHER,SP/M 5 | 112 | 11 |
| WASHER, PL/M 8 | 107 | 25 | WASHER,SP/M 5 | 113 | 20 |
| WASHER, PL/M 8 | 108 | 34 | WASHER,SP/M 5 | 128 | 8 |
| WASHER,PL/M 8 | 110 | 11 | WASHER,SP/M 5 | 128 | 12 |
| WASHER, *PL/M* 8 | 111 | 15 | WASHER,SP/M 5 | 128 | 16 |
| WASHER, PL/M 8 | 112 | 14 | WASHER,SP/M 5 | 138 | 25 |
| WASHER, *PL/M* 8 | 115 | 22 | WASHER,SP/M 6 | 12 | 31 |
| WASHER, PL/M 8 | 116 | 22 | WASHER,SP/M 6 | 14 | 22 |
| WASHER, PL/M 8 | 122 | 21 | WASHER,SP/M 6 | 75 | 34 |
| WASHER, PL/M 8 | 124 | 20 | WASHER,SP/M 6 | 78 | 11 |
| WASHER, *PL/M* 8 | 127 | 21 | WASHER,SP/M 6 | 84 | 6 |
| WASHER, PL/M 8 | 130 | 25 | WASHER,SP/M 6 | 84 | 16 |
| WASHER,PL/M 8 | 156 | 10 | WASHER,SP/M 6 | 101 | 14 |
| WASHER,PL/M 8 | 162 | 4 | WASHER,SP/M 6 | 181 | 24 |
| WASHER, PL/M 8 | 165 | 30 | WASHER,SP/M 6 | 130 | 30 |
| WASHER, PL/M 8 | 171 | 38 | WASHER,SP/M 6 | 140 | 16 |
| WASHER, PL/M 8 | 172 | 51 | WASHER,SP/M 6 | 141 | 13 |
| WASHER, PL/M14 | 59 | 52 | WASHER,SP/M 6 | 142 | 11 |
| WASHER, PL/M14 | 67 | 23 | WASHER,SP/M 6 | 148 | 16 |
| WASHER,PL/M4 | 133 | 27 | WASHER,SP/M 6 | 162 | 22 |
| WASHER, PL/M4 | 134 | 24 | WASHER,SP/M 6 | 166 | 8 |
| WASHER, *PL/M4* | 135 | 24 | WASHER,SP/M 6 | 168 | 28 |
| WASHER, PL/M8 | 101 | 24 | WASHER,SP/M 6 | 174 | 27 |
| WASHER,PL/M8 | 92 | 33 | WASHER,SP/M 8 | 1 | 29 |
| WASHER,SEAL | 58 | 11 | WASHER,SP/M 8 | 17 | 18 |
| WASHER, SEAL | 63 | 15 | WASHER,SP/M 8 | 18 | 18 |
| WASHER, SEAL | 64 | 15 | WASHER,SP/M 8 | 28 | 16 |
| WASHER, SP | 165 | 26 | WASHER,SP/M 8 | 29 | 4 |
| WASHER, SP/14 | 57 | 8 | WASHER,SP/M 8 | 29 | 8 |
| WASHER, *SP/M 3* | 8 | 22 | WASHER,SP/M 8 | 30 | 30 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| WASHER,SP/M8 | 34 | 11 | WASHER, SP/M10 | 63 | 6 |
| WASHER,SP/M8 | 35 | 13 | WASHER,SP/M10 | 64 | 6 |
| WASHER, SP/M 8 | 43 | 6 | WASHER, SP/M10 | 66 | 30 |
| WASHER,SP/M8 | 44 | 21 | WASHER, SP/M10 | 71 | 16 |
| WASHER,SP/M8 | 56 | 17 | WASHER,SP/M10 | 72 | 11 |
| WASHER,SP/M 8 | 14 | 6 | WASHER,SP/M10 | 73 | 20 |
| WASHER, SP/M 8 | 78 | 5 | WASHER, SP/M10 | 73 | 41 |
| WASHER,SP/M 8 | 85 | 57 | WASHER,SP/M10 | 77 | 24 |
| WASHER,SP/M 8 | 87 | 17 | WASHER,SP/M10 | 80 | 5 |
| WASHER,SP/M 8 | 94 | 11 | WASHER,SP/M10 | 80 | 19 |
| WASHER,SP/M 8 | 95 | 15 | WASHER,SP/M10 | 81 | 5 |
| WASHER,SP/M 8 | 96 | 10 | WASHER, SP/M10 | 81 | 38 |
| WASHER,SP/M 8 | 97 | 10 | WASHER, SP/M10 | 82 | 5 |
| WASHER,SP/M 8 | 98 | 14 | WASHER, SP/M10 | 82 | 20 |
| WASHER,SP/M 8 | 102 | 8 | WASHER,SP/MlO | 83 | 11 |
| WASHER,SP/M 8 | 102 | 32 | WASHER,SP/M10 | 85 | 10 |
| WASHER,SP/M 8 | 107 | 35 | WASHER, SP/M10 | 94 | 4 |
| WASHER,SP/M 8 | 108 | 44 | WASHER, SP/M10 | 95 | 6 |
| WASHER, SP/M 8 | 109 | 13 | WASHER, SP/M10 | 96 | 4 |
| WASHER,SP/M 8 | 113 | 13 | WASHER,SP/M10 | 97 | 4 |
| WASHER,SP/M 8 | 115 | 24 | WASHER, SP/M10 | 98 | 5 |
| WASHER,SP/M 8 | 115 | 35 | WASHER, SP/M10 | 100 | 6 |
| WASHER,SP/M 8 | 116 | 24 | WASHER,SP/MlO | 117 | 15 |
| WASHER,SP/M 8 | 116 | 35 | WASHER,SP/M10 | 152 | 8 |
| WASHER,SP/M 8 | 127 | 11 | WASHER, SP/M10 | 153 | 12 |
| WASHER,SP/M 8 | 130 | 26 | WASHER,SP/M10 | 156 | 4 |
| WASHER,SP/M 8 | 151 | 9 | WASHER,SP/M10 | 170 | 29 |
| WASHER, SP/M 8 | 156 | 11 | WASHER,SP/MlO | 173 | 3 |
| WASHER,SP/M 8 | 165 | 29 | WASHER,SP/MlO | 173 | 7 |
| WASHER,SP/M 8 | 171 | 37 | WASHER,SP/MlO | 173 | 27 |
| WASHER, SP/M 8 | 172 | 50 | WASHER,SP/M10 | 173 | 35 |
| WASHER, SP/M 8 | 173 | 5 | WASHER,SP/M12 | 20 | 20 |
| WASHER,SP/M 8 | 173 | 10 | WASHER, SP/M12 | 21 | 22 |
| WASHER,SP/M 8 | 174 | 17 | WASHER, SP/M12 | 22 | 6 |
| WASHER, SP/M10 | 2 | 17 | WASHER, SP/M12 | 22 | 14 |
| WASHER,SP/M10 | 4 | 12 | WASHER, SP/M12 | 23 | 6 |
| WASHER, SP/M10 | 7 | 12 | WASHER,SP/M12 | 30 | 11 |
| WASHER,SP/M10 | 8 | 8 | WASHER,SP/M12 | 30 | 24 |
| WASHER,SP/MlO | 8 | 17 | WASHER,SP/M12 | 30 | 37 |
| WASHER,SP/MlO | 9 | 6 | WASHER,SP/M12 | 31 | 8 |
| WASHER, SP/M10 | 9 | 17 | WASHER,SP/M12 | 31 | 20 |
| WASHER, SP/M10 | 9 | 22 | WASHER,SP/M12 | 46 | 12 |
| WASHER,SP/M10 | 47 | 7 | WASHER,SP/M12 | 55 | 40 |
| WASHER,SP/M10 | 47 | 14 | WASHER,SP/M12 | 58 | 15 |
| WASHER, SP/M10 | 59 | 33 | WASHER,SP/M12 | 60 | 6 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| WASHER, SP!M12 | 63 | 26 | WASHER, SP!M16 | 58 | 26 |
| WASHER, SP/M12 | 64 | 25 | WASHER,SP/M16 | 68 | 6 |
| WASHER, SP/M12 | 65 | 8 | WASHER,SP/M16 | 68 | 15 |
| WASHER, SP/M12 | 66 | 4 | WASHER,SP/M16 | 68 | 20 |
| WASHER,SP!M12 | 75 | 21 | WASHER,SP/M16 | 69 | 10 |
| WASHER,SP!M12 | 77 | 21 | WASHER,SP/M16 | 70 | 10 |
| WASHER, SP/M12 | 80 | 37 | WASHER,SP/M16 | 86 | 6 |
| WASHER, SP/M12 | 81 | 51 | WASHER, SP/M16 | 86 | 11 |
| WASHER,SP/M12 | 82 | 33 | WASHER;SP/M16 | 87 | 5 |
| WASHER, SP/M12 | 90 | 5 | WASHER,SP/M16 | 87 | 13 |
| WASHER,SP/M12 | 91 | 5 | WASHER,SP/M16 | 88 | 5 |
| WASHER,SP/M12 | 106 | 15 | WASHER,SP/M16 | 88 | 13 |
| WASHER, SP/M12 | 117 | 10 | WASHER, SP/M16 | 88 | 16 |
| WASHER, SP/M12 | 118 | 9 | WASHER, SP/M16 | 89 | 3 |
| WASHER,SP/M12 | 119 | 8 | WASHER,SP/M16 | 89 | 8 |
| WASHER, SP/M12 | 120 | 5 | WASHER, SP/M16 | 90 | 14 |
| WASHER, SP/M12 | 121 | 8 | WASHER, SP/M16 | 91 | 19 |
| WASHER, SP/M12 | 121 | 19 | WASHER,SP/M16 | 117 | 4 |
| WASHER,SP!M12 | 131 | 12 | WASHER,SP!M16 | 118 | 4 |
| WASHER, SP/M12 | 143 | 27 | WASHER,SP/M16 | 151 | 15 |
| WASHER,SP/M12 | 145 | 30 | WASHER,SP/M16 | 151 | 28 |
| WASHER, SP/M12 | 147 | 16 | WASHER,SP!M16 | 151 | 41 |
| WASHER,SP/M12 | 152 | 13 | WASHER,SP/M16 | 56 | 2 |
| WASHER,SP/M12 | 153 | 7 | WASHER,SP/M16 | 57 | 5 |
| WASHER,SP/M12 | 153 | 17 | WASHER,SP/M22 | 48 | 18 |
| WASHER, SP/M12 | 155 | 10 | WASHER, SPRING | 151 | 22 |
| WASHER,SP/M12 | 163 | 15 | WASHER,SPRING | 151 | 35 |
| WASHER, SP/M12 | 164 | 16 | WASHER, TOOTH/M10 | 150 | 13 |
| WASHER,SP/M14 | 22 | 9 | WASHER, TOOTH/M6 | 101 | 21 |
| WASHER,SP/M14 | 30 | 7 | WASHER, W | 173 | 14 |
| WASHER,SP/M14 | 30 | 25 | WASHER,W | 173 | 23 |
| WASHER,SP/M14 | 31 | 6 | WASHER. ADAPTOR AWn | 48 | 11 |
| WASHER,SP!M14 | 31 | 21 | WASHER/07X36X03 | 162 | 7 |
| WASHER, SP/M14 | 58 | 18 | WASHER/07X36X03 | 165 | 4 |
| WASHER,SP/M14 | 63 | 28 | WASHER/07X36X03 | 166 | 10 |
| WASHER,SP/M14 | 64 | 27 | WASHER/09X18X03 | 163 | 5 |
| WASHER,SP!M14 | 86 | 3 | WASHER/09X18X03 | 164 | 4 |
| WASHER,SP!M14 | 87 | 8 | WASHER/lOX20X2 | 16 | 23A |
| WASHER,SP/M14 | 90 | 11 | WASHER/13X25X | 107 | 29 |
| WASHER,SP/M14 | 91 | 11 | WASHER/13X25X | 108 | 38 |
| WASHER,SP/M16 | 22 | 47 | WASHER/13X32X3 | 22 | 31 |
| WASHER,SP/M16 | 53 | 6 | WASHER/13X50X3 | 120 | 8 |
| WASHER, SP/M16 | 53 | 16 | WASHER/14X24X5 | 43 | 17 |
| WASHER,SP/M16 | 53 | 29 | WASHER/14X32X2 | 29 | 16 |
| WASHER, SP/M16 | 53 | 38 | WASHER/15X24X2 | 42 | 3 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| WASHER/15X24X2 | 43 | 12 |
| WASHER/15X24X2 | 43 | 26 |
| WASHER/23X56XOI | 77 | 2 |
| WASHER/23X56X06 | 77 | 19 |
| WASHER/25X46X05 | 24 | 23 |
| WASHER/25X46X05 | 25 | 19 |
| WASHER/25X46X3 | 26 | 10 |
| WASHER/25X46X4 | 27 | 9 |
| WASHER/26X35X03 | 27 | 10 |
| WASHER/27X40X2 | 40 | 32 |
| WASHER/27X40X2 | 43 | 19 |
| WASHER/28X46X05 | 24 | 29 |
| WASHER/28X46X05 | 25 | 25 |
| WASHER/30X46X03 | 24 | 18 |
| WASHER/30X46X03 | 25 | 15 |
| WASHER/30X46X03 | 26 | 16 |
| WASHER/30X50X04 | 33 | 4 |
| WASHER/35X55X03 | 36 | 9 |
| WASHER/35X55X03 | 36 | 14 |
| WASHER/35X55X03 | 37 | 10 |
| WASHER/35X55X03 | 37 | 15 |
| WASHER/45X66X03 | 66 | 9 |
| WASHER/55X69X03 | 66 | 11 |
| WASHER/6Xl4X2 | 103 | 10 |
| WASHER/6XI4X3 | 103 | 15 |
| WASHER/6Xl4X3 | 105 | 4 |
| WASHER/6XI4X3 | 105 | 7 |
| WASHER/6Xl4X3 | 108 | 17 |
| WASHER/6XI4X3 | 175 | 15 |
| WASHER/6X24X2 | 114 | 7 |
| WASHER/7X22X3 | 76 | 28 |
| WASHER/85X98X05 | 62 | 9 |
| WASHER/8XI2X2 | 10 | 12 |
| WASHER/8Xl2X2 | 11 | 11 |
| WASHER/8XI2X2 | 12 | 10 |
| WASHER/8Xl2X2 | 13 | 10 |
| WASHER/8Xl2X2 | 14 | 5 |
| WASHER/90XI02X05 | 66 | 21 |
| WASHER/MI0 | 7 | 14 |
| WASHER/MIO | 8 | 9 |
| WASHER/MI0 | 8 | 18 |
| WASHER/MI0 | 9 | 7 |
| WASHER/MI0 | 9 | 18 |
| WASHER/MI0 | 9 | 23 |
| WASHER/MI0 | 16 | 5 |

| DESCRIPTION | FIG. | KEY |
|---|---|---|
| WASHER/MI0 | 16 | 16 |
| WASHER/MI0 | 40 | 30 |
| WASHER/MI0 | 43 | 2 |
| WASHER/MI0 | 43 | 34 |
| WASHER/MI0 | 44 | 17 |
| WASHER/MI0 | 51 | 15 |
| WASHER/MI0 | 54 | 6 |
| WASHER/MI0 | 54 | 29 |
| WASHER/M10 | 78 | 15 |
| WASHER/MI0 | 80 | 3 |
| WASHER/M10 | 80 | 20 |
| WASHER/MI0 | 81 | 3 |
| WASHER/MI0 | 81 | 39 |
| WASHER/MIO | 82 | 3 |
| WASHER/M10 | 82 | 21 |
| WASHER/MI0 | 115 | 23 |
| WASHER/MI0 | 116 | 23 |
| WASHER/MI0 | 117 | 16 |
| WASHER/MI0 | 152 | 9 |
| WASHER/MIO | 153 | 13 |
| WASHER/MI0 | 156 | 5 |
| WASHER/MI0 | 172 | 57 |
| WASHER/M14 | 1 | 11 |
| WASHER/M16 | 59 | 22 |
| WASHER/M18 | 72 | 28 |
| WASHER/M18 | 73 | 32 |
| WASHER/M20 | 52 | 6 |
| WASHER/M3 | 8 | 23 |
| WASHER/M3 | 9 | 12 |
| WHEEL (13-28) COMP | 53 | 24 |
| WHEEL (13-28) COMP | 53 | 33 |
| WHEEL,STEERING ASSY | 54 | 1 |
| WHEEL/20XW7 COMP | 69 | lA |
| WHEEL/20XW7 CaMP | 69 | 5A |
| WHEEL/5.50FXl6 CaMP | 60 | 1 |
| WHEEL/W8-18 COMP | 70 | 1 |
| WHEEL/W8-18 COMP | 70 | 5 |
| WIRE/O. 9XI00 | 92 | 17 |
| WIRE/I. OXlOO | 76 | 10 |
| WIRE/I. OXl50 | 28 | 4 |
| WIRE/I. OXl80 | 45 | 7 |
| WIRE/I. OX70 | 41 | 7 |
| WIRE/I. OX70 | 45 | 8 |
| WIRE/I. 2Xl50 | 19 | 3 |
| WIRE/I. 2Xl70 | 75 | 9 |

| DESCRIPTION | FIG. | KEY | DESCRIPTION | FIG. | KEY |
|---|---|---|---|---|---|
| WIRE/I. 2X280 | 74 | 4 | | | |
| WRENCH,SOCKET/17XI9 | 177 | 2 | | | |
| YOKE, SPLI NE | 20 | 3 | | | |
| YOKE, SPLI NE | 21 | 3 | | | |

)

)

)

)

# ISEKI & CO.• LTD.

**ISEKI & CO., LTD.**

INTERNATIONAL BUSINESS DIVISION
3-14, 5-Chome, Nishinippori,
Arakawa-ku, Tokyo, 116, Japan
Fax : 03-5604-7703
Phone : 03-5604-7658～7661

Catalogue No.

1597-098-100-10

Printed in Japan November, 1996