

- ① KEY shows the location of parts diagramed in the illustration.
- ② Parts numbers begin with `V` and `W` are standard parts of the market.
- ③ `LH` and `RH` on the parts name are described against the moving direction of the machine or are described on the condition how to install parts on the machines.
- ④ SPC : The following symbol classifies parts to be used for machines.
 - `\*` means standard parts.
 - `T` shows that the parts can be installed as optional parts.
 - `R` shows that the parts can be used as applicable parts to replace originally equipped parts.
- ⑤ Upper column : QTY shows the number of parts to be used for one unit

of machine.

`M` is indicated for parts supplied by a meter long.

`l` is indicated for parts supplied by liter.

`AR` is indicated for parts need to be adjusted or regulated.

Lower column : serial number

—229 means serial number up to 229.

230— means serial number 230 and after.

⑥ ITC : Interchangeability

`1`...OLD $\leftarrow$ NEW

New parts can be used in place of the old parts.

`2`...OLD $\rightarrow$ NEW

Old parts can be used in place of the new parts.

`3`...OLD $\rightarrow\leftarrow$ NEW

Old parts and new parts can not be replaced each other.

⑦ COL : Color code

Color is signified with color code number for colored parts.

Please see the color list shown in the next page.

⑧ GRP : Parts shown in this column can be replaced by SET parts.

Example : Parts marked ① can be replaced by parts marked ②, and ④ for ③, so the rest follow in the same alphabetical order.

⑨ Remarks

* Other maker's part code number is shown in this column.

* When Fig. No. is shown in the Remark column of SET parts or ASSY parts, each of their component parts are listed in said Fig. No.

3. Color :

The following colors are used color parts.

COLOR CODE	COLOR	SPRAY TYPE PARTS CODE	PAINTS 4K DRUM PARTS CODE	PAINTS 16K DRUM PARTS CODE
7 F	MIRROR BLACK	1300-954-001-10	1300-954-003-00	1300-954-004-00

NOTE : Color code is signified only for the parts assigned by the maker as color parts.

4. Serial Numbers :

For chassies serial number is shown on the LABEL.

Please see



5. Parts Order


- 1) Parts numbers listed in the parts catalogue are all registered in “ISEKI on-line computer” .
- 2) When you order parts, please make sure of correct numbers.
- 3) When substitute parts is available, the part number ordered will be automatically turned to a new part number.
- 4) Please be sure to use “ISEKI GENUINE PARTS” .

Any other similar parts other than ISEKI parts when used may cause a trouble that makes us unable to repair or guarantee the warrant.


*** Structure Table of Model ***

FIG.	M O D E L	S S	S S								
		S S	M R								
		M E M E H M H M H									
		4 4 5 4 E 5 E 5 E									
		8 F 4 F 4 4 4 4 4									
		T T F T F T F									
		M M	M M								
		3 3	3 3								
		1 2	2 2								
		6 4	4 4								
		0 0	0 0								
		F F	F F								
1			*	*	*						
2			*								
3		*									
4		*	*	*	*	*					
5			*	*							
6		*									
7				*	*						
8				*	*						
9		*									
10			*	*							
11			*	*	*	*					
12		*									
13				*	*						
14		*	*	*							
15				*							
16					*						
17		*									
18			*	*							
19					*						
20			*	*							
21				*							
22		*									
23		*									
24			*	*							
25					*						
26		*									
27			*	*							
28				*	*						
29					*						
30			*	*							
31		*			*						
32				*		*					
33					*						
34			*		*						
35			*								
36		*									
37		*									
38			*	*	*	*					
39			*	*	*	*					
40					*						
41			*	*							
42				*							
43					*						
44		*									
45		R R	R R								


(SSM48TM3160)




(SSM54TM3240)



(SMM54TM3240)



(SRM54TM3240)



Contents

SSM48,54,SMM54,SRM54

JOINT(UNIVERSAL)SYSTEM (EXCEPT SSM48-E4F,SSM54-E4F TYPE).....	Fig. 1
JOINT(UNIVERSAL)SYSTEM (SSM54-E4F TYPE).....	Fig. 2
JOINT(UNIVERSAL)SYSTEM (SSM48-E4F TYPE).....	Fig. 3
COVER(JOINT)SYSTEM.....	Fig. 4
CASE(BEVEL)SYSTEM(SSM54).....	Fig. 5
CASE(BEVEL)SYSTEM(SSM48).....	Fig. 6
CASE(BEVEL)SYSTEM(SMM54,SRM54).....	Fig. 7
PULLEY SYSTEM(SMM54,SRM54).....	Fig. 8
PULLEY SYSTEM(SSM48).....	Fig. 9
PULLEY SYSTEM(SSM54).....	Fig. 10
BELT SYSTEM(EXCEPT SSM48).....	Fig. 11
BELT SYSTEM(SSM48).....	Fig. 12
METAL SYSTEM(SMM54,SRM54).....	Fig. 13
METAL SYSTEM(SSM48,SSM54).....	Fig. 14
SETTING PARTS(BLADE)SYSTEM(SMM54).....	Fig. 15
BLADE SYSTEM(SRM54).....	Fig. 16
BLADE SYSTEM(SSM48).....	Fig. 17
BLADE SYSTEM(SSM54).....	Fig. 18
DECK(MOWER)SYSTEM(SRM54).....	Fig. 19
DECK(MOWER)SYSTEM(SSM54).....	Fig. 20
DECK(MOWER)SYSTEM(SMM54).....	Fig. 21
DECK(MOWER)SYSTEM(SSM48).....	Fig. 22
COVER(DISCHARGE)SYSTEM(SSM48).....	Fig. 23
COVER(DISCHARGE)SYSTEM(SSM54).....	Fig. 24

COVER(DISCHARGE)SYSTEM(SRM54).....	Fig. 25
COVER(BELT)SYSTEM(SSM48).....	Fig. 26
COVER(BELT)SYSTEM(SSM54).....	Fig. 27
COVER(BELT)SYSTEM(SMM54,SRM54).....	Fig. 28
WHEEL(GAUGE)SYSTEM(SRM54).....	Fig. 29
WHEEL(GAUGE)SYSTEM(SSM54).....	Fig. 30
WHEEL(GAUGE)SYSTEM(SSM48).....	Fig. 31
WHEEL(GAUGE)SYSTEM(SMM54).....	Fig. 32
LINK(LIFT)SYSTEM(SRM54)(1/2)(2/2).....	Fig. 33
LINK(LIFT)SYSTEM (SSM54-HE4F,SMM54-HE4F TYPE)(1/2)(2/2).....	Fig. 34
LINK(LIFT)SYSTEM(SSM54-E4F TYPE)(1/2)(2/2).....	Fig. 35
LINK(LIFT)SYSTEM(SSM48)(1/2)(2/2).....	Fig. 36
CYLINDER SYSTEM(SSM48).....	Fig. 37
CYLINDER SYSTEM(EXCEPT SSM48).....	Fig. 38
ADJUST(HEIGHT)SYSTEM(EXCEPT SSM48).....	Fig. 39
PROTECTOR SYSTEM(SRM54).....	Fig. 40
LABEL(SSM54).....	Fig. 41
LABEL(SMM54).....	Fig. 42
LABEL(SRM54).....	Fig. 43
LABEL(SSM48).....	Fig. 44

OPTIONAL PARTS

CASE(BEVEL)ASSY(SSM48,54)(REPAIR).....	Fig. 45
CASE(BEVEL)ASSY(SMM54,SRM54)(REPAIR).....	Fig. 46
F(TM)KIT(SSM54-E4F)(REPAIR).....	Fig. 47
F(TM/H)KIT(SMM54)(REPAIR).....	Fig. 48
F(TM/H)KIT(SRM54)(REPAIR).....	Fig. 49
F(TM)KIT(SSM48)(REPAIR).....	Fig. 50
F(TM/H)KIT(SSM54-HE4F)(REPAIR).....	Fig. 51


COMPONENT PARTS


COMPONENT PARTS


FOR 8657-101-520-00 ON Fig.2.....Fig. 52

COMPONENT PARTS

FOR 8658-101-820-00 ON Fig.1.....Fig. 53

[illegible]

[illegible]

[illegible]



[illegible]

FIG. 5 CASE(BEVEL)SYSTEM(SSM54)

8657-201D-0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8657-201-081-00	CASE/UPPER	*		1						
2	8595-211-002-10	CASE/LOWER	*		1						
3	V523-100-801-80	PIN	*		2						
4	V211-260-803-00	BOLT,SEMS	*		6						
5	V201-260-808-00	BOLT/M 8X80	*		2						
6	V401-160-008-00	WASHER,SP/M 8	*		2						
7	7955-201-026-00	PLUG,DRAIN (1/4)	*		1						
8	8657-201-082-00	SHAFT/INPUT	*		1						
9	8657-201-083-00	SEAL/OIL	*		1						
10	V707-140-062-00	RING/SNAP	*		2						
11	1650-219-009-00	BEARING/BALL	*		2						
12	8595-211-200-20	GEAR/BEVEL/21-2 SET	*		1						
13	8595-211-004-20	SHAFT/COUNTER	*		1						
14	8595-211-005-10	SHIM/0.2	*		1						
15	8595-211-010-00	SHIM/0.2	*		1						
16	8595-211-021-00	SHIM/0.1	*		1						
17	7970-201-004-00	SHIM,A	*		1						
18	8595-211-006-30	GEAR/SPUR/34	*		1						
19	V600-110-600-50	BEARING,RB/6005	*		1						
20	8657-201-084-00	BEARING/BALL	*		1						
21	8597-201-053-10	GEAR/SPUR/21	*		1						
22	8657-201-085-00	BEARING/BALL	*		1						
23	8657-201-086-00	BEARING/BALL	*		1						
24	8595-211-024-00	SEAL/OIL	*		1						
25	V707-140-055-00	RING/SNAP	*		2						
26	8597-201-051-00	PLATE/L/130X109	*		1						
27	8595-211-009-10	PLATE/L/105X64	*		1						
28	V211-661-002-00	BOLT/M10X20	*		4						
29	V304-260-010-00	NUT	*		6						
30	V401-160-010-00	WASHER,SP/M10	*		6						



[illegible]

FIG. 6 CASE(BEVEL)SYSTEM(SSM48)

8595-201E-0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8657-201-081-00	CASE/UPPER	*	1							
2	8595-211-002-10	CASE/LOWER	*	1							
3	V523-100-801-80	PIN	*	2							
4	V211-260-803-00	BOLT,SEMS	*	6							
5	V201-260-808-00	BOLT/M 8X80	*	2							
6	V401-160-008-00	WASHER,SP/M 8	*	2							
7	7955-201-026-00	PLUG,DRAIN (1/4)	*	1							
8	8657-201-082-00	SHAFT/INPUT	*	1							
9	8657-201-083-00	SEAL/OIL	*	1							
10	V707-140-062-00	RING/SNAP	*	2							
11	1650-219-009-00	BEARING/BALL	*	2							
12	8595-211-200-20	GEAR/BEVEL/21-2 SET	*	1							
13	8595-211-004-20	SHAFT/COUNTER	*	1							
14	8595-211-005-10	SHIM/0.2	*	1							
15	8595-211-010-00	SHIM/0.2	*	1							
16	8595-211-021-00	SHIM/0.1	*	1							
17	7970-201-004-00	SHIM,A	*	1							
18	8595-211-006-30	GEAR/SPUR/34	*	1							
19	V600-110-600-50	BEARING,RB/6005	*	1							
20	8657-201-084-00	BEARING/BALL	*	1							
21	8597-201-053-10	GEAR/SPUR/21	*	1							
22	8657-201-085-00	BEARING/BALL	*	1							
23	8657-201-086-00	BEARING/BALL	*	1							
24	8595-211-024-00	SEAL/OIL	*	1							
25	V707-140-055-00	RING/SNAP	*	2							
26	8597-201-051-00	PLATE/L/130X109	*	1							
27	8595-211-009-10	PLATE/L/105X64	*	1							
28	V211-661-002-00	BOLT/M10X20	*	4							
29	V304-260-010-00	NUT	*	6							
30	V401-160-010-00	WASHER,SP/M10	*	6							




[illegible]

FIG. 7 CASE(BEVEL)SYSTEM(SMM54,SRM54)

8658-201G-0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8657-201-081-00	CASE/UPPER	*			1	1				
2	8595-211-002-10	CASE/LOWER	*			1	1				
3	V523-100-801-80	PIN	*			2	2				
4	V211-260-803-00	BOLT,SEMS	*			6	6				
5	V201-260-808-00	BOLT/M 8X80	*			2	2				
6	V401-160-008-00	WASHER,SP/M 8	*			2	2				
7	7955-201-026-00	PLUG,DRAIN (1/4)	*			1	1				
8	8657-201-082-00	SHAFT/INPUT	*			1	1				
9	8657-201-083-00	SEAL/OIL	*			1	1				
10	V707-140-062-00	RING/SNAP	*			2	2				
11	1650-219-009-00	BEARING/BALL	*			2	2				
12	8595-211-200-20	GEAR/BEVEL/21-2 SET	*			1	1				
13	8595-211-004-20	SHAFT/COUNTER	*			1	1				
14	8595-211-005-10	SHIM/0.2	*			1	1				
15	8595-211-010-00	SHIM/0.2	*			1	1				
16	8595-211-021-00	SHIM/0.1	*			1	1				
17	7970-201-004-00	SHIM,A	*			1	1				
18	8657-201-051-10	GEAR/SPUR/33	*			1	1				
19	V600-110-600-50	BEARING,RB/6005	*			1	1				
20	8657-201-084-00	BEARING/BALL	*			1	1				
21	8654-201-091-00	GEAR/SPUR/23	*			1	1				
22	8657-201-085-00	BEARING/BALL	*			1	1				
23	8657-201-086-00	BEARING/BALL	*			1	1				
24	8595-211-024-00	SEAL/OIL	*			1	1				
25	V707-140-055-00	RING/SNAP	*			2	2				
26	8658-201-052-00	PLATE/L/80X75	*			1	1				
27	8658-201-053-00	PLATE/L/80X59	*			1	1				
28	V211-661-002-00	BOLT/M10X20	*			4	4				
29	V304-260-010-00	NUT	*			4	4				
30	V401-160-010-00	WASHER,SP/M10	*			4	4				


FIG. 7 CASE(BEVEL)SYSTEM(SMM54,SRM54)



8658-201G-0100

[illegible]


FIG. 8 PULLEY SYSTEM(SMM54,SRM54)



8658-202 -0100

[illegible]


FIG. 9 PULLEY SYSTEM(SSM48)



8595-202A-0100


[illegible]


FIG. 10 PULLEY SYSTEM(SSM54)



8657-202A-0100

[illegible]

[illegible]








[illegible]


FIG. 16 BLADE SYSTEM(SRM54)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]


FIG. 23 COVER(DISCHARGE)SYSTEM(SSM48)



8595-406 -0100


[illegible]


FIG. 25 COVER(DISCHARGE)SYSTEM(SRM54)





8666-406 -0100

[illegible]

[illegible]


[illegible]


[illegible]



8657-501A-0100

[illegible]

[illegible]




8658-501C-0100

[illegible]

FIG. 33 LINK(LIFT)SYSTEM(SRM54)(1/2)

KEY12~30-PLEASE SEE NEXT PAGE



8666-608A-0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8595-608-081-00	BRACKET/FRONT	*				2				
2	V201-361-203-00	BOLT/M12X30	*				6				
3	V401-160-012-00	WASHER,SP/M12	*				6				
4	8657-608-810-10	ARM/FRONT COMP	*				1		7F		
5	8595-608-082-10	PIN/16X96	*				1				
6	1560-601-028-00	SPRING/HC042	*				1				
7	V580-140-504-00	PIN,SPRING/5 X40 W	*				1				
8	8595-608-820-00	HITCH/ARM COMP	*				2		7F		
9	8595-608-082-10	PIN/16X96	*				2				
10	1560-601-028-00	SPRING/HC042	*				2				
11	V580-140-504-00	PIN,SPRING/5 X40 W	*				2				
12	8657-608-850-00	BRACKET/MID/LH COMP	*				1				
13	V203-361-003-50	BOLT	*				3				
14	V401-160-010-00	WASHER,SP/M10	*				3				
15	8657-608-860-00	BRACKET/MID/RH COMP	*				1				
16	V203-361-003-50	BOLT	*				3				
17	V401-160-010-00	WASHER,SP/M10	*				3				
18	8666-608-210-00	ARM/MID/LH COMP	*				1				
19	8657-608-052-00	PIN/16X43	*				1				
20	1427-317-003-00	CLIP,PIN	*				1				
21	8666-608-220-00	ARM/MID/RH COMP	*				1				
22	8657-608-052-00	PIN/16X43	*				1				
23	1427-317-003-00	CLIP,PIN	*				1				
24	8595-608-870-00	STOPPER COMP	*				2				
25	1593-101-012-00	STOPPER	*				2				
26	V304-260-012-00	NUT/M12	*				2				
27	8657-608-870-00	LINK/REAR ASSY	*				1				
28	8654-501-283-00	BUSH/22X25X25	*				2				
29	8657-608-880-10	BRACKET/REAR/LH COMP	*				1				
30	V762-150-000-00	NIPPLE,GREASE/B-M6F	*				2				



[illegible]

FIG. 34 LINK(LIFT)SYSTEM(1/2)
(SSM54-HE4F,SMM54-HE4F TYPE)

KEY12~30-PLEASE SEE NEXT PAGE



8657-608D-0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8595-608-081-00	BRACKET/FRONT	*		2	2					
2	V201-361-203-00	BOLT/M12X30	*		6	6					
3	V401-160-012-00	WASHER,SP/M12	*		6	6					
4	8657-608-810-10	ARM/FRONT COMP	*		1	1			7F		
5	8595-608-082-10	PIN/16X96	*		1	1					
6	1560-601-028-00	SPRING/HC042	*		1	1					
7	V580-140-504-00	PIN,SPRING/5 X40 W	*		1	1					
8	8595-608-820-00	HITCH/ARM COMP	*		2	2			7F		
9	8595-608-082-10	PIN/16X96	*		2	2					
10	1560-601-028-00	SPRING/HC042	*		2	2					
11	V580-140-504-00	PIN,SPRING/5 X40 W	*		2	2					
12	8657-608-850-00	BRACKET/MID/LH COMP	*		1	1					
13	V203-361-003-50	BOLT	*		3	3					
14	V401-160-010-00	WASHER,SP/M10	*		3	3					
15	8657-608-860-00	BRACKET/MID/RH COMP	*		1	1					
16	V203-361-003-50	BOLT	*		3	3					
17	V401-160-010-00	WASHER,SP/M10	*		3	3					
18	8657-608-820-00	ARM/MID/LH COMP	*		1	1					
19	8657-608-052-00	PIN/16X43	*		1	1					
20	1427-317-003-00	CLIP,PIN	*		1	1					
21	8657-608-830-00	ARM/MID/RH COMP	*		1	1					
22	8657-608-052-00	PIN/16X43	*		1	1					
23	1427-317-003-00	CLIP,PIN	*		1	1					
24	8595-608-870-00	STOPPER COMP	*		2	2					
25	1593-101-012-00	STOPPER	*		2	2					
26	V304-260-012-00	NUT/M12	*		2	2					
27	8657-608-870-00	LINK/REAR ASSY	*		1	1					
28	8654-501-283-00	BUSH/22X25X25	*		2	2					
29	8657-608-880-10	BRACKET/REAR/LH COMP	*		1	1					
30	V762-150-000-00	NIPPLE,GREASE/B-M6F	*		2	2					



[illegible]

FIG. 35 LINK(LIFT)SYSTEM(SSM54-E4F TYPE)(1/2)

KEY12~30-PLEASE SEE NEXT PAGE



8657-608E-0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8595-608-081-00	BRACKET/FRONT	*		2						
2	V201-361-203-00	BOLT/M12X30	*		6						
3	V401-160-012-00	WASHER,SP/M12	*		6						
4	8657-608-810-10	ARM/FRONT COMP	*		1				7F		
5	8595-608-082-10	PIN/16X96	*		1						
6	1560-601-028-00	SPRING/HC042	*		1						
7	V580-140-504-00	PIN,SPRING/5 X40 W	*		1						
8	8595-608-820-00	HITCH/ARM COMP	*		2				7F		
9	8595-608-082-10	PIN/16X96	*		2						
10	1560-601-028-00	SPRING/HC042	*		2						
11	V580-140-504-00	PIN,SPRING/5 X40 W	*		2						
12	8657-608-850-00	BRACKET/MID/LH COMP	*		1						
13	V203-361-003-50	BOLT	*		3						
14	V401-160-010-00	WASHER,SP/M10	*		3						
15	8657-608-860-00	BRACKET/MID/RH COMP	*		1						
16	V203-361-003-50	BOLT	*		3						
17	V401-160-010-00	WASHER,SP/M10	*		3						
18	8657-608-820-00	ARM/MID/LH COMP	*		1						
19	8657-608-052-00	PIN/16X43	*		1						
20	1427-317-003-00	CLIP,PIN	*		1						
21	8657-608-890-00	ARM/MID/RH COMP	*		1						
22	8657-608-052-00	PIN/16X43	*		1						
23	1427-317-003-00	CLIP,PIN	*		1						
24	8595-608-870-00	STOPPER COMP	*		2						
25	1593-101-012-00	STOPPER	*		2						
26	V304-260-012-00	NUT/M12	*		2						
27	8657-608-870-00	LINK/REAR ASSY	*		1						
28	8654-501-283-00	BUSH/22X25X25	*		2						
29	8657-608-880-10	BRACKET/REAR/LH COMP	*		1						
30	V762-150-000-00	NIPPLE,GREASE/B-M6F	*		2						



[illegible]


FIG. 36 LINK(LIFT)SYSTEM(SSM48)(1/2)

KEY12~30-PLEASE SEE NEXT PAGE



8595-609 -0100

KEY	PART CODE	DESCRIPTION	S P C	TYPE OF MODEL				I T C	C O L	G R P	REMARKS
				SSM48 TM3160F	SSM54 TM3240F	SMM54 TM3240F	SRM54 TM3240F				
1	8595-609-021-00	BRACKET/FRONT	*	2							
2	V201-361-203-00	BOLT/M12X30	*	4							
3	V401-160-012-00	WASHER,SP/M12	*	4							
4	8657-608-810-10	ARM/FRONT COMP	*	1					7F		
5	8595-608-082-10	PIN/16X96	*	1							
6	1560-601-028-00	SPRING/HC042	*	1							
7	V580-140-504-00	PIN,SPRING/5 X40 W	*	1							
8	8595-608-820-00	HITCH/ARM COMP	*	2					7F		
9	8595-608-082-10	PIN/16X96	*	2							
10	1560-601-028-00	SPRING/HC042	*	2							
11	V580-140-504-00	PIN,SPRING/5 X40 W	*	2							
12	8595-609-380-00	BRACKET/MID/LH COMP	*	1							
13	V203-361-003-50	BOLT	*	3							
14	V401-160-010-00	WASHER,SP/M10	*	3							
15	8595-609-390-00	BRACKET/MID/RH COMP	*	1							
16	V203-361-003-50	BOLT	*	3							
17	V401-160-010-00	WASHER,SP/M10	*	3							
18	8595-609-210-00	ARM/MID/LH COMP	*	1							
19	8657-608-052-00	PIN/16X43	*	1							
20	1427-317-003-00	CLIP,PIN	*	1							
21	8595-609-220-00	ARM/MID/RH COMP	*	1							
22	8657-608-052-00	PIN/16X43	*	1							
23	1427-317-003-00	CLIP,PIN	*	1							
24	8595-608-870-00	STOPPER COMP	*	2							
25	1593-101-012-00	STOPPER	*	2							
26	V304-260-012-00	NUT/M12	*	2							
27	8595-609-230-10	LINK/REAR ASSY	*	1							
28	8654-501-283-00	BUSH/22X25X25	*	2							
29	8595-609-350-00	BRACKET/REAR/LH COMP	*	1							
30	V762-150-000-00	NIPPLE,GREASE/B-M6F	*	2							

[illegible]




[illegible]


FIG. 38 CYLINDER SYSTEM(EXCEPT SSM48)





8657-610A-0100


[illegible]


[illegible]



[illegible]


[illegible]


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

FIG. 51 F(TM/H)KIT(SSM54-HE4F)(REPAIR)



8657-950B-0100

[illegible]

Numerical Index

8595-097-180-00

Part Code	Fig. Key	Part Code	Fig. Key	Part Code	Fig. Key
1342-402-006-00	37 13	1593-901-015-00	47 15	3746-111-011-00	10 6
	38 15		48 15	3768-112-001-00	23 4
1427-317-003-00	30 9		49 15		24 4
	31 6		50 15	3768-185-022-10	37 12
	32 12		51 15	7821-102-008-00	52 7
	33 20	1594-221-001-00	13 4		52 14
	33 23		13 17		53 7
	33 42		14 4		53 14
	34 20		14 17	7821-102-220-00	52 8
	34 23	1608-206-240-00	37 6		52 15
	34 42		38 9		53 8
	35 20	1608-206-241-00	37 7		53 15
	35 23		38 10	7955-201-026-00	5 7
	35 42	1650-219-009-00	5 11		6 7
	36 20		6 11		7 7
	36 23		7 11		45 8
	36 44		45 12		46 8
	37 10		46 12	7970-201-004-00	5 17
	38 12	1675-506-002-00	38 14		6 17
1434-211-004-00	8 3	1719-611-624-00	39 8		7 17
	9 3	2149-602-012-00	26 2		45 18
	10 3		27 2		46 18
1560-601-028-00	19 3		28 2	8593-014-200-10	8 11
	20 3	2500-901-014-30	41 4		9 11
	21 3		42 4		10 11
	22 3		43 2	8595-101-422-00	52 1
	33 6		44 4		53 1
	33 10	2500-901-027-00	41 1	8595-101-620-00	3 1
	34 6		42 1		50 2
	34 10		43 1	8595-201-360-00	45 1
	35 6		44 1	8595-203-003-00	12 1
	35 10	3621-211-003-00	8 14	8595-211-002-10	5 2
	36 6		9 14		6 2
	36 10		10 14		7 2
1564-275-007-00	29 8	3650-380-220-10	37 11		45 3
	30 4		38 13		46 3
	32 7	3664-416-072-00	32 23	8595-211-004-20	5 13
1593-101-012-00	33 25	3737-341-006-00	8 16		6 13
	34 25		9 16		7 13
	35 25		10 16		45 14
	36 25	3737-341-007-00	8 17		46 14
1593-901-015-00	41 8		9 17	8595-211-005-10	5 14
	42 6		10 17		6 14
	43 7	3746-111-011-00	8 6		7 14
	44 8		9 6		45 15

Numerical Index

8595-097-180-00

Part Code	Fig. Key		Part Code	Fig. Key		Part Code	Fig. Key	
8595-211-005-10	46	15	8595-407-860-00	50	10	8595-609-350-00	36	29
8595-211-006-30	5	18	8595-501-001-20	29	19	8595-609-380-00	36	12
	6	18		30	15	8595-609-390-00	36	15
	45	19		31	3	8595-610-085-00	37	8
8595-211-009-10	5	27		32	18		50	22
	6	27	8595-505-002-00	30	8	8595-901-005-00	41	6
8595-211-010-00	5	15		31	5		43	3
	6	15		32	11		44	6
	7	15	8595-505-051-30	29	20	8595-901-006-00	41	2
	45	16		30	16		42	2
	46	16		31	1		43	4
8595-211-021-00	5	16		32	21		44	2
	6	16	8595-608-081-00	33	1		47	16
	7	16		34	1		48	16
	45	17		35	1		49	16
	46	17	8595-608-082-10	19	2		50	16
8595-211-024-00	5	24		20	2		51	16
	6	24		21	2	8595-901-007-00	41	3
	7	24		22	2		42	3
	45	25		33	5		43	5
	46	25		33	9		44	3
8595-211-200-20	5	12		34	5		47	17
	6	12		34	9		48	17
	7	12		35	5		49	17
	45	13		35	9		50	17
	46	13		36	5		51	17
8595-301-031-00	14	3		36	9	8595-901-008-10	41	7
8595-306-005-10	15	1	8595-608-820-00	33	8		44	7
	16	3		34	8		47	19
	17	2		35	8		50	19
	18	2		36	8		51	19
8595-306-006-00	15	4	8595-608-870-00	33	24	8595-950-300-00	50	1
	16	4		34	24	8597-201-051-00	5	26
	17	3		35	24		6	26
	18	3		36	24	8597-201-053-10	5	21
8595-306-007-00	15	2	8595-609-021-00	36	1		6	21
	16	5	8595-609-210-00	36	18		45	22
	17	4	8595-609-220-00	36	21	8597-202-500-00	9	9
	18	4	8595-609-230-10	36	27	8597-202-501-00	8	10
8595-306-055-10	17	1		50	20		9	10
8595-402-810-30	22	1	8595-609-260-00	36	35		10	10
8595-406-220-00	23	1	8595-609-270-00	36	46	8597-301-002-00	5	32
8595-407-850-00	26	1	8595-609-280-00	36	50		6	32
	50	9	8595-609-310-00	36	40		7	32
8595-407-860-00	26	4	8595-609-320-00	36	41	8654-101-230-00	52	3

Numerical Index

8595-097-180-00

Part Code	Fig. Key	Part Code	Fig. Key	Part Code	Fig. Key
8654-101-230-00	52 10	8654-901-002-00	42 5	8657-201-085-00	45 23
	53 3		43 6		46 23
	53 10		44 5		5 23
8654-101-232-00	52 4		47 18	8657-201-086-00	6 23
	52 11		48 18		7 23
	53 4		49 18		45 24
8654-101-233-00	53 11		50 18		46 24
	52 5		51 18	8657-202-001-00	9 1
	52 12		52 16		9 4
	53 5	8657-101-501-00	53 16	8657-202-003-20	8 1
	53 12		2 1		8 4
	52 9		47 2		10 1
8654-101-311-00	52 2	8657-101-531-00	52 6		10 4
8654-101-321-00	4 1		52 13	8657-202-220-10	10 9
8654-150-450-10	47 5		4 3		11 1
	48 5	8657-150-055-00	47 7		13 1
	49 5		48 7	8657-301-004-00	14 1
	50 5		49 7		13 12
	51 5		50 7		14 12
8654-201-091-00	7 21		51 7	8657-301-007-00	14 9
	46 22		7 18		14 22
	46 1		46 19	8657-301-008-00	13 24
8654-201-850-00	8 2	8657-201-081-00	5 1		14 24
8654-202-016-00	8 5		6 1	8657-301-009-00	13 15
	9 2		7 1		14 15
	9 5		45 2	8657-306-005-00	18 1
	10 2		46 2		20 1
	10 5		5 8	8657-402-810-00	24 1
8654-301-004-00	13 7	8657-201-082-00	6 8		26 8
	13 20		7 8	8657-406-210-00	27 8
	14 7		45 9		28 8
	14 20		46 9		47 13
	13 3		5 9		48 13
8654-301-081-10	32 19	8657-201-083-00	6 9		49 13
8654-501-041-00	29 13		7 9		50 13
8654-501-283-00	30 11		45 10		51 13
	31 8	8657-201-084-00	46 10	8657-407-550-00	27 1
	32 14		5 20		47 9
	33 28		6 20		51 9
	34 28		7 20	8657-407-560-00	27 4
	35 28		45 21		47 10
	36 28		46 21		51 10
	50 21	8657-201-085-00	5 22	8657-407-570-00	26 6
8654-501-810-00	29 5		6 22		27 6
8654-901-002-00	41 5		7 22		28 6

Numerical Index

8595-097-180-00

Part Code	Fig. Key		Part Code	Fig. Key		Part Code	Fig. Key	
8657-407-570-00	47	11	8657-608-820-00	35	18	8658-301-001-00	13	9
	48	11	8657-608-830-00	34	21		13	22
	49	11	8657-608-850-00	33	12	8658-306-003-00	15	5
	50	11		34	12	8658-402-510-00	21	1
	51	11		35	12	8658-407-550-00	28	1
8657-501-500-10	30	1	8657-608-860-00	33	15		48	9
	32	4		34	15		49	9
8657-501-501-00	29	6		35	15	8658-407-560-00	28	4
	30	2	8657-608-870-00	33	27		48	10
	32	5		34	27		49	10
8657-501-520-10	30	6		35	27	8658-501-210-00	32	1
	32	9	8657-608-880-10	33	29	8658-501-220-00	32	2
8657-501-530-00	29	12		34	29	8658-901-001-00	42	7
	30	10		35	29		48	19
	31	7	8657-608-890-00	35	21	8658-950-200-00	48	1
	32	13	8657-610-051-00	37	9	8663-101-211-00	53	2
8657-501-540-10	30	7		38	11	8663-501-001-10	29	14
	31	4	8657-610-510-20	38	1	8663-501-240-00	29	11
	32	10	8657-611-001-00	39	2	8666-306-001-00	16	1
8657-608-051-20	33	34	8657-611-002-10	39	1	8666-306-003-00	16	2
	34	34	8657-611-003-00	39	5	8666-402-210-10	19	1
	35	34	8657-611-005-00	39	16	8666-406-001-00	25	1
8657-608-052-00	33	19	8657-611-230-00	39	7	8666-406-002-00	25	2
	33	22	8657-611-240-00	39	10	8666-501-210-00	29	1
	34	19	8657-611-250-00	39	12	8666-501-230-00	29	4
	34	22	8657-901-001-00	41	9	8666-501-240-00	29	10
	35	19		42	8	8666-608-210-00	33	18
	35	22		43	9	8666-608-220-00	33	21
	36	19	8657-901-002-00	41	10	8666-701-001-00	40	4
	36	22		42	9	8666-701-002-00	40	5
8657-608-053-10	33	41		43	10	8666-701-003-00	40	6
	34	41	8657-950-200-00	47	1	8666-701-210-00	40	1
	35	41	8657-950-300-00	51	1	8666-901-001-00	43	8
	36	43	8658-101-674-00	52	17		49	19
8657-608-590-10	33	38		53	17	8666-950-200-00	49	1
	34	38	8658-101-820-00	1	1	A101-212-003-00	39	13
	35	38		48	2	K182-002-002-00	37	3
8657-608-610-10	33	39		49	2		38	6
	34	39		51	2	K182-032-000-00	37	1
	35	39	8658-101-831-00	53	6		38	4
8657-608-810-10	33	4	8658-101-841-00	53	9	K182-032-001-00	37	2
	34	4	8658-101-842-00	53	13		38	5
	35	4	8658-201-052-00	7	26	K182-032-002-00	37	4
	36	4	8658-201-053-00	7	27		38	7
8657-608-820-00	34	18	8658-202-200-00	8	9	K182-032-003-00	37	5

Numerical Index

8595-097-180-00

77

Part Code	Fig. Key	Part Code	Fig. Key	Part Code	Fig. Key
K182-032-003-00	38 8	V211-261-002-50	13 13	V304-460-012-00	34 37
P115-810-011-00	23 2		14 2		35 33
	24 2		14 13		35 37
V120-264-000-80	39 17		32 3	V304-460-016-00	8 8
V120-266-001-60	39 14	V211-360-801-60	4 2		9 8
V201-260-803-00	23 5		4 4		10 8
	24 5		47 6		29 17
V201-260-808-00	5 5		47 8	V360-260-006-00	39 15
	6 5		48 6	V360-260-012-00	29 21
	7 5		48 8		30 17
	45 6		49 6		31 2
	46 6		49 8		32 22
V201-261-205-50	29 2		50 6	V362-260-008-00	26 3
V201-261-207-00	36 47		50 8		26 5
	36 51		51 6		26 7
V201-361-203-00	33 2		51 8		26 9
	34 2	V211-360-802-50	39 11		27 3
	35 2	V211-561-003-00	36 33		27 5
	36 2		36 38		27 7
	38 2	V211-661-002-00	5 28		27 9
V201-361-203-50	36 31		6 28		28 3
	36 36		7 28		28 5
V201-361-204-00	33 31	V304-260-008-00	8 18		28 7
	33 35		9 18		28 9
	34 31		10 18		32 20
	34 35		23 6		40 8
	35 31		24 6		47 12
	35 35	V304-260-010-00	5 29		47 14
V201-361-204-50	36 32		6 29		48 12
	36 37		7 29		48 14
V203-361-003-50	33 13		13 16		49 12
	33 16		14 16		49 14
	34 13	V304-260-012-00	33 26		50 12
	34 16		34 26		50 14
	35 13		35 26		51 12
	35 16		36 26		51 14
	36 13		39 6	V363-260-008-00	23 3
	36 16		40 2		24 3
V211-260-802-00	40 7	V304-260-016-00	33 40		25 3
V211-260-803-00	5 4		34 40	V401-160-008-00	5 6
	6 4		35 40		6 6
	7 4		36 42		7 6
	45 5	V304-460-012-00	33 33		45 7
	46 5		33 37		46 7
V211-261-002-50	13 2		34 33	V401-160-010-00	5 30

Numerical Index

8595-097-180-00

Part Code	Fig. Key	Part Code	Fig. Key	Part Code	Fig. Key
V401-160-010-00	6 30	V411-260-014-00	5 31	V600-110-600-50	46 20
	7 30		6 31	V600-110-690-80	13 5
	33 14		7 31		13 18
	33 17	V411-260-020-00	16 7		14 5
	34 14	V411-260-022-00	29 15		14 18
	34 17		30 13	V704-140-016-00	8 13
	35 14		31 10		9 13
	35 17		32 16		10 13
	36 14	V500-163-003-50	39 4	V704-140-017-00	8 12
	36 17	V523-100-801-80	5 3		9 12
V401-160-012-00			6 3		10 12
	29 3		7 3	V705-140-052-00	13 6
	33 3		45 4		13 19
	33 32		46 4		14 6
	33 36		39 9		14 19
	34 3	V580-140-402-50	19 4	V707-140-055-00	5 25
	34 32	V580-140-504-00	20 4		6 25
	34 36		21 4		7 25
	35 3		22 4		45 26
	35 32		29 7		46 26
	35 36		30 3	V707-140-062-00	5 10
	36 3		30 12		6 10
	36 34		31 9		7 10
	36 39		32 6		13 10
	36 49		32 15		13 23
	36 53		33 7		14 10
	38 3		33 11		14 23
	40 3		34 7		45 11
V401-160-016-00	8 7		34 11		46 11
	9 7		35 7	V744-135-520-80	13 8
	10 7		35 11		13 21
V401-160-020-00	29 18		36 7		14 8
	15 3		36 11		14 21
	16 6	V580-140-604-00	1 2	V760-150-000-00	8 15
	17 5		2 2		9 15
V411-260-010-00	18 5		3 2		10 15
	5 33		47 3		13 11
	6 33		48 3		13 14
V411-260-012-00	7 33		49 3		14 11
	33 43		50 3		14 14
	34 43		51 3		29 9
	35 43	V600-110-600-50	5 19		29 16
	36 45		6 19		30 5
	36 48		7 19		30 14
	36 52		45 20		31 11
	39 3				

Numerical Index

8595-097-180-00

Part Code	Fig. Key	Part Code	Fig. Key	Part Code	Fig. Key
V760-150-000-00	32 8 32 17				
V762-150-000-00	33 30 34 30 35 30 36 30				

Alphabetical Index

8595-097-180-00

Description	Fig. Key	Description	Fig. Key	Description	Fig. Key
ADAPTER (90B) ORIFICE	37 6	BEARING/BALL	7 22	BOLT, SEMS (SP)	48 8
	38 9		7 23		49 6
ADAPTER (90B/PUMP)	37 12		45 12		49 8
ADAPTER/L/PT1/8	38 14		45 21		50 6
ARM/FRONT COMP	33 4		45 23		50 8
	34 4		45 24		51 6
	35 4		46 12		51 8
	36 4		46 21	BOLT/M 8X30	23 5
ARM/GAUGE COMP	29 1		46 23		24 5
ARM/GAUGE/LH COMP	32 1		46 24	BOLT/M 8X80	5 5
					6 5
ARM/GAUGE/RH COMP	32 2	BEARING/BALL 6205SH2	13 4		7 5
ARM/MID/LH COMP	33 18		13 17		45 6
	34 18		14 4		46 6
	35 18		14 17		5 28
	36 18	BELT/VB092	12 1	BOLT/M10X20	6 28
ARM/MID/RH COMP	33 21	BELT/VB101	11 1		7 28
	34 21	BLADE/50X428/E	17 1		36 33
	35 21	BLADE/60X472/D	18 1	BOLT/M10X30	36 38
	36 21	BLADE/60X480/M	16 1		33 2
ARM/TENSION ASSY	8 9	BLOT/M10X25	5 32	BOLT/M12X30	34 2
	9 9		6 32		35 2
	10 9		7 32		36 2
AS YOKE ASSY	52 16	BOLT	33 13		38 2
	53 16		33 16		36 31
BAND/WIRE/250	37 13		34 13	BOLT/M12X35	36 36
	38 15		34 16		33 31
BEARING	13 5		35 13	BOLT/M12X40	33 35
	13 18		35 16		34 31
	14 5		36 13		34 35
	14 18		36 16		35 31
BEARING, RB/6005	5 19	BOLT (S) M10X25	13 2		35 35
	6 19		13 13		36 32
	7 19		14 2	BOLT/M12X45	36 37
	45 20		14 13		29 2
	46 20		32 3	BOLT/M12X55	36 47
BEARING/BALL	5 11	BOLT, SEMS	5 4	BOLT/M12X70	36 51
	5 20		6 4		40 7
	5 22		7 4	BOLT/S	39 11
	5 23		45 5	BOLT/SP	4 1
	6 11		46 5	BRACKET/COVER/MID	47 5
	6 20	BOLT, SEMS (SP)	4 2		48 5
	6 22		4 4		49 5
	6 23		47 6		50 5
	7 11		47 8		51 5
	7 20		48 6		

Alphabetical Index

8595-097-180-00

Description	Fig. Key	Description	Fig. Key	Description	Fig. Key
BRACKET/CYLINDER COMP	38 1	CASE/LOWER	7 2	COVER	49 13
BRACKET/FRONT	33 1		45 3		50 13
	34 1		46 3		51 13
	35 1	CASE/UPPER	5 1	COVER/B/L/TM/F COMP	26 1
	36 1		6 1		27 1
BRACKET/GUIDE COMP	39 10		7 1		28 1
BRACKET/MID/LH COMP	33 12		45 2		47 9
	34 12		46 2		48 9
	35 12	CHAIN ASSY	52 8		49 9
	36 12		52 15		50 9
BRACKET/MID/RH COMP	33 15		53 8		51 9
	34 15		53 15	COVER/B/R/TM/F COMP	26 4
	35 15	CLIP, PIN	30 9		27 4
	36 15		31 6		28 4
BRACKET/REAR/LH COMP	33 29		32 12		47 10
	34 29		33 20		48 10
	35 29		33 23		49 10
	36 29		33 42		50 10
BRACKET/REAR/RH	33 34		34 20		51 10
	34 34		34 23	COVER/DISCHARGE	25 1
	35 34		34 42	COVER/DISCHARGE COMP	23 1
BRACKET/REAR/RH COMP	36 35		35 20		24 1
BUSH/14X16X10	39 13		35 23	COVER/PROTECTOR	40 4
BUSH/16X18X15	8 10		35 42	CYLINDER ASSY	37 1
	9 10		36 20		38 4
	10 10		36 23	DECK/MOWER/48 COMP	22 1
BUSH/22X25X25	29 13		36 44	DECK/MOWER/54/M	20 1
	30 11		37 10	DECK/MOWER/54/M COMP	21 1
	31 8		38 12	DECK/MOWER/54/TMX	19 1
	32 14	COLLAR/26X36X3	8 3	DUST/SEAL	37 5
	33 28		9 3		38 8
	34 28		10 3	F/TM/HKIT	48 1
	35 28	COLLAR/BRADE	13 9		49 1
	36 28		13 22		51 1
	50 21		14 9	F/TMKIT	47 1
BUSH/26X30X20	29 6		14 22		50 1
	30 2	COLLAR/CYLINDER	37 8	FITTING YOKE	52 1
	32 5		50 22		53 1
CAP/32	26 2	COLLER/26X34X15	13 24	FORK/A COMP	33 38
	27 2		14 24		34 38
	28 2	COVER	26 8		35 38
CASE/BEVEL ASSY	45 1		27 8		36 40
	46 1		28 8	FORK/B COMP	33 39
CASE/LOWER	5 2		47 13		34 39
	6 2		48 13		35 39

Alphabetical Index

8595-097-180-00

Description	Fig. Key	Description	Fig. Key	Description	Fig. Key
FORK/B COMP	36 41	KEY/06X06X28	8 2	LABEL/PTO	42 5
FORK/WHEEL ASSY	30 1		8 5		43 6
	32 4		9 2		44 5
FORK/WHEEL/FRON ASSY	29 5		9 5		47 18
FORK/WHEEL/R COMP	30 7		10 2		48 18
	31 4		10 5		49 18
	32 10	KNOB ASSY	39 8		50 18
FORK/WHEEL/REAR COMP	29 10	LABEL/ADJUST	41 9		51 18
GEAR/BEVEL/21-2 SET	5 12		42 8	LABEL/WARNING/BELT	41 2
	6 12		43 9		42 2
	7 12	LABEL/CE	41 1		43 4
	45 13		42 1		44 2
	46 13		43 1		47 16
GEAR/SPUR/21	5 21		44 1		48 16
	6 21	LABEL/CUTTING	42 7		49 16
	45 22		48 19		50 16
GEAR/SPUR/23	7 21	LABEL/DANGER	41 4		51 16
	46 22		42 4	LABEL/WARNING/HOT	41 3
GEAR/SPUR/33	7 18		43 2		42 3
	46 19		44 4		43 5
GEAR/SPUR/34	5 18	LABEL/DANGER/DISCHAR	41 6		44 3
	6 18		43 3		47 17
	45 19		44 6		48 17
GREASENIPPLE	52 4	LABEL/DANGER/JOINT/G	52 17		49 17
	52 11		53 17		50 17
	53 4	LABEL/GAUGE	41 10		51 17
	53 11		42 9	LINK/REAR ASSY	33 27
HITCH/ARM COMP	33 8		43 10		34 27
	34 8	LABEL/GAUGEWHEEL	41 7		35 27
	35 8		43 8		36 27
	36 8		44 7		50 20
HOSE/HYDRAULIC/900	37 11		47 19	METAL/CENTER	13 12
	38 13		49 19		14 12
JOINT/UNIVERSAL SET	1 1		50 19	METAL/SIDE	13 1
	2 1		51 19		14 1
	3 1	LABEL/MAINTENANCE	41 8	NIPPLE, GREASE	8 15
	47 2		42 6		9 15
	48 2		43 7		10 15
	49 2		44 8		13 11
	50 2		47 15		13 14
	51 2		48 15		14 11
JOURNALCROSSE ASSY	52 3		49 15		14 14
	52 10		50 15		29 9
	53 3		51 15		29 16
	53 10	LABEL/PTO	41 5		30 5

Alphabetical Index

8595-097-180-00

Description	Fig. Key	Description	Fig. Key	Description	Fig. Key
NIPPLE, GREASE	30 14	NUT/WASHER	23 3	PIN, SPRING/5 X40 W	30 3
	31 11		24 3		30 12
	32 8		25 3		31 9
	32 17		26 3		32 6
NIPPLE, GREASE/B-M6F	33 30		26 5		32 15
	34 30		26 7		33 7
	35 30		26 9		33 11
	36 30		27 3		34 7
NUT	5 29		27 5		34 11
	6 29		27 7		35 7
	7 29		27 9		35 11
	8 18		28 3		36 7
	9 18		28 5		36 11
	10 18		28 7	PIN, SPRING/6 X40 W	1 2
	13 16		28 9		2 2
	14 16		29 21		3 2
	23 6		30 17		47 3
	24 6		31 2		48 3
NUT/ADJUST	39 2		32 20		49 3
NUT/GAUGE COMP	39 7		32 22		50 3
NUT/M12	33 26		40 8		51 3
	33 33		47 12	PIN/08X44	30 8
	33 37		47 14		31 5
	34 26		48 12		32 11
	34 33		48 14	PIN/08X60 COMP	29 11
	34 37		49 12	PIN/12X117	29 20
	35 26		49 14		30 16
	35 33		50 12		31 1
	35 37		50 14		32 21
	36 26		51 12	PIN/12X133	32 19
	39 6		51 14	PIN/12X42	33 41
	40 2	ORIFICEBOLT/2.2	37 7		34 41
NUT/M16	8 8		38 10		35 41
	9 8	PIN	5 3		36 43
	10 8		6 3	PIN/15X88	37 9
	29 17		7 3		38 11
	33 40		45 4	PIN/16X43	33 19
	34 40		46 4		33 22
	35 40	PIN, SPLIT/3 X35	39 4		34 19
	36 42	PIN, SPRING/4 X25	39 9		34 22
NUT/M20X1.5	15 2	PIN, SPRING/5 X40 W	19 4		35 19
	16 5		20 4		35 22
	17 4		21 4		36 19
	18 4		22 4		36 22
NUT/M6	39 15		29 7	PIN/16X96	19 2

Alphabetical Index

8595-097-180-00

Description	Fig. Key	Description	Fig. Key	Description	Fig. Key
PIN/16X96	20 2	PLATE/L/130X109	5 26	RING/SNAP	46 26
	21 2		6 26	ROD PACKING	37 4
	22 2	PLATE/L/80X59	7 27		38 7
	33 5	PLATE/L/80X75	7 26	ROD, CHAIN TENSION	8 17
	33 9	PLUG, DRAIN (1/4)	5 7		9 17
	34 5		6 7		10 17
	34 9		7 7	SAFETYGUARD/IN	52 6
	35 5		45 8		53 6
	35 9		46 8	SAFETYGUARD/OUT	52 13
	36 5	PULLEY COMP	8 11		53 13
	36 9		9 11	SCREW SEEMS/M6X16	39 14
PIN/22X106	29 14		10 11	SCREW, PLUS/M4X8	39 17
PIN/GAUGE COMP	29 4	PULLEY/VB125	9 1	SEAL, OIL/TC35528	13 8
	30 6		9 4		13 21
	32 9	PULLEY/VB137	8 1		14 8
PIN/PARALLEL	15 5		8 4		14 21
PIN/REAR/LH COMP	36 46		10 1	SEAL/OIL	5 9
PIN/REAR/RH COMP	36 50		10 4		5 24
PIPE/GREASE	13 15	RING, SNAP/16 C	8 13		6 9
	14 15		9 13		6 24
PISTON	37 2		10 13		7 9
	38 5	RING, SNAP/17 C	8 12		7 24
PLATE/03X15X65	23 2		9 12		13 7
	24 2		10 12		13 20
PLATE/22X800	25 2	RING, SNAP/52 C	13 6		14 7
PLATE/COVER/MID	4 3		13 19		14 20
	47 7		14 6		45 10
	48 7		14 19		45 25
	49 7	RING/SLIDE	52 7		46 10
	50 7		52 14		46 25
	51 7		53 7	SHAFT/ADJUST	39 1
PLATE/COVER/MOWER	26 6		53 14	SHAFT/BRADE	14 3
	27 6	RING/SNAP	5 10	SHAFT/COUNTER	5 13
	28 6		5 25		6 13
	47 11		6 10		7 13
	48 11		6 25		45 14
	49 11		7 10		46 14
	50 11		7 25	SHAFT/INPUT	5 8
	51 11		13 10		6 8
	39 12		13 23		7 8
PLATE/GUIDE COMP	40 5		14 10		45 9
PLATE/I/25X280	40 6		14 23		46 9
PLATE/I/25X80	39 16		45 11	SHAFT/SIDE	13 3
PLATE/L/105X64	5 27		45 26	SHAFTYOKE	53 2
	6 27		46 11	SHAFTYOKE ASSY	52 2

Alphabetical Index

8595-097-180-00

Description	Fig.	Key	Description	Fig.	Key	Description	Fig.	Key		
SHIM, A	5	17	STOPPER	34	25	WASHER, SP/M10	35	14		
	6	17		35	25		35	17		
	7	17		36	25		36	14		
	45	18		STOPPER	COMP	33	24	36	17	
	46	18				34	24	WASHER, SP/M12	29	3
SHIM/0. 1	5	16	STOPPER, PISTON	35	24		33	3		
	6	16		36	24		33	32		
	7	16		37	3		33	36		
	45	17		38	6		34	3		
	46	17		SURCLIP/HOLE	52		5	34	32	
SHIM/0. 2	5	14	WASHER	52	12		34	36		
	5	15		53	5		35	3		
	6	14		53	12		35	32		
	6	15		8	6		35	36		
	7	14		8	14		36	3		
	7	15		9	6		36	34		
	45	15		9	14		36	39		
	45	16		10	6		36	49		
	46	15		10	14		36	53		
	46	16		33	43		38	3		
	SHIM/1. 2	15		4	WASHER, SP/M16		34	43	40	3
		16		4			35	43	8	7
		17		3			36	45	9	7
		18		3			36	48	10	7
SLEEVEYOKE	53	9		36	52	29	18			
SLEEVEYOKE ASSY	52	9		39	3	15	3			
SPRING, CHAIN TENSION	8	16	WASHER, PL/M14	5	31	16	6			
	9	16		6	31	17	5			
	10	16		7	31	18	5			
SPRING, CLUTCH RETURN	23	4	WASHER, PL/M22	29	15	32	23			
	24	4		30	13	39	5			
SPRING/HCO42	19	3	WASHER, SP/M 8	31	10	15	1			
	20	3		32	16	16	3			
	21	3		5	6	17	2			
	22	3		6	6	18	2			
	33	6		7	6	16	2			
	33	10		45	7	29	8			
	34	6		46	7	30	4			
	34	10		5	30	32	7			
	35	6		6	30	5	33			
	35	10		7	30	6	33			
	36	6		33	14	7	33			
	36	10		33	17	16	7			
	STAY/PROTECTOR COMP	40		1	34	14	WHEEL/GAUGE ASSY	29	12	
	STOPPER	33		25	34	17		30	10	

Alpabetical Index

8595-097-180-00

Description		Fig. Key		Description	Fig. Key	Description	Fig. Key				
WHEEL/GAUGE	ASSY	31	7								
		32	13								
WHEEL/GAUGE/FRONT		29	19								
		30	15								
		31	3								
		32	18								